

(This page left intentionally blank)

Table 2 - Row 00: Basic Latin

	000	001	002	003	004	005	006	007
0			SP 0020	0 0030	@ 0040	P 0050	` 0060	p 0070
1			! 0021	1 0031	A 0041	Q 0051	a 0061	q 0071
2			" 0022	2 0032	B 0042	R 0052	b 0062	r 0072
3			# 0023	3 0033	C 0043	S 0053	c 0063	s 0073
4			\$ 0024	4 0034	D 0044	T 0054	d 0064	t 0074
5			% 0025	5 0035	E 0045	U 0055	e 0065	u 0075
6			& 0026	6 0036	F 0046	V 0056	f 0066	v 0076
7			' 0027	7 0037	G 0047	W 0057	g 0067	w 0077
8			(0028	8 0038	H 0048	X 0058	h 0068	x 0078
9) 0029	9 0039	I 0049	Y 0059	i 0069	y 0079
A			* 002A	: 003A	J 004A	Z 005A	j 006A	z 007A
B			+ 002B	; 003B	K 004B	[005B	k 006B	{ 007B
C			, 002C	< 003C	L 004C	\ 005C	l 006C	l 007C
D			- 002D	= 003D	M 004D] 005D	m 006D	} 007D
E			. 002E	> 003E	N 004E	^ 005E	n 006E	~ 007E
F			/ 002F	? 003F	O 004F	_ 005F	o 006F	

G = 00
P = 00

Table 2 - Row 00: Basic Latin



HEX	NAME	HEX	NAME
0020	SPACE	007D	RIGHT CURLY BRACKET
0021	EXCLAMATION MARK	007E	TILDE
0022	QUOTATION MARK		
0023	NUMBER SIGN		
0024	DOLLAR SIGN		
0025	PERCENT SIGN		
0026	AMPERSAND		
0027	APOSTROPHE		
0028	LEFT PARENTHESIS		
0029	RIGHT PARENTHESIS		
002A	ASTERISK		
002B	PLUS SIGN		
002C	COMMA		
002D	HYPHEN-MINUS		
002E	FULL STOP		
002F	SOLIDUS		
0030	DIGIT ZERO		
0031	DIGIT ONE		
0032	DIGIT TWO		
0033	DIGIT THREE		
0034	DIGIT FOUR		
0035	DIGIT FIVE		
0036	DIGIT SIX		
0037	DIGIT SEVEN		
0038	DIGIT EIGHT		
0039	DIGIT NINE		
003A	COLON		
003B	SEMICOLON		
003C	LESS-THAN SIGN		
003D	EQUALS SIGN		
003E	GREATER-THAN SIGN		
003F	QUESTION MARK		
0040	COMMERCIAL AT		
0041	LATIN CAPITAL LETTER A		
0042	LATIN CAPITAL LETTER B		
0043	LATIN CAPITAL LETTER C		
0044	LATIN CAPITAL LETTER D		
0045	LATIN CAPITAL LETTER E		
0046	LATIN CAPITAL LETTER F		
0047	LATIN CAPITAL LETTER G		
0048	LATIN CAPITAL LETTER H		
0049	LATIN CAPITAL LETTER I		
004A	LATIN CAPITAL LETTER J		
004B	LATIN CAPITAL LETTER K		
004C	LATIN CAPITAL LETTER L		
004D	LATIN CAPITAL LETTER M		
004E	LATIN CAPITAL LETTER N		
004F	LATIN CAPITAL LETTER O		
0050	LATIN CAPITAL LETTER P		
0051	LATIN CAPITAL LETTER Q		
0052	LATIN CAPITAL LETTER R		
0053	LATIN CAPITAL LETTER S		
0054	LATIN CAPITAL LETTER T		
0055	LATIN CAPITAL LETTER U		
0056	LATIN CAPITAL LETTER V		
0057	LATIN CAPITAL LETTER W		
0058	LATIN CAPITAL LETTER X		
0059	LATIN CAPITAL LETTER Y		
005A	LATIN CAPITAL LETTER Z		
005B	LEFT SQUARE BRACKET		
005C	REVERSE SOLIDUS		
005D	RIGHT SQUARE BRACKET		
005E	CIRCUMFLEX ACCENT		
005F	LOW LINE		
0060	GRAVE ACCENT		
0061	LATIN SMALL LETTER A		
0062	LATIN SMALL LETTER B		
0063	LATIN SMALL LETTER C		
0064	LATIN SMALL LETTER D		
0065	LATIN SMALL LETTER E		
0066	LATIN SMALL LETTER F		
0067	LATIN SMALL LETTER G		
0068	LATIN SMALL LETTER H		
0069	LATIN SMALL LETTER I		
006A	LATIN SMALL LETTER J		
006B	LATIN SMALL LETTER K		
006C	LATIN SMALL LETTER L		
006D	LATIN SMALL LETTER M		
006E	LATIN SMALL LETTER N		
006F	LATIN SMALL LETTER O		
0070	LATIN SMALL LETTER P		
0071	LATIN SMALL LETTER Q		
0072	LATIN SMALL LETTER R		
0073	LATIN SMALL LETTER S		
0074	LATIN SMALL LETTER T		
0075	LATIN SMALL LETTER U		
0076	LATIN SMALL LETTER V		
0077	LATIN SMALL LETTER W		
0078	LATIN SMALL LETTER X		
0079	LATIN SMALL LETTER Y		
007A	LATIN SMALL LETTER Z		
007B	LEFT CURLY BRACKET		
007C	VERTICAL LINE		

Group 00

Plane 00

Row 00

Table 3 - Row 00: Latin-1 Supplement

	008	009	00A	00B	00C	00D	00E	00F
0			 00A0	◦ 00B0	À 00C0	Ð 00D0	à 00E0	ð 00F0
1			¡ 00A1	± 00B1	Á 00C1	Ñ 00D1	á 00E1	ñ 00F1
2			¢ 00A2	² 00B2	Â 00C2	Ò 00D2	â 00E2	ò 00F2
3			£ 00A3	³ 00B3	Ã 00C3	Ó 00D3	ã 00E3	ó 00F3
4			¤ 00A4	´ 00B4	Ä 00C4	Ô 00D4	ä 00E4	ô 00F4
5			¥ 00A5	µ 00B5	Å 00C5	Õ 00D5	å 00E5	õ 00F5
6			¦ 00A6	¶ 00B6	Æ 00C6	Ö 00D6	æ 00E6	ö 00F6
7			§ 00A7	· 00B7	Ç 00C7	× 00D7	ç 00E7	÷ 00F7
8			¨ 00A8	¸ 00B8	È 00C8	Ø 00D8	è 00E8	ø 00F8
9			© 00A9	¹ 00B9	É 00C9	Ù 00D9	é 00E9	ù 00F9
A			à 00AA	º 00BA	Ê 00CA	Ú 00DA	ê 00EA	ú 00FA
B			« 00AB	» 00BB	Ë 00CB	Û 00DB	ë 00EB	û 00FB
C			¬ 00AC	¼ 00BC	Ì 00CC	Ü 00DC	ì 00EC	ü 00FC
D			 00AD	½ 00BD	Í 00CD	Ý 00DD	í 00ED	ý 00FD
E			® 00AE	¾ 00BE	Î 00CE	Þ 00DE	î 00EE	þ 00FE
F			¯ 00AF	¿ 00BF	Ï 00CF	ß 00DF	ï 00EF	ÿ 00FF

G = 00
P = 00

Table 3 - Row 00: Latin-1 Supplement

HEX	NAME	HEX	NAME
00A0	NO-BREAK SPACE	00FD	LATIN SMALL LETTER Y WITH ACUTE
00A1	INVERTED EXCLAMATION MARK	00FE	LATIN SMALL LETTER THORN (Icelandic)
00A2	CENT SIGN	00FF	LATIN SMALL LETTER Y WITH DIAERESIS
00A3	POUND SIGN		
00A4	CURRENCY SIGN		
00A5	YEN SIGN		
00A6	BROKEN BAR		
00A7	SECTION SIGN		
00A8	DIAERESIS		
00A9	COPYRIGHT SIGN		
00AA	FEMININE ORDINAL INDICATOR		
00AB	LEFT-POINTING DOUBLE ANGLE QUOTATION MARK *		
00AC	NOT SIGN		
00AD	SOFT HYPHEN		
00AE	REGISTERED SIGN		
00AF	MACRON		
00B0	DEGREE SIGN		
00B1	PLUS-MINUS SIGN		
00B2	SUPERSCRIP TWO		
00B3	SUPERSCRIP THREE		
00B4	ACUTE ACCENT		
00B5	MICRO SIGN		
00B6	PILCROW SIGN		
00B7	MIDDLE DOT		
00B8	CEDILLA		
00B9	SUPERSCRIP ONE		
00BA	MASCULINE ORDINAL INDICATOR		
00BB	RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK *		
00BC	VULGAR FRACTION ONE QUARTER		
00BD	VULGAR FRACTION ONE HALF		
00BE	VULGAR FRACTION THREE QUARTERS		
00BF	INVERTED QUESTION MARK		
00C0	LATIN CAPITAL LETTER A WITH GRAVE		
00C1	LATIN CAPITAL LETTER A WITH ACUTE		
00C2	LATIN CAPITAL LETTER A WITH CIRCUMFLEX		
00C3	LATIN CAPITAL LETTER A WITH TILDE		
00C4	LATIN CAPITAL LETTER A WITH DIAERESIS		
00C5	LATIN CAPITAL LETTER A WITH RING ABOVE		
00C6	LATIN CAPITAL LETTER AE (ash) *		
00C7	LATIN CAPITAL LETTER C WITH CEDILLA		
00C8	LATIN CAPITAL LETTER E WITH GRAVE		
00C9	LATIN CAPITAL LETTER E WITH ACUTE		
00CA	LATIN CAPITAL LETTER E WITH CIRCUMFLEX		
00CB	LATIN CAPITAL LETTER E WITH DIAERESIS		
00CC	LATIN CAPITAL LETTER I WITH GRAVE		
00CD	LATIN CAPITAL LETTER I WITH ACUTE		
00CE	LATIN CAPITAL LETTER I WITH CIRCUMFLEX		
00CF	LATIN CAPITAL LETTER I WITH DIAERESIS		
00D0	LATIN CAPITAL LETTER ETH (Icelandic)		
00D1	LATIN CAPITAL LETTER N WITH TILDE		
00D2	LATIN CAPITAL LETTER O WITH GRAVE		
00D3	LATIN CAPITAL LETTER O WITH ACUTE		
00D4	LATIN CAPITAL LETTER O WITH CIRCUMFLEX		
00D5	LATIN CAPITAL LETTER O WITH TILDE		
00D6	LATIN CAPITAL LETTER O WITH DIAERESIS		
00D7	MULTIPLICATION SIGN		
00D8	LATIN CAPITAL LETTER O WITH STROKE		
00D9	LATIN CAPITAL LETTER U WITH GRAVE		
00DA	LATIN CAPITAL LETTER U WITH ACUTE		
00DB	LATIN CAPITAL LETTER U WITH CIRCUMFLEX		
00DC	LATIN CAPITAL LETTER U WITH DIAERESIS		
00DD	LATIN CAPITAL LETTER Y WITH ACUTE		
00DE	LATIN CAPITAL LETTER THORN (Icelandic)		
00DF	LATIN SMALL LETTER SHARP S (German)		
00E0	LATIN SMALL LETTER A WITH GRAVE		
00E1	LATIN SMALL LETTER A WITH ACUTE		
00E2	LATIN SMALL LETTER A WITH CIRCUMFLEX		
00E3	LATIN SMALL LETTER A WITH TILDE		
00E4	LATIN SMALL LETTER A WITH DIAERESIS		
00E5	LATIN SMALL LETTER A WITH RING ABOVE		
00E6	LATIN SMALL LETTER AE (ash) *		
00E7	LATIN SMALL LETTER C WITH CEDILLA		
00E8	LATIN SMALL LETTER E WITH GRAVE		
00E9	LATIN SMALL LETTER E WITH ACUTE		
00EA	LATIN SMALL LETTER E WITH CIRCUMFLEX		
00EB	LATIN SMALL LETTER E WITH DIAERESIS		
00EC	LATIN SMALL LETTER I WITH GRAVE		
00ED	LATIN SMALL LETTER I WITH ACUTE		
00EE	LATIN SMALL LETTER I WITH CIRCUMFLEX		
00EF	LATIN SMALL LETTER I WITH DIAERESIS		
00F0	LATIN SMALL LETTER ETH (Icelandic)		
00F1	LATIN SMALL LETTER N WITH TILDE		
00F2	LATIN SMALL LETTER O WITH GRAVE		
00F3	LATIN SMALL LETTER O WITH ACUTE		
00F4	LATIN SMALL LETTER O WITH CIRCUMFLEX		
00F5	LATIN SMALL LETTER O WITH TILDE		
00F6	LATIN SMALL LETTER O WITH DIAERESIS		
00F7	DIVISION SIGN		
00F8	LATIN SMALL LETTER O WITH STROKE		
00F9	LATIN SMALL LETTER U WITH GRAVE		
00FA	LATIN SMALL LETTER U WITH ACUTE		
00FB	LATIN SMALL LETTER U WITH CIRCUMFLEX		
00FC	LATIN SMALL LETTER U WITH DIAERESIS		

Group 00

Plane 00

Row 00

Table 4 - Row 01: Latin Extended-A

	010	011	012	013	014	015	016	017
0	Ā 0100	Ð 0110	Ġ 0120	İ 0130	ı 0140	Ŏ 0150	Š 0160	Ů 0170
1	ā 0101	ð 0111	ġ 0121	ı 0131	ı 0141	ŏ 0151	š 0161	ů 0171
2	Ǻ 0102	Ē 0112	Ģ 0122	IJ 0132	ł 0142	Œ 0152	Ț 0162	Ț 0172
3	ǻ 0103	ē 0113	ģ 0123	ij 0133	ł 0143	œ 0153	ț 0163	ț 0173
4	Ą 0104	Ě 0114	Ĥ 0124	Ĵ 0134	ń 0144	Ŕ 0154	Ť 0164	Ŵ 0174
5	ą 0105	ě 0115	ĥ 0125	ĵ 0135	ń 0145	ŕ 0155	ť 0165	ŵ 0175
6	Ć 0106	Ė 0116	Ħ 0126	Ɔ 0136	ņ 0146	Ŗ 0156	Ʀ 0166	Ŷ 0176
7	ć 0107	ė 0117	ħ 0127	Ɔ 0137	ņ 0147	ŗ 0157	ƣ 0167	ŷ 0177
8	Ĉ 0108	Ę 0118	Ĩ 0128	Ɔ 0138	ň 0148	Ř 0158	Ũ 0168	ÿ 0178
9	ĉ 0109	ę 0119	ĩ 0129	ł 0139	ń 0149	ř 0159	ũ 0169	ź 0179
A	Ċ 010A	Ě 011A	Ī 012A	Í 013A	Ń 014A	Ś 015A	Ū 016A	ź 017A
B	ċ 010B	ě 011B	ī 012B	ı 013B	ņ 014B	ś 015B	ū 016B	ż 017B
C	Č 010C	Ĝ 011C	Ĭ 012C	ı 013C	Ō 014C	Ŝ 015C	Ŭ 016C	ž 017C
D	č 010D	ĝ 011D	ĭ 012D	ı 013D	ō 014D	ŝ 015D	ŭ 016D	ž 017D
E	Ď 010E	Ĝ 011E	ı 012E	ı 013E	Ŏ 014E	Ş 015E	Ű 016E	ž 017E
F	ď 010F	ğ 011F	ı 012F	ı 013F	ő 014F	ş 015F	ű 016F	ƒ 017F

G = 00
P = 00

Table 4 - Row 01: Latin Extended-A

HEX	NAME	HEX	NAME
0100	LATIN CAPITAL LETTER A WITH MACRON	015D	LATIN SMALL LETTER S WITH CIRCUMFLEX
0101	LATIN SMALL LETTER A WITH MACRON	015E	LATIN CAPITAL LETTER S WITH CEDILLA *
0102	LATIN CAPITAL LETTER A WITH BREVE	015F	LATIN SMALL LETTER S WITH CEDILLA *
0103	LATIN SMALL LETTER A WITH BREVE	0160	LATIN CAPITAL LETTER S WITH CARON
0104	LATIN CAPITAL LETTER A WITH OGONEK	0161	LATIN SMALL LETTER S WITH CARON
0105	LATIN SMALL LETTER A WITH OGONEK	0162	LATIN CAPITAL LETTER T WITH CEDILLA *
0106	LATIN CAPITAL LETTER C WITH ACUTE	0163	LATIN SMALL LETTER T WITH CEDILLA *
0107	LATIN SMALL LETTER C WITH ACUTE	0164	LATIN CAPITAL LETTER T WITH CARON
0108	LATIN CAPITAL LETTER C WITH CIRCUMFLEX	0165	LATIN SMALL LETTER T WITH CARON
0109	LATIN SMALL LETTER C WITH CIRCUMFLEX	0166	LATIN CAPITAL LETTER T WITH STROKE
010A	LATIN CAPITAL LETTER C WITH DOT ABOVE	0167	LATIN SMALL LETTER T WITH STROKE
010B	LATIN SMALL LETTER C WITH DOT ABOVE	0168	LATIN CAPITAL LETTER U WITH TILDE
010C	LATIN CAPITAL LETTER C WITH CARON	0169	LATIN SMALL LETTER U WITH TILDE
010D	LATIN SMALL LETTER C WITH CARON	016A	LATIN CAPITAL LETTER U WITH MACRON
010E	LATIN CAPITAL LETTER D WITH CARON	016B	LATIN SMALL LETTER U WITH MACRON
010F	LATIN SMALL LETTER D WITH CARON	016C	LATIN CAPITAL LETTER U WITH BREVE
0110	LATIN CAPITAL LETTER D WITH STROKE	016D	LATIN SMALL LETTER U WITH BREVE
0111	LATIN SMALL LETTER D WITH STROKE	016E	LATIN CAPITAL LETTER U WITH RING ABOVE
0112	LATIN CAPITAL LETTER E WITH MACRON	016F	LATIN SMALL LETTER U WITH RING ABOVE
0113	LATIN SMALL LETTER E WITH MACRON	0170	LATIN CAPITAL LETTER U WITH DOUBLE ACUTE
0114	LATIN CAPITAL LETTER E WITH BREVE	0171	LATIN SMALL LETTER U WITH DOUBLE ACUTE
0115	LATIN SMALL LETTER E WITH BREVE	0172	LATIN CAPITAL LETTER U WITH OGONEK
0116	LATIN CAPITAL LETTER E WITH DOT ABOVE	0173	LATIN SMALL LETTER U WITH OGONEK
0117	LATIN SMALL LETTER E WITH DOT ABOVE	0174	LATIN CAPITAL LETTER W WITH CIRCUMFLEX
0118	LATIN CAPITAL LETTER E WITH OGONEK	0175	LATIN SMALL LETTER W WITH CIRCUMFLEX
0119	LATIN SMALL LETTER E WITH OGONEK	0176	LATIN CAPITAL LETTER Y WITH CIRCUMFLEX
011A	LATIN CAPITAL LETTER E WITH CARON	0177	LATIN SMALL LETTER Y WITH CIRCUMFLEX
011B	LATIN SMALL LETTER E WITH CARON	0178	LATIN CAPITAL LETTER Y WITH DIAERESIS
011C	LATIN CAPITAL LETTER G WITH CIRCUMFLEX	0179	LATIN CAPITAL LETTER Z WITH ACUTE
011D	LATIN SMALL LETTER G WITH CIRCUMFLEX	017A	LATIN SMALL LETTER Z WITH ACUTE
011E	LATIN CAPITAL LETTER G WITH BREVE	017B	LATIN CAPITAL LETTER Z WITH DOT ABOVE
011F	LATIN SMALL LETTER G WITH BREVE	017C	LATIN SMALL LETTER Z WITH DOT ABOVE
0120	LATIN CAPITAL LETTER G WITH DOT ABOVE	017D	LATIN CAPITAL LETTER Z WITH CARON
0121	LATIN SMALL LETTER G WITH DOT ABOVE	017E	LATIN SMALL LETTER Z WITH CARON
0122	LATIN CAPITAL LETTER G WITH CEDILLA	017F	LATIN SMALL LETTER LONG S
0123	LATIN SMALL LETTER G WITH CEDILLA		
0124	LATIN CAPITAL LETTER H WITH CIRCUMFLEX		
0125	LATIN SMALL LETTER H WITH CIRCUMFLEX		
0126	LATIN CAPITAL LETTER H WITH STROKE		
0127	LATIN SMALL LETTER H WITH STROKE		
0128	LATIN CAPITAL LETTER I WITH TILDE		
0129	LATIN SMALL LETTER I WITH TILDE		
012A	LATIN CAPITAL LETTER I WITH MACRON		
012B	LATIN SMALL LETTER I WITH MACRON		
012C	LATIN CAPITAL LETTER I WITH BREVE		
012D	LATIN SMALL LETTER I WITH BREVE		
012E	LATIN CAPITAL LETTER I WITH OGONEK		
012F	LATIN SMALL LETTER I WITH OGONEK		
0130	LATIN CAPITAL LETTER I WITH DOT ABOVE		
0131	LATIN SMALL LETTER DOTLESS I		
0132	LATIN CAPITAL LIGATURE IJ		
0133	LATIN SMALL LIGATURE IJ		
0134	LATIN CAPITAL LETTER J WITH CIRCUMFLEX		
0135	LATIN SMALL LETTER J WITH CIRCUMFLEX		
0136	LATIN CAPITAL LETTER K WITH CEDILLA		
0137	LATIN SMALL LETTER K WITH CEDILLA		
0138	LATIN SMALL LETTER KRA (Greenlandic)		
0139	LATIN CAPITAL LETTER L WITH ACUTE		
013A	LATIN SMALL LETTER L WITH ACUTE		
013B	LATIN CAPITAL LETTER L WITH CEDILLA		
013C	LATIN SMALL LETTER L WITH CEDILLA		
013D	LATIN CAPITAL LETTER L WITH CARON		
013E	LATIN SMALL LETTER L WITH CARON		
013F	LATIN CAPITAL LETTER L WITH MIDDLE DOT		
0140	LATIN SMALL LETTER L WITH MIDDLE DOT		
0141	LATIN CAPITAL LETTER L WITH STROKE		
0142	LATIN SMALL LETTER L WITH STROKE		
0143	LATIN CAPITAL LETTER N WITH ACUTE		
0144	LATIN SMALL LETTER N WITH ACUTE		
0145	LATIN CAPITAL LETTER N WITH CEDILLA		
0146	LATIN SMALL LETTER N WITH CEDILLA		
0147	LATIN CAPITAL LETTER N WITH CARON		
0148	LATIN SMALL LETTER N WITH CARON		
0149	LATIN SMALL LETTER N PRECEDED BY APOSTROPHE		
014A	LATIN CAPITAL LETTER ENG (Sami)		
014B	LATIN SMALL LETTER ENG (Sami)		
014C	LATIN CAPITAL LETTER O WITH MACRON		
014D	LATIN SMALL LETTER O WITH MACRON		
014E	LATIN CAPITAL LETTER O WITH BREVE		
014F	LATIN SMALL LETTER O WITH BREVE		
0150	LATIN CAPITAL LETTER O WITH DOUBLE ACUTE		
0151	LATIN SMALL LETTER O WITH DOUBLE ACUTE		
0152	LATIN CAPITAL LIGATURE OE		
0153	LATIN SMALL LIGATURE OE		
0154	LATIN CAPITAL LETTER R WITH ACUTE		
0155	LATIN SMALL LETTER R WITH ACUTE		
0156	LATIN CAPITAL LETTER R WITH CEDILLA		
0157	LATIN SMALL LETTER R WITH CEDILLA		
0158	LATIN CAPITAL LETTER R WITH CARON		
0159	LATIN SMALL LETTER R WITH CARON		
015A	LATIN CAPITAL LETTER S WITH ACUTE		
015B	LATIN SMALL LETTER S WITH ACUTE		
015C	LATIN CAPITAL LETTER S WITH CIRCUMFLEX		

Group 00

Plane 00

Row 01

Table 5 - Row 01: Latin Extended-B

	018	019	01A	01B	01C	01D	01E
0	ƒ 0180	ε 0190	Ɔ 01A0	ı 01B0	ı 01C0	ı̇ 01D0	Ā 01E0
1	Ɔ 0181	Ɔ 0191	σ 01A1	Ɔ 01B1	 01C1	Ǿ 01D1	ā 01E1
2	Ɔ 0182	f 0192	Ɔ 01A2	Ɔ 01B2	‡ 01C2	ǿ 01D2	Ā 01E2
3	Ɔ 0183	Ɔ 0193	Ɔ 01A3	Ɔ 01B3	! 01C3	Ǿ 01D3	ā 01E3
4	Ɔ 0184	Ɔ 0194	Ɔ 01A4	Ɔ 01B4	DŽ 01C4	ǿ 01D4	Ɔ 01E4
5	b 0185	h 0195	Ɔ 01A5	Z 01B5	Dž 01C5	Ū 01D5	g 01E5
6	Ɔ 0186	l 0196	Ɔ 01A6	z 01B6	dž 01C6	ū 01D6	ǧ 01E6
7	Ɔ 0187	Ɔ 0197	Ɔ 01A7	Ɔ 01B7	LJ 01C7	Ū 01D7	ǧ 01E7
8	Ɔ 0188	K 0198	Ɔ 01A8	Ɔ 01B8	Lj 01C8	ú 01D8	Ǧ 01E8
9	Ɔ 0189	k 0199	Ɔ 01A9	Ɔ 01B9	lj 01C9	Ū 01D9	ǧ 01E9
A	Ɔ 018A	† 019A	Ɔ 01AA	Ɔ 01BA	NJ 01CA	ǿ 01DA	Ɔ 01EA
B	Ɔ 018B	λ 019B	Ɔ 01AB	Ɔ 01BB	Nj 01CB	Ū 01DB	Ɔ 01EB
C	Ɔ 018C	ω 019C	T 01AC	Ɔ 01BC	nj 01CC	ù 01DC	Ɔ 01EC
D	Ɔ 018D	N 019D	Ɔ 01AD	Ɔ 01BD	Ǻ 01CD	ə 01DD	Ɔ 01ED
E	Ɔ 018E	η 019E	T 01AE	Ɔ 01BE	ǻ 01CE	Ā 01DE	Ǻ 01EE
F	Ɔ 018F	Θ 019F	Ɔ 01AF	Ɔ 01BF	Ǻ 01CF	ā 01DF	Ǻ 01EF

G = 00
P = 00

Table 5 - Row 01: Latin Extended-B

HEX	NAME	HEX	NAME
0180	LATIN SMALL LETTER B WITH STROKE	01DD	LATIN SMALL LETTER TURNED E
0181	LATIN CAPITAL LETTER B WITH HOOK	01DE	LATIN CAPITAL LETTER A WITH DIAERESIS AND MACRON
0182	LATIN CAPITAL LETTER B WITH TOPBAR	01DF	LATIN SMALL LETTER A WITH DIAERESIS AND MACRON
0183	LATIN SMALL LETTER B WITH TOPBAR	01E0	LATIN CAPITAL LETTER A WITH DOT ABOVE AND MACRON
0184	LATIN CAPITAL LETTER TONE SIX	01E1	LATIN SMALL LETTER A WITH DOT ABOVE AND MACRON
0185	LATIN SMALL LETTER TONE SIX	01E2	LATIN CAPITAL LETTER AE WITH MACRON (ash) *
0186	LATIN CAPITAL LETTER OPEN O	01E3	LATIN SMALL LETTER AE WITH MACRON (ash) *
0187	LATIN CAPITAL LETTER C WITH HOOK	01E4	LATIN CAPITAL LETTER G WITH STROKE
0188	LATIN SMALL LETTER C WITH HOOK	01E5	LATIN SMALL LETTER G WITH STROKE
0189	LATIN CAPITAL LETTER AFRICAN D *	01E6	LATIN CAPITAL LETTER G WITH CARON
018A	LATIN CAPITAL LETTER D WITH HOOK	01E7	LATIN SMALL LETTER G WITH CARON
018B	LATIN CAPITAL LETTER D WITH TOPBAR	01E8	LATIN CAPITAL LETTER K WITH CARON
018C	LATIN SMALL LETTER D WITH TOPBAR	01E9	LATIN SMALL LETTER K WITH CARON
018D	LATIN SMALL LETTER TURNED DELTA	01EA	LATIN CAPITAL LETTER O WITH OGONEK
018E	LATIN CAPITAL LETTER REVERSED E	01EB	LATIN SMALL LETTER O WITH OGONEK
018F	LATIN CAPITAL LETTER SCHWA	01EC	LATIN CAPITAL LETTER O WITH OGONEK AND MACRON
0190	LATIN CAPITAL LETTER OPEN E	01ED	LATIN SMALL LETTER O WITH OGONEK AND MACRON
0191	LATIN CAPITAL LETTER F WITH HOOK	01EE	LATIN CAPITAL LETTER EZH WITH CARON
0192	LATIN SMALL LETTER F WITH HOOK	01EF	LATIN SMALL LETTER EZH WITH CARON
0193	LATIN CAPITAL LETTER G WITH HOOK		
0194	LATIN CAPITAL LETTER GAMMA		
0195	LATIN SMALL LETTER HV (hwaïr)		
0196	LATIN CAPITAL LETTER IOTA		
0197	LATIN CAPITAL LETTER I WITH STROKE		
0198	LATIN CAPITAL LETTER K WITH HOOK		
0199	LATIN SMALL LETTER K WITH HOOK		
019A	LATIN SMALL LETTER L WITH BAR		
019B	LATIN SMALL LETTER LAMBDA WITH STROKE		
019C	LATIN CAPITAL LETTER TURNED M		
019D	LATIN CAPITAL LETTER N WITH LEFT HOOK		
019E	LATIN SMALL LETTER N WITH LONG RIGHT LEG		
019F	LATIN CAPITAL LETTER O WITH MIDDLE TILDE *		
01A0	LATIN CAPITAL LETTER O WITH HORN		
01A1	LATIN SMALL LETTER O WITH HORN		
01A2	LATIN CAPITAL LETTER Oi (gha)		
01A3	LATIN SMALL LETTER Oi (gha)		
01A4	LATIN CAPITAL LETTER P WITH HOOK		
01A5	LATIN SMALL LETTER P WITH HOOK		
01A6	LATIN LETTER YR *		
01A7	LATIN CAPITAL LETTER TONE TWO		
01A8	LATIN SMALL LETTER TONE TWO		
01A9	LATIN CAPITAL LETTER ESH		
01AA	LATIN LETTER REVERSED ESH LOOP		
01AB	LATIN SMALL LETTER T WITH PALATAL HOOK		
01AC	LATIN CAPITAL LETTER T WITH HOOK		
01AD	LATIN SMALL LETTER T WITH HOOK		
01AE	LATIN CAPITAL LETTER T WITH RETROFLEX HOOK		
01AF	LATIN CAPITAL LETTER U WITH HORN		
01B0	LATIN SMALL LETTER U WITH HORN		
01B1	LATIN CAPITAL LETTER UPSILON		
01B2	LATIN CAPITAL LETTER V WITH HOOK		
01B3	LATIN CAPITAL LETTER Y WITH HOOK		
01B4	LATIN SMALL LETTER Y WITH HOOK		
01B5	LATIN CAPITAL LETTER Z WITH STROKE		
01B6	LATIN SMALL LETTER Z WITH STROKE		
01B7	LATIN CAPITAL LETTER EZH		
01B8	LATIN CAPITAL LETTER EZH REVERSED		
01B9	LATIN SMALL LETTER EZH REVERSED		
01BA	LATIN SMALL LETTER EZH WITH TAIL		
01BB	LATIN LETTER TWO WITH STROKE		
01BC	LATIN CAPITAL LETTER TONE FIVE		
01BD	LATIN SMALL LETTER TONE FIVE		
01BE	LATIN LETTER INVERTED GLOTTAL STOP WITH STROKE		
01BF	LATIN LETTER WYNN		
01C0	LATIN LETTER DENTAL CLICK		
01C1	LATIN LETTER LATERAL CLICK		
01C2	LATIN LETTER ALVEOLAR CLICK		
01C3	LATIN LETTER RETROFLEX CLICK		
01C4	LATIN CAPITAL LETTER DZ WITH CARON		
01C5	LATIN CAPITAL LETTER D WITH SMALL LETTER Z WITH CARON		
01C6	LATIN SMALL LETTER DZ WITH CARON		
01C7	LATIN CAPITAL LETTER LJ		
01C8	LATIN CAPITAL LETTER L WITH SMALL LETTER J		
01C9	LATIN SMALL LETTER LJ		
01CA	LATIN CAPITAL LETTER NJ		
01CB	LATIN CAPITAL LETTER N WITH SMALL LETTER J		
01CC	LATIN SMALL LETTER NJ		
01CD	LATIN CAPITAL LETTER A WITH CARON		
01CE	LATIN SMALL LETTER A WITH CARON		
01CF	LATIN CAPITAL LETTER I WITH CARON		
01D0	LATIN SMALL LETTER I WITH CARON		
01D1	LATIN CAPITAL LETTER O WITH CARON		
01D2	LATIN SMALL LETTER O WITH CARON		
01D3	LATIN CAPITAL LETTER U WITH CARON		
01D4	LATIN SMALL LETTER U WITH CARON		
01D5	LATIN CAPITAL LETTER U WITH DIAERESIS AND MACRON		
01D6	LATIN SMALL LETTER U WITH DIAERESIS AND MACRON		
01D7	LATIN CAPITAL LETTER U WITH DIAERESIS AND ACUTE		
01D8	LATIN SMALL LETTER U WITH DIAERESIS AND ACUTE		
01D9	LATIN CAPITAL LETTER U WITH DIAERESIS AND CARON		
01DA	LATIN SMALL LETTER U WITH DIAERESIS AND CARON		
01DB	LATIN CAPITAL LETTER U WITH DIAERESIS AND GRAVE		
01DC	LATIN SMALL LETTER U WITH DIAERESIS AND GRAVE		

Group 00

Plane 00

Row 01

Table 6 - Rows 01-02: Latin Extended-B

	01F	020	021	022	023	024
0	ĵ 01F0	À 0200	Ř 0210	η 0220	Ō 0230	
1	DZ 01F1	à 0201	ř 0211	ɥ 0221	ō 0231	
2	Dz 01F2	Â 0202	Ř 0212	8 0222	Ȳ 0232	
3	dz 01F3	â 0203	ř 0213	8 0223	ȳ 0233	
4	Ĝ 01F4	È 0204	Û 0214	Z 0224	ł 0234	
5	ĝ 01F5	è 0205	û 0215	z 0225	ŀ 0235	
6	H 01F6	Ê 0206	Û 0216	À 0226	ł 0236	
7	Ŕ 01F7	ê 0207	û 0217	à 0227		
8	Ŋ 01F8	ï 0208	ş 0218	ę 0228		
9	ň 01F9	ì 0209	ş 0219	ę 0229		
A	Á 01FA	Î 020A	Ŧ 021A	Ö 022A		
B	á 01FB	î 020B	ț 021B	ö 022B		
C	Æ 01FC	Ò 020C	Ʒ 021C	Õ 022C		
D	æ 01FD	ò 020D	Ʒ 021D	õ 022D		
E	Ø 01FE	Ô 020E	Ĥ 021E	Ó 022E		
F	ø 01FF	ô 020F	ĥ 021F	ó 022F		

G = 00
P = 00

Table 6 - Rows 01-02: Latin Extended-B

HEX	NAME	HEX	NAME
01F0	LATIN SMALL LETTER J WITH CARON	024D	(This position shall not be used)
01F1	LATIN CAPITAL LETTER DZ	024E	(This position shall not be used)
01F2	LATIN CAPITAL LETTER D WITH SMALL LETTER Z	024F	(This position shall not be used)
01F3	LATIN SMALL LETTER DZ		
01F4	LATIN CAPITAL LETTER G WITH ACUTE		
01F5	LATIN SMALL LETTER G WITH ACUTE		
01F6	LATIN CAPITAL LETTER HWAIR		
01F7	LATIN CAPITAL LETTER WYNN		
01F8	LATIN CAPITAL LETTER N WITH GRAVE		
01F9	LATIN SMALL LETTER N WITH GRAVE		
01FA	LATIN CAPITAL LETTER A WITH RING ABOVE AND ACUTE		
01FB	LATIN SMALL LETTER A WITH RING ABOVE AND ACUTE		
01FC	LATIN CAPITAL LETTER AE WITH ACUTE (ash) *		
01FD	LATIN SMALL LETTER AE WITH ACUTE (ash) *		
01FE	LATIN CAPITAL LETTER O WITH STROKE AND ACUTE		
01FF	LATIN SMALL LETTER O WITH STROKE AND ACUTE		
0200	LATIN CAPITAL LETTER A WITH DOUBLE GRAVE		
0201	LATIN SMALL LETTER A WITH DOUBLE GRAVE		
0202	LATIN CAPITAL LETTER A WITH INVERTED BREVE		
0203	LATIN SMALL LETTER A WITH INVERTED BREVE		
0204	LATIN CAPITAL LETTER E WITH DOUBLE GRAVE		
0205	LATIN SMALL LETTER E WITH DOUBLE GRAVE		
0206	LATIN CAPITAL LETTER E WITH INVERTED BREVE		
0207	LATIN SMALL LETTER E WITH INVERTED BREVE		
0208	LATIN CAPITAL LETTER I WITH DOUBLE GRAVE		
0209	LATIN SMALL LETTER I WITH DOUBLE GRAVE		
020A	LATIN CAPITAL LETTER I WITH INVERTED BREVE		
020B	LATIN SMALL LETTER I WITH INVERTED BREVE		
020C	LATIN CAPITAL LETTER O WITH DOUBLE GRAVE		
020D	LATIN SMALL LETTER O WITH DOUBLE GRAVE		
020E	LATIN CAPITAL LETTER O WITH INVERTED BREVE		
020F	LATIN SMALL LETTER O WITH INVERTED BREVE		
0210	LATIN CAPITAL LETTER R WITH DOUBLE GRAVE		
0211	LATIN SMALL LETTER R WITH DOUBLE GRAVE		
0212	LATIN CAPITAL LETTER R WITH INVERTED BREVE		
0213	LATIN SMALL LETTER R WITH INVERTED BREVE		
0214	LATIN CAPITAL LETTER U WITH DOUBLE GRAVE		
0215	LATIN SMALL LETTER U WITH DOUBLE GRAVE		
0216	LATIN CAPITAL LETTER U WITH INVERTED BREVE		
0217	LATIN SMALL LETTER U WITH INVERTED BREVE		
0218	LATIN CAPITAL LETTER S WITH COMMA BELOW *		
0219	LATIN SMALL LETTER S WITH COMMA BELOW *		
021A	LATIN CAPITAL LETTER T WITH COMMA BELOW *		
021B	LATIN SMALL LETTER T WITH COMMA BELOW *		
021C	LATIN CAPITAL LETTER YOGH		
021D	LATIN SMALL LETTER YOGH		
021E	LATIN CAPITAL LETTER H WITH CARON		
021F	LATIN SMALL LETTER H WITH CARON		
0220	LATIN CAPITAL LETTER N WITH LONG RIGHT LEG		
0221	LATIN SMALL LETTER D WITH CURL		
0222	LATIN CAPITAL LETTER OU		
0223	LATIN SMALL LETTER OU		
0224	LATIN CAPITAL LETTER Z WITH HOOK		
0225	LATIN SMALL LETTER Z WITH HOOK		
0226	LATIN CAPITAL LETTER A WITH DOT ABOVE		
0227	LATIN SMALL LETTER A WITH DOT ABOVE		
0228	LATIN CAPITAL LETTER E WITH CEDILLA		
0229	LATIN SMALL LETTER E WITH CEDILLA		
022A	LATIN CAPITAL LETTER O WITH DIAERESIS AND MACRON		
022B	LATIN SMALL LETTER O WITH DIAERESIS AND MACRON		
022C	LATIN CAPITAL LETTER O WITH TILDE AND MACRON		
022D	LATIN SMALL LETTER O WITH TILDE AND MACRON		
022E	LATIN CAPITAL LETTER O WITH DOT ABOVE		
022F	LATIN SMALL LETTER O WITH DOT ABOVE		
0230	LATIN CAPITAL LETTER O WITH DOT ABOVE AND MACRON		
0231	LATIN SMALL LETTER O WITH DOT ABOVE AND MACRON		
0232	LATIN CAPITAL LETTER Y WITH MACRON		
0233	LATIN SMALL LETTER Y WITH MACRON		
0234	LATIN SMALL LETTER L WITH CURL		
0235	LATIN SMALL LETTER N WITH CURL		
0236	LATIN SMALL LETTER T WITH CURL		
0237	(This position shall not be used)		
0238	(This position shall not be used)		
0239	(This position shall not be used)		
023A	(This position shall not be used)		
023B	(This position shall not be used)		
023C	(This position shall not be used)		
023D	(This position shall not be used)		
023E	(This position shall not be used)		
023F	(This position shall not be used)		
0240	(This position shall not be used)		
0241	(This position shall not be used)		
0242	(This position shall not be used)		
0243	(This position shall not be used)		
0244	(This position shall not be used)		
0245	(This position shall not be used)		
0246	(This position shall not be used)		
0247	(This position shall not be used)		
0248	(This position shall not be used)		
0249	(This position shall not be used)		
024A	(This position shall not be used)		
024B	(This position shall not be used)		
024C	(This position shall not be used)		

Group 00

Plane 00

Row 01

Table 7 - Row 02: IPA Extensions

	025	026	027	028	029	02A
0	ɐ 0250	ɟ 0260	ɥ 0270	ʀ 0280	ʐ 0290	ɸ 02A0
1	ɑ 0251	ɠ 0261	ɱ 0271	ʁ 0281	ʑ 0291	ʒ 02A1
2	ɒ 0252	ɢ 0262	ɲ 0272	ʂ 0282	ʓ 0292	ɸ 02A2
3	ɓ 0253	ɣ 0263	ɳ 0273	ʃ 0283	ʔ 0293	ɸ 02A3
4	ɔ 0254	ɸ 0264	ɴ 0274	ʄ 0284	ʕ 0294	ɸ 02A4
5	ɛ 0255	ɥ 0265	ɵ 0275	ɺ 0285	ɻ 0295	ɸ 02A5
6	ɖ 0256	ɦ 0266	ɼ 0276	ɽ 0286	ʝ 0296	ʈ 02A6
7	ɗ 0257	ħ 0267	ɽ 0277	ɿ 0287	ɿ 0297	ɸ 02A7
8	ɘ 0258	ɨ 0268	ɸ 0278	ɿ 0288	ɿ 0298	ɸ 02A8
9	ɚ 0259	ɻ 0269	ɻ 0279	ɻ 0289	ɻ 0299	ɸ 02A9
A	ɻ 025A	ɻ 026A	ɻ 027A	ɻ 028A	ɻ 029A	ɻ 02AA
B	ɻ 025B	ɻ 026B	ɻ 027B	ɻ 028B	ɻ 029B	ɻ 02AB
C	ɻ 025C	ɻ 026C	ɻ 027C	ɻ 028C	ɻ 029C	ɻ 02AC
D	ɻ 025D	ɻ 026D	ɻ 027D	ɻ 028D	ɻ 029D	ɻ 02AD
E	ɻ 025E	ɻ 026E	ɻ 027E	ɻ 028E	ɻ 029E	ɻ 02AE
F	ɻ 025F	ɻ 026F	ɻ 027F	ɻ 028F	ɻ 029F	ɻ 02AF

G = 00
P = 00

Table 7 - Row 02: IPA Extensions

HEX	NAME	HEX	NAME
0250	LATIN SMALL LETTER TURNED A	02AD	LATIN LETTER BIDENTAL PERCUSSIVE
0251	LATIN SMALL LETTER ALPHA	02AE	LATIN SMALL LETTER TURNED H WITH FISHHOOK
0252	LATIN SMALL LETTER TURNED ALPHA	02AF	LATIN SMALL LETTER TURNED H WITH FISHHOOK AND TAIL
0253	LATIN SMALL LETTER B WITH HOOK		
0254	LATIN SMALL LETTER OPEN O		
0255	LATIN SMALL LETTER C WITH CURL		
0256	LATIN SMALL LETTER D WITH TAIL		
0257	LATIN SMALL LETTER D WITH HOOK		
0258	LATIN SMALL LETTER REVERSED E		
0259	LATIN SMALL LETTER SCHWA		
025A	LATIN SMALL LETTER SCHWA WITH HOOK		
025B	LATIN SMALL LETTER OPEN E		
025C	LATIN SMALL LETTER REVERSED OPEN E		
025D	LATIN SMALL LETTER REVERSED OPEN E WITH HOOK		
025E	LATIN SMALL LETTER CLOSED REVERSED OPEN E		
025F	LATIN SMALL LETTER DOTLESS J WITH STROKE		
0260	LATIN SMALL LETTER G WITH HOOK		
0261	LATIN SMALL LETTER SCRIPT G		
0262	LATIN LETTER SMALL CAPITAL G		
0263	LATIN SMALL LETTER GAMMA		
0264	LATIN SMALL LETTER RAMS HORN		
0265	LATIN SMALL LETTER TURNED H		
0266	LATIN SMALL LETTER H WITH HOOK		
0267	LATIN SMALL LETTER HENG WITH HOOK		
0268	LATIN SMALL LETTER I WITH STROKE		
0269	LATIN SMALL LETTER IOTA		
026A	LATIN LETTER SMALL CAPITAL I		
026B	LATIN SMALL LETTER L WITH MIDDLE TILDE		
026C	LATIN SMALL LETTER L WITH BELT		
026D	LATIN SMALL LETTER L WITH RETROFLEX HOOK		
026E	LATIN SMALL LETTER LEZH		
026F	LATIN SMALL LETTER TURNED M		
0270	LATIN SMALL LETTER TURNED M WITH LONG LEG		
0271	LATIN SMALL LETTER M WITH HOOK		
0272	LATIN SMALL LETTER N WITH LEFT HOOK		
0273	LATIN SMALL LETTER N WITH RETROFLEX HOOK		
0274	LATIN LETTER SMALL CAPITAL N		
0275	LATIN SMALL LETTER BARRED O		
0276	LATIN LETTER SMALL CAPITAL OE		
0277	LATIN SMALL LETTER CLOSED OMEGA		
0278	LATIN SMALL LETTER PHI		
0279	LATIN SMALL LETTER TURNED R		
027A	LATIN SMALL LETTER TURNED R WITH LONG LEG		
027B	LATIN SMALL LETTER TURNED R WITH HOOK		
027C	LATIN SMALL LETTER R WITH LONG LEG		
027D	LATIN SMALL LETTER R WITH TAIL		
027E	LATIN SMALL LETTER R WITH FISHHOOK		
027F	LATIN SMALL LETTER REVERSED R WITH FISHHOOK		
0280	LATIN LETTER SMALL CAPITAL R *		
0281	LATIN LETTER SMALL CAPITAL INVERTED R		
0282	LATIN SMALL LETTER S WITH HOOK		
0283	LATIN SMALL LETTER ESH		
0284	LATIN SMALL LETTER DOTLESS J WITH STROKE AND HOOK		
0285	LATIN SMALL LETTER SQUAT REVERSED ESH		
0286	LATIN SMALL LETTER ESH WITH CURL		
0287	LATIN SMALL LETTER TURNED T		
0288	LATIN SMALL LETTER T WITH RETROFLEX HOOK		
0289	LATIN SMALL LETTER U BAR		
028A	LATIN SMALL LETTER UPSILON		
028B	LATIN SMALL LETTER V WITH HOOK		
028C	LATIN SMALL LETTER TURNED V		
028D	LATIN SMALL LETTER TURNED W		
028E	LATIN SMALL LETTER TURNED Y		
028F	LATIN LETTER SMALL CAPITAL Y		
0290	LATIN SMALL LETTER Z WITH RETROFLEX HOOK		
0291	LATIN SMALL LETTER Z WITH CURL		
0292	LATIN SMALL LETTER EZH		
0293	LATIN SMALL LETTER EZH WITH CURL		
0294	LATIN LETTER GLOTTAL STOP		
0295	LATIN LETTER PHARYNGEAL VOICED FRICATIVE		
0296	LATIN LETTER INVERTED GLOTTAL STOP		
0297	LATIN LETTER STRETCHED C		
0298	LATIN LETTER BILABIAL CLICK		
0299	LATIN LETTER SMALL CAPITAL B		
029A	LATIN SMALL LETTER CLOSED OPEN E		
029B	LATIN LETTER SMALL CAPITAL G WITH HOOK		
029C	LATIN LETTER SMALL CAPITAL H		
029D	LATIN SMALL LETTER J WITH CROSSED-TAIL		
029E	LATIN SMALL LETTER TURNED K		
029F	LATIN LETTER SMALL CAPITAL L		
02A0	LATIN SMALL LETTER Q WITH HOOK		
02A1	LATIN LETTER GLOTTAL STOP WITH STROKE		
02A2	LATIN LETTER REVERSED GLOTTAL STOP WITH STROKE		
02A3	LATIN SMALL LETTER DZ DIGRAPH		
02A4	LATIN SMALL LETTER DEZH DIGRAPH		
02A5	LATIN SMALL LETTER DZ DIGRAPH WITH CURL		
02A6	LATIN SMALL LETTER TS DIGRAPH		
02A7	LATIN SMALL LETTER TESH DIGRAPH		
02A8	LATIN SMALL LETTER TC DIGRAPH WITH CURL		
02A9	LATIN SMALL LETTER FENG DIGRAPH		
02AA	LATIN SMALL LETTER LS DIGRAPH		
02AB	LATIN SMALL LETTER LZ DIGRAPH		
02AC	LATIN LETTER BILABIAL PERCUSSIVE		

Group 00

Plane 00

Row 02

Table 8 - Row 02: Spacing Modifier Letters

	02B	02C	02D	02E	02F
0	h 02B0	? 02C0	▽ 02D0	Y 02E0	^ 02F0
1	h 02B1	ƒ 02C1	▽ 02D1	l 02E1	< 02F1
2	j 02B2	< 02C2	› 02D2	S 02E2	> 02F2
3	r 02B3	> 02C3	◁ 02D3	X 02E3	◦ 02F3
4	l 02B4	^ 02C4	⊥ 02D4	ſ 02E4	˘ 02F4
5	l 02B5	v 02C5	τ 02D5	└ 02E5	“ 02F5
6	K 02B6	^ 02C6	+ 02D6	└ 02E6	” 02F6
7	W 02B7	v 02C7	- 02D7	└ 02E7	~ 02F7
8	y 02B8	˙ 02C8	˘ 02D8	└ 02E8	∴ 02F8
9	/ 02B9	- 02C9	• 02D9	└ 02E9	┌ 02F9
A	// 02BA	/ 02CA	◦ 02DA	L 02EA	┌ 02FA
B	‘ 02BB	˘ 02CB	◁ 02DB	└ 02EB	L 02FB
C	, 02BC	l 02CC	~ 02DC	v 02EC	└ 02FC
D	˘ 02BD	- 02CD	” 02DD	= 02ED	└ 02FD
E	› 02BE	˘ 02CE	~ 02DE	” 02EE	└ 02FE
F	◁ 02BF	/ 02CF	X 02DF	v 02EF	← 02FF

G = 00
P = 00

Table 8 - Row 02: Spacing Modifier Letters

HEX	NAME	HEX	NAME
02B0	MODIFIER LETTER SMALL H		
02B1	MODIFIER LETTER SMALL H WITH HOOK		
02B2	MODIFIER LETTER SMALL J		
02B3	MODIFIER LETTER SMALL R		
02B4	MODIFIER LETTER SMALL TURNED R		
02B5	MODIFIER LETTER SMALL TURNED R WITH HOOK		
02B6	MODIFIER LETTER SMALL CAPITAL INVERTED R		
02B7	MODIFIER LETTER SMALL W		
02B8	MODIFIER LETTER SMALL Y		
02B9	MODIFIER LETTER PRIME		
02BA	MODIFIER LETTER DOUBLE PRIME		
02BB	MODIFIER LETTER TURNED COMMA		
02BC	MODIFIER LETTER APOSTROPHE		
02BD	MODIFIER LETTER REVERSED COMMA		
02BE	MODIFIER LETTER RIGHT HALF RING		
02BF	MODIFIER LETTER LEFT HALF RING		
02C0	MODIFIER LETTER GLOTTAL STOP		
02C1	MODIFIER LETTER REVERSED GLOTTAL STOP		
02C2	MODIFIER LETTER LEFT ARROWHEAD		
02C3	MODIFIER LETTER RIGHT ARROWHEAD		
02C4	MODIFIER LETTER UP ARROWHEAD		
02C5	MODIFIER LETTER DOWN ARROWHEAD		
02C6	MODIFIER LETTER CIRCUMFLEX ACCENT		
02C7	CARON (Mandarin Chinese third tone)		
02C8	MODIFIER LETTER VERTICAL LINE		
02C9	MODIFIER LETTER MACRON (Mandarin Chinese first tone)		
02CA	MODIFIER LETTER ACUTE ACCENT (Mandarin Chinese second tone)		
02CB	MODIFIER LETTER GRAVE ACCENT (Mandarin Chinese fourth tone)		
02CC	MODIFIER LETTER LOW VERTICAL LINE		
02CD	MODIFIER LETTER LOW MACRON		
02CE	MODIFIER LETTER LOW GRAVE ACCENT		
02CF	MODIFIER LETTER LOW ACUTE ACCENT		
02D0	MODIFIER LETTER TRIANGULAR COLON		
02D1	MODIFIER LETTER HALF TRIANGULAR COLON		
02D2	MODIFIER LETTER CENTRED RIGHT HALF RING		
02D3	MODIFIER LETTER CENTRED LEFT HALF RING		
02D4	MODIFIER LETTER UP TACK		
02D5	MODIFIER LETTER DOWN TACK		
02D6	MODIFIER LETTER PLUS SIGN		
02D7	MODIFIER LETTER MINUS SIGN		
02D8	BREVE		
02D9	DOT ABOVE (Mandarin Chinese light tone)		
02DA	RING ABOVE		
02DB	OGONEK		
02DC	SMALL TILDE		
02DD	DOUBLE ACUTE ACCENT		
02DE	MODIFIER LETTER RHOTIC HOOK		
02DF	MODIFIER LETTER CROSS ACCENT		
02E0	MODIFIER LETTER SMALL GAMMA		
02E1	MODIFIER LETTER SMALL L		
02E2	MODIFIER LETTER SMALL S		
02E3	MODIFIER LETTER SMALL X		
02E4	MODIFIER LETTER SMALL REVERSED GLOTTAL STOP		
02E5	MODIFIER LETTER EXTRA-HIGH TONE BAR		
02E6	MODIFIER LETTER HIGH TONE BAR		
02E7	MODIFIER LETTER MID TONE BAR		
02E8	MODIFIER LETTER LOW TONE BAR		
02E9	MODIFIER LETTER EXTRA-LOW TONE BAR		
02EA	MODIFIER LETTER YIN DEPARTING TONE MARK		
02EB	MODIFIER LETTER YANG DEPARTING TONE MARK		
02EC	MODIFIER LETTER VOICING		
02ED	MODIFIER LETTER UNASPIRATED		
02EE	MODIFIER LETTER DOUBLE APOSTROPHE		
02EF	MODIFIER LETTER LOW DOWN ARROWHEAD		
02F0	MODIFIER LETTER LOW UP ARROWHEAD		
02F1	MODIFIER LETTER LOW LEFT ARROWHEAD		
02F2	MODIFIER LETTER LOW RIGHT ARROWHEAD		
02F3	MODIFIER LETTER LOW RING		
02F4	MODIFIER LETTER MIDDLE GRAVE ACCENT		
02F5	MODIFIER LETTER MIDDLE DOUBLE GRAVE ACCENT		
02F6	MODIFIER LETTER MIDDLE DOUBLE ACUTE ACCENT		
02F7	MODIFIER LETTER LOW TILDE		
02F8	MODIFIER LETTER RAISED COLON		
02F9	MODIFIER LETTER BEGIN HIGH TONE		
02FA	MODIFIER LETTER END HIGH TONE		
02FB	MODIFIER LETTER BEGIN LOW TONE		
02FC	MODIFIER LETTER END LOW TONE		
02FD	MODIFIER LETTER SHELF		
02FE	MODIFIER LETTER OPEN SHELF		
02FF	MODIFIER LETTER LOW LEFT ARROW		

Group 00

Plane 00

Row 02

Table 9 - Row 03: Combining Diacritical Marks

	030	031	032	033	034	035	036
0	0300	0310	0320	0330	0340	0350	0360
1	0301	0311	0321	0331	0341	0351	0361
2	0302	0312	0322	0332	0342	0352	0362
3	0303	0313	0323	0333	0343	0353	0363
4	0304	0314	0324	0334	0344	0354	0364
5	0305	0315	0325	0335	0345	0355	0365
6	0306	0316	0326	0336	0346	0356	0366
7	0307	0317	0327	0337	0347	0357	0367
8	0308	0318	0328	0338	0348	0358	0368
9	0309	0319	0329	0339	0349	0359	0369
A	030A	031A	032A	033A	034A	035A	036A
B	030B	031B	032B	033B	034B	035B	036B
C	030C	031C	032C	033C	034C	035C	036C
D	030D	031D	032D	033D	034D	035D	036D
E	030E	031E	032E	033E	034E	035E	036E
F	030F	031F	032F	033F	034F	035F	036F

G = 00
P = 00

Table 9 - Row 03: Combining Diacritical Marks

HEX	NAME	HEX	NAME
0300	COMBINING GRAVE ACCENT (Varia)	035D	COMBINING DOUBLE BREVE
0301	COMBINING ACUTE ACCENT (Oxia, Tonos)	035E	COMBINING DOUBLE MACRON
0302	COMBINING CIRCUMFLEX ACCENT	035F	COMBINING DOUBLE MACRON BELOW
0303	COMBINING TILDE	0360	COMBINING DOUBLE TILDE
0304	COMBINING MACRON	0361	COMBINING DOUBLE INVERTED BREVE
0305	COMBINING OVERLINE	0362	COMBINING DOUBLE RIGHTWARDS ARROW BELOW
0306	COMBINING BREVE (Vrachy)	0363	COMBINING LATIN SMALL LETTER A
0307	COMBINING DOT ABOVE	0364	COMBINING LATIN SMALL LETTER E
0308	COMBINING DIAERESIS (Dialytika)	0365	COMBINING LATIN SMALL LETTER I
0309	COMBINING HOOK ABOVE	0366	COMBINING LATIN SMALL LETTER O
030A	COMBINING RING ABOVE	0367	COMBINING LATIN SMALL LETTER U
030B	COMBINING DOUBLE ACUTE ACCENT	0368	COMBINING LATIN SMALL LETTER C
030C	COMBINING CARON	0369	COMBINING LATIN SMALL LETTER D
030D	COMBINING VERTICAL LINE ABOVE	036A	COMBINING LATIN SMALL LETTER H
030E	COMBINING DOUBLE VERTICAL LINE ABOVE	036B	COMBINING LATIN SMALL LETTER M
030F	COMBINING DOUBLE GRAVE ACCENT	036C	COMBINING LATIN SMALL LETTER R
0310	COMBINING CANDRABINDU	036D	COMBINING LATIN SMALL LETTER T
0311	COMBINING INVERTED BREVE	036E	COMBINING LATIN SMALL LETTER V
0312	COMBINING TURNED COMMA ABOVE	036F	COMBINING LATIN SMALL LETTER X
0313	COMBINING COMMA ABOVE (Psii)		
0314	COMBINING REVERSED COMMA ABOVE (Dasia)		
0315	COMBINING COMMA ABOVE RIGHT		
0316	COMBINING GRAVE ACCENT BELOW		
0317	COMBINING ACUTE ACCENT BELOW		
0318	COMBINING LEFT TACK BELOW		
0319	COMBINING RIGHT TACK BELOW		
031A	COMBINING LEFT ANGLE ABOVE		
031B	COMBINING HORN		
031C	COMBINING LEFT HALF RING BELOW		
031D	COMBINING UP TACK BELOW		
031E	COMBINING DOWN TACK BELOW		
031F	COMBINING PLUS SIGN BELOW		
0320	COMBINING MINUS SIGN BELOW		
0321	COMBINING PALATALIZED HOOK BELOW		
0322	COMBINING RETROFLEX HOOK BELOW		
0323	COMBINING DOT BELOW		
0324	COMBINING DIAERESIS BELOW		
0325	COMBINING RING BELOW		
0326	COMBINING COMMA BELOW		
0327	COMBINING CEDILLA		
0328	COMBINING OGONEK		
0329	COMBINING VERTICAL LINE BELOW		
032A	COMBINING BRIDGE BELOW		
032B	COMBINING INVERTED DOUBLE ARCH BELOW		
032C	COMBINING CARON BELOW		
032D	COMBINING CIRCUMFLEX ACCENT BELOW		
032E	COMBINING BREVE BELOW		
032F	COMBINING INVERTED BREVE BELOW		
0330	COMBINING TILDE BELOW		
0331	COMBINING MACRON BELOW		
0332	COMBINING LOW LINE		
0333	COMBINING DOUBLE LOW LINE		
0334	COMBINING TILDE OVERLAY		
0335	COMBINING SHORT STROKE OVERLAY		
0336	COMBINING LONG STROKE OVERLAY		
0337	COMBINING SHORT SOLIDUS OVERLAY		
0338	COMBINING LONG SOLIDUS OVERLAY		
0339	COMBINING RIGHT HALF RING BELOW		
033A	COMBINING INVERTED BRIDGE BELOW		
033B	COMBINING SQUARE BELOW		
033C	COMBINING SEAGULL BELOW		
033D	COMBINING X ABOVE		
033E	COMBINING VERTICAL TILDE		
033F	COMBINING DOUBLE OVERLINE		
0340	COMBINING GRAVE TONE MARK (Vietnamese)		
0341	COMBINING ACUTE TONE MARK (Vietnamese)		
0342	COMBINING GREEK PERISPOMENI		
0343	COMBINING GREEK KORONIS		
0344	COMBINING GREEK DIALYTIKA TONOS		
0345	COMBINING GREEK YPOGRAMMENI		
0346	COMBINING BRIDGE ABOVE		
0347	COMBINING EQUALS SIGN BELOW		
0348	COMBINING DOUBLE VERTICAL LINE BELOW		
0349	COMBINING LEFT ANGLE BELOW		
034A	COMBINING NOT TILDE ABOVE		
034B	COMBINING HOMOTHETIC ABOVE		
034C	COMBINING ALMOST EQUAL TO ABOVE		
034D	COMBINING LEFT RIGHT ARROW BELOW		
034E	COMBINING UPWARDS ARROW BELOW		
034F	COMBINING GRAPHEME JOINER		
0350	COMBINING RIGHT ARROWHEAD ABOVE		
0351	COMBINING LEFT HALF RING ABOVE		
0352	COMBINING FERMATA		
0353	COMBINING X BELOW		
0354	COMBINING LEFT ARROWHEAD BELOW		
0355	COMBINING RIGHT ARROWHEAD BELOW		
0356	COMBINING RIGHT ARROWHEAD AND UP ARROWHEAD BELOW		
0357	COMBINING RIGHT HALF RING ABOVE		
0358	(This position shall not be used)		
0359	(This position shall not be used)		
035A	(This position shall not be used)		
035B	(This position shall not be used)		
035C	(This position shall not be used)		

Group 00

Plane 00

Row 03

Table 10 - Row 03: Greek and Coptic

	037	038	039	03A	03B	03C	03D	03E	03F
0			ΐ 0390	Π 03A0	ϐ 03B0	π 03C0	β 03D0	ϣ 03E0	κ 03F0
1			Α 0391	Ρ 03A1	α 03B1	ρ 03C1	ϑ 03D1	ϣ 03E1	ϱ 03F1
2			Β 0392		β 03B2	ς 03C2	Υ 03D2	ϣ 03E2	Ϸ 03F2
3			Γ 0393	Σ 03A3	γ 03B3	σ 03C3	Υ 03D3	ϣ 03E3	ι 03F3
4	΄ 0374	΄ 0384	Δ 0394	Τ 03A4	δ 03B4	τ 03C4	Ͽ 03D4	ϣ 03E4	Θ 03F4
5	΄ 0375	΄ 0385	Ε 0395	Υ 03A5	ε 03B5	υ 03C5	φ 03D5	ϣ 03E5	€ 03F5
6		Ά 0386	Ζ 0396	Φ 03A6	ζ 03B6	φ 03C6	ω 03D6	ϣ 03E6	ε 03F6
7		· 0387	Η 0397	Χ 03A7	η 03B7	χ 03C7	ϣ 03D7	ϣ 03E7	Ϸ 03F7
8		Έ 0388	Θ 0398	Ψ 03A8	θ 03B8	ψ 03C8	Ϸ 03D8	ϣ 03E8	β 03F8
9		Ή 0389	Ι 0399	Ω 03A9	ι 03B9	ω 03C9	Ϸ 03D9	ϣ 03E9	Ϸ 03F9
A	΄ 037A	Ή 038A	Κ 039A	Ϊ 03AA	κ 03BA	ϊ 03CA	Σ 03DA	Χ 03EA	Μ 03FA
B			Λ 039B	Ϊ 03AB	λ 03BB	Ͽ 03CB	ς 03DB	ϣ 03EB	Ϸ 03FB
C		Ό 038C	Μ 039C	ά 03AC	μ 03BC	ό 03CC	Ϸ 03DC	Ϸ 03EC	
D			Ν 039D	έ 03AD	ν 03BD	ύ 03CD	Ϸ 03DD	Ϸ 03ED	
E	΄ 037E	Υ 038E	Ξ 039E	ή 03AE	ξ 03BE	ώ 03CE	ϣ 03DE	Ϸ 03EE	
F		Ό 038F	Ο 039F	ί 03AF	ο 03BF		ϣ 03DF	Ϸ 03EF	

G = 00
P = 00

Table 10 - Row 03: Greek and Coptic

HEX	NAME	HEX	NAME
0370	(This position shall not be used)	03CD	GREEK SMALL LETTER UPSILON WITH TONOS
0371	(This position shall not be used)	03CE	GREEK SMALL LETTER OMEGA WITH TONOS
0372	(This position shall not be used)	03CF	(This position shall not be used)
0373	(This position shall not be used)	03D0	GREEK BETA SYMBOL
0374	GREEK NUMERAL SIGN (Dexia kerai)	03D1	GREEK THETA SYMBOL
0375	GREEK LOWER NUMERAL SIGN (Aristeri kerai)	03D2	GREEK UPSILON WITH HOOK SYMBOL
0376	(This position shall not be used)	03D3	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL
0377	(This position shall not be used)	03D4	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL
0378	(This position shall not be used)	03D5	GREEK PHI SYMBOL
0379	(This position shall not be used)	03D6	GREEK PI SYMBOL
037A	GREEK YPOGEGRAMMENI	03D7	GREEK KAI SYMBOL
037B	(This position shall not be used)	03D8	GREEK LETTER ARCHAIC KOPPA *
037C	(This position shall not be used)	03D9	GREEK SMALL LETTER ARCHAIC KOPPA *
037D	(This position shall not be used)	03DA	GREEK LETTER STIGMA
037E	GREEK QUESTION MARK (Erotimatiko)	03DB	GREEK SMALL LETTER STIGMA
037F	(This position shall not be used)	03DC	GREEK LETTER DIGAMMA
0380	(This position shall not be used)	03DD	GREEK SMALL LETTER DIGAMMA
0381	(This position shall not be used)	03DE	GREEK LETTER KOPPA
0382	(This position shall not be used)	03DF	GREEK SMALL LETTER KOPPA
0383	(This position shall not be used)	03E0	GREEK LETTER SAMPI
0384	GREEK TONOS	03E1	GREEK SMALL LETTER SAMPI
0385	GREEK DIALYTIKA TONOS	03E2	COPTIC CAPITAL LETTER SHEI
0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	03E3	COPTIC SMALL LETTER SHEI
0387	GREEK ANO TELEIA	03E4	COPTIC CAPITAL LETTER FEI
0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	03E5	COPTIC SMALL LETTER FEI
0389	GREEK CAPITAL LETTER ETA WITH TONOS	03E6	COPTIC CAPITAL LETTER KHEI
038A	GREEK CAPITAL LETTER IOTA WITH TONOS	03E7	COPTIC SMALL LETTER KHEI
038B	(This position shall not be used)	03E8	COPTIC CAPITAL LETTER HORI
038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	03E9	COPTIC SMALL LETTER HORI
038D	(This position shall not be used)	03EA	COPTIC CAPITAL LETTER GANGIA
038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	03EB	COPTIC SMALL LETTER GANGIA
038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	03EC	COPTIC CAPITAL LETTER SHIMA
0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	03ED	COPTIC SMALL LETTER SHIMA
0391	GREEK CAPITAL LETTER ALPHA	03EE	COPTIC CAPITAL LETTER DEI
0392	GREEK CAPITAL LETTER BETA	03EF	COPTIC SMALL LETTER DEI
0393	GREEK CAPITAL LETTER GAMMA	03F0	GREEK KAPPA SYMBOL
0394	GREEK CAPITAL LETTER DELTA	03F1	GREEK RHO SYMBOL
0395	GREEK CAPITAL LETTER EPSILON	03F2	GREEK LUNATE SIGMA SYMBOL
0396	GREEK CAPITAL LETTER ZETA	03F3	GREEK LETTER YOT
0397	GREEK CAPITAL LETTER ETA	03F4	GREEK CAPITAL THETA SYMBOL
0398	GREEK CAPITAL LETTER THETA	03F5	GREEK LUNATE EPSILON SYMBOL
0399	GREEK CAPITAL LETTER IOTA	03F6	GREEK REVERSED LUNATE EPSILON SYMBOL
039A	GREEK CAPITAL LETTER KAPPA	03F7	GREEK CAPITAL LETTER SHO
039B	GREEK CAPITAL LETTER LAMDA	03F8	GREEK SMALL LETTER SHO
039C	GREEK CAPITAL LETTER MU	03F9	GREEK CAPITAL LUNATE SIGMA SYMBOL
039D	GREEK CAPITAL LETTER NU	03FA	GREEK CAPITAL LETTER SAN
039E	GREEK CAPITAL LETTER XI	03FB	GREEK SMALL LETTER SAN
039F	GREEK CAPITAL LETTER OMICRON	03FC	(This position shall not be used)
03A0	GREEK CAPITAL LETTER PI	03FD	(This position shall not be used)
03A1	GREEK CAPITAL LETTER RHO	03FE	(This position shall not be used)
03A2	(This position shall not be used)	03FF	(This position shall not be used)
03A3	GREEK CAPITAL LETTER SIGMA		
03A4	GREEK CAPITAL LETTER TAU		
03A5	GREEK CAPITAL LETTER UPSILON		
03A6	GREEK CAPITAL LETTER PHI		
03A7	GREEK CAPITAL LETTER CHI		
03A8	GREEK CAPITAL LETTER PSI		
03A9	GREEK CAPITAL LETTER OMEGA		
03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA		
03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA		
03AC	GREEK SMALL LETTER ALPHA WITH TONOS		
03AD	GREEK SMALL LETTER EPSILON WITH TONOS		
03AE	GREEK SMALL LETTER ETA WITH TONOS		
03AF	GREEK SMALL LETTER IOTA WITH TONOS		
03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS		
03B1	GREEK SMALL LETTER ALPHA		
03B2	GREEK SMALL LETTER BETA		
03B3	GREEK SMALL LETTER GAMMA		
03B4	GREEK SMALL LETTER DELTA		
03B5	GREEK SMALL LETTER EPSILON		
03B6	GREEK SMALL LETTER ZETA		
03B7	GREEK SMALL LETTER ETA		
03B8	GREEK SMALL LETTER THETA		
03B9	GREEK SMALL LETTER IOTA		
03BA	GREEK SMALL LETTER KAPPA		
03BB	GREEK SMALL LETTER LAMDA		
03BC	GREEK SMALL LETTER MU		
03BD	GREEK SMALL LETTER NU		
03BE	GREEK SMALL LETTER XI		
03BF	GREEK SMALL LETTER OMICRON		
03C0	GREEK SMALL LETTER PI		
03C1	GREEK SMALL LETTER RHO		
03C2	GREEK SMALL LETTER FINAL SIGMA		
03C3	GREEK SMALL LETTER SIGMA		
03C4	GREEK SMALL LETTER TAU		
03C5	GREEK SMALL LETTER UPSILON		
03C6	GREEK SMALL LETTER PHI		
03C7	GREEK SMALL LETTER CHI		
03C8	GREEK SMALL LETTER PSI		
03C9	GREEK SMALL LETTER OMEGA		
03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA		
03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA		
03CC	GREEK SMALL LETTER OMICRON WITH TONOS		

Group 00

Plane 00

Row 03

Table 11 - Row 04: Cyrillic

	040	041	042	043	044	045	046	047
0	È 0400	А 0410	Р 0420	а 0430	р 0440	è 0450	Ɔ 0460	Ψ 0470
1	Ë 0401	Б 0411	С 0421	б 0431	с 0441	ë 0451	Ƶ 0461	ψ 0471
2	Ғ 0402	В 0412	Т 0422	в 0432	т 0442	ђ 0452	Ђ 0462	Ө 0472
3	Ґ 0403	Г 0413	У 0423	г 0433	у 0443	ѓ 0453	ѣ 0463	ё 0473
4	Є 0404	Д 0414	Ф 0424	д 0434	ф 0444	є 0454	Ю 0464	Ѹ 0474
5	Ɔ 0405	Е 0415	Х 0425	е 0435	х 0445	ѕ 0455	Ю 0465	Ѹ 0475
6	І 0406	Ж 0416	Ц 0426	ж 0436	ц 0446	і 0456	А 0466	Ѹ 0476
7	Ї 0407	З 0417	Ч 0427	з 0437	ч 0447	ї 0457	А 0467	Ѹ 0477
8	Ј 0408	И 0418	Ш 0428	и 0438	ш 0448	ј 0458	Ѓ 0468	Оу 0478
9	Љ 0409	Й 0419	Щ 0429	й 0439	щ 0449	љ 0459	Ѓ 0469	оу 0479
A	Њ 040A	К 041A	Ъ 042A	к 043A	ъ 044A	њ 045A	Ж 046A	О 047A
B	Ғ 040B	Л 041B	Ы 042B	л 043B	ы 044B	ђ 045B	Ж 046B	О 047B
C	Ќ 040C	М 041C	Ь 042C	м 043C	ь 044C	ќ 045C	Ѓ 046C	Ѓ 047C
D	Й 040D	Н 041D	Э 042D	н 043D	э 044D	й 045D	Ѓ 046D	Ѓ 047D
E	Ў 040E	О 041E	Ю 042E	о 043E	ю 044E	ў 045E	Ѓ 046E	Ɔ 047E
F	Ѹ 040F	П 041F	Я 042F	п 043F	я 044F	Ѹ 045F	Ѓ 046F	Ѹ 047F

G = 00
P = 00

Table 11 - Row 04: Cyrillic

HEX	NAME	HEX	NAME
0400	CYRILLIC CAPITAL LETTER IE WITH GRAVE	045D	CYRILLIC SMALL LETTER I WITH GRAVE
0401	CYRILLIC CAPITAL LETTER IO	045E	CYRILLIC SMALL LETTER SHORT U (Byelorussian)
0402	CYRILLIC CAPITAL LETTER DJE (Serbocroatian)	045F	CYRILLIC SMALL LETTER DZHE
0403	CYRILLIC CAPITAL LETTER GJE	0460	CYRILLIC CAPITAL LETTER OMEGA
0404	CYRILLIC CAPITAL LETTER UKRAINIAN IE	0461	CYRILLIC SMALL LETTER OMEGA
0405	CYRILLIC CAPITAL LETTER DZE	0462	CYRILLIC CAPITAL LETTER YAT
0406	CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I	0463	CYRILLIC SMALL LETTER YAT
0407	CYRILLIC CAPITAL LETTER YI (Ukrainian)	0464	CYRILLIC CAPITAL LETTER IOTIFIED E
0408	CYRILLIC CAPITAL LETTER JE	0465	CYRILLIC SMALL LETTER IOTIFIED E
0409	CYRILLIC CAPITAL LETTER LJE	0466	CYRILLIC CAPITAL LETTER LITTLE YUS
040A	CYRILLIC CAPITAL LETTER NJE	0467	CYRILLIC SMALL LETTER LITTLE YUS
040B	CYRILLIC CAPITAL LETTER TSHE (Serbocroatian)	0468	CYRILLIC CAPITAL LETTER IOTIFIED LITTLE YUS
040C	CYRILLIC CAPITAL LETTER KJE	0469	CYRILLIC SMALL LETTER IOTIFIED LITTLE YUS
040D	CYRILLIC CAPITAL LETTER I WITH GRAVE	046A	CYRILLIC CAPITAL LETTER BIG YUS
040E	CYRILLIC CAPITAL LETTER SHORT U (Byelorussian)	046B	CYRILLIC SMALL LETTER BIG YUS
040F	CYRILLIC CAPITAL LETTER DZHE	046C	CYRILLIC CAPITAL LETTER IOTIFIED BIG YUS
0410	CYRILLIC CAPITAL LETTER A	046D	CYRILLIC SMALL LETTER IOTIFIED BIG YUS
0411	CYRILLIC CAPITAL LETTER BE	046E	CYRILLIC CAPITAL LETTER KSI
0412	CYRILLIC CAPITAL LETTER VE	046F	CYRILLIC SMALL LETTER KSI
0413	CYRILLIC CAPITAL LETTER GHE	0470	CYRILLIC CAPITAL LETTER PSI
0414	CYRILLIC CAPITAL LETTER DE	0471	CYRILLIC SMALL LETTER PSI
0415	CYRILLIC CAPITAL LETTER IE	0472	CYRILLIC CAPITAL LETTER FITA
0416	CYRILLIC CAPITAL LETTER ZHE	0473	CYRILLIC SMALL LETTER FITA
0417	CYRILLIC CAPITAL LETTER ZE	0474	CYRILLIC CAPITAL LETTER IZHITSA
0418	CYRILLIC CAPITAL LETTER I	0475	CYRILLIC SMALL LETTER IZHITSA
0419	CYRILLIC CAPITAL LETTER SHORT I	0476	CYRILLIC CAPITAL LETTER IZHITSA WITH DOUBLE GRAVE ACCENT
041A	CYRILLIC CAPITAL LETTER KA	0477	CYRILLIC SMALL LETTER IZHITSA WITH DOUBLE GRAVE ACCENT
041B	CYRILLIC CAPITAL LETTER EL	0478	CYRILLIC CAPITAL LETTER UK
041C	CYRILLIC CAPITAL LETTER EM	0479	CYRILLIC SMALL LETTER UK
041D	CYRILLIC CAPITAL LETTER EN	047A	CYRILLIC CAPITAL LETTER ROUND OMEGA
041E	CYRILLIC CAPITAL LETTER O	047B	CYRILLIC SMALL LETTER ROUND OMEGA
041F	CYRILLIC CAPITAL LETTER PE	047C	CYRILLIC CAPITAL LETTER OMEGA WITH TITLO
0420	CYRILLIC CAPITAL LETTER ER	047D	CYRILLIC SMALL LETTER OMEGA WITH TITLO
0421	CYRILLIC CAPITAL LETTER ES	047E	CYRILLIC CAPITAL LETTER OT
0422	CYRILLIC CAPITAL LETTER TE	047F	CYRILLIC SMALL LETTER OT
0423	CYRILLIC CAPITAL LETTER U		
0424	CYRILLIC CAPITAL LETTER EF		
0425	CYRILLIC CAPITAL LETTER HA		
0426	CYRILLIC CAPITAL LETTER TSE		
0427	CYRILLIC CAPITAL LETTER CHE		
0428	CYRILLIC CAPITAL LETTER SHA		
0429	CYRILLIC CAPITAL LETTER SHCHA		
042A	CYRILLIC CAPITAL LETTER HARD SIGN		
042B	CYRILLIC CAPITAL LETTER YERU		
042C	CYRILLIC CAPITAL LETTER SOFT SIGN		
042D	CYRILLIC CAPITAL LETTER E		
042E	CYRILLIC CAPITAL LETTER YU		
042F	CYRILLIC CAPITAL LETTER YA		
0430	CYRILLIC SMALL LETTER A		
0431	CYRILLIC SMALL LETTER BE		
0432	CYRILLIC SMALL LETTER VE		
0433	CYRILLIC SMALL LETTER GHE		
0434	CYRILLIC SMALL LETTER DE		
0435	CYRILLIC SMALL LETTER IE		
0436	CYRILLIC SMALL LETTER ZHE		
0437	CYRILLIC SMALL LETTER ZE		
0438	CYRILLIC SMALL LETTER I		
0439	CYRILLIC SMALL LETTER SHORT I		
043A	CYRILLIC SMALL LETTER KA		
043B	CYRILLIC SMALL LETTER EL		
043C	CYRILLIC SMALL LETTER EM		
043D	CYRILLIC SMALL LETTER EN		
043E	CYRILLIC SMALL LETTER O		
043F	CYRILLIC SMALL LETTER PE		
0440	CYRILLIC SMALL LETTER ER		
0441	CYRILLIC SMALL LETTER ES		
0442	CYRILLIC SMALL LETTER TE		
0443	CYRILLIC SMALL LETTER U		
0444	CYRILLIC SMALL LETTER EF		
0445	CYRILLIC SMALL LETTER HA		
0446	CYRILLIC SMALL LETTER TSE		
0447	CYRILLIC SMALL LETTER CHE		
0448	CYRILLIC SMALL LETTER SHA		
0449	CYRILLIC SMALL LETTER SHCHA		
044A	CYRILLIC SMALL LETTER HARD SIGN		
044B	CYRILLIC SMALL LETTER YERU		
044C	CYRILLIC SMALL LETTER SOFT SIGN		
044D	CYRILLIC SMALL LETTER E		
044E	CYRILLIC SMALL LETTER YU		
044F	CYRILLIC SMALL LETTER YA		
0450	CYRILLIC SMALL LETTER IE WITH GRAVE		
0451	CYRILLIC SMALL LETTER IO		
0452	CYRILLIC SMALL LETTER DJE (Serbocroatian)		
0453	CYRILLIC SMALL LETTER GJE		
0454	CYRILLIC SMALL LETTER UKRAINIAN IE		
0455	CYRILLIC SMALL LETTER DZE		
0456	CYRILLIC SMALL LETTER BYELORUSSIAN-UKRAINIAN I		
0457	CYRILLIC SMALL LETTER YI (Ukrainian)		
0458	CYRILLIC SMALL LETTER JE		
0459	CYRILLIC SMALL LETTER LJE		
045A	CYRILLIC SMALL LETTER NJE		
045B	CYRILLIC SMALL LETTER TSHE (Serbocroatian)		
045C	CYRILLIC SMALL LETTER KJE		

Group 00

Plane 00

Row 04

Table 12 - Row 04: Cyrillic

	048	049	04A	04B	04C	04D	04E	04F
0	Ѕ 0480	Г 0490	К 04A0	У 04B0	І 04C0	Ӑ 04D0	З 04E0	ӱ 04F0
1	Ѕ 0481	Г 0491	к 04A1	у 04B1	Ӗ 04C1	ӓ 04D1	з 04E1	ӱ 04F1
2	Ҝ 0482	Ғ 0492	Ң 04A2	Ҳ 04B2	Ӗ 04C2	Ӑ 04D2	Ӣ 04E2	ӱ 04F2
3	̇ 0483	Ғ 0493	Ң 04A3	Ҳ 04B3	Ӗ 04C3	ӓ 04D3	Ӣ 04E3	ӱ 04F3
4	̇ 0484	Ӗ 0494	Н 04A4	Ц 04B4	Ӗ 04C4	Ӑ 04D4	Ӣ 04E4	ӱ 04F4
5	̇ 0485	Ӗ 0495	н 04A5	ц 04B5	Ӗ 04C5	ӓ 04D5	Ӣ 04E5	ӱ 04F5
6	̇ 0486	Ӗ 0496	Ӗ 04A6	ӱ 04B6	Ӗ 04C6	Ӑ 04D6	Ӑ 04E6	
7		Ӗ 0497	Ӗ 04A7	ӱ 04B7	Ӗ 04C7	ӓ 04D7	ӓ 04E7	
8	☀ 0488	Ӗ 0498	Ӗ 04A8	ӱ 04B8	Ӗ 04C8	ӓ 04D8	ӓ 04E8	Ӗ 04F8
9	☀ 0489	Ӗ 0499	Ӗ 04A9	ӱ 04B9	Ӗ 04C9	ӓ 04D9	ӓ 04E9	Ӗ 04F9
A	Ӗ 048A	Ӗ 049A	Ӗ 04AA	Ӗ 04BA	Ӗ 04CA	Ӗ 04DA	Ӗ 04EA	
B	Ӗ 048B	Ӗ 049B	Ӗ 04AB	Ӗ 04BB	Ӗ 04CB	Ӗ 04DB	Ӗ 04EB	
C	Ӗ 048C	Ӗ 049C	Ӗ 04AC	Ӗ 04BC	Ӗ 04CC	Ӗ 04DC	Ӗ 04EC	
D	Ӗ 048D	Ӗ 049D	Ӗ 04AD	Ӗ 04BD	Ӗ 04CD	Ӗ 04DD	Ӗ 04ED	
E	Ӗ 048E	Ӗ 049E	Ӗ 04AE	Ӗ 04BE	Ӗ 04CE	Ӗ 04DE	Ӗ 04EE	
F	Ӗ 048F	Ӗ 049F	Ӗ 04AF	Ӗ 04BF		Ӗ 04DF	Ӗ 04EF	

G = 00
P = 00

Table 12 - Row 04: Cyrillic

HEX	NAME	HEX	NAME
0480	CYRILLIC CAPITAL LETTER KOPPA	04DD	CYRILLIC SMALL LETTER ZHE WITH DIAERESIS
0481	CYRILLIC SMALL LETTER KOPPA	04DE	CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS
0482	CYRILLIC THOUSANDS SIGN	04DF	CYRILLIC SMALL LETTER ZE WITH DIAERESIS
0483	COMBINING CYRILLIC TITLO	04E0	CYRILLIC CAPITAL LETTER ABKHASIAN DZE
0484	COMBINING CYRILLIC PALATALIZATION	04E1	CYRILLIC SMALL LETTER ABKHASIAN DZE
0485	COMBINING CYRILLIC DASIA PNEUMATA	04E2	CYRILLIC CAPITAL LETTER I WITH MACRON
0486	COMBINING CYRILLIC PSILI PNEUMATA	04E3	CYRILLIC SMALL LETTER I WITH MACRON
0487	(This position shall not be used)	04E4	CYRILLIC CAPITAL LETTER I WITH DIAERESIS
0488	COMBINING CYRILLIC HUNDRED THOUSANDS SIGN	04E5	CYRILLIC SMALL LETTER I WITH DIAERESIS
0489	COMBINING CYRILLIC MILLIONS SIGN	04E6	CYRILLIC CAPITAL LETTER O WITH DIAERESIS
048A	CYRILLIC CAPITAL LETTER SHORT I WITH TAIL	04E7	CYRILLIC SMALL LETTER O WITH DIAERESIS
048B	CYRILLIC SMALL LETTER SHORT I WITH TAIL	04E8	CYRILLIC CAPITAL LETTER BARRED O
048C	CYRILLIC CAPITAL LETTER SEMISOFT SIGN	04E9	CYRILLIC SMALL LETTER BARRED O
048D	CYRILLIC SMALL LETTER SEMISOFT SIGN	04EA	CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS
048E	CYRILLIC CAPITAL LETTER ER WITH TICK	04EB	CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS
048F	CYRILLIC SMALL LETTER ER WITH TICK	04EC	CYRILLIC CAPITAL LETTER E WITH DIAERESIS
0490	CYRILLIC CAPITAL LETTER GHE WITH UPTURN	04ED	CYRILLIC SMALL LETTER E WITH DIAERESIS
0491	CYRILLIC SMALL LETTER GHE WITH UPTURN	04EE	CYRILLIC CAPITAL LETTER U WITH MACRON
0492	CYRILLIC CAPITAL LETTER GHE WITH STROKE	04EF	CYRILLIC SMALL LETTER U WITH MACRON
0493	CYRILLIC SMALL LETTER GHE WITH STROKE	04F0	CYRILLIC CAPITAL LETTER U WITH DIAERESIS
0494	CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK	04F1	CYRILLIC SMALL LETTER U WITH DIAERESIS
0495	CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK	04F2	CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE
0496	CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER	04F3	CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE
0497	CYRILLIC SMALL LETTER ZHE WITH DESCENDER	04F4	CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS
0498	CYRILLIC CAPITAL LETTER ZE WITH DESCENDER	04F5	CYRILLIC SMALL LETTER CHE WITH DIAERESIS
0499	CYRILLIC SMALL LETTER ZE WITH DESCENDER	04F6	(This position shall not be used)
049A	CYRILLIC CAPITAL LETTER KA WITH DESCENDER	04F7	(This position shall not be used)
049B	CYRILLIC SMALL LETTER KA WITH DESCENDER	04F8	CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS
049C	CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE	04F9	CYRILLIC SMALL LETTER YERU WITH DIAERESIS
049D	CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE	04FA	(This position shall not be used)
049E	CYRILLIC CAPITAL LETTER KA WITH STROKE	04FB	(This position shall not be used)
049F	CYRILLIC SMALL LETTER KA WITH STROKE	04FC	(This position shall not be used)
04A0	CYRILLIC CAPITAL LETTER BASHKIR KA	04FD	(This position shall not be used)
04A1	CYRILLIC SMALL LETTER BASHKIR KA	04FE	(This position shall not be used)
04A2	CYRILLIC CAPITAL LETTER EN WITH DESCENDER	04FF	(This position shall not be used)
04A3	CYRILLIC SMALL LETTER EN WITH DESCENDER		
04A4	CYRILLIC CAPITAL LIGATURE EN GHE		
04A5	CYRILLIC SMALL LIGATURE EN GHE		
04A6	CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A7	CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A8	CYRILLIC CAPITAL LETTER ABKHASIAN HA		
04A9	CYRILLIC SMALL LETTER ABKHASIAN HA		
04AA	CYRILLIC CAPITAL LETTER ES WITH DESCENDER		
04AB	CYRILLIC SMALL LETTER ES WITH DESCENDER		
04AC	CYRILLIC CAPITAL LETTER TE WITH DESCENDER		
04AD	CYRILLIC SMALL LETTER TE WITH DESCENDER		
04AE	CYRILLIC CAPITAL LETTER STRAIGHT U		
04AF	CYRILLIC SMALL LETTER STRAIGHT U		
04B0	CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE		
04B1	CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE		
04B2	CYRILLIC CAPITAL LETTER HA WITH DESCENDER		
04B3	CYRILLIC SMALL LETTER HA WITH DESCENDER		
04B4	CYRILLIC CAPITAL LIGATURE TE TSE (Abkhasian)		
04B5	CYRILLIC SMALL LIGATURE TE TSE (Abkhasian)		
04B6	CYRILLIC CAPITAL LETTER CHE WITH DESCENDER		
04B7	CYRILLIC SMALL LETTER CHE WITH DESCENDER		
04B8	CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE		
04B9	CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE		
04BA	CYRILLIC CAPITAL LETTER SHHA		
04BB	CYRILLIC SMALL LETTER SHHA		
04BC	CYRILLIC CAPITAL LETTER ABKHASIAN CHE		
04BD	CYRILLIC SMALL LETTER ABKHASIAN CHE		
04BE	CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER		
04BF	CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER		
04C0	CYRILLIC LETTER PALOCHKA		
04C1	CYRILLIC CAPITAL LETTER ZHE WITH BREVE		
04C2	CYRILLIC SMALL LETTER ZHE WITH BREVE		
04C3	CYRILLIC CAPITAL LETTER KA WITH HOOK		
04C4	CYRILLIC SMALL LETTER KA WITH HOOK		
04C5	CYRILLIC CAPITAL LETTER EL WITH TAIL		
04C6	CYRILLIC SMALL LETTER EL WITH TAIL		
04C7	CYRILLIC CAPITAL LETTER EN WITH HOOK		
04C8	CYRILLIC SMALL LETTER EN WITH HOOK		
04C9	CYRILLIC CAPITAL LETTER EN WITH TAIL		
04CA	CYRILLIC SMALL LETTER EN WITH TAIL		
04CB	CYRILLIC CAPITAL LETTER KHAKASSIAN CHE		
04CC	CYRILLIC SMALL LETTER KHAKASSIAN CHE		
04CD	CYRILLIC CAPITAL LETTER EM WITH TAIL		
04CE	CYRILLIC SMALL LETTER EM WITH TAIL		
04CF	(This position shall not be used)		
04D0	CYRILLIC CAPITAL LETTER A WITH BREVE		
04D1	CYRILLIC SMALL LETTER A WITH BREVE		
04D2	CYRILLIC CAPITAL LETTER A WITH DIAERESIS		
04D3	CYRILLIC SMALL LETTER A WITH DIAERESIS		
04D4	CYRILLIC CAPITAL LIGATURE A IE		
04D5	CYRILLIC SMALL LIGATURE A IE		
04D6	CYRILLIC CAPITAL LETTER IE WITH BREVE		
04D7	CYRILLIC SMALL LETTER IE WITH BREVE		
04D8	CYRILLIC CAPITAL LETTER SCHWA		
04D9	CYRILLIC SMALL LETTER SCHWA		
04DA	CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS		
04DB	CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS		
04DC	CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS		

Group 00

Plane 00

Row 04

Table 13 - Row 05: Cyrillic Supplement

	050	051	052
0	Ԁ 0500		
1	ԁ 0501		
2	Ԃ 0502		
3	ԃ 0503		
4	Ԅ 0504		
5	ԅ 0505		
6	Ԇ 0506		
7	ԇ 0507		
8	Ԉ 0508		
9	ԉ 0509		
A	Ԑ 050A		
B	ԑ 050B		
C	Ԓ 050C		
D	ԓ 050D		
E	Ԕ 050E		
F	ԕ 050F		

G = 00
P = 00

Table 13 - Row 05: Cyrillic Supplement

HEX	NAME	HEX	NAME
0500	CYRILLIC CAPITAL LETTER KOMI DE		
0501	CYRILLIC SMALL LETTER KOMI DE		
0502	CYRILLIC CAPITAL LETTER KOMI DJE		
0503	CYRILLIC SMALL LETTER KOMI DJE		
0504	CYRILLIC CAPITAL LETTER KOMI ZJE		
0505	CYRILLIC SMALL LETTER KOMI ZJE		
0506	CYRILLIC CAPITAL LETTER KOMI DZJE		
0507	CYRILLIC SMALL LETTER KOMI DZJE		
0508	CYRILLIC CAPITAL LETTER KOMI LJE		
0509	CYRILLIC SMALL LETTER KOMI LJE		
050A	CYRILLIC CAPITAL LETTER KOMI NJE		
050B	CYRILLIC SMALL LETTER KOMI NJE		
050C	CYRILLIC CAPITAL LETTER KOMI SJE		
050D	CYRILLIC SMALL LETTER KOMI SJE		
050E	CYRILLIC CAPITAL LETTER KOMI TJE		
050F	CYRILLIC SMALL LETTER KOMI TJE		
0510	(This position shall not be used)		
0511	(This position shall not be used)		
0512	(This position shall not be used)		
0513	(This position shall not be used)		
0514	(This position shall not be used)		
0515	(This position shall not be used)		
0516	(This position shall not be used)		
0517	(This position shall not be used)		
0518	(This position shall not be used)		
0519	(This position shall not be used)		
051A	(This position shall not be used)		
051B	(This position shall not be used)		
051C	(This position shall not be used)		
051D	(This position shall not be used)		
051E	(This position shall not be used)		
051F	(This position shall not be used)		
0520	(This position shall not be used)		
0521	(This position shall not be used)		
0522	(This position shall not be used)		
0523	(This position shall not be used)		
0524	(This position shall not be used)		
0525	(This position shall not be used)		
0526	(This position shall not be used)		
0527	(This position shall not be used)		
0528	(This position shall not be used)		
0529	(This position shall not be used)		
052A	(This position shall not be used)		
052B	(This position shall not be used)		
052C	(This position shall not be used)		
052D	(This position shall not be used)		
052E	(This position shall not be used)		
052F	(This position shall not be used)		

Group 00

Plane 00

Row 05

Table 14 - Row 05: Armenian

	053	054	055	056	057	058
0		Հ 0540	Ր 0550		Տ 0570	Ր 0580
1	Ա 0531	Ձ 0541	Յ 0551	Կ 0561	Ճ 0571	Գ 0581
2	Բ 0532	Ղ 0542	Ի 0552	Բ 0562	Ղ 0572	Լ 0582
3	Գ 0533	Ճ 0543	Փ 0553	Գ 0563	Ճ 0573	Վ 0583
4	Դ 0534	Մ 0544	Ք 0554	Դ 0564	Մ 0574	Ք 0584
5	Ե 0535	Յ 0545	Օ 0555	Ե 0565	Յ 0575	Օ 0585
6	Զ 0536	Ն 0546	Ֆ 0556	Զ 0566	Ն 0576	Ֆ 0586
7	Է 0537	Շ 0547		Է 0567	Շ 0577	Է 0587
8	Ը 0538	Ո 0548		Ը 0568	Ո 0578	
9	Թ 0539	Չ 0549	՛ 0559	Թ 0569	Չ 0579	՛ 0589
A	Ժ 053A	Պ 054A	՛ 055A	Ժ 056A	Պ 057A	՛ 058A
B	Ի 053B	Ջ 054B	՛ 055B	Ի 056B	Ջ 057B	
C	Լ 053C	Խ 054C	~ 055C	Լ 056C	Խ 057C	
D	Խ 053D	Ս 054D	՛ 055D	Խ 056D	Ս 057D	
E	Վ 053E	Վ 054E	՛ 055E	Վ 056E	Վ 057E	
F	Կ 053F	Տ 054F	՛ 055F	Կ 056F	Տ 057F	

G = 00
P = 00

Table 14 - Row 05: Armenian

HEX	NAME	HEX	NAME
0530	(This position shall not be used)	058D	(This position shall not be used)
0531	ARMENIAN CAPITAL LETTER AYB	058E	(This position shall not be used)
0532	ARMENIAN CAPITAL LETTER BEN	058F	(This position shall not be used)
0533	ARMENIAN CAPITAL LETTER GIM		
0534	ARMENIAN CAPITAL LETTER DA		
0535	ARMENIAN CAPITAL LETTER ECH		
0536	ARMENIAN CAPITAL LETTER ZA		
0537	ARMENIAN CAPITAL LETTER EH		
0538	ARMENIAN CAPITAL LETTER ET		
0539	ARMENIAN CAPITAL LETTER TO		
053A	ARMENIAN CAPITAL LETTER ZHE		
053B	ARMENIAN CAPITAL LETTER INI		
053C	ARMENIAN CAPITAL LETTER LIWN		
053D	ARMENIAN CAPITAL LETTER XEH		
053E	ARMENIAN CAPITAL LETTER CA		
053F	ARMENIAN CAPITAL LETTER KEN		
0540	ARMENIAN CAPITAL LETTER HO		
0541	ARMENIAN CAPITAL LETTER JA		
0542	ARMENIAN CAPITAL LETTER GHAD		
0543	ARMENIAN CAPITAL LETTER CHEH		
0544	ARMENIAN CAPITAL LETTER MEN		
0545	ARMENIAN CAPITAL LETTER YI		
0546	ARMENIAN CAPITAL LETTER NOW		
0547	ARMENIAN CAPITAL LETTER SHA		
0548	ARMENIAN CAPITAL LETTER VO		
0549	ARMENIAN CAPITAL LETTER CHA		
054A	ARMENIAN CAPITAL LETTER PEH		
054B	ARMENIAN CAPITAL LETTER JHEH		
054C	ARMENIAN CAPITAL LETTER RA		
054D	ARMENIAN CAPITAL LETTER SEH		
054E	ARMENIAN CAPITAL LETTER VEV		
054F	ARMENIAN CAPITAL LETTER TIWN		
0550	ARMENIAN CAPITAL LETTER REH		
0551	ARMENIAN CAPITAL LETTER CO		
0552	ARMENIAN CAPITAL LETTER YIWN		
0553	ARMENIAN CAPITAL LETTER PIWR		
0554	ARMENIAN CAPITAL LETTER KEH		
0555	ARMENIAN CAPITAL LETTER OH		
0556	ARMENIAN CAPITAL LETTER FEH		
0557	(This position shall not be used)		
0558	(This position shall not be used)		
0559	ARMENIAN MODIFIER LETTER LEFT HALF RING		
055A	ARMENIAN APOSTROPHE		
055B	ARMENIAN EMPHASIS MARK		
055C	ARMENIAN EXCLAMATION MARK		
055D	ARMENIAN COMMA		
055E	ARMENIAN QUESTION MARK		
055F	ARMENIAN ABBREVIATION MARK		
0560	(This position shall not be used)		
0561	ARMENIAN SMALL LETTER AYB		
0562	ARMENIAN SMALL LETTER BEN		
0563	ARMENIAN SMALL LETTER GIM		
0564	ARMENIAN SMALL LETTER DA		
0565	ARMENIAN SMALL LETTER ECH		
0566	ARMENIAN SMALL LETTER ZA		
0567	ARMENIAN SMALL LETTER EH		
0568	ARMENIAN SMALL LETTER ET		
0569	ARMENIAN SMALL LETTER TO		
056A	ARMENIAN SMALL LETTER ZHE		
056B	ARMENIAN SMALL LETTER INI		
056C	ARMENIAN SMALL LETTER LIWN		
056D	ARMENIAN SMALL LETTER XEH		
056E	ARMENIAN SMALL LETTER CA		
056F	ARMENIAN SMALL LETTER KEN		
0570	ARMENIAN SMALL LETTER HO		
0571	ARMENIAN SMALL LETTER JA		
0572	ARMENIAN SMALL LETTER GHAD		
0573	ARMENIAN SMALL LETTER CHEH		
0574	ARMENIAN SMALL LETTER MEN		
0575	ARMENIAN SMALL LETTER YI		
0576	ARMENIAN SMALL LETTER NOW		
0577	ARMENIAN SMALL LETTER SHA		
0578	ARMENIAN SMALL LETTER VO		
0579	ARMENIAN SMALL LETTER CHA		
057A	ARMENIAN SMALL LETTER PEH		
057B	ARMENIAN SMALL LETTER JHEH		
057C	ARMENIAN SMALL LETTER RA		
057D	ARMENIAN SMALL LETTER SEH		
057E	ARMENIAN SMALL LETTER VEV		
057F	ARMENIAN SMALL LETTER TIWN		
0580	ARMENIAN SMALL LETTER REH		
0581	ARMENIAN SMALL LETTER CO		
0582	ARMENIAN SMALL LETTER YIWN		
0583	ARMENIAN SMALL LETTER PIWR		
0584	ARMENIAN SMALL LETTER KEH		
0585	ARMENIAN SMALL LETTER OH		
0586	ARMENIAN SMALL LETTER FEH		
0587	ARMENIAN SMALL LIGATURE ECH YIWN		
0588	(This position shall not be used)		
0589	ARMENIAN FULL STOP		
058A	ARMENIAN HYPHEN		
058B	(This position shall not be used)		
058C	(This position shall not be used)		

Group 00

Plane 00

Row 05

Table 15 - Row 05: Hebrew

	059	05A	05B	05C	05D	05E	05F
0		05A0	05B0	05C0	05D0	05E0	05F0
1	0591	05A1	05B1	05C1	05D1	05E1	05F1
2	0592		05B2	05C2	05D2	05E2	05F2
3	0593	05A3	05B3	05C3	05D3	05E3	05F3
4	0594	05A4	05B4	05C4	05D4	05E4	05F4
5	0595	05A5	05B5		05D5	05E5	
6	0596	05A6	05B6		05D6	05E6	
7	0597	05A7	05B7		05D7	05E7	
8	0598	05A8	05B8		05D8	05E8	
9	0599	05A9	05B9		05D9	05E9	
A	059A	05AA			05DA	05EA	
B	059B	05AB	05BB		05DB		
C	059C	05AC	05BC		05DC		
D	059D	05AD	05BD		05DD		
E	059E	05AE	05BE		05DE		
F	059F	05AF	05BF		05DF		

G = 00
P = 00

Table 15 - Row 05: Hebrew




















































































HEX	NAME	HEX	NAME
0590	(This position shall not be used)	05ED	(This position shall not be used)
0591	HEBREW ACCENT ETNAHTA	05EE	(This position shall not be used)
0592	HEBREW ACCENT SEGOL	05EF	(This position shall not be used)
0593	HEBREW ACCENT SHALSHLET	05F0	HEBREW LIGATURE YIDDISH DOUBLE VAV
0594	HEBREW ACCENT ZAQEF QATAN	05F1	HEBREW LIGATURE YIDDISH VAV YOD
0595	HEBREW ACCENT ZAQEF GADOL	05F2	HEBREW LIGATURE YIDDISH DOUBLE YOD
0596	HEBREW ACCENT TIPEHA *	05F3	HEBREW PUNCTUATION GERESH
0597	HEBREW ACCENT REVA	05F4	HEBREW PUNCTUATION GERSHAYIM
0598	HEBREW ACCENT ZARQA *	05F5	(This position shall not be used)
0599	HEBREW ACCENT PASHTA	05F6	(This position shall not be used)
059A	HEBREW ACCENT YETIV	05F7	(This position shall not be used)
059B	HEBREW ACCENT TEVIR	05F8	(This position shall not be used)
059C	HEBREW ACCENT GERESH	05F9	(This position shall not be used)
059D	HEBREW ACCENT GERESH MUQDAM	05FA	(This position shall not be used)
059E	HEBREW ACCENT GERSHAYIM	05FB	(This position shall not be used)
059F	HEBREW ACCENT QARNEY PARA	05FC	(This position shall not be used)
05A0	HEBREW ACCENT TELISHA GEDOLA	05FD	(This position shall not be used)
05A1	HEBREW ACCENT PAZER	05FE	(This position shall not be used)
05A2	(This position shall not be used)	05FF	(This position shall not be used)
05A3	HEBREW ACCENT MUNAH		
05A4	HEBREW ACCENT MAHAPAKH		
05A5	HEBREW ACCENT MERKHA *		
05A6	HEBREW ACCENT MERKHA KEFULA		
05A7	HEBREW ACCENT DARGA		
05A8	HEBREW ACCENT QADMA *		
05A9	HEBREW ACCENT TELISHA QETANA		
05AA	HEBREW ACCENT YERAH BEN YOMO *		
05AB	HEBREW ACCENT OLE		
05AC	HEBREW ACCENT ILUY		
05AD	HEBREW ACCENT DEHI		
05AE	HEBREW ACCENT ZINOR		
05AF	HEBREW MARK MASORA CIRCLE		
05B0	HEBREW POINT SHEVA		
05B1	HEBREW POINT HATAF SEGOL		
05B2	HEBREW POINT HATAF PATAH		
05B3	HEBREW POINT HATAF QAMATS		
05B4	HEBREW POINT HIRIQ		
05B5	HEBREW POINT TSERE		
05B6	HEBREW POINT SEGOL		
05B7	HEBREW POINT PATAH		
05B8	HEBREW POINT QAMATS		
05B9	HEBREW POINT HOLAM		
05BA	(This position shall not be used)		
05BB	HEBREW POINT QUBUTS		
05BC	HEBREW POINT DAGESH OR MAPIQ (or shuruq)		
05BD	HEBREW POINT METEG *		
05BE	HEBREW PUNCTUATION MAQAF		
05BF	HEBREW POINT RAFE		
05C0	HEBREW PUNCTUATION PASEQ *		
05C1	HEBREW POINT SHIN DOT		
05C2	HEBREW POINT SIN DOT		
05C3	HEBREW PUNCTUATION SOF PASUQ *		
05C4	HEBREW MARK UPPER DOT		
05C5	(This position shall not be used)		
05C6	(This position shall not be used)		
05C7	(This position shall not be used)		
05C8	(This position shall not be used)		
05C9	(This position shall not be used)		
05CA	(This position shall not be used)		
05CB	(This position shall not be used)		
05CC	(This position shall not be used)		
05CD	(This position shall not be used)		
05CE	(This position shall not be used)		
05CF	(This position shall not be used)		
05D0	HEBREW LETTER ALEF		
05D1	HEBREW LETTER BET		
05D2	HEBREW LETTER GIMEL		
05D3	HEBREW LETTER DALET		
05D4	HEBREW LETTER HE		
05D5	HEBREW LETTER VAV		
05D6	HEBREW LETTER ZAYIN		
05D7	HEBREW LETTER HET		
05D8	HEBREW LETTER TET		
05D9	HEBREW LETTER YOD		
05DA	HEBREW LETTER FINAL KAF		
05DB	HEBREW LETTER KAF		
05DC	HEBREW LETTER LAMED		
05DD	HEBREW LETTER FINAL MEM		
05DE	HEBREW LETTER MEM		
05DF	HEBREW LETTER FINAL NUN		
05E0	HEBREW LETTER NUN		
05E1	HEBREW LETTER SAMEKH		
05E2	HEBREW LETTER AYIN		
05E3	HEBREW LETTER FINAL PE		
05E4	HEBREW LETTER PE		
05E5	HEBREW LETTER FINAL TSADI		
05E6	HEBREW LETTER TSADI		
05E7	HEBREW LETTER QOF		
05E8	HEBREW LETTER RESH		
05E9	HEBREW LETTER SHIN		
05EA	HEBREW LETTER TAV		
05EB	(This position shall not be used)		
05EC	(This position shall not be used)		

Group 00

Plane 00

Row 05

Table 16 - Row 06: Arabic

	060	061	062	063	064	065	066	067
0	 0600	 0610		 0630	 0640	 0650	 0660	 0670
1	 0601	 0611	 0621	 0631	 0641	 0651	 0661	 0671
2	 0602	 0612	 0622	 0632	 0642	 0652	 0662	 0672
3	 0603	 0613	 0623	 0633	 0643	 0653	 0663	 0673
4		 0614	 0624	 0634	 0644	 0654	 0664	 0674
5		 0615	 0625	 0635	 0645	 0655	 0665	 0675
6			 0626	 0636	 0646	 0656	 0666	 0676
7			 0627	 0637	 0647	 0657	 0667	 0677
8			 0628	 0638	 0648	 0658	 0668	 0678
9			 0629	 0639	 0649		 0669	 0679
A			 062A	 063A	 064A		 066A	 067A
B		 061B	 062B		 064B		 066B	 067B
C	 060C		 062C		 064C		 066C	 067C
D	 060D		 062D		 064D		 066D	 067D
E	 060E		 062E		 064E		 066E	 067E
F	 060F	 061F	 062F		 064F		 066F	 067F

G = 00
P = 00

Table 16 - Row 06: Arabic

HEX	NAME	HEX	NAME
0600	ARABIC NUMBER SIGN	065D	(This position shall not be used)
0601	ARABIC SIGN SANAH	065E	(This position shall not be used)
0602	ARABIC FOOTNOTE MARKER	065F	(This position shall not be used)
0603	ARABIC SIGN SAFHA	0660	ARABIC-INDIC DIGIT ZERO
0604	(This position shall not be used)	0661	ARABIC-INDIC DIGIT ONE
0605	(This position shall not be used)	0662	ARABIC-INDIC DIGIT TWO
0606	(This position shall not be used)	0663	ARABIC-INDIC DIGIT THREE
0607	(This position shall not be used)	0664	ARABIC-INDIC DIGIT FOUR
0608	(This position shall not be used)	0665	ARABIC-INDIC DIGIT FIVE
0609	(This position shall not be used)	0666	ARABIC-INDIC DIGIT SIX
060A	(This position shall not be used)	0667	ARABIC-INDIC DIGIT SEVEN
060B	(This position shall not be used)	0668	ARABIC-INDIC DIGIT EIGHT
060C	ARABIC COMMA	0669	ARABIC-INDIC DIGIT NINE
060D	ARABIC DATE SEPARATOR	066A	ARABIC PERCENT SIGN
060E	ARABIC POETIC VERSE SIGN	066B	ARABIC DECIMAL SEPARATOR
060F	ARABIC SIGN MISRA	066C	ARABIC THOUSANDS SEPARATOR
0610	ARABIC SIGN SALLALLAHOU ALAYHE WASSALLAM	066D	ARABIC FIVE POINTED STAR
0611	ARABIC SIGN ALAYHE ASSALLAM	066E	ARABIC LETTER DOTLESS BEH
0612	ARABIC SIGN RAHMATULLAH ALAYHE	066F	ARABIC LETTER DOTLESS QAF
0613	ARABIC SIGN RADI ALLAHOU ANHU	0670	ARABIC LETTER SUPERSCRIPT ALEF
0614	ARABIC SIGN TAKHALLUS	0671	ARABIC LETTER ALEF WASLA
0615	ARABIC SMALL HIGH TAH	0672	ARABIC LETTER ALEF WITH WAVY HAMZA ABOVE
0616	(This position shall not be used)	0673	ARABIC LETTER ALEF WITH WAVY HAMZA BELOW
0617	(This position shall not be used)	0674	ARABIC LETTER HIGH HAMZA
0618	(This position shall not be used)	0675	ARABIC LETTER HIGH HAMZA ALEF
0619	(This position shall not be used)	0676	ARABIC LETTER HIGH HAMZA WAW
061A	(This position shall not be used)	0677	ARABIC LETTER U WITH HAMZA ABOVE
061B	ARABIC SEMICOLON	0678	ARABIC LETTER HIGH HAMZA YEH
061C	(This position shall not be used)	0679	ARABIC LETTER TTEH
061D	(This position shall not be used)	067A	ARABIC LETTER TTEHEH
061E	(This position shall not be used)	067B	ARABIC LETTER BEEH
061F	ARABIC QUESTION MARK	067C	ARABIC LETTER TEH WITH RING
0620	(This position shall not be used)	067D	ARABIC LETTER TEH WITH THREE DOTS ABOVE DOWNWARDS
0621	ARABIC LETTER HAMZA	067E	ARABIC LETTER PEH
0622	ARABIC LETTER ALEF WITH MADDA ABOVE	067F	ARABIC LETTER TEHEH
0623	ARABIC LETTER ALEF WITH HAMZA ABOVE		
0624	ARABIC LETTER WAW WITH HAMZA ABOVE		
0625	ARABIC LETTER ALEF WITH HAMZA BELOW		
0626	ARABIC LETTER YEH WITH HAMZA ABOVE		
0627	ARABIC LETTER ALEF		
0628	ARABIC LETTER BEH		
0629	ARABIC LETTER TEH MARBUTA		
062A	ARABIC LETTER TEH		
062B	ARABIC LETTER THEH		
062C	ARABIC LETTER JEEM		
062D	ARABIC LETTER HAH		
062E	ARABIC LETTER KHAH		
062F	ARABIC LETTER DAL		
0630	ARABIC LETTER THAL		
0631	ARABIC LETTER REH		
0632	ARABIC LETTER ZAIN		
0633	ARABIC LETTER SEEN		
0634	ARABIC LETTER SHEEN		
0635	ARABIC LETTER SAD		
0636	ARABIC LETTER DAD		
0637	ARABIC LETTER TAH		
0638	ARABIC LETTER ZAH		
0639	ARABIC LETTER AIN		
063A	ARABIC LETTER GHAIN		
063B	(This position shall not be used)		
063C	(This position shall not be used)		
063D	(This position shall not be used)		
063E	(This position shall not be used)		
063F	(This position shall not be used)		
0640	ARABIC TATWEEL		
0641	ARABIC LETTER FEH		
0642	ARABIC LETTER QAF		
0643	ARABIC LETTER KAF		
0644	ARABIC LETTER LAM		
0645	ARABIC LETTER MEEM		
0646	ARABIC LETTER NOON		
0647	ARABIC LETTER HEH		
0648	ARABIC LETTER WAW		
0649	ARABIC LETTER ALEF MAKSURA		
064A	ARABIC LETTER YEH		
064B	ARABIC FATHATAN		
064C	ARABIC DAMMATAN		
064D	ARABIC KASRATAN		
064E	ARABIC FATHA		
064F	ARABIC DAMMA		
0650	ARABIC KASRA		
0651	ARABIC SHADDA		
0652	ARABIC SUKUN		
0653	ARABIC MADDAH ABOVE		
0654	ARABIC HAMZA ABOVE		
0655	ARABIC HAMZA BELOW		
0656	ARABIC SUBSCRIPT ALEF		
0657	ARABIC INVERTED DAMMA		
0658	ARABIC MARK NOON GHUNNA		
0659	(This position shall not be used)		
065A	(This position shall not be used)		
065B	(This position shall not be used)		
065C	(This position shall not be used)		

Group 00

Plane 00

Row 06

Table 17 - Row 06: Arabic

	068	069	06A	06B	06C	06D	06E	06F
0	پ 0680	ڈ 0690	غ 06A0	گ 06B0	ه 06C0	ي 06D0	◌ْ 06E0	◌ 06F0
1	خ 0681	ڑ 0691	ف 06A1	گ 06B1	ه 06C1	ي 06D1	◌َ 06E1	ا 06F1
2	خ 0682	ز 0692	ب 06A2	گ 06B2	ه 06C2	ے 06D2	◌ُ 06E2	ب 06F2
3	ح 0683	ر 0693	ب 06A3	گ 06B3	ت 06C3	ے 06D3	◌ِ 06E3	ب 06F3
4	ح 0684	ر 0694	ف 06A4	گ 06B4	و 06C4	- 06D4	◌ِ 06E4	ب 06F4
5	خ 0685	ر 0695	ب 06A5	ل 06B5	و 06C5	ه 06D5	ر 06E5	ب 06F5
6	ح 0686	ب 0696	ق 06A6	ن 06B6	و 06C6	◌ِ 06D6	ے 06E6	ب 06F6
7	ح 0687	ز 0697	ف 06A7	ث 06B7	و 06C7	◌ِ 06D7	ے 06E7	ب 06F7
8	ڈ 0688	ڑ 0698	ق 06A8	پ 06B8	و 06C8	◌ِ 06D8	◌ِ 06E8	ب 06F8
9	د 0689	ڑ 0699	ک 06A9	ب 06B9	و 06C9	◌ِ 06D9	◌ِ 06E9	ب 06F9
A	ب 068A	ب 069A	ک 06AA	ر 06BA	ق 06CA	◌ِ 06DA	◌ِ 06EA	ب 06FA
B	ب 068B	پ 069B	گ 06AB	ر 06BB	ق 06CB	◌ِ 06DB	◌ِ 06EB	ب 06FB
C	د 068C	پ 069C	ک 06AC	ب 06BC	ی 06CC	◌ِ 06DC	◌ِ 06EC	ب 06FC
D	د 068D	پ 069D	ک 06AD	ب 06BD	ی 06CD	◌ِ 06DD	◌ِ 06ED	ب 06FD
E	ڈ 068E	ض 069E	ک 06AE	ھ 06BE	ی 06CE	◌ِ 06DE	د 06EE	ب 06FE
F	ڈ 068F	ظ 069F	گ 06AF	ح 06BF	ف 06CF	◌ِ 06DF	ر 06EF	ھ 06FF

G = 00
P = 00

Table 17 - Row 06: Arabic

















































































HEX	NAME	HEX	NAME
0680	ARABIC LETTER BEHEH	06DD	ARABIC END OF AYAH
0681	ARABIC LETTER HAH WITH HAMZA ABOVE	06DE	ARABIC START OF RUB EL HIZB
0682	ARABIC LETTER HAH WITH TWO DOTS VERTICAL ABOVE	06DF	ARABIC SMALL HIGH ROUNDED ZERO
0683	ARABIC LETTER NYEH	06E0	ARABIC SMALL HIGH UPRIGHT RECTANGULAR ZERO
0684	ARABIC LETTER DYEH	06E1	ARABIC SMALL HIGH DOTLESS HEAD OF KHAH
0685	ARABIC LETTER HAH WITH THREE DOTS ABOVE	06E2	ARABIC SMALL HIGH MEEM ISOLATED FORM
0686	ARABIC LETTER TCHEH	06E3	ARABIC SMALL LOW SEEN
0687	ARABIC LETTER TCHHEH	06E4	ARABIC SMALL HIGH MADDA
0688	ARABIC LETTER DDAL	06E5	ARABIC SMALL WAW
0689	ARABIC LETTER DAL WITH RING	06E6	ARABIC SMALL YEH
068A	ARABIC LETTER DAL WITH DOT BELOW	06E7	ARABIC SMALL HIGH YEH
068B	ARABIC LETTER DAL WITH DOT BELOW AND SMALL TAH	06E8	ARABIC SMALL HIGH NOON
068C	ARABIC LETTER DAHAL	06E9	ARABIC PLACE OF SAJDAH
068D	ARABIC LETTER DDAHAL	06EA	ARABIC EMPTY CENTRE LOW STOP
068E	ARABIC LETTER DJL	06EB	ARABIC EMPTY CENTRE HIGH STOP
068F	ARABIC LETTER DAL WITH THREE DOTS ABOVE DOWNWARDS	06EC	ARABIC ROUNDED HIGH STOP WITH FILLED CENTRE
0690	ARABIC LETTER DAL WITH FOUR DOTS ABOVE	06ED	ARABIC SMALL LOW MEEM
0691	ARABIC LETTER RREH	06EE	ARABIC LETTER DAL WITH INVERTED V
0692	ARABIC LETTER REH WITH SMALL V	06EF	ARABIC LETTER REH WITH INVERTED V
0693	ARABIC LETTER REH WITH RING	06F0	EXTENDED ARABIC-INDIC DIGIT ZERO
0694	ARABIC LETTER REH WITH DOT BELOW	06F1	EXTENDED ARABIC-INDIC DIGIT ONE
0695	ARABIC LETTER REH WITH SMALL V BELOW	06F2	EXTENDED ARABIC-INDIC DIGIT TWO
0696	ARABIC LETTER REH WITH DOT BELOW AND DOT ABOVE	06F3	EXTENDED ARABIC-INDIC DIGIT THREE
0697	ARABIC LETTER REH WITH TWO DOTS ABOVE	06F4	EXTENDED ARABIC-INDIC DIGIT FOUR
0698	ARABIC LETTER JEH	06F5	EXTENDED ARABIC-INDIC DIGIT FIVE
0699	ARABIC LETTER REH WITH FOUR DOTS ABOVE	06F6	EXTENDED ARABIC-INDIC DIGIT SIX
069A	ARABIC LETTER SEEN WITH DOT BELOW AND DOT ABOVE	06F7	EXTENDED ARABIC-INDIC DIGIT SEVEN
069B	ARABIC LETTER SEEN WITH THREE DOTS BELOW	06F8	EXTENDED ARABIC-INDIC DIGIT EIGHT
069C	ARABIC LETTER SEEN WITH THREE DOTS BELOW AND THREE DOTS ABOVE	06F9	EXTENDED ARABIC-INDIC DIGIT NINE
069D	ARABIC LETTER SAD WITH TWO DOTS BELOW	06FA	ARABIC LETTER SHEEN WITH DOT BELOW
069E	ARABIC LETTER SAD WITH THREE DOTS ABOVE	06FB	ARABIC LETTER DAD WITH DOT BELOW
069F	ARABIC LETTER TAH WITH THREE DOTS ABOVE	06FC	ARABIC LETTER GHAIN WITH DOT BELOW
06A0	ARABIC LETTER AIN WITH THREE DOTS ABOVE	06FD	ARABIC SIGN SINDHI AMPERSAND
06A1	ARABIC LETTER DOTLESS FEH	06FE	ARABIC SIGN SINDHI POSTPOSITION MEN
06A2	ARABIC LETTER FEH WITH DOT MOVED BELOW	06FF	ARABIC LETTER HEH WITH INVERTED V
06A3	ARABIC LETTER FEH WITH DOT BELOW		
06A4	ARABIC LETTER VEH		
06A5	ARABIC LETTER FEH WITH THREE DOTS BELOW		
06A6	ARABIC LETTER PEHEH		
06A7	ARABIC LETTER QAF WITH DOT ABOVE		
06A8	ARABIC LETTER QAF WITH THREE DOTS ABOVE		
06A9	ARABIC LETTER KEHEH		
06AA	ARABIC LETTER SWASH KAF		
06AB	ARABIC LETTER KAF WITH RING		
06AC	ARABIC LETTER KAF WITH DOT ABOVE		
06AD	ARABIC LETTER NG		
06AE	ARABIC LETTER KAF WITH THREE DOTS BELOW		
06AF	ARABIC LETTER GAF *		
06B0	ARABIC LETTER GAF WITH RING		
06B1	ARABIC LETTER NGOEH		
06B2	ARABIC LETTER GAF WITH TWO DOTS BELOW		
06B3	ARABIC LETTER GUEH		
06B4	ARABIC LETTER GAF WITH THREE DOTS ABOVE		
06B5	ARABIC LETTER LAM WITH SMALL V		
06B6	ARABIC LETTER LAM WITH DOT ABOVE		
06B7	ARABIC LETTER LAM WITH THREE DOTS ABOVE		
06B8	ARABIC LETTER LAM WITH THREE DOTS BELOW		
06B9	ARABIC LETTER NOON WITH DOT BELOW		
06BA	ARABIC LETTER NOON GHUNNA		
06BB	ARABIC LETTER RNOON		
06BC	ARABIC LETTER NOON WITH RING		
06BD	ARABIC LETTER NOON WITH THREE DOTS ABOVE		
06BE	ARABIC LETTER HEH DOACHASHMEE		
06BF	ARABIC LETTER TCHEH WITH DOT ABOVE		
06C0	ARABIC LETTER HEH WITH YEH ABOVE		
06C1	ARABIC LETTER HEH GOAL		
06C2	ARABIC LETTER HEH GOAL WITH HAMZA ABOVE		
06C3	ARABIC LETTER TEH MARBUTA GOAL		
06C4	ARABIC LETTER WAW WITH RING		
06C5	ARABIC LETTER KIRGHIZ OE		
06C6	ARABIC LETTER OE		
06C7	ARABIC LETTER U		
06C8	ARABIC LETTER YU		
06C9	ARABIC LETTER KIRGHIZ YU		
06CA	ARABIC LETTER WAW WITH TWO DOTS ABOVE		
06CB	ARABIC LETTER VE		
06CC	ARABIC LETTER FARSI YEH		
06CD	ARABIC LETTER YEH WITH TAIL		
06CE	ARABIC LETTER YEH WITH SMALL V		
06CF	ARABIC LETTER WAW WITH DOT ABOVE		
06D0	ARABIC LETTER E *		
06D1	ARABIC LETTER YEH WITH THREE DOTS BELOW		
06D2	ARABIC LETTER YEH BARREE		
06D3	ARABIC LETTER YEH BARREE WITH HAMZA ABOVE		
06D4	ARABIC FULL STOP		
06D5	ARABIC LETTER AE		
06D6	ARABIC SMALL HIGH LIGATURE SAD WITH LAM WITH ALEF MAKSURA		
06D7	ARABIC SMALL HIGH LIGATURE QAF WITH LAM WITH ALEF MAKSURA		
06D8	ARABIC SMALL HIGH MEEM INITIAL FORM		
06D9	ARABIC SMALL HIGH LAM ALEF		
06DA	ARABIC SMALL HIGH JEEM		
06DB	ARABIC SMALL HIGH THREE DOTS		
06DC	ARABIC SMALL HIGH SEEN		

Group 00

Plane 00

Row 06

Table 18 - Row 07: Syriac

	070	071	072	073	074
0	 0700	 0710	 0720	 0730	 0740
1	 0701	 0711	 0721	 0731	 0741
2	 0702	 0712	 0722	 0732	 0742
3	 0703	 0713	 0723	 0733	 0743
4	 0704	 0714	 0724	 0734	 0744
5	 0705	 0715	 0725	 0735	 0745
6	 0706	 0716	 0726	 0736	 0746
7	 0707	 0717	 0727	 0737	 0747
8	 0708	 0718	 0728	 0738	 0748
9	 0709	 0719	 0729	 0739	 0749
A	 070A	 071A	 072A	 073A	 074A
B	 070B	 071B	 072B	 073B	
C	 070C	 071C	 072C	 073C	
D	 070D	 071D	 072D	 073D	 074D
E		 071E	 072E	 073E	 074E
F	 070F	 071F	 072F	 073F	 074F

G = 00
P = 00

Table 18 - Row 07: Syriac

HEX	NAME	HEX	NAME
0700	SYRIAC END OF PARAGRAPH		
0701	SYRIAC SUPRALINEAR FULL STOP		
0702	SYRIAC SUBLINEAR FULL STOP		
0703	SYRIAC SUPRALINEAR COLON		
0704	SYRIAC SUBLINEAR COLON		
0705	SYRIAC HORIZONTAL COLON		
0706	SYRIAC COLON SKEWED LEFT		
0707	SYRIAC COLON SKEWED RIGHT		
0708	SYRIAC SUPRALINEAR COLON SKEWED LEFT		
0709	SYRIAC SUBLINEAR COLON SKEWED RIGHT		
070A	SYRIAC CONTRACTION		
070B	SYRIAC HARKLEAN OBELUS		
070C	SYRIAC HARKLEAN METOBELUS		
070D	SYRIAC HARKLEAN ASTERISCUS		
070E	(This position shall not be used)		
070F	SYRIAC ABBREVIATION MARK		
0710	SYRIAC LETTER ALAPH		
0711	SYRIAC LETTER SUPERSCRIPIT ALAPH		
0712	SYRIAC LETTER BETH		
0713	SYRIAC LETTER GAMAL		
0714	SYRIAC LETTER GAMAL GARSHUNI		
0715	SYRIAC LETTER DALATH		
0716	SYRIAC LETTER DOTLESS DALATH RISH		
0717	SYRIAC LETTER HE		
0718	SYRIAC LETTER WAW		
0719	SYRIAC LETTER ZAIN		
071A	SYRIAC LETTER HETH		
071B	SYRIAC LETTER TETH		
071C	SYRIAC LETTER TETH GARSHUNI		
071D	SYRIAC LETTER YUDH		
071E	SYRIAC LETTER YUDH HE		
071F	SYRIAC LETTER KAPH		
0720	SYRIAC LETTER LAMADH		
0721	SYRIAC LETTER MIM		
0722	SYRIAC LETTER NUN		
0723	SYRIAC LETTER SEMKATH		
0724	SYRIAC LETTER FINAL SEMKATH		
0725	SYRIAC LETTER E		
0726	SYRIAC LETTER PE		
0727	SYRIAC LETTER REVERSED PE		
0728	SYRIAC LETTER SADHE		
0729	SYRIAC LETTER QAPH		
072A	SYRIAC LETTER RISH		
072B	SYRIAC LETTER SHIN		
072C	SYRIAC LETTER TAW		
072D	SYRIAC LETTER PERSIAN BHETH		
072E	SYRIAC LETTER PERSIAN GHAMAL		
072F	SYRIAC LETTER PERSIAN DHALATH		
0730	SYRIAC PTHAHA ABOVE		
0731	SYRIAC PTHAHA BELOW		
0732	SYRIAC PTHAHA DOTTED		
0733	SYRIAC ZQAPHA ABOVE		
0734	SYRIAC ZQAPHA BELOW		
0735	SYRIAC ZQAPHA DOTTED		
0736	SYRIAC RBASA ABOVE		
0737	SYRIAC RBASA BELOW		
0738	SYRIAC DOTTED ZLAMA HORIZONTAL		
0739	SYRIAC DOTTED ZLAMA ANGULAR		
073A	SYRIAC HBASA ABOVE		
073B	SYRIAC HBASA BELOW		
073C	SYRIAC HBASA-ESASA DOTTED		
073D	SYRIAC ESASA ABOVE		
073E	SYRIAC ESASA BELOW		
073F	SYRIAC RWAHA		
0740	SYRIAC FEMININE DOT		
0741	SYRIAC QUSHSHAYA		
0742	SYRIAC RUKKAKHA		
0743	SYRIAC TWO VERTICAL DOTS ABOVE		
0744	SYRIAC TWO VERTICAL DOTS BELOW		
0745	SYRIAC THREE DOTS ABOVE		
0746	SYRIAC THREE DOTS BELOW		
0747	SYRIAC OBLIQUE LINE ABOVE		
0748	SYRIAC OBLIQUE LINE BELOW		
0749	SYRIAC MUSIC		
074A	SYRIAC BARREKH		
074B	(This position shall not be used)		
074C	(This position shall not be used)		
074D	SYRIAC LETTER SOGDIAN ZHAIN		
074E	SYRIAC LETTER SOGDIAN KHAPH		
074F	SYRIAC LETTER SOGDIAN FE		

































































Group 00

Plane 00

Row 07

Table 19 - Row 07: Thaana

078 079 07A 07B

0	 0780	 0790	 07A0	 07B0
1	 0781	 0791	 07A1	 07B1
2	 0782	 0792	 07A2	
3	 0783	 0793	 07A3	
4	 0784	 0794	 07A4	
5	 0785	 0795	 07A5	
6	 0786	 0796	 07A6	
7	 0787	 0797	 07A7	
8	 0788	 0798	 07A8	
9	 0789	 0799	 07A9	
A	 078A	 079A	 07AA	
B	 078B	 079B	 07AB	
C	 078C	 079C	 07AC	
D	 078D	 079D	 07AD	
E	 078E	 079E	 07AE	
F	 078F	 079F	 07AF	

G = 00
P = 00

Table 19 - Row 07: Thaana

HEX	NAME	HEX	NAME
0780	THAANA LETTER HAA		
0781	THAANA LETTER SHAVIYANI		
0782	THAANA LETTER NOONU		
0783	THAANA LETTER RAA		
0784	THAANA LETTER BAA		
0785	THAANA LETTER LHAVIYANI		
0786	THAANA LETTER KAAFU		
0787	THAANA LETTER ALIFU		
0788	THAANA LETTER VAAVU		
0789	THAANA LETTER MEEMU		
078A	THAANA LETTER FAAFU		
078B	THAANA LETTER DHAALU		
078C	THAANA LETTER THAA		
078D	THAANA LETTER LAAMU		
078E	THAANA LETTER GAAFU		
078F	THAANA LETTER GNAVIYANI		
0790	THAANA LETTER SEENU		
0791	THAANA LETTER DAVIYANI		
0792	THAANA LETTER ZAVIYANI		
0793	THAANA LETTER TAVIYANI		
0794	THAANA LETTER YAA		
0795	THAANA LETTER PAVIYANI		
0796	THAANA LETTER JAVIYANI		
0797	THAANA LETTER CHAVIYANI		
0798	THAANA LETTER TTAA		
0799	THAANA LETTER HHAA		
079A	THAANA LETTER KHAA		
079B	THAANA LETTER THAALU		
079C	THAANA LETTER ZAA		
079D	THAANA LETTER SHEENU		
079E	THAANA LETTER SAADHU		
079F	THAANA LETTER DAADHU		
07A0	THAANA LETTER TO		
07A1	THAANA LETTER ZO		
07A2	THAANA LETTER AINU		
07A3	THAANA LETTER GHAINU		
07A4	THAANA LETTER QAAFU		
07A5	THAANA LETTER WAAVU		
07A6	THAANA ABAFILI		
07A7	THAANA ABAAFILI		
07A8	THAANA IBIFILI		
07A9	THAANA EEBEFILI		
07AA	THAANA UBUFILI		
07AB	THAANA OOBEOFILI		
07AC	THAANA EBEFILI		
07AD	THAANA EYBEYFILI		
07AE	THAANA OBOFILI		
07AF	THAANA OABOAFILI		
07B0	THAANA SUKUN		
07B1	THAANA LETTER NAA		
07B2	(This position shall not be used)		
07B3	(This position shall not be used)		
07B4	(This position shall not be used)		
07B5	(This position shall not be used)		
07B6	(This position shall not be used)		
07B7	(This position shall not be used)		
07B8	(This position shall not be used)		
07B9	(This position shall not be used)		
07BA	(This position shall not be used)		
07BB	(This position shall not be used)		
07BC	(This position shall not be used)		
07BD	(This position shall not be used)		
07BE	(This position shall not be used)		
07BF	(This position shall not be used)		

Group 00

Plane 00

Row 07

Table 20 - Row 09: Devanagari

	090	091	092	093	094	095	096	097
0		ऐ 0910	ठ 0920	र 0930	ी 0940	ॐ 0950	ऋ 0960	◌ 0970
1	ँ 0901	ऑ 0911	ड 0921	ॠ 0931	ु 0941	ं 0951	ृ 0961	
2	ं 0902	ओ 0912	ढ 0922	ल 0932	ॡ 0942	ॢ 0952	ॣ 0962	
3	ः 0903	ओ 0913	ण 0923	ळ 0933	॥ 0943	े 0953	॥ 0963	
4	ऐ 0904	औ 0914	त 0924	ळ 0934	॥ 0944	े 0954	। 0964	
5	अ 0905	क 0915	थ 0925	व 0935	ँ 0945		॥ 0965	
6	आ 0906	ख 0916	द 0926	श 0936	े 0946		० 0966	
7	इ 0907	ग 0917	ध 0927	ष 0937	े 0947		१ 0967	
8	ई 0908	घ 0918	न 0928	स 0938	ै 0948	ॠ 0958	२ 0968	
9	उ 0909	ङ 0919	न 0929	ह 0939	ॉ 0949	ख 0959	३ 0969	
A	ऊ 090A	च 091A	प 092A		ो 094A	ग 095A	४ 096A	
B	ॠ 090B	छ 091B	फ 092B		ो 094B	ज 095B	५ 096B	
C	ॡ 090C	ज 091C	ब 092C	ॠ 093C	ौ 094C	ड 095C	६ 096C	
D	ँ 090D	झ 091D	भ 092D	ऽ 093D	ॡ 094D	ढ 095D	७ 096D	
E	ऐ 090E	ज 091E	म 092E	ा 093E		फ 095E	८ 096E	
F	ए 090F	ट 091F	य 092F	ि 093F		य 095F	९ 096F	

G = 00
P = 00

Table 20 - Row 09: Devanagari

HEX	NAME	HEX	NAME
0900	(This position shall not be used)	095D	DEVANAGARI LETTER RHA
0901	DEVANAGARI SIGN CANDRABINDU	095E	DEVANAGARI LETTER FA
0902	DEVANAGARI SIGN ANUSVARA	095F	DEVANAGARI LETTER YYA
0903	DEVANAGARI SIGN VISARGA	0960	DEVANAGARI LETTER VOCALIC RR
0904	DEVANAGARI LETTER SHORT A	0961	DEVANAGARI LETTER VOCALIC LL
0905	DEVANAGARI LETTER A	0962	DEVANAGARI VOWEL SIGN VOCALIC L
0906	DEVANAGARI LETTER AA	0963	DEVANAGARI VOWEL SIGN VOCALIC LL
0907	DEVANAGARI LETTER I	0964	DEVANAGARI DANDA
0908	DEVANAGARI LETTER II	0965	DEVANAGARI DOUBLE DANDA
0909	DEVANAGARI LETTER U	0966	DEVANAGARI DIGIT ZERO
090A	DEVANAGARI LETTER UU	0967	DEVANAGARI DIGIT ONE
090B	DEVANAGARI LETTER VOCALIC R	0968	DEVANAGARI DIGIT TWO
090C	DEVANAGARI LETTER VOCALIC L	0969	DEVANAGARI DIGIT THREE
090D	DEVANAGARI LETTER CANDRA E	096A	DEVANAGARI DIGIT FOUR
090E	DEVANAGARI LETTER SHORT E	096B	DEVANAGARI DIGIT FIVE
090F	DEVANAGARI LETTER E	096C	DEVANAGARI DIGIT SIX
0910	DEVANAGARI LETTER AI	096D	DEVANAGARI DIGIT SEVEN
0911	DEVANAGARI LETTER CANDRA O	096E	DEVANAGARI DIGIT EIGHT
0912	DEVANAGARI LETTER SHORT O	096F	DEVANAGARI DIGIT NINE
0913	DEVANAGARI LETTER O	0970	DEVANAGARI ABBREVIATION SIGN
0914	DEVANAGARI LETTER AU	0971	(This position shall not be used)
0915	DEVANAGARI LETTER KA	0972	(This position shall not be used)
0916	DEVANAGARI LETTER KHA	0973	(This position shall not be used)
0917	DEVANAGARI LETTER GA	0974	(This position shall not be used)
0918	DEVANAGARI LETTER GHA	0975	(This position shall not be used)
0919	DEVANAGARI LETTER NGA	0976	(This position shall not be used)
091A	DEVANAGARI LETTER CA	0977	(This position shall not be used)
091B	DEVANAGARI LETTER CHA	0978	(This position shall not be used)
091C	DEVANAGARI LETTER JA	0979	(This position shall not be used)
091D	DEVANAGARI LETTER JHA	097A	(This position shall not be used)
091E	DEVANAGARI LETTER NYA	097B	(This position shall not be used)
091F	DEVANAGARI LETTER TTA	097C	(This position shall not be used)
0920	DEVANAGARI LETTER TTHA	097D	(This position shall not be used)
0921	DEVANAGARI LETTER DDA	097E	(This position shall not be used)
0922	DEVANAGARI LETTER DDHA	097F	(This position shall not be used)
0923	DEVANAGARI LETTER NNA		
0924	DEVANAGARI LETTER TA		
0925	DEVANAGARI LETTER THA		
0926	DEVANAGARI LETTER DA		
0927	DEVANAGARI LETTER DHA		
0928	DEVANAGARI LETTER NA		
0929	DEVANAGARI LETTER NNNA		
092A	DEVANAGARI LETTER PA		
092B	DEVANAGARI LETTER PHA		
092C	DEVANAGARI LETTER BA		
092D	DEVANAGARI LETTER BHA		
092E	DEVANAGARI LETTER MA		
092F	DEVANAGARI LETTER YA		
0930	DEVANAGARI LETTER RA		
0931	DEVANAGARI LETTER RRA		
0932	DEVANAGARI LETTER LA		
0933	DEVANAGARI LETTER LLA		
0934	DEVANAGARI LETTER LLLA		
0935	DEVANAGARI LETTER VA		
0936	DEVANAGARI LETTER SHA		
0937	DEVANAGARI LETTER SSA		
0938	DEVANAGARI LETTER SA		
0939	DEVANAGARI LETTER HA		
093A	(This position shall not be used)		
093B	(This position shall not be used)		
093C	DEVANAGARI SIGN NUKTA		
093D	DEVANAGARI SIGN AVAGRAHA		
093E	DEVANAGARI VOWEL SIGN AA		
093F	DEVANAGARI VOWEL SIGN I		
0940	DEVANAGARI VOWEL SIGN II		
0941	DEVANAGARI VOWEL SIGN U		
0942	DEVANAGARI VOWEL SIGN UU		
0943	DEVANAGARI VOWEL SIGN VOCALIC R		
0944	DEVANAGARI VOWEL SIGN VOCALIC RR		
0945	DEVANAGARI VOWEL SIGN CANDRA E		
0946	DEVANAGARI VOWEL SIGN SHORT E		
0947	DEVANAGARI VOWEL SIGN E		
0948	DEVANAGARI VOWEL SIGN AI		
0949	DEVANAGARI VOWEL SIGN CANDRA O		
094A	DEVANAGARI VOWEL SIGN SHORT O		
094B	DEVANAGARI VOWEL SIGN O		
094C	DEVANAGARI VOWEL SIGN AU		
094D	DEVANAGARI SIGN VIRAMA		
094E	(This position shall not be used)		
094F	(This position shall not be used)		
0950	DEVANAGARI OM		
0951	DEVANAGARI STRESS SIGN UDATTA		
0952	DEVANAGARI STRESS SIGN ANUDATTA		
0953	DEVANAGARI GRAVE ACCENT		
0954	DEVANAGARI ACUTE ACCENT		
0955	(This position shall not be used)		
0956	(This position shall not be used)		
0957	(This position shall not be used)		
0958	DEVANAGARI LETTER QA		
0959	DEVANAGARI LETTER KHHA		
095A	DEVANAGARI LETTER GHHA		
095B	DEVANAGARI LETTER ZA		
095C	DEVANAGARI LETTER DDHA		

Group 00

Plane 00

Row 09

Table 21 - Row 09: Bengali

	098	099	09A	09B	09C	09D	09E	09F
0		ঈ	ঊ	ঋ	ঌ		঍	শ
		0990	09A0	09B0	09C0		09E0	09F0
1	ঁ		ড		়		ঙ	ঐ
	0981		09A1		09C1		09E1	09F1
2	ং		ঢ	ণ	়		্	্
	0982		09A2	09B2	09C2		09E2	09F2
3	ঃ	ও	এ		্		্	্
	0983	0993	09A3		09C3		09E3	09F3
4		ঔ	তা		্			্
		0994	09A4		09C4			09F4
5	অ	ক	খ					্
	0985	0995	09A5					09F5
6	আ	খ	দ	শ			০	্
	0986	0996	09A6	09B6			09E6	09F6
7	ই	গ	ঘ	ষ	ে	ো	্	।
	0987	0997	09A7	09B7	09C7	09D7	09E7	09F7
8	ঈ	ষ	ম	স	ে		্	্
	0988	0998	09A8	09B8	09C8		09E8	09F8
9	ে	ঔ		্			্	০
	0989	0999		09B9			09E9	09F9
A	ে	চ	প				৪	্
	098A	099A	09AA				09EA	09FA
B	ঈ	ছ	ফ		ো		্	
	098B	099B	09AB		09CB		09EB	
C	্	জ	ব	্	ে	ড়	্	
	098C	099C	09AC	09BC	09CC	09DC	09EC	
D		ঝ	ভ	্	্	ঢ	এ	
		099D	09AD	09BD	09CD	09DD	09ED	
E		ঞ	য	া			্	
		099E	09AE	09BE			09EE	
F	এ	ট	ষ	ি		য়	্	
	098F	099F	09AF	09BF		09DF	09EF	

G = 00
P = 00

Table 21 - Row 09: Bengali

HEX	NAME	HEX	NAME
0980	(This position shall not be used)	09DD	BENGALI LETTER RHA
0981	BENGALI SIGN CANDRABINDU	09DE	(This position shall not be used)
0982	BENGALI SIGN ANUSVARA	09DF	BENGALI LETTER YYA
0983	BENGALI SIGN VISARGA	09E0	BENGALI LETTER VOCALIC RR
0984	(This position shall not be used)	09E1	BENGALI LETTER VOCALIC LL
0985	BENGALI LETTER A	09E2	BENGALI VOWEL SIGN VOCALIC L
0986	BENGALI LETTER AA	09E3	BENGALI VOWEL SIGN VOCALIC LL
0987	BENGALI LETTER I	09E4	(This position shall not be used)
0988	BENGALI LETTER II	09E5	(This position shall not be used)
0989	BENGALI LETTER U	09E6	BENGALI DIGIT ZERO
098A	BENGALI LETTER UU	09E7	BENGALI DIGIT ONE
098B	BENGALI LETTER VOCALIC R	09E8	BENGALI DIGIT TWO
098C	BENGALI LETTER VOCALIC L	09E9	BENGALI DIGIT THREE
098D	(This position shall not be used)	09EA	BENGALI DIGIT FOUR
098E	(This position shall not be used)	09EB	BENGALI DIGIT FIVE
098F	BENGALI LETTER E	09EC	BENGALI DIGIT SIX
0990	BENGALI LETTER AI	09ED	BENGALI DIGIT SEVEN
0991	(This position shall not be used)	09EE	BENGALI DIGIT EIGHT
0992	(This position shall not be used)	09EF	BENGALI DIGIT NINE
0993	BENGALI LETTER O	09F0	BENGALI LETTER RA WITH MIDDLE DIAGONAL (Assamese)
0994	BENGALI LETTER AU	09F1	BENGALI LETTER RA WITH LOWER DIAGONAL (Assamese)
0995	BENGALI LETTER KA	09F2	BENGALI RUPEE MARK
0996	BENGALI LETTER KHA	09F3	BENGALI RUPEE SIGN
0997	BENGALI LETTER GA	09F4	BENGALI CURRENCY NUMERATOR ONE
0998	BENGALI LETTER GHA	09F5	BENGALI CURRENCY NUMERATOR TWO
0999	BENGALI LETTER NGA	09F6	BENGALI CURRENCY NUMERATOR THREE
099A	BENGALI LETTER CA	09F7	BENGALI CURRENCY NUMERATOR FOUR
099B	BENGALI LETTER CHA	09F8	BENGALI CURRENCY NUMERATOR ONE LESS THAN THE DENOMINATOR
099C	BENGALI LETTER JA	09F9	BENGALI CURRENCY DENOMINATOR SIXTEEN
099D	BENGALI LETTER JHA	09FA	BENGALI ISSHAR
099E	BENGALI LETTER NYA	09FB	(This position shall not be used)
099F	BENGALI LETTER TTA	09FC	(This position shall not be used)
09A0	BENGALI LETTER TTHA	09FD	(This position shall not be used)
09A1	BENGALI LETTER DDA	09FE	(This position shall not be used)
09A2	BENGALI LETTER DDHA	09FF	(This position shall not be used)
09A3	BENGALI LETTER NNA		
09A4	BENGALI LETTER TA		
09A5	BENGALI LETTER THA		
09A6	BENGALI LETTER DA		
09A7	BENGALI LETTER DHA		
09A8	BENGALI LETTER NA		
09A9	(This position shall not be used)		
09AA	BENGALI LETTER PA		
09AB	BENGALI LETTER PHA		
09AC	BENGALI LETTER BA		
09AD	BENGALI LETTER BHA		
09AE	BENGALI LETTER MA		
09AF	BENGALI LETTER YA		
09B0	BENGALI LETTER RA		
09B1	(This position shall not be used)		
09B2	BENGALI LETTER LA		
09B3	(This position shall not be used)		
09B4	(This position shall not be used)		
09B5	(This position shall not be used)		
09B6	BENGALI LETTER SHA		
09B7	BENGALI LETTER SSA		
09B8	BENGALI LETTER SA		
09B9	BENGALI LETTER HA		
09BA	(This position shall not be used)		
09BB	(This position shall not be used)		
09BC	BENGALI SIGN NUKTA		
09BD	BENGALI SIGN AVAGRAHA		
09BE	BENGALI VOWEL SIGN AA		
09BF	BENGALI VOWEL SIGN I		
09C0	BENGALI VOWEL SIGN II		
09C1	BENGALI VOWEL SIGN U		
09C2	BENGALI VOWEL SIGN UU		
09C3	BENGALI VOWEL SIGN VOCALIC R		
09C4	BENGALI VOWEL SIGN VOCALIC RR		
09C5	(This position shall not be used)		
09C6	(This position shall not be used)		
09C7	BENGALI VOWEL SIGN E		
09C8	BENGALI VOWEL SIGN AI		
09C9	(This position shall not be used)		
09CA	(This position shall not be used)		
09CB	BENGALI VOWEL SIGN O		
09CC	BENGALI VOWEL SIGN AU		
09CD	BENGALI SIGN VIRAMA		
09CE	(This position shall not be used)		
09CF	(This position shall not be used)		
09D0	(This position shall not be used)		
09D1	(This position shall not be used)		
09D2	(This position shall not be used)		
09D3	(This position shall not be used)		
09D4	(This position shall not be used)		
09D5	(This position shall not be used)		
09D6	(This position shall not be used)		
09D7	BENGALI AU LENGTH MARK		
09D8	(This position shall not be used)		
09D9	(This position shall not be used)		
09DA	(This position shall not be used)		
09DB	(This position shall not be used)		
09DC	BENGALI LETTER RRA		

Group 00

Plane 00

Row 09

Table 22 - Row 0A: Gurmukhi

	0A0	0A1	0A2	0A3	0A4	0A5	0A6	0A7
0		ਐ 0A10	ਠ 0A20	ਰ 0A30	ੀ 0A40			ੰ 0A70
1	ੰ 0A01		ਛ 0A21		ੌ 0A41			ੱ 0A71
2	ੰ 0A02		ਢ 0A22	ਲ 0A32	ੌ 0A42			ੲ 0A72
3	ੰ 0A03	ਓ 0A13	ਲ 0A23	ਲ 0A33				ੳ 0A73
4		ਐ 0A14	ਤ 0A24					ੴ 0A74
5	ਅ 0A05	ਕ 0A15	ਥ 0A25	ਵ 0A35				
6	ਆ 0A06	ਖ 0A16	ਦ 0A26	ਸ਼ 0A36			ੳ 0A66	
7	ਇ 0A07	ਗ 0A17	ਧ 0A27		ੇ 0A47		ੲ 0A67	
8	ਈ 0A08	ਘ 0A18	ਨ 0A28	ਸ਼ 0A38	ੈ 0A48		ੲ 0A68	
9	ਉ 0A09	ਙ 0A19		ਹ 0A39		ਖ 0A59	ੳ 0A69	
A	ੳ 0A0A	ਚ 0A1A	ਪ 0A2A			ਗ 0A5A	ੳ 0A6A	
B		ਛ 0A1B	ਛ 0A2B		ੌ 0A4B	ਜ਼ 0A5B	ਪ 0A6B	
C		ਜ਼ 0A1C	ਬ 0A2C	ੌ 0A3C	ੌ 0A4C	ੳ 0A5C	ੳ 0A6C	
D		ੳ 0A1D	ਭ 0A2D		ੌ 0A4D		ੳ 0A6D	
E		ੲ 0A1E	ਮ 0A2E	ਾ 0A3E		ਛ 0A5E	ੲ 0A6E	
F	ੲ 0A0F	ਟ 0A1F	ਯ 0A2F	ਿ 0A3F			ੲ 0A6F	

G = 00
P = 00

Table 22 - Row 0A: Gurmukhi

HEX	NAME	HEX	NAME
0A00	(This position shall not be used)	0A5D	(This position shall not be used)
0A01	GURMUKHI SIGN ADAK BINDI	0A5E	GURMUKHI LETTER FA
0A02	GURMUKHI SIGN BINDI	0A5F	(This position shall not be used)
0A03	GURMUKHI SIGN VISARGA	0A60	(This position shall not be used)
0A04	(This position shall not be used)	0A61	(This position shall not be used)
0A05	GURMUKHI LETTER A	0A62	(This position shall not be used)
0A06	GURMUKHI LETTER AA	0A63	(This position shall not be used)
0A07	GURMUKHI LETTER I	0A64	(This position shall not be used)
0A08	GURMUKHI LETTER II	0A65	(This position shall not be used)
0A09	GURMUKHI LETTER U	0A66	GURMUKHI DIGIT ZERO
0A0A	GURMUKHI LETTER UU	0A67	GURMUKHI DIGIT ONE
0A0B	(This position shall not be used)	0A68	GURMUKHI DIGIT TWO
0A0C	(This position shall not be used)	0A69	GURMUKHI DIGIT THREE
0A0D	(This position shall not be used)	0A6A	GURMUKHI DIGIT FOUR
0A0E	(This position shall not be used)	0A6B	GURMUKHI DIGIT FIVE
0A0F	GURMUKHI LETTER EE	0A6C	GURMUKHI DIGIT SIX
0A10	GURMUKHI LETTER AI	0A6D	GURMUKHI DIGIT SEVEN
0A11	(This position shall not be used)	0A6E	GURMUKHI DIGIT EIGHT
0A12	(This position shall not be used)	0A6F	GURMUKHI DIGIT NINE
0A13	GURMUKHI LETTER OO	0A70	GURMUKHI TIPPI
0A14	GURMUKHI LETTER AU	0A71	GURMUKHI ADDAK
0A15	GURMUKHI LETTER KA	0A72	GURMUKHI IRI
0A16	GURMUKHI LETTER KHA	0A73	GURMUKHI URA
0A17	GURMUKHI LETTER GA	0A74	GURMUKHI EK ONKAR
0A18	GURMUKHI LETTER GHA	0A75	(This position shall not be used)
0A19	GURMUKHI LETTER NGA	0A76	(This position shall not be used)
0A1A	GURMUKHI LETTER CA	0A77	(This position shall not be used)
0A1B	GURMUKHI LETTER CHA	0A78	(This position shall not be used)
0A1C	GURMUKHI LETTER JA	0A79	(This position shall not be used)
0A1D	GURMUKHI LETTER JHA	0A7A	(This position shall not be used)
0A1E	GURMUKHI LETTER NYA	0A7B	(This position shall not be used)
0A1F	GURMUKHI LETTER TTA	0A7C	(This position shall not be used)
0A20	GURMUKHI LETTER TTHA	0A7D	(This position shall not be used)
0A21	GURMUKHI LETTER DDA	0A7E	(This position shall not be used)
0A22	GURMUKHI LETTER DDHA	0A7F	(This position shall not be used)
0A23	GURMUKHI LETTER NNA		
0A24	GURMUKHI LETTER TA		
0A25	GURMUKHI LETTER THA		
0A26	GURMUKHI LETTER DA		
0A27	GURMUKHI LETTER DHA		
0A28	GURMUKHI LETTER NA		
0A29	(This position shall not be used)		
0A2A	GURMUKHI LETTER PA		
0A2B	GURMUKHI LETTER PHA		
0A2C	GURMUKHI LETTER BA		
0A2D	GURMUKHI LETTER BHA		
0A2E	GURMUKHI LETTER MA		
0A2F	GURMUKHI LETTER YA		
0A30	GURMUKHI LETTER RA		
0A31	(This position shall not be used)		
0A32	GURMUKHI LETTER LA		
0A33	GURMUKHI LETTER LLA		
0A34	(This position shall not be used)		
0A35	GURMUKHI LETTER VA		
0A36	GURMUKHI LETTER SHA		
0A37	(This position shall not be used)		
0A38	GURMUKHI LETTER SA		
0A39	GURMUKHI LETTER HA		
0A3A	(This position shall not be used)		
0A3B	(This position shall not be used)		
0A3C	GURMUKHI SIGN NUKTA		
0A3D	(This position shall not be used)		
0A3E	GURMUKHI VOWEL SIGN AA		
0A3F	GURMUKHI VOWEL SIGN I		
0A40	GURMUKHI VOWEL SIGN II		
0A41	GURMUKHI VOWEL SIGN U		
0A42	GURMUKHI VOWEL SIGN UU		
0A43	(This position shall not be used)		
0A44	(This position shall not be used)		
0A45	(This position shall not be used)		
0A46	(This position shall not be used)		
0A47	GURMUKHI VOWEL SIGN EE		
0A48	GURMUKHI VOWEL SIGN AI		
0A49	(This position shall not be used)		
0A4A	(This position shall not be used)		
0A4B	GURMUKHI VOWEL SIGN OO		
0A4C	GURMUKHI VOWEL SIGN AU		
0A4D	GURMUKHI SIGN VIRAMA		
0A4E	(This position shall not be used)		
0A4F	(This position shall not be used)		
0A50	(This position shall not be used)		
0A51	(This position shall not be used)		
0A52	(This position shall not be used)		
0A53	(This position shall not be used)		
0A54	(This position shall not be used)		
0A55	(This position shall not be used)		
0A56	(This position shall not be used)		
0A57	(This position shall not be used)		
0A58	(This position shall not be used)		
0A59	GURMUKHI LETTER KHHA		
0A5A	GURMUKHI LETTER GHHA		
0A5B	GURMUKHI LETTER ZA		
0A5C	GURMUKHI LETTER RRA		

Group 00

Plane 00

Row 0A

Table 23 - Row 0A: Gujarati

	0A8	0A9	0AA	0AB	0AC	0AD	0AE	0AF
0		ૐ 0A90	ઠ 0AA0	ર 0AB0	ી 0AC0	ૐ 0AD0	જ 0AE0	
1	ઁ 0A81	ૐ 0A91	ડ 0AA1		ુ 0AC1		જ 0AE1	ૐ 0AF1
2	ં 0A82		ઠ 0AA2	લ 0AB2	ુ 0AC2		ુ 0AE2	
3	ઃ 0A83	ૐ 0A93	ણ 0AA3	ળ 0AB3	ુ 0AC3		ુ 0AE3	
4		ૐ 0A94	ત 0AA4		ુ 0AC4			
5	અ 0A85	ક 0A95	થ 0AA5	વ 0AB5	ં 0AC5			
6	આ 0A86	ખ 0A96	દ 0AA6	શ 0AB6			ૐ 0AE6	
7	ઈ 0A87	ગ 0A97	ધ 0AA7	ષ 0AB7	ે 0AC7		ૐ 0AE7	
8	ઈ 0A88	ઘ 0A98	ન 0AA8	સ 0AB8	ૈ 0AC8		ૐ 0AE8	
9	ઉ 0A89	ડ 0A99		હ 0AB9	ૌ 0AC9		ૐ 0AE9	
A	ઊ 0A8A	ચ 0A9A	પ 0AA9				ૐ 0AEA	
B	જ 0A8B	છ 0A9B	જ 0AAB		ૌ 0ACB		ૐ 0AEB	
C	ઝ 0A8C	ઞ 0A9C	બ 0AAC	ઃ 0ABC	ૌ 0ACC		ૐ 0AEC	
D	એ 0A8D	ઝ 0A9D	ભ 0AAD	ડ 0ABD	ૌ 0ACD		ૐ 0AED	
E		ઞ 0A9E	મ 0AAE	ા 0ABE			ૐ 0AEE	
F	એ 0A8F	ટ 0A9F	ય 0AAF	િ 0ABF			ૐ 0AEF	

G = 00
P = 00

Table 23 - Row 0A: Gujarati

HEX	NAME	HEX	NAME
0A80	(This position shall not be used)	0ADD	(This position shall not be used)
0A81	GUJARATI SIGN CANDRABINDU	0ADE	(This position shall not be used)
0A82	GUJARATI SIGN ANUSVARA	0ADF	(This position shall not be used)
0A83	GUJARATI SIGN VISARGA	0AE0	GUJARATI LETTER VOCALIC RR
0A84	(This position shall not be used)	0AE1	GUJARATI LETTER VOCALIC LL
0A85	GUJARATI LETTER A	0AE2	GUJARATI VOWEL SIGN VOCALIC L
0A86	GUJARATI LETTER AA	0AE3	GUJARATI VOWEL SIGN VOCALIC LL
0A87	GUJARATI LETTER I	0AE4	(This position shall not be used)
0A88	GUJARATI LETTER II	0AE5	(This position shall not be used)
0A89	GUJARATI LETTER U	0AE6	GUJARATI DIGIT ZERO
0A8A	GUJARATI LETTER UU	0AE7	GUJARATI DIGIT ONE
0A8B	GUJARATI LETTER VOCALIC R	0AE8	GUJARATI DIGIT TWO
0A8C	GUJARATI LETTER VOCALIC L	0AE9	GUJARATI DIGIT THREE
0A8D	GUJARATI VOWEL CANDRA E	0AEA	GUJARATI DIGIT FOUR
0A8E	(This position shall not be used)	0AEB	GUJARATI DIGIT FIVE
0A8F	GUJARATI LETTER E	0AEC	GUJARATI DIGIT SIX
0A90	GUJARATI LETTER AI	0AED	GUJARATI DIGIT SEVEN
0A91	GUJARATI VOWEL CANDRA O	0AEE	GUJARATI DIGIT EIGHT
0A92	(This position shall not be used)	0AEF	GUJARATI DIGIT NINE
0A93	GUJARATI LETTER O	0AF0	(This position shall not be used)
0A94	GUJARATI LETTER AU	0AF1	GUJARATI RUPEE SIGN
0A95	GUJARATI LETTER KA	0AF2	(This position shall not be used)
0A96	GUJARATI LETTER KHA	0AF3	(This position shall not be used)
0A97	GUJARATI LETTER GA	0AF4	(This position shall not be used)
0A98	GUJARATI LETTER GHA	0AF5	(This position shall not be used)
0A99	GUJARATI LETTER NGA	0AF6	(This position shall not be used)
0A9A	GUJARATI LETTER CA	0AF7	(This position shall not be used)
0A9B	GUJARATI LETTER CHA	0AF8	(This position shall not be used)
0A9C	GUJARATI LETTER JA	0AF9	(This position shall not be used)
0A9D	GUJARATI LETTER JHA	0AFA	(This position shall not be used)
0A9E	GUJARATI LETTER NYA	0AFB	(This position shall not be used)
0A9F	GUJARATI LETTER TTA	0AFC	(This position shall not be used)
0AA0	GUJARATI LETTER TTHA	0AFD	(This position shall not be used)
0AA1	GUJARATI LETTER DDA	0AFE	(This position shall not be used)
0AA2	GUJARATI LETTER DDHA	0AFF	(This position shall not be used)
0AA3	GUJARATI LETTER NNA		
0AA4	GUJARATI LETTER TA		
0AA5	GUJARATI LETTER THA		
0AA6	GUJARATI LETTER DA		
0AA7	GUJARATI LETTER DHA		
0AA8	GUJARATI LETTER NA		
0AA9	(This position shall not be used)		
0AAA	GUJARATI LETTER PA		
0AAB	GUJARATI LETTER PHA		
0AAC	GUJARATI LETTER BA		
0AAD	GUJARATI LETTER BHA		
0AAE	GUJARATI LETTER MA		
0AAF	GUJARATI LETTER YA		
0AB0	GUJARATI LETTER RA		
0AB1	(This position shall not be used)		
0AB2	GUJARATI LETTER LA		
0AB3	GUJARATI LETTER LLA		
0AB4	(This position shall not be used)		
0AB5	GUJARATI LETTER VA		
0AB6	GUJARATI LETTER SHA		
0AB7	GUJARATI LETTER SSA		
0AB8	GUJARATI LETTER SA		
0AB9	GUJARATI LETTER HA		
0ABA	(This position shall not be used)		
0ABB	(This position shall not be used)		
0ABC	GUJARATI SIGN NUKTA		
0ABD	GUJARATI SIGN AVAGRAHA		
0ABE	GUJARATI VOWEL SIGN AA		
0ABF	GUJARATI VOWEL SIGN I		
0AC0	GUJARATI VOWEL SIGN II		
0AC1	GUJARATI VOWEL SIGN U		
0AC2	GUJARATI VOWEL SIGN UU		
0AC3	GUJARATI VOWEL SIGN VOCALIC R		
0AC4	GUJARATI VOWEL SIGN VOCALIC RR		
0AC5	GUJARATI VOWEL SIGN CANDRA E		
0AC6	(This position shall not be used)		
0AC7	GUJARATI VOWEL SIGN E		
0AC8	GUJARATI VOWEL SIGN AI		
0AC9	GUJARATI VOWEL SIGN CANDRA O		
0ACA	(This position shall not be used)		
0ACB	GUJARATI VOWEL SIGN O		
0ACC	GUJARATI VOWEL SIGN AU		
0ACD	GUJARATI SIGN VIRAMA		
0ACE	(This position shall not be used)		
0ACF	(This position shall not be used)		
0AD0	GUJARATI OM		
0AD1	(This position shall not be used)		
0AD2	(This position shall not be used)		
0AD3	(This position shall not be used)		
0AD4	(This position shall not be used)		
0AD5	(This position shall not be used)		
0AD6	(This position shall not be used)		
0AD7	(This position shall not be used)		
0AD8	(This position shall not be used)		
0AD9	(This position shall not be used)		
0ADA	(This position shall not be used)		
0ADB	(This position shall not be used)		
0ADC	(This position shall not be used)		

Group 00

Plane 00

Row 0A

Table 24 - Row 0B: Oriya

	0B0	0B1	0B2	0B3	0B4	0B5	0B6	0B7
0		ଐ 0B10	ଠ 0B20	ଡ 0B30	଼ 0B40		ଝ 0B60	ୱ 0B70
1	ୠ 0B01		ଢ 0B21		ୡ 0B41		ଞ 0B61	ଝ 0B71
2	ୢ 0B02		ଢ 0B22	ଢ 0B32	ୡ 0B42			
3	ୣ 0B03	ଌ 0B13	ଣ 0B23	ଢ 0B33	ୢ 0B43			
4		ଐ 0B14	ଠ 0B24					
5	ଅ 0B05	କ 0B15	ଥ 0B25	ବ 0B35				
6	ଆ 0B06	ଖ 0B16	ଘ 0B26	ଙ 0B36		ଠ 0B56	ଠ 0B66	
7	ଇ 0B07	ଗ 0B17	ଧ 0B27	ଞ 0B37	ଠ 0B47	ଠ 0B57	ୠ 0B67	
8	ଈ 0B08	ଘ 0B18	ଞ 0B28	ଞ 0B38	ଠ 0B48		ୡ 0B68	
9	ଉ 0B09	ଝ 0B19		ଞ 0B39			ୢ 0B69	
A	ଊ 0B0A	ଞ 0B1A	ଞ 0B2A				ୣ 0B6A	
B	ଋ 0B0B	ଞ 0B1B	ଞ 0B2B		ଠ 0B4B		ୣ 0B6B	
C	ୠ 0B0C	କ 0B1C	ବ 0B2C	ୠ 0B3C	ଠ 0B4C	ଞ 0B5C	ୠ 0B6C	
D		ୠ 0B1D	ଞ 0B2D	ୠ 0B3D	ୠ 0B4D	ଞ 0B5D	ୠ 0B6D	
E		ଞ 0B1E	ଞ 0B2E	ଠ 0B3E			ୠ 0B6E	
F	ୠ 0B0F	ୠ 0B1F	ୠ 0B2F	ୠ 0B3F		ୠ 0B5F	ୠ 0B6F	

G = 00
P = 00

Table 24 - Row 0B: Oriya

HEX	NAME	HEX	NAME
0B00	(This position shall not be used)	0B5D	ORIYA LETTER RHA
0B01	ORIYA SIGN CANDRABINDU	0B5E	(This position shall not be used)
0B02	ORIYA SIGN ANUSVARA	0B5F	ORIYA LETTER YYA
0B03	ORIYA SIGN VISARGA	0B60	ORIYA LETTER VOCALIC RR
0B04	(This position shall not be used)	0B61	ORIYA LETTER VOCALIC LL
0B05	ORIYA LETTER A	0B62	(This position shall not be used)
0B06	ORIYA LETTER AA	0B63	(This position shall not be used)
0B07	ORIYA LETTER I	0B64	(This position shall not be used)
0B08	ORIYA LETTER II	0B65	(This position shall not be used)
0B09	ORIYA LETTER U	0B66	ORIYA DIGIT ZERO
0B0A	ORIYA LETTER UU	0B67	ORIYA DIGIT ONE
0B0B	ORIYA LETTER VOCALIC R	0B68	ORIYA DIGIT TWO
0B0C	ORIYA LETTER VOCALIC L	0B69	ORIYA DIGIT THREE
0B0D	(This position shall not be used)	0B6A	ORIYA DIGIT FOUR
0B0E	(This position shall not be used)	0B6B	ORIYA DIGIT FIVE
0B0F	ORIYA LETTER E	0B6C	ORIYA DIGIT SIX
0B10	ORIYA LETTER AI	0B6D	ORIYA DIGIT SEVEN
0B11	(This position shall not be used)	0B6E	ORIYA DIGIT EIGHT
0B12	(This position shall not be used)	0B6F	ORIYA DIGIT NINE
0B13	ORIYA LETTER O	0B70	ORIYA ISSHAR
0B14	ORIYA LETTER AU	0B71	ORIYA LETTER WA
0B15	ORIYA LETTER KA	0B72	(This position shall not be used)
0B16	ORIYA LETTER KHA	0B73	(This position shall not be used)
0B17	ORIYA LETTER GA	0B74	(This position shall not be used)
0B18	ORIYA LETTER GHA	0B75	(This position shall not be used)
0B19	ORIYA LETTER NGA	0B76	(This position shall not be used)
0B1A	ORIYA LETTER CA	0B77	(This position shall not be used)
0B1B	ORIYA LETTER CHA	0B78	(This position shall not be used)
0B1C	ORIYA LETTER JA	0B79	(This position shall not be used)
0B1D	ORIYA LETTER JHA	0B7A	(This position shall not be used)
0B1E	ORIYA LETTER NYA	0B7B	(This position shall not be used)
0B1F	ORIYA LETTER TTA	0B7C	(This position shall not be used)
0B20	ORIYA LETTER TTHA	0B7D	(This position shall not be used)
0B21	ORIYA LETTER DDA	0B7E	(This position shall not be used)
0B22	ORIYA LETTER DDHA	0B7F	(This position shall not be used)
0B23	ORIYA LETTER NNA		
0B24	ORIYA LETTER TA		
0B25	ORIYA LETTER THA		
0B26	ORIYA LETTER DA		
0B27	ORIYA LETTER DHA		
0B28	ORIYA LETTER NA		
0B29	(This position shall not be used)		
0B2A	ORIYA LETTER PA		
0B2B	ORIYA LETTER PHA		
0B2C	ORIYA LETTER BA		
0B2D	ORIYA LETTER BHA		
0B2E	ORIYA LETTER MA		
0B2F	ORIYA LETTER YA		
0B30	ORIYA LETTER RA		
0B31	(This position shall not be used)		
0B32	ORIYA LETTER LA		
0B33	ORIYA LETTER LLA		
0B34	(This position shall not be used)		
0B35	ORIYA LETTER VA		
0B36	ORIYA LETTER SHA		
0B37	ORIYA LETTER SSA		
0B38	ORIYA LETTER SA		
0B39	ORIYA LETTER HA		
0B3A	(This position shall not be used)		
0B3B	(This position shall not be used)		
0B3C	ORIYA SIGN NUKTA		
0B3D	ORIYA SIGN AVAGRAHA		
0B3E	ORIYA VOWEL SIGN AA		
0B3F	ORIYA VOWEL SIGN I		
0B40	ORIYA VOWEL SIGN II		
0B41	ORIYA VOWEL SIGN U		
0B42	ORIYA VOWEL SIGN UU		
0B43	ORIYA VOWEL SIGN VOCALIC R		
0B44	(This position shall not be used)		
0B45	(This position shall not be used)		
0B46	(This position shall not be used)		
0B47	ORIYA VOWEL SIGN E		
0B48	ORIYA VOWEL SIGN AI		
0B49	(This position shall not be used)		
0B4A	(This position shall not be used)		
0B4B	ORIYA VOWEL SIGN O		
0B4C	ORIYA VOWEL SIGN AU		
0B4D	ORIYA SIGN VIRAMA		
0B4E	(This position shall not be used)		
0B4F	(This position shall not be used)		
0B50	(This position shall not be used)		
0B51	(This position shall not be used)		
0B52	(This position shall not be used)		
0B53	(This position shall not be used)		
0B54	(This position shall not be used)		
0B55	(This position shall not be used)		
0B56	ORIYA AI LENGTH MARK		
0B57	ORIYA AU LENGTH MARK		
0B58	(This position shall not be used)		
0B59	(This position shall not be used)		
0B5A	(This position shall not be used)		
0B5B	(This position shall not be used)		
0B5C	ORIYA LETTER RRA		

Group 00

Plane 00

Row 0B

Table 25 - Row 0B: Tamil

	0B8	0B9	0BA	0BB	0BC	0BD	0BE	0BF
0		ஐ 0B90		ர 0BB0	ீ 0BC0			ய 0BF0
1				ற 0BB1	ு 0BC1			ள 0BF1
2	ஃ 0B82	ஐ 0B92		ல 0BB2	ூ 0BC2			சு 0BF2
3	ஃ 0B83	ஐ 0B93	ண 0BA3	ள 0BB3				உ 0BF3
4		ஐ 0B94	த 0BA4	ழ 0BB4				மீ 0BF4
5	அ 0B85	க 0B95		வ 0BB5				ஶ 0BF5
6	ஆ 0B86				ெ 0BC6			யு 0BF6
7	இ 0B87			ஷ 0BB7	ே 0BC7	ள 0BD7	க 0BE7	எ 0BF7
8	ஈ 0B88		ந 0BA8	ஸ 0BB8	ை 0BC8		உ 0BE8	ஷை 0BF8
9	உ 0B89	ங 0B99	ன 0BA9	ஹ 0BB9			ந 0BE9	நீ 0BF9
A	ஊ 0B8A	ச 0B9A	ப 0BAA		ொ 0BCA		சு 0BEA	நீ 0BFA
B					ோ 0BCB		ரு 0BEB	
C		ஐ 0B9C			ெள 0BCC		சு 0BEC	
D					ஃ 0BCD		எ 0BED	
E	எ 0B8E	ஞ 0B9E	ம 0BAE	ா 0BBE			அ 0BEE	
F	ஏ 0B8F	ட 0B9F	ய 0BAF	ி 0BBF			சு 0BEF	

G = 00
P = 00

Table 25 - Row 0B: Tamil

HEX	NAME	HEX	NAME
0B80	(This position shall not be used)	0BDD	(This position shall not be used)
0B81	(This position shall not be used)	0BDE	(This position shall not be used)
0B82	TAMIL SIGN ANUSVARA	0BDF	(This position shall not be used)
0B83	TAMIL SIGN VISARGA	0BE0	(This position shall not be used)
0B84	(This position shall not be used)	0BE1	(This position shall not be used)
0B85	TAMIL LETTER A	0BE2	(This position shall not be used)
0B86	TAMIL LETTER AA	0BE3	(This position shall not be used)
0B87	TAMIL LETTER I	0BE4	(This position shall not be used)
0B88	TAMIL LETTER II	0BE5	(This position shall not be used)
0B89	TAMIL LETTER U	0BE6	(This position shall not be used)
0B8A	TAMIL LETTER UU	0BE7	TAMIL DIGIT ONE
0B8B	(This position shall not be used)	0BE8	TAMIL DIGIT TWO
0B8C	(This position shall not be used)	0BE9	TAMIL DIGIT THREE
0B8D	(This position shall not be used)	0BEA	TAMIL DIGIT FOUR
0B8E	TAMIL LETTER E	0BEB	TAMIL DIGIT FIVE
0B8F	TAMIL LETTER EE	0BEC	TAMIL DIGIT SIX
0B90	TAMIL LETTER AI	0BED	TAMIL DIGIT SEVEN
0B91	(This position shall not be used)	0BEE	TAMIL DIGIT EIGHT
0B92	TAMIL LETTER O	0BEF	TAMIL DIGIT NINE
0B93	TAMIL LETTER OO	0BF0	TAMIL NUMBER TEN
0B94	TAMIL LETTER AU	0BF1	TAMIL NUMBER ONE HUNDRED
0B95	TAMIL LETTER KA	0BF2	TAMIL NUMBER ONE THOUSAND
0B96	(This position shall not be used)	0BF3	TAMIL DAY SIGN (Naal)
0B97	(This position shall not be used)	0BF4	TAMIL MONTH SIGN (Maatham)
0B98	(This position shall not be used)	0BF5	TAMIL YEAR SIGN (Varudam)
0B99	TAMIL LETTER NGA	0BF6	TAMIL DEBIT SIGN (Patru)
0B9A	TAMIL LETTER CA	0BF7	TAMIL CREDIT SIGN (Varavu)
0B9B	(This position shall not be used)	0BF8	TAMIL AS ABOVE SIGN (Merpadi)
0B9C	TAMIL LETTER JA	0BF9	TAMIL RUPEE SIGN (Rupai)
0B9D	(This position shall not be used)	0BFA	TAMIL NUMBER SIGN (Enn)
0B9E	TAMIL LETTER NYA	0BFB	(This position shall not be used)
0B9F	TAMIL LETTER TTA	0BFC	(This position shall not be used)
0BA0	(This position shall not be used)	0BFD	(This position shall not be used)
0BA1	(This position shall not be used)	0BFE	(This position shall not be used)
0BA2	(This position shall not be used)	0BFF	(This position shall not be used)
0BA3	TAMIL LETTER NNA		
0BA4	TAMIL LETTER TA		
0BA5	(This position shall not be used)		
0BA6	(This position shall not be used)		
0BA7	(This position shall not be used)		
0BA8	TAMIL LETTER NA		
0BA9	TAMIL LETTER NNNA		
0BAA	TAMIL LETTER PA		
0BAB	(This position shall not be used)		
0BAC	(This position shall not be used)		
0BAD	(This position shall not be used)		
0BAE	TAMIL LETTER MA		
0BAF	TAMIL LETTER YA		
0BB0	TAMIL LETTER RA		
0BB1	TAMIL LETTER RRA		
0BB2	TAMIL LETTER LA		
0BB3	TAMIL LETTER LLA		
0BB4	TAMIL LETTER LLLA		
0BB5	TAMIL LETTER VA		
0BB6	(This position shall not be used)		
0BB7	TAMIL LETTER SSA		
0BB8	TAMIL LETTER SA		
0BB9	TAMIL LETTER HA		
0BBA	(This position shall not be used)		
0BBB	(This position shall not be used)		
0BBC	(This position shall not be used)		
0BBD	(This position shall not be used)		
0BBE	TAMIL VOWEL SIGN AA		
0BBF	TAMIL VOWEL SIGN I		
0BC0	TAMIL VOWEL SIGN II		
0BC1	TAMIL VOWEL SIGN U		
0BC2	TAMIL VOWEL SIGN UU		
0BC3	(This position shall not be used)		
0BC4	(This position shall not be used)		
0BC5	(This position shall not be used)		
0BC6	TAMIL VOWEL SIGN E		
0BC7	TAMIL VOWEL SIGN EE		
0BC8	TAMIL VOWEL SIGN AI		
0BC9	(This position shall not be used)		
0BCA	TAMIL VOWEL SIGN O		
0BCB	TAMIL VOWEL SIGN OO		
0BCC	TAMIL VOWEL SIGN AU		
0BCD	TAMIL SIGN VIRAMA		
0BCE	(This position shall not be used)		
0BCF	(This position shall not be used)		
0BD0	(This position shall not be used)		
0BD1	(This position shall not be used)		
0BD2	(This position shall not be used)		
0BD3	(This position shall not be used)		
0BD4	(This position shall not be used)		
0BD5	(This position shall not be used)		
0BD6	(This position shall not be used)		
0BD7	TAMIL AU LENGTH MARK		
0BD8	(This position shall not be used)		
0BD9	(This position shall not be used)		
0BDA	(This position shall not be used)		
0BDB	(This position shall not be used)		
0BDC	(This position shall not be used)		

Group 00

Plane 00

Row 0B

Table 26 - Row 0C: Telugu

	0C0	0C1	0C2	0C3	0C4	0C5	0C6	0C7
0		ఐ 0C10	ఊ 0C20	ఋ 0C30	ౠ 0C40		ఋ 0C60	
1	ౡ 0C01		ౣ 0C21	౤ 0C31	౥ 0C41		౧ 0C61	
2	౦ 0C02	ౠ 0C12	ౡ 0C22	ౢ 0C32	ౣ 0C42			
3	౤ 0C03	౥ 0C13	౧ 0C23	ౡ 0C33	ౢ 0C43			
4		ౣ 0C14	౤ 0C24		౥ 0C44			
5	౧ 0C05	ౡ 0C15	ౢ 0C25	ౣ 0C35		౥ 0C55		
6	౤ 0C06	౥ 0C16	౧ 0C26	ౡ 0C36	ౢ 0C46	ౣ 0C56	౤ 0C66	
7	౥ 0C07	౧ 0C17	ౡ 0C27	ౢ 0C37	ౣ 0C47		౥ 0C67	
8	౧ 0C08	ౡ 0C18	ౢ 0C28	ౣ 0C38	౤ 0C48		౥ 0C68	
9	౤ 0C09	౥ 0C19		౧ 0C39			ౡ 0C69	
A	ౡ 0C0A	ౢ 0C1A	ౣ 0C2A		౥ 0C4A		౧ 0C6A	
B	౤ 0C0B	౥ 0C1B	౧ 0C2B		ౡ 0C4B		ౢ 0C6B	
C	౥ 0C0C	౧ 0C1C	ౡ 0C2C		ౢ 0C4C		ౣ 0C6C	
D		ౣ 0C1D	౤ 0C2D		౥ 0C4D		౧ 0C6D	
E	ౡ 0C0E	ౢ 0C1E	ౣ 0C2E	౤ 0C3E			౥ 0C6E	
F	౤ 0C0F	౥ 0C1F	౧ 0C2F	ౡ 0C3F			ౢ 0C6F	

G = 00
P = 00

Table 26 - Row 0C: Telugu

HEX	NAME	HEX	NAME
0C00	(This position shall not be used)	0C5D	(This position shall not be used)
0C01	TELUGU SIGN CANDRABINDU	0C5E	(This position shall not be used)
0C02	TELUGU SIGN ANUSVARA	0C5F	(This position shall not be used)
0C03	TELUGU SIGN VISARGA	0C60	TELUGU LETTER VOCALIC RR
0C04	(This position shall not be used)	0C61	TELUGU LETTER VOCALIC LL
0C05	TELUGU LETTER A	0C62	(This position shall not be used)
0C06	TELUGU LETTER AA	0C63	(This position shall not be used)
0C07	TELUGU LETTER I	0C64	(This position shall not be used)
0C08	TELUGU LETTER II	0C65	(This position shall not be used)
0C09	TELUGU LETTER U	0C66	TELUGU DIGIT ZERO
0C0A	TELUGU LETTER UU	0C67	TELUGU DIGIT ONE
0C0B	TELUGU LETTER VOCALIC R	0C68	TELUGU DIGIT TWO
0C0C	TELUGU LETTER VOCALIC L	0C69	TELUGU DIGIT THREE
0C0D	(This position shall not be used)	0C6A	TELUGU DIGIT FOUR
0C0E	TELUGU LETTER E	0C6B	TELUGU DIGIT FIVE
0C0F	TELUGU LETTER EE	0C6C	TELUGU DIGIT SIX
0C10	TELUGU LETTER AI	0C6D	TELUGU DIGIT SEVEN
0C11	(This position shall not be used)	0C6E	TELUGU DIGIT EIGHT
0C12	TELUGU LETTER O	0C6F	TELUGU DIGIT NINE
0C13	TELUGU LETTER OO	0C70	(This position shall not be used)
0C14	TELUGU LETTER AU	0C71	(This position shall not be used)
0C15	TELUGU LETTER KA	0C72	(This position shall not be used)
0C16	TELUGU LETTER KHA	0C73	(This position shall not be used)
0C17	TELUGU LETTER GA	0C74	(This position shall not be used)
0C18	TELUGU LETTER GHA	0C75	(This position shall not be used)
0C19	TELUGU LETTER NGA	0C76	(This position shall not be used)
0C1A	TELUGU LETTER CA	0C77	(This position shall not be used)
0C1B	TELUGU LETTER CHA	0C78	(This position shall not be used)
0C1C	TELUGU LETTER JA	0C79	(This position shall not be used)
0C1D	TELUGU LETTER JHA	0C7A	(This position shall not be used)
0C1E	TELUGU LETTER NYA	0C7B	(This position shall not be used)
0C1F	TELUGU LETTER TTA	0C7C	(This position shall not be used)
0C20	TELUGU LETTER TTHA	0C7D	(This position shall not be used)
0C21	TELUGU LETTER DDA	0C7E	(This position shall not be used)
0C22	TELUGU LETTER DDHA	0C7F	(This position shall not be used)
0C23	TELUGU LETTER NNA		
0C24	TELUGU LETTER TA		
0C25	TELUGU LETTER THA		
0C26	TELUGU LETTER DA		
0C27	TELUGU LETTER DHA		
0C28	TELUGU LETTER NA		
0C29	(This position shall not be used)		
0C2A	TELUGU LETTER PA		
0C2B	TELUGU LETTER PHA		
0C2C	TELUGU LETTER BA		
0C2D	TELUGU LETTER BHA		
0C2E	TELUGU LETTER MA		
0C2F	TELUGU LETTER YA		
0C30	TELUGU LETTER RA		
0C31	TELUGU LETTER RRA		
0C32	TELUGU LETTER LA		
0C33	TELUGU LETTER LLA		
0C34	(This position shall not be used)		
0C35	TELUGU LETTER VA		
0C36	TELUGU LETTER SHA		
0C37	TELUGU LETTER SSA		
0C38	TELUGU LETTER SA		
0C39	TELUGU LETTER HA		
0C3A	(This position shall not be used)		
0C3B	(This position shall not be used)		
0C3C	(This position shall not be used)		
0C3D	(This position shall not be used)		
0C3E	TELUGU VOWEL SIGN AA		
0C3F	TELUGU VOWEL SIGN I		
0C40	TELUGU VOWEL SIGN II		
0C41	TELUGU VOWEL SIGN U		
0C42	TELUGU VOWEL SIGN UU		
0C43	TELUGU VOWEL SIGN VOCALIC R		
0C44	TELUGU VOWEL SIGN VOCALIC RR		
0C45	(This position shall not be used)		
0C46	TELUGU VOWEL SIGN E		
0C47	TELUGU VOWEL SIGN EE		
0C48	TELUGU VOWEL SIGN AI		
0C49	(This position shall not be used)		
0C4A	TELUGU VOWEL SIGN O		
0C4B	TELUGU VOWEL SIGN OO		
0C4C	TELUGU VOWEL SIGN AU		
0C4D	TELUGU SIGN VIRAMA		
0C4E	(This position shall not be used)		
0C4F	(This position shall not be used)		
0C50	(This position shall not be used)		
0C51	(This position shall not be used)		
0C52	(This position shall not be used)		
0C53	(This position shall not be used)		
0C54	(This position shall not be used)		
0C55	TELUGU LENGTH MARK		
0C56	TELUGU AI LENGTH MARK		
0C57	(This position shall not be used)		
0C58	(This position shall not be used)		
0C59	(This position shall not be used)		
0C5A	(This position shall not be used)		
0C5B	(This position shall not be used)		
0C5C	(This position shall not be used)		

Group 00

Plane 00

Row 0C

Table 27 - Row 0C: Kannada

	0C8	0C9	0CA	0CB	0CC	0CD	0CE	0CF
0		ಐ 0C90	ಠ 0CA0	ರ 0CB0	ೀ 0CC0		ಪಾ 0CE0	
1			ಢ 0CA1	ಱ 0CB1	ು 0CC1		ಪ್ಪಾ 0CE1	
2	ಂ 0C82	ಒ 0C92	ಢ 0CA2	ಲ 0CB2	ೂ 0CC2			
3	ಃ 0C83	ಓ 0C93	ಱ 0CA3	ಳ 0CB3	ೂ 0CC3			
4		ಔ 0C94	ಱ 0CA4		ೂ 0CC4			
5	ಱ 0C85	ಱ 0C95	ಱ 0CA5	ಱ 0CB5		ೇ 0CD5		
6	ಱ 0C86	ಱ 0C96	ಱ 0CA6	ಱ 0CB6	ೇ 0CC6	ೇ 0CD6	ಂ 0CE6	
7	ಱ 0C87	ಱ 0C97	ಱ 0CA7	ಱ 0CB7	ೇ 0CC7		ಂ 0CE7	
8	ಱ 0C88	ಱ 0C98	ಱ 0CA8	ಱ 0CB8	ೇ 0CC8		ಂ 0CE8	
9	ಱ 0C89	ಱ 0C99		ಱ 0CB9			ಂ 0CE9	
A	ಱ 0C8A	ಱ 0C9A	ಱ 0CAA		ಱ 0CCA		ಂ 0CEA	
B	ಱ 0C8B	ಱ 0C9B	ಱ 0CAB		ಱ 0CCB		ಂ 0CEB	
C	ಱ 0C8C	ಱ 0C9C	ಱ 0CAC	ಱ 0CBC	ಱ 0CCC		ಂ 0CEC	
D		ಱ 0C9D	ಱ 0CAD	ಱ 0CBD	ಱ 0CCD		ಂ 0CED	
E	ಱ 0C8E	ಱ 0C9E	ಱ 0CAE	ಱ 0CBE		ಱ 0CDE	ಱ 0CEE	
F	ಱ 0C8F	ಱ 0C9F	ಱ 0CAF	ಱ 0CBF			ಱ 0CEF	

G = 00
P = 00

Table 27 - Row 0C: Kannada

HEX	NAME	HEX	NAME
0C80	(This position shall not be used)	0CDD	(This position shall not be used)
0C81	(This position shall not be used)	0CDE	KANNADA LETTER FA
0C82	KANNADA SIGN ANUSVARA	0CDF	(This position shall not be used)
0C83	KANNADA SIGN VISARGA	0CE0	KANNADA LETTER VOCALIC RR
0C84	(This position shall not be used)	0CE1	KANNADA LETTER VOCALIC LL
0C85	KANNADA LETTER A	0CE2	(This position shall not be used)
0C86	KANNADA LETTER AA	0CE3	(This position shall not be used)
0C87	KANNADA LETTER I	0CE4	(This position shall not be used)
0C88	KANNADA LETTER II	0CE5	(This position shall not be used)
0C89	KANNADA LETTER U	0CE6	KANNADA DIGIT ZERO
0C8A	KANNADA LETTER UU	0CE7	KANNADA DIGIT ONE
0C8B	KANNADA LETTER VOCALIC R	0CE8	KANNADA DIGIT TWO
0C8C	KANNADA LETTER VOCALIC L	0CE9	KANNADA DIGIT THREE
0C8D	(This position shall not be used)	0CEA	KANNADA DIGIT FOUR
0C8E	KANNADA LETTER E	0CEB	KANNADA DIGIT FIVE
0C8F	KANNADA LETTER EE	0CEC	KANNADA DIGIT SIX
0C90	KANNADA LETTER AI	0CED	KANNADA DIGIT SEVEN
0C91	(This position shall not be used)	0CEE	KANNADA DIGIT EIGHT
0C92	KANNADA LETTER O	0CEF	KANNADA DIGIT NINE
0C93	KANNADA LETTER OO	0CF0	(This position shall not be used)
0C94	KANNADA LETTER AU	0CF1	(This position shall not be used)
0C95	KANNADA LETTER KA	0CF2	(This position shall not be used)
0C96	KANNADA LETTER KHA	0CF3	(This position shall not be used)
0C97	KANNADA LETTER GA	0CF4	(This position shall not be used)
0C98	KANNADA LETTER GHA	0CF5	(This position shall not be used)
0C99	KANNADA LETTER NGA	0CF6	(This position shall not be used)
0C9A	KANNADA LETTER CA	0CF7	(This position shall not be used)
0C9B	KANNADA LETTER CHA	0CF8	(This position shall not be used)
0C9C	KANNADA LETTER JA	0CF9	(This position shall not be used)
0C9D	KANNADA LETTER JHA	0CFA	(This position shall not be used)
0C9E	KANNADA LETTER NYA	0CFB	(This position shall not be used)
0C9F	KANNADA LETTER TTA	0CFC	(This position shall not be used)
0CA0	KANNADA LETTER TTHA	0CFD	(This position shall not be used)
0CA1	KANNADA LETTER DDA	0CFE	(This position shall not be used)
0CA2	KANNADA LETTER DDHA	0CFF	(This position shall not be used)
0CA3	KANNADA LETTER NNA		
0CA4	KANNADA LETTER TA		
0CA5	KANNADA LETTER THA		
0CA6	KANNADA LETTER DA		
0CA7	KANNADA LETTER DHA		
0CA8	KANNADA LETTER NA		
0CA9	(This position shall not be used)		
0CAA	KANNADA LETTER PA		
0CAB	KANNADA LETTER PHA		
0CAC	KANNADA LETTER BA		
0CAD	KANNADA LETTER BHA		
0CAE	KANNADA LETTER MA		
0CAF	KANNADA LETTER YA		
0CB0	KANNADA LETTER RA		
0CB1	KANNADA LETTER RRA		
0CB2	KANNADA LETTER LA		
0CB3	KANNADA LETTER LLA		
0CB4	(This position shall not be used)		
0CB5	KANNADA LETTER VA		
0CB6	KANNADA LETTER SHA		
0CB7	KANNADA LETTER SSA		
0CB8	KANNADA LETTER SA		
0CB9	KANNADA LETTER HA		
0CBA	(This position shall not be used)		
0CBB	(This position shall not be used)		
0CBC	KANNADA SIGN NUKTA		
0CBD	KANNADA SIGN AVAGRAHA		
0CBE	KANNADA VOWEL SIGN AA		
0CBF	KANNADA VOWEL SIGN I		
0CC0	KANNADA VOWEL SIGN II		
0CC1	KANNADA VOWEL SIGN U		
0CC2	KANNADA VOWEL SIGN UU		
0CC3	KANNADA VOWEL SIGN VOCALIC R		
0CC4	KANNADA VOWEL SIGN VOCALIC RR		
0CC5	(This position shall not be used)		
0CC6	KANNADA VOWEL SIGN E		
0CC7	KANNADA VOWEL SIGN EE		
0CC8	KANNADA VOWEL SIGN AI		
0CC9	(This position shall not be used)		
0CCA	KANNADA VOWEL SIGN O		
0CCB	KANNADA VOWEL SIGN OO		
0CCC	KANNADA VOWEL SIGN AU		
0CCD	KANNADA SIGN VIRAMA		
0CCE	(This position shall not be used)		
0CCF	(This position shall not be used)		
0CD0	(This position shall not be used)		
0CD1	(This position shall not be used)		
0CD2	(This position shall not be used)		
0CD3	(This position shall not be used)		
0CD4	(This position shall not be used)		
0CD5	KANNADA LENGTH MARK		
0CD6	KANNADA AI LENGTH MARK		
0CD7	(This position shall not be used)		
0CD8	(This position shall not be used)		
0CD9	(This position shall not be used)		
0CDA	(This position shall not be used)		
0CDB	(This position shall not be used)		
0CDC	(This position shall not be used)		

Group 00

Plane 00

Row 0C

Table 28 - Row 0D: Malayalam

	0D0	0D1	0D2	0D3	0D4	0D5	0D6	0D7
0		ഐ 0D10	ഓ 0D20	ര 0D30	ീ 0D40		ഈ 0D60	
1			ഡ 0D21	റ 0D31	ൂ 0D41		ൠ 0D61	
2	ഌ 0D02	ഒ 0D12	ഡ 0D22	ല 0D32	ൂ 0D42			
3	ഌ 0D03	ഔ 0D13	ണ 0D23	ള 0D33	്യ 0D43			
4		ൠ 0D14	ത 0D24	ഴ 0D34				
5	അ 0D05	ക 0D15	ഥ 0D25	വ 0D35				
6	ആ 0D06	ഖ 0D16	ഭ 0D26	ശ 0D36	െ 0D46		റ 0D66	
7	ഇ 0D07	ഗ 0D17	ധ 0D27	ഷ 0D37	േ 0D47	ൡ 0D57	ഘ 0D67	
8	ഈ 0D08	ഫ 0D18	ന 0D28	സ 0D38	ൈ 0D48		ഘ 0D68	
9	ഉ 0D09	ബ 0D19		റ 0D39			ന 0D69	
A	ഊ 0D0A	ച 0D1A	വ 0D2A		ൊ 0D4A		ർ 0D6A	
B	ഈ 0D0B	ഛ 0D1B	ഫ 0D2B		ോ 0D4B		ർ 0D6B	
C	ഈ 0D0C	ജ 0D1C	ബ 0D2C		ൠ 0D4C		ന 0D6C	
D		ഡ 0D1D	ഭ 0D2D		ൂ 0D4D		ൠ 0D6D	
E	ഐ 0D0E	ഐ 0D1E	മ 0D2E	ാ 0D3E			വ 0D6E	
F	ഐ 0D0F	ട 0D1F	യ 0D2F	ി 0D3F			ൻ 0D6F	

G = 00
P = 00

Table 28 - Row 0D: Malayalam

HEX	NAME	HEX	NAME
0D00	(This position shall not be used)	0D5D	(This position shall not be used)
0D01	(This position shall not be used)	0D5E	(This position shall not be used)
0D02	MALAYALAM SIGN ANUSVARA	0D5F	(This position shall not be used)
0D03	MALAYALAM SIGN VISARGA	0D60	MALAYALAM LETTER VOCALIC RR
0D04	(This position shall not be used)	0D61	MALAYALAM LETTER VOCALIC LL
0D05	MALAYALAM LETTER A	0D62	(This position shall not be used)
0D06	MALAYALAM LETTER AA	0D63	(This position shall not be used)
0D07	MALAYALAM LETTER I	0D64	(This position shall not be used)
0D08	MALAYALAM LETTER II	0D65	(This position shall not be used)
0D09	MALAYALAM LETTER U	0D66	MALAYALAM DIGIT ZERO
0D0A	MALAYALAM LETTER UU	0D67	MALAYALAM DIGIT ONE
0D0B	MALAYALAM LETTER VOCALIC R	0D68	MALAYALAM DIGIT TWO
0D0C	MALAYALAM LETTER VOCALIC L	0D69	MALAYALAM DIGIT THREE
0D0D	(This position shall not be used)	0D6A	MALAYALAM DIGIT FOUR
0D0E	MALAYALAM LETTER E	0D6B	MALAYALAM DIGIT FIVE
0D0F	MALAYALAM LETTER EE	0D6C	MALAYALAM DIGIT SIX
0D10	MALAYALAM LETTER AI	0D6D	MALAYALAM DIGIT SEVEN
0D11	(This position shall not be used)	0D6E	MALAYALAM DIGIT EIGHT
0D12	MALAYALAM LETTER O	0D6F	MALAYALAM DIGIT NINE
0D13	MALAYALAM LETTER OO	0D70	(This position shall not be used)
0D14	MALAYALAM LETTER AU	0D71	(This position shall not be used)
0D15	MALAYALAM LETTER KA	0D72	(This position shall not be used)
0D16	MALAYALAM LETTER KHA	0D73	(This position shall not be used)
0D17	MALAYALAM LETTER GA	0D74	(This position shall not be used)
0D18	MALAYALAM LETTER GHA	0D75	(This position shall not be used)
0D19	MALAYALAM LETTER NGA	0D76	(This position shall not be used)
0D1A	MALAYALAM LETTER CA	0D77	(This position shall not be used)
0D1B	MALAYALAM LETTER CHA	0D78	(This position shall not be used)
0D1C	MALAYALAM LETTER JA	0D79	(This position shall not be used)
0D1D	MALAYALAM LETTER JHA	0D7A	(This position shall not be used)
0D1E	MALAYALAM LETTER NYA	0D7B	(This position shall not be used)
0D1F	MALAYALAM LETTER TTA	0D7C	(This position shall not be used)
0D20	MALAYALAM LETTER TTHA	0D7D	(This position shall not be used)
0D21	MALAYALAM LETTER DDA	0D7E	(This position shall not be used)
0D22	MALAYALAM LETTER DDHA	0D7F	(This position shall not be used)
0D23	MALAYALAM LETTER NNA		
0D24	MALAYALAM LETTER TA		
0D25	MALAYALAM LETTER THA		
0D26	MALAYALAM LETTER DA		
0D27	MALAYALAM LETTER DHA		
0D28	MALAYALAM LETTER NA		
0D29	(This position shall not be used)		
0D2A	MALAYALAM LETTER PA		
0D2B	MALAYALAM LETTER PHA		
0D2C	MALAYALAM LETTER BA		
0D2D	MALAYALAM LETTER BHA		
0D2E	MALAYALAM LETTER MA		
0D2F	MALAYALAM LETTER YA		
0D30	MALAYALAM LETTER RA		
0D31	MALAYALAM LETTER RRA		
0D32	MALAYALAM LETTER LA		
0D33	MALAYALAM LETTER LLA		
0D34	MALAYALAM LETTER LLLA		
0D35	MALAYALAM LETTER VA		
0D36	MALAYALAM LETTER SHA		
0D37	MALAYALAM LETTER SSA		
0D38	MALAYALAM LETTER SA		
0D39	MALAYALAM LETTER HA		
0D3A	(This position shall not be used)		
0D3B	(This position shall not be used)		
0D3C	(This position shall not be used)		
0D3D	(This position shall not be used)		
0D3E	MALAYALAM VOWEL SIGN AA		
0D3F	MALAYALAM VOWEL SIGN I		
0D40	MALAYALAM VOWEL SIGN II		
0D41	MALAYALAM VOWEL SIGN U		
0D42	MALAYALAM VOWEL SIGN UU		
0D43	MALAYALAM VOWEL SIGN VOCALIC R		
0D44	(This position shall not be used)		
0D45	(This position shall not be used)		
0D46	MALAYALAM VOWEL SIGN E		
0D47	MALAYALAM VOWEL SIGN EE		
0D48	MALAYALAM VOWEL SIGN AI		
0D49	(This position shall not be used)		
0D4A	MALAYALAM VOWEL SIGN O		
0D4B	MALAYALAM VOWEL SIGN OO		
0D4C	MALAYALAM VOWEL SIGN AU		
0D4D	MALAYALAM SIGN VIRAMA		
0D4E	(This position shall not be used)		
0D4F	(This position shall not be used)		
0D50	(This position shall not be used)		
0D51	(This position shall not be used)		
0D52	(This position shall not be used)		
0D53	(This position shall not be used)		
0D54	(This position shall not be used)		
0D55	(This position shall not be used)		
0D56	(This position shall not be used)		
0D57	MALAYALAM AU LENGTH MARK		
0D58	(This position shall not be used)		
0D59	(This position shall not be used)		
0D5A	(This position shall not be used)		
0D5B	(This position shall not be used)		
0D5C	(This position shall not be used)		

Group 00

Plane 00

Row 0D

Table 29 - Row 0D: Sinhala

	0D8	0D9	0DA	0DB	0DC	0DD	0DE	0DF
0		ඌ 0D90	ඹ 0DA0	ය 0DB0	ර 0DC0	඼ 0DD0		
1		ඹ 0D91	ය 0DA1	ර 0DB1	඼ 0DC1	ල 0DD1		
2	ං 0D82	ඹ 0D92	ය 0DA2		ඹ 0DC2	ය 0DD2		ා 0DF2
3	ඹ 0D83	ඹ 0D93	ඹ 0DA3	ඹ 0DB3	ඹ 0DC3	ඹ 0DD3		ා 0DF3
4		ඹ 0D94	ඹ 0DA4	ඹ 0DB4	ඹ 0DC4	ඹ 0DD4		ඹ 0DF4
5	ඹ 0D85	ඹ 0D95	ඹ 0DA5	ඹ 0DB5	ඹ 0DC5			
6	ඹ 0D86	ඹ 0D96	ඹ 0DA6	ඹ 0DB6	ඹ 0DC6	ඹ 0DD6		
7	ඹ 0D87		ඹ 0DA7	ඹ 0DB7				
8	ඹ 0D88		ඹ 0DA8	ඹ 0DB8		ඹ 0DD8		
9	ඹ 0D89		ඹ 0DA9	ඹ 0DB9		ඹ 0DD9		
A	ඹ 0D8A	ඹ 0D9A	ඹ 0DAA	ඹ 0DBA	ඹ ^p 0DCA	ඹ ^p 0DDA		
B	ඹ 0D8B	ඹ 0D9B	ඹ 0DAB	ඹ 0DBB		ඹ 0ddb		
C	ඹ 0D8C	ඹ 0D9C	ඹ 0DAC			ඹ 0DDC		
D	ඹ 0D8D	ඹ 0D9D	ඹ 0DAD	ඹ 0DBD		ඹ ^p 0DDd		
E	ඹ 0D8E	ඹ 0D9E	ඹ 0DAE			ඹ 0DDE		
F	ඹ 0D8F	ඹ 0D9F	ඹ 0DAF		ඹ 0DCF	ඹ 0DDF		

G = 00
P = 00

Table 29 - Row 0D: Sinhala

HEX	NAME	HEX	NAME
0D80	(This position shall not be used)	0DDD	SINHALA VOWEL SIGN KOMBUVA HAA DIGA AELA-PILLA
0D81	(This position shall not be used)	0DDE	SINHALA VOWEL SIGN KOMBUVA HAA GAYANUKITTA
0D82	SINHALA SIGN ANUSVARAYA	0DDF	SINHALA VOWEL SIGN GAYANUKITTA
0D83	SINHALA SIGN VISARGAYA	0DE0	(This position shall not be used)
0D84	(This position shall not be used)	0DE1	(This position shall not be used)
0D85	SINHALA LETTER AYANNA	0DE2	(This position shall not be used)
0D86	SINHALA LETTER AAYANNA	0DE3	(This position shall not be used)
0D87	SINHALA LETTER AUYANNA	0DE4	(This position shall not be used)
0D88	SINHALA LETTER AEEYANNA	0DE5	(This position shall not be used)
0D89	SINHALA LETTER IYANNA	0DE6	(This position shall not be used)
0D8A	SINHALA LETTER IYANNA	0DE7	(This position shall not be used)
0D8B	SINHALA LETTER UYANNA	0DE8	(This position shall not be used)
0D8C	SINHALA LETTER UUYANNA	0DE9	(This position shall not be used)
0D8D	SINHALA LETTER IRUYANNA	0DEA	(This position shall not be used)
0D8E	SINHALA LETTER IRUYANNA	0DEB	(This position shall not be used)
0D8F	SINHALA LETTER ILUYANNA	0DEC	(This position shall not be used)
0D90	SINHALA LETTER ILUUYANNA	0DED	(This position shall not be used)
0D91	SINHALA LETTER EYANNA	0DEE	(This position shall not be used)
0D92	SINHALA LETTER EYANNA	0DEF	(This position shall not be used)
0D93	SINHALA LETTER AIYANNA	0DF0	(This position shall not be used)
0D94	SINHALA LETTER OYANNA	0DF1	(This position shall not be used)
0D95	SINHALA LETTER OYANNA	0DF2	SINHALA VOWEL SIGN DIGA GAETTA-PILLA
0D96	SINHALA LETTER AUYNNA	0DF3	SINHALA VOWEL SIGN DIGA GAYANUKITTA
0D97	(This position shall not be used)	0DF4	SINHALA PUNCTUATION KUNDALIYA
0D98	(This position shall not be used)	0DF5	(This position shall not be used)
0D99	(This position shall not be used)	0DF6	(This position shall not be used)
0D9A	SINHALA LETTER ALPAPRAANA KAYANNA	0DF7	(This position shall not be used)
0D9B	SINHALA LETTER MAHAAPRAANA KAYANNA	0DF8	(This position shall not be used)
0D9C	SINHALA LETTER ALPAPRAANA GAYANNA	0DF9	(This position shall not be used)
0D9D	SINHALA LETTER MAHAAPRAANA GAYANNA	0DFA	(This position shall not be used)
0D9E	SINHALA LETTER KANTAJA NAASIKYAYA	0DFB	(This position shall not be used)
0D9F	SINHALA LETTER SANYAKA GAYANNA	0DFC	(This position shall not be used)
0DA0	SINHALA LETTER ALPAPRAANA CAYANNA	0DFD	(This position shall not be used)
0DA1	SINHALA LETTER MAHAAPRAANA CAYANNA	0DFE	(This position shall not be used)
0DA2	SINHALA LETTER ALPAPRAANA JAYANNA	0DFE	(This position shall not be used)
0DA3	SINHALA LETTER MAHAAPRAANA JAYANNA	0DFF	(This position shall not be used)
0DA4	SINHALA LETTER TAALUJA NAASIKYAYA		
0DA5	SINHALA LETTER TAALUJA SANYOOGA NAAKSIKYAYA		
0DA6	SINHALA LETTER SANYAKA JAYANNA		
0DA7	SINHALA LETTER ALPAPRAANA TTAYANNA		
0DA8	SINHALA LETTER MAHAAPRAANA TTAYANNA		
0DA9	SINHALA LETTER ALPAPRAANA DDAYANNA		
0DAA	SINHALA LETTER MAHAAPRAANA DDAYANNA		
0DAB	SINHALA LETTER MUURDHAJA NAYANNA		
0DAC	SINHALA LETTER SANYAKA DDAYANNA		
0DAD	SINHALA LETTER ALPAPRAANA TAYANNA		
0DAE	SINHALA LETTER MAHAAPRAANA TAYANNA		
0DAF	SINHALA LETTER ALPAPRAANA DAYANNA		
0DB0	SINHALA LETTER MAHAAPRAANA DAYANNA		
0DB1	SINHALA LETTER DANTAJA NAYANNA		
0DB2	(This position shall not be used)		
0DB3	SINHALA LETTER SANYAKA DAYANNA		
0DB4	SINHALA LETTER ALPAPRAANA PAYANNA		
0DB5	SINHALA LETTER MAHAAPRAANA PAYANNA		
0DB6	SINHALA LETTER ALPAPRAANA BAYANNA		
0DB7	SINHALA LETTER MAHAAPRAANA BAYANNA		
0DB8	SINHALA LETTER MAYANNA		
0DB9	SINHALA LETTER AMBA BAYANNA		
0DBA	SINHALA LETTER YAYANNA		
0DBB	SINHALA LETTER RAYANNA		
0DBC	(This position shall not be used)		
0DBD	SINHALA LETTER DANTAJA LAYANNA		
0DBE	(This position shall not be used)		
0DBF	(This position shall not be used)		
0DC0	SINHALA LETTER VAYANNA		
0DC1	SINHALA LETTER TAALUJA SAYANNA		
0DC2	SINHALA LETTER MUURDHAJA SAYANNA		
0DC3	SINHALA LETTER DANTAJA SAYANNA		
0DC4	SINHALA LETTER HAYANNA		
0DC5	SINHALA LETTER MUURDHAJA LAYANNA		
0DC6	SINHALA LETTER FAYANNA		
0DC7	(This position shall not be used)		
0DC8	(This position shall not be used)		
0DC9	(This position shall not be used)		
0DCA	SINHALA SIGN AL-LAKUNA		
0DCB	(This position shall not be used)		
0DCC	(This position shall not be used)		
0DCD	(This position shall not be used)		
0DCE	(This position shall not be used)		
0DCF	SINHALA VOWEL SIGN AELA-PILLA		
0DD0	SINHALA VOWEL SIGN KETTI AEDA-PILLA		
0DD1	SINHALA VOWEL SIGN DIGA AEDA-PILLA		
0DD2	SINHALA VOWEL SIGN KETTI IS-PILLA		
0DD3	SINHALA VOWEL SIGN DIGA IS-PILLA		
0DD4	SINHALA VOWEL SIGN KETTI PAA-PILLA		
0DD5	(This position shall not be used)		
0DD6	SINHALA VOWEL SIGN DIGA PAA-PILLA		
0DD7	(This position shall not be used)		
0DD8	SINHALA VOWEL SIGN GAETTA-PILLA		
0DD9	SINHALA VOWEL SIGN KOMBUVA		
0DDA	SINHALA VOWEL SIGN DIGA KOMBUVA		
0ddb	SINHALA VOWEL SIGN KOMBU DEKA		
0DDC	SINHALA VOWEL SIGN KOMBUVA HAA AELA-PILLA		

Group 00

Plane 00

Row 0D

Table 30 - Row 0E: Thai

	0E0	0E1	0E2	0E3	0E4	0E5	0E6	0E7
0		จ 0E10	ภ 0E20	ะ 0E30	เ 0E40	อ 0E50		
1	ก 0E01	ท 0E11	ม 0E21	ุ 0E31	แ 0E41	ด 0E51		
2	ข 0E02	ฌ 0E12	ย 0E22	า 0E32	โ 0E42	๒ 0E52		
3	ช 0E03	ณ 0E13	ร 0E23	ำ 0E33	ใ 0E43	ต 0E53		
4	ค 0E04	ค 0E14	ฤ 0E24	็ 0E34	ไ 0E44	ล 0E54		
5	ก 0E05	ต 0E15	ล 0E25	ั 0E35	า 0E45	ล 0E55		
6	ฆ 0E06	ถ 0E16	ภ 0E26	็ 0E36	ง 0E46	๖ 0E56		
7	ง 0E07	ท 0E17	ว 0E27	ั 0E37	็ 0E47	๗ 0E57		
8	จ 0E08	ธ 0E18	ศ 0E28	ุ 0E38	็ 0E48	๘ 0E58		
9	ฉ 0E09	น 0E19	ช 0E29	ู 0E39	็ 0E49	๙ 0E59		
A	ช 0E0A	บ 0E1A	ส 0E2A	ุ 0E3A	็ 0E4A	๑๑ 0E5A		
B	ช 0E0B	ป 0E1B	ท 0E2B		ุ 0E4B	๑๒ 0E5B		
C	ฌ 0E0C	ผ 0E1C	ฬ 0E2C		ุ 0E4C			
D	ญ 0E0D	ฝ 0E1D	อ 0E2D		ุ 0E4D			
E	ฎ 0E0E	พ 0E1E	ฮ 0E2E		ุ 0E4E			
F	ฏ 0E0F	ฟ 0E1F	ๆ 0E2F	฿ 0E3F	◎ 0E4F			

G = 00
P = 00

Table 30 - Row 0E: Thai

HEX	NAME	HEX	NAME
0E00	(This position shall not be used)	0E5D	(This position shall not be used)
0E01	THAI CHARACTER KO KAI	0E5E	(This position shall not be used)
0E02	THAI CHARACTER KHO KHAI	0E5F	(This position shall not be used)
0E03	THAI CHARACTER KHO KHUAT	0E60	(This position shall not be used)
0E04	THAI CHARACTER KHO KHWAI	0E61	(This position shall not be used)
0E05	THAI CHARACTER KHO KHON	0E62	(This position shall not be used)
0E06	THAI CHARACTER KHO RAKHANG	0E63	(This position shall not be used)
0E07	THAI CHARACTER NGO NGU	0E64	(This position shall not be used)
0E08	THAI CHARACTER CHO CHAN	0E65	(This position shall not be used)
0E09	THAI CHARACTER CHO CHING	0E66	(This position shall not be used)
0E0A	THAI CHARACTER CHO CHANG	0E67	(This position shall not be used)
0E0B	THAI CHARACTER SO SO	0E68	(This position shall not be used)
0E0C	THAI CHARACTER CHO CHOE	0E69	(This position shall not be used)
0E0D	THAI CHARACTER YO YING	0E6A	(This position shall not be used)
0E0E	THAI CHARACTER DO CHADA	0E6B	(This position shall not be used)
0E0F	THAI CHARACTER TO PATAK	0E6C	(This position shall not be used)
0E10	THAI CHARACTER THO THAN	0E6D	(This position shall not be used)
0E11	THAI CHARACTER THO NANGMONTHO	0E6E	(This position shall not be used)
0E12	THAI CHARACTER THO PHUTHAO	0E6F	(This position shall not be used)
0E13	THAI CHARACTER NO NEN	0E70	(This position shall not be used)
0E14	THAI CHARACTER DO DEK	0E71	(This position shall not be used)
0E15	THAI CHARACTER TO TAO	0E72	(This position shall not be used)
0E16	THAI CHARACTER THO THUNG	0E73	(This position shall not be used)
0E17	THAI CHARACTER THO THAHAN	0E74	(This position shall not be used)
0E18	THAI CHARACTER THO THONG	0E75	(This position shall not be used)
0E19	THAI CHARACTER NO NU	0E76	(This position shall not be used)
0E1A	THAI CHARACTER BO BAIMAI	0E77	(This position shall not be used)
0E1B	THAI CHARACTER PO PLA	0E78	(This position shall not be used)
0E1C	THAI CHARACTER PHO PHUNG	0E79	(This position shall not be used)
0E1D	THAI CHARACTER FO FA	0E7A	(This position shall not be used)
0E1E	THAI CHARACTER PHO PHAN	0E7B	(This position shall not be used)
0E1F	THAI CHARACTER FO FAN	0E7C	(This position shall not be used)
0E20	THAI CHARACTER PHO SAMPHAO	0E7D	(This position shall not be used)
0E21	THAI CHARACTER MO MA	0E7E	(This position shall not be used)
0E22	THAI CHARACTER YO YAK	0E7F	(This position shall not be used)
0E23	THAI CHARACTER RO RUA		
0E24	THAI CHARACTER RU		
0E25	THAI CHARACTER LO LING		
0E26	THAI CHARACTER LU		
0E27	THAI CHARACTER WO WAEN		
0E28	THAI CHARACTER SO SALA		
0E29	THAI CHARACTER SO RUSI		
0E2A	THAI CHARACTER SO SUA		
0E2B	THAI CHARACTER HO HIP		
0E2C	THAI CHARACTER LO CHULA		
0E2D	THAI CHARACTER O ANG		
0E2E	THAI CHARACTER HO NOKHUK		
0E2F	THAI CHARACTER PAIYANNOI (paiyan noi)		
0E30	THAI CHARACTER SARA A		
0E31	THAI CHARACTER MAI HAN-AKAT		
0E32	THAI CHARACTER SARA AA		
0E33	THAI CHARACTER SARA AM		
0E34	THAI CHARACTER SARA I		
0E35	THAI CHARACTER SARA II		
0E36	THAI CHARACTER SARA UE		
0E37	THAI CHARACTER SARA UEE (sara uue)		
0E38	THAI CHARACTER SARA U		
0E39	THAI CHARACTER SARA UU		
0E3A	THAI CHARACTER PHINTHU		
0E3B	(This position shall not be used)		
0E3C	(This position shall not be used)		
0E3D	(This position shall not be used)		
0E3E	(This position shall not be used)		
0E3F	THAI CURRENCY SYMBOL BAHT		
0E40	THAI CHARACTER SARA E		
0E41	THAI CHARACTER SARA AE		
0E42	THAI CHARACTER SARA O		
0E43	THAI CHARACTER SARA AI MAIMUAN (sara ai mai muan)		
0E44	THAI CHARACTER SARA AI MAIMALAI (sara ai mai malai)		
0E45	THAI CHARACTER LAKKHANGYAO (lakkhang yao)		
0E46	THAI CHARACTER MAIYAMOK (mai yamok)		
0E47	THAI CHARACTER MAITAIKHU (mai taikhu)		
0E48	THAI CHARACTER MAI EK		
0E49	THAI CHARACTER MAI THO		
0E4A	THAI CHARACTER MAI TRI		
0E4B	THAI CHARACTER MAI CHATTAWA		
0E4C	THAI CHARACTER THANTHAKHAT		
0E4D	THAI CHARACTER NIKHAHIT (nikkhahit)		
0E4E	THAI CHARACTER YAMAKKAN		
0E4F	THAI CHARACTER FONGMAN		
0E50	THAI DIGIT ZERO		
0E51	THAI DIGIT ONE		
0E52	THAI DIGIT TWO		
0E53	THAI DIGIT THREE		
0E54	THAI DIGIT FOUR		
0E55	THAI DIGIT FIVE		
0E56	THAI DIGIT SIX		
0E57	THAI DIGIT SEVEN		
0E58	THAI DIGIT EIGHT		
0E59	THAI DIGIT NINE		
0E5A	THAI CHARACTER ANGKHANKHU		
0E5B	THAI CHARACTER KHOMUT		
0E5C	(This position shall not be used)		

Group 00

Plane 00

Row 0E

Table 31 - Row 0E: Lao

	0E8	0E9	0EA	0EB	0EC	0ED	0EE	0EF
0				ຂ 0EB0	໒ 0EC0	໐ 0ED0		
1	ກ 0E81		ມ 0EA1	ຸ 0EB1	໔ 0EC1	໑ 0ED1		
2	ຂ 0E82		ຢ 0EA2	າ 0EB2	ໂ 0EC2	໒ 0ED2		
3			ຮ 0EA3	ຳ 0EB3	ໃ 0EC3	໓ 0ED3		
4	ຄ 0E84	ດ 0E94		໐ 0EB4	ໄ 0EC4	໔ 0ED4		
5		ຕ 0E95	ລ 0EA5	ຸ 0EB5		໕ 0ED5		
6		ຖ 0E96		໐ 0EB6	ງ 0EC6	໖ 0ED6		
7	ງ 0E87	ທ 0E97	ວ 0EA7	ຸ 0EB7		ກ 0ED7		
8	ຈ 0E88			ຸ 0EB8	່ 0EC8	ຸ 0ED8		
9		ນ 0E99		ຸ 0EB9	ຸ 0EC9	ລ 0ED9		
A	ຊ 0E8A	ບ 0E9A	ສ 0EA A		ຸ 0ECA			
B		ປ 0E9B	ຫ 0EAB	ຸ 0EBB	່ 0ECB			
C		ຜ 0E9C		ຸ 0EBC	່ 0ECC	ໝ 0EDC		
D	ຍ 0E8D	ຝ 0E9D	ອ 0EAD	ຸ 0EBD	່ 0ECD	ໝ 0EDD		
E		ພ 0E9E	ຮ 0EAE					
F		ຟ 0E9F	ຮ 0EAF					

G = 00
P = 00

Table 31 - Row 0E: Lao

HEX	NAME	HEX	NAME
0E80	(This position shall not be used)	0EDD	LAO HO MO
0E81	LAO LETTER KO	0EDE	(This position shall not be used)
0E82	LAO LETTER KHO SUNG	0EDF	(This position shall not be used)
0E83	(This position shall not be used)	0EE0	(This position shall not be used)
0E84	LAO LETTER KHO TAM	0EE1	(This position shall not be used)
0E85	(This position shall not be used)	0EE2	(This position shall not be used)
0E86	(This position shall not be used)	0EE3	(This position shall not be used)
0E87	LAO LETTER NGO	0EE4	(This position shall not be used)
0E88	LAO LETTER CO	0EE5	(This position shall not be used)
0E89	(This position shall not be used)	0EE6	(This position shall not be used)
0E8A	LAO LETTER SO TAM	0EE7	(This position shall not be used)
0E8B	(This position shall not be used)	0EE8	(This position shall not be used)
0E8C	(This position shall not be used)	0EE9	(This position shall not be used)
0E8D	LAO LETTER NYO	0EEA	(This position shall not be used)
0E8E	(This position shall not be used)	0EEB	(This position shall not be used)
0E8F	(This position shall not be used)	0EEC	(This position shall not be used)
0E90	(This position shall not be used)	0EED	(This position shall not be used)
0E91	(This position shall not be used)	0EEE	(This position shall not be used)
0E92	(This position shall not be used)	0EEF	(This position shall not be used)
0E93	(This position shall not be used)	0EF0	(This position shall not be used)
0E94	LAO LETTER DO	0EF1	(This position shall not be used)
0E95	LAO LETTER TO	0EF2	(This position shall not be used)
0E96	LAO LETTER THO SUNG	0EF3	(This position shall not be used)
0E97	LAO LETTER THO TAM	0EF4	(This position shall not be used)
0E98	(This position shall not be used)	0EF5	(This position shall not be used)
0E99	LAO LETTER NO	0EF6	(This position shall not be used)
0E9A	LAO LETTER BO	0EF7	(This position shall not be used)
0E9B	LAO LETTER PO	0EF8	(This position shall not be used)
0E9C	LAO LETTER PHO SUNG	0EF9	(This position shall not be used)
0E9D	LAO LETTER FO TAM	0EFA	(This position shall not be used)
0E9E	LAO LETTER PHO TAM	0EFB	(This position shall not be used)
0E9F	LAO LETTER FO SUNG	0EFC	(This position shall not be used)
0EA0	(This position shall not be used)	0EFD	(This position shall not be used)
0EA1	LAO LETTER MO	0EFE	(This position shall not be used)
0EA2	LAO LETTER YO	0EFF	(This position shall not be used)
0EA3	LAO LETTER LO LING		
0EA4	(This position shall not be used)		
0EA5	LAO LETTER LO LOOT		
0EA6	(This position shall not be used)		
0EA7	LAO LETTER WO		
0EA8	(This position shall not be used)		
0EA9	(This position shall not be used)		
0EAA	LAO LETTER SO SUNG		
0EAB	LAO LETTER HO SUNG		
0EAC	(This position shall not be used)		
0EAD	LAO LETTER O		
0EAE	LAO LETTER HO TAM		
0EAF	LAO ELLIPSIS		
0EB0	LAO VOWEL SIGN A		
0EB1	LAO VOWEL SIGN MAI KAN		
0EB2	LAO VOWEL SIGN AA		
0EB3	LAO VOWEL SIGN AM		
0EB4	LAO VOWEL SIGN I		
0EB5	LAO VOWEL SIGN II		
0EB6	LAO VOWEL SIGN Y		
0EB7	LAO VOWEL SIGN YY		
0EB8	LAO VOWEL SIGN U		
0EB9	LAO VOWEL SIGN UU		
0EBA	(This position shall not be used)		
0EBB	LAO VOWEL SIGN MAI KON		
0EBC	LAO SEMIVOWEL SIGN LO		
0EBD	LAO SEMIVOWEL SIGN NYO		
0EBE	(This position shall not be used)		
0EBF	(This position shall not be used)		
0EC0	LAO VOWEL SIGN E		
0EC1	LAO VOWEL SIGN EI		
0EC2	LAO VOWEL SIGN O		
0EC3	LAO VOWEL SIGN AY		
0EC4	LAO VOWEL SIGN AI		
0EC5	(This position shall not be used)		
0EC6	LAO KO LA		
0EC7	(This position shall not be used)		
0EC8	LAO TONE MAI EK		
0EC9	LAO TONE MAI THO		
0ECA	LAO TONE MAI TI		
0ECB	LAO TONE MAI CATAWA		
0ECC	LAO CANCELLATION MARK		
0ECD	LAO NIGGAHITA		
0ECE	(This position shall not be used)		
0ECF	(This position shall not be used)		
0ED0	LAO DIGIT ZERO		
0ED1	LAO DIGIT ONE		
0ED2	LAO DIGIT TWO		
0ED3	LAO DIGIT THREE		
0ED4	LAO DIGIT FOUR		
0ED5	LAO DIGIT FIVE		
0ED6	LAO DIGIT SIX		
0ED7	LAO DIGIT SEVEN		
0ED8	LAO DIGIT EIGHT		
0ED9	LAO DIGIT NINE		
0EDA	(This position shall not be used)		
0EDB	(This position shall not be used)		
0EDC	LAO HO NO		

Group 00

Plane 00

Row 0E

Table 32 - Row 0F: Tibetan

	0F0	0F1	0F2	0F3	0F4	0F5	0F6	0F7
0	 0F00	 0F10	 0F20	 0F30	 0F40	 0F50	 0F60	
1	 0F01	 0F11	 0F21	 0F31	 0F41	 0F51	 0F61	 0F71
2	 0F02	 0F12	 0F22	 0F32	 0F42	 0F52	 0F62	 0F72
3	 0F03	 0F13	 0F23	 0F33	 0F43	 0F53	 0F63	 0F73
4	 0F04	 0F14	 0F24	 0F34	 0F44	 0F54	 0F64	 0F74
5	 0F05	 0F15	 0F25	 0F35	 0F45	 0F55	 0F65	 0F75
6	 0F06	 0F16	 0F26	 0F36	 0F46	 0F56	 0F66	 0F76
7	 0F07	 0F17	 0F27	 0F37	 0F47	 0F57	 0F67	 0F77
8	 0F08	 0F18	 0F28	 0F38		 0F58	 0F68	 0F78
9	 0F09	 0F19	 0F29	 0F39	 0F49	 0F59	 0F69	 0F79
A	 0F0A	 0F1A	 0F2A	 0F3A	 0F4A	 0F5A	 0F6A	 0F7A
B	 0F0B	 0F1B	 0F2B	 0F3B	 0F4B	 0F5B		 0F7B
C	 0F0C	 0F1C	 0F2C	 0F3C	 0F4C	 0F5C		 0F7C
D	 0F0D	 0F1D	 0F2D	 0F3D	 0F4D	 0F5D		 0F7D
E	 0F0E	 0F1E	 0F2E	 0F3E	 0F4E	 0F5E		 0F7E
F	 0F0F	 0F1F	 0F2F	 0F3F	 0F4F	 0F5F		 0F7F

G = 00
P = 00

Table 32 - Row 0F: Tibetan

HEX	NAME	HEX	NAME
0F00	TIBETAN SYLLABLE OM	0F5D	TIBETAN LETTER WA
0F01	TIBETAN MARK GTER YIG MGO TRUNCATED A (ter yik go a thung)	0F5E	TIBETAN LETTER ZHA
0F02	TIBETAN MARK GTER YIG MGO -JM RNAM BCAD MA (ter yik go wum nam chey ma)	0F5F	TIBETAN LETTER ZA
0F03	TIBETAN MARK GTER YIG MGO -JM GTER TSHEG MA (ter yik go wum ter tsek ma)	0F60	TIBETAN LETTER -A
0F04	TIBETAN MARK INITIAL YIG MGO MDUN MA (yik go dun ma)	0F61	TIBETAN LETTER YA
0F05	TIBETAN MARK CLOSING YIG MGO SGAB MA (yik go kab ma)	0F62	TIBETAN LETTER RA *
0F06	TIBETAN MARK CARET YIG MGO PHUR SHAD MA (yik go pur shey ma)	0F63	TIBETAN LETTER LA
0F07	TIBETAN MARK YIG MGO TSHEG SHAD MA (yik go tsek shey ma)	0F64	TIBETAN LETTER SHA
0F08	TIBETAN MARK SBRUL SHAD (dru shey)	0F65	TIBETAN LETTER SSA
0F09	TIBETAN MARK BSKUR YIG MGO (kur yik go)	0F66	TIBETAN LETTER SA
0F0A	TIBETAN MARK BKA- SHOG YIG MGO (ka sho yik go)	0F67	TIBETAN LETTER HA
0F0B	TIBETAN MARK INTERSYLLABIC TSHEG (tsek)	0F68	TIBETAN LETTER A
0F0C	TIBETAN MARK DELIMITER TSHEG BSTAR (tsek tar)	0F69	TIBETAN LETTER KSSA
0F0D	TIBETAN MARK SHAD (shey)	0F6A	TIBETAN LETTER FIXED-FORM RA *
0F0E	TIBETAN MARK NYIS SHAD (nyi shey)	0F6B	(This position shall not be used)
0F0F	TIBETAN MARK TSHEG SHAD (tsek shey)	0F6C	(This position shall not be used)
0F10	TIBETAN MARK NYIS TSHEG SHAD (nyi tsek shey)	0F6D	(This position shall not be used)
0F11	TIBETAN MARK RIN CHEN SPUNGS SHAD (rinchen pung shey)	0F6E	(This position shall not be used)
0F12	TIBETAN MARK RGYA GRAM SHAD (gya tram shey)	0F6F	(This position shall not be used)
0F13	TIBETAN MARK CARET -DZUD RTAGS ME LONG CAN (dzu ta me long chen)	0F70	(This position shall not be used)
0F14	TIBETAN MARK GTER TSHEG (ter tsek)	0F71	TIBETAN VOWEL SIGN AA
0F15	TIBETAN LOGOTYPE SIGN CHAD RTAGS (che ta)	0F72	TIBETAN VOWEL SIGN I
0F16	TIBETAN LOGOTYPE SIGN LHAG RTAGS (hlak ta)	0F73	TIBETAN VOWEL SIGN II
0F17	TIBETAN ASTROLOGICAL SIGN SGRA GCAN -CHAR RTAGS (trachen char ta)	0F74	TIBETAN VOWEL SIGN U
0F18	TIBETAN ASTROLOGICAL SIGN -KHYUD PA (kyu pa)	0F75	TIBETAN VOWEL SIGN UU
0F19	TIBETAN ASTROLOGICAL SIGN SDONG TSHUGS (dong tsu)	0F76	TIBETAN VOWEL SIGN VOCALIC R
0F1A	TIBETAN SIGN RDEL DKAR GCIG (deka chig)	0F77	TIBETAN VOWEL SIGN VOCALIC RR
0F1B	TIBETAN SIGN RDEL DKAR GNYIS (deka nyi)	0F78	TIBETAN VOWEL SIGN VOCALIC L
0F1C	TIBETAN SIGN RDEL DKAR GSUM (deka sum)	0F79	TIBETAN VOWEL SIGN VOCALIC LL
0F1D	TIBETAN SIGN RDEL NAG GCIG (dena chig)	0F7A	TIBETAN VOWEL SIGN E
0F1E	TIBETAN SIGN RDEL NAG GNYIS (dena nyi)	0F7B	TIBETAN VOWEL SIGN EE
0F1F	TIBETAN SIGN RDEL DKAR RDEL NAG (deka dena)	0F7C	TIBETAN VOWEL SIGN O
0F20	TIBETAN DIGIT ZERO	0F7D	TIBETAN VOWEL SIGN OO
0F21	TIBETAN DIGIT ONE	0F7E	TIBETAN SIGN RJES SU NGA RO (je su nga ro)
0F22	TIBETAN DIGIT TWO	0F7F	TIBETAN SIGN RNAM BCAD (nam chey)
0F23	TIBETAN DIGIT THREE		
0F24	TIBETAN DIGIT FOUR		
0F25	TIBETAN DIGIT FIVE		
0F26	TIBETAN DIGIT SIX		
0F27	TIBETAN DIGIT SEVEN		
0F28	TIBETAN DIGIT EIGHT		
0F29	TIBETAN DIGIT NINE		
0F2A	TIBETAN DIGIT HALF ONE		
0F2B	TIBETAN DIGIT HALF TWO		
0F2C	TIBETAN DIGIT HALF THREE		
0F2D	TIBETAN DIGIT HALF FOUR		
0F2E	TIBETAN DIGIT HALF FIVE		
0F2F	TIBETAN DIGIT HALF SIX		
0F30	TIBETAN DIGIT HALF SEVEN		
0F31	TIBETAN DIGIT HALF EIGHT		
0F32	TIBETAN DIGIT HALF NINE		
0F33	TIBETAN DIGIT HALF ZERO		
0F34	TIBETAN MARK BSDUS RTAGS (du ta)		
0F35	TIBETAN MARK NGAS BZUNG NYI ZLA (nge zung nyi da)		
0F36	TIBETAN MARK CARET -DZUD RTAGS BZHI MIG CAN (dzu ta shi mig chen)		
0F37	TIBETAN MARK NGAS BZUNG SGOR RTAGS (nge zung gor ta)		
0F38	TIBETAN MARK CHE MGO (che go)		
0F39	TIBETAN MARK TSA -PHRU (tsa tru)		
0F3A	TIBETAN MARK GUG RTAGS GYON (gug ta yun)		
0F3B	TIBETAN MARK GUG RTAGS GYAS (gug ta ye)		
0F3C	TIBETAN MARK ANG KHANG GYON (ang kang yun)		
0F3D	TIBETAN MARK ANG KHANG GYAS (ang kang ye)		
0F3E	TIBETAN SIGN YAR TSHES (yar tse)		
0F3F	TIBETAN SIGN MAR TSHES (mar tse)		
0F40	TIBETAN LETTER KA		
0F41	TIBETAN LETTER KHA		
0F42	TIBETAN LETTER GA		
0F43	TIBETAN LETTER GHA		
0F44	TIBETAN LETTER NGA		
0F45	TIBETAN LETTER CA		
0F46	TIBETAN LETTER CHA		
0F47	TIBETAN LETTER JA		
0F48	(This position shall not be used)		
0F49	TIBETAN LETTER NYA		
0F4A	TIBETAN LETTER TTA		
0F4B	TIBETAN LETTER TTHA		
0F4C	TIBETAN LETTER DDA		
0F4D	TIBETAN LETTER DDHA		
0F4E	TIBETAN LETTER NNA		
0F4F	TIBETAN LETTER TA		
0F50	TIBETAN LETTER THA		
0F51	TIBETAN LETTER DA		
0F52	TIBETAN LETTER DHA		
0F53	TIBETAN LETTER NA		
0F54	TIBETAN LETTER PA		
0F55	TIBETAN LETTER PHA		
0F56	TIBETAN LETTER BA		
0F57	TIBETAN LETTER BHA		
0F58	TIBETAN LETTER MA		
0F59	TIBETAN LETTER TSA		
0F5A	TIBETAN LETTER TSHA		
0F5B	TIBETAN LETTER DZA		
0F5C	TIBETAN LETTER DZHA		

Group 00

Plane 00

Row 0F

Table 33 - Row 0F: Tibetan

	0F8	0F9	0FA	0FB	0FC	0FD	0FE	0FF
0	 0F80	 0F90	 0FA0	 0FB0	 0FC0			
1	 0F81	 0F91	 0FA1	 0FB1	 0FC1			
2	 0F82	 0F92	 0FA2	 0FB2	 0FC2			
3	 0F83	 0F93	 0FA3	 0FB3	 0FC3			
4	 0F84	 0F94	 0FA4	 0FB4	 0FC4			
5	 0F85	 0F95	 0FA5	 0FB5	 0FC5			
6	 0F86	 0F96	 0FA6	 0FB6	 0FC6			
7	 0F87	 0F97	 0FA7	 0FB7	 0FC7			
8	 0F88		 0FA8	 0FB8	 0FC8			
9	 0F89	 0F99	 0FA9	 0FB9	 0FC9			
A	 0F8A	 0F9A	 0FAA	 0FBA	 0FCA			
B	 0F8B	 0F9B	 0FAB	 0FBB	 0FCB			
C		 0F9C	 0FAC	 0FBC	 0FCC			
D		 0F9D	 0FAD					
E		 0F9E	 0FAE	 0FBE				
F		 0F9F	 0FAF	 0FBF	 0FCF			

G = 00
P = 00

Table 33 - Row 0F: Tibetan

HEX	NAME	HEX	NAME
0F80	TIBETAN VOWEL SIGN REVERSED I	0FDD	(This position shall not be used)
0F81	TIBETAN VOWEL SIGN REVERSED II	0FDE	(This position shall not be used)
0F82	TIBETAN SIGN NYI ZLA NAA DA (nyi da na da)	0FDF	(This position shall not be used)
0F83	TIBETAN SIGN SNA LDAN (nan de)	0FE0	(This position shall not be used)
0F84	TIBETAN MARK HALANTA	0FE1	(This position shall not be used)
0F85	TIBETAN MARK PALUTA	0FE2	(This position shall not be used)
0F86	TIBETAN SIGN LCI RTAGS (ji ta)	0FE3	(This position shall not be used)
0F87	TIBETAN SIGN YANG RTAGS (yang ta)	0FE4	(This position shall not be used)
0F88	TIBETAN SIGN LCE TSA CAN (che tsa chen)	0FE5	(This position shall not be used)
0F89	TIBETAN SIGN MCHU CAN (chu chen)	0FE6	(This position shall not be used)
0F8A	TIBETAN SIGN GRU CAN RGYINGS (tru chen ging)	0FE7	(This position shall not be used)
0F8B	TIBETAN SIGN GRU MED RGYINGS (tru me ging)	0FE8	(This position shall not be used)
0F8C	(This position shall not be used)	0FE9	(This position shall not be used)
0F8D	(This position shall not be used)	0FEA	(This position shall not be used)
0F8E	(This position shall not be used)	0FEB	(This position shall not be used)
0F8F	(This position shall not be used)	0FEC	(This position shall not be used)
0F90	TIBETAN SUBJOINED LETTER KA	0FED	(This position shall not be used)
0F91	TIBETAN SUBJOINED LETTER KHA	0FEE	(This position shall not be used)
0F92	TIBETAN SUBJOINED LETTER GA	0FEF	(This position shall not be used)
0F93	TIBETAN SUBJOINED LETTER GHA	0FF0	(This position shall not be used)
0F94	TIBETAN SUBJOINED LETTER NGA	0FF1	(This position shall not be used)
0F95	TIBETAN SUBJOINED LETTER CA	0FF2	(This position shall not be used)
0F96	TIBETAN SUBJOINED LETTER CHA	0FF3	(This position shall not be used)
0F97	TIBETAN SUBJOINED LETTER JA	0FF4	(This position shall not be used)
0F98	(This position shall not be used)	0FF5	(This position shall not be used)
0F99	TIBETAN SUBJOINED LETTER NYA	0FF6	(This position shall not be used)
0F9A	TIBETAN SUBJOINED LETTER NYA	0FF7	(This position shall not be used)
0F9B	TIBETAN SUBJOINED LETTER TTHA	0FF8	(This position shall not be used)
0F9C	TIBETAN SUBJOINED LETTER DDA	0FF9	(This position shall not be used)
0F9D	TIBETAN SUBJOINED LETTER DDHA	0FFA	(This position shall not be used)
0F9E	TIBETAN SUBJOINED LETTER NNA	0FFB	(This position shall not be used)
0F9F	TIBETAN SUBJOINED LETTER TA	0FFC	(This position shall not be used)
0FA0	TIBETAN SUBJOINED LETTER THA	0FFD	(This position shall not be used)
0FA1	TIBETAN SUBJOINED LETTER DA	0FFE	(This position shall not be used)
0FA2	TIBETAN SUBJOINED LETTER DHA	0FFF	(This position shall not be used)
0FA3	TIBETAN SUBJOINED LETTER NA		
0FA4	TIBETAN SUBJOINED LETTER PA		
0FA5	TIBETAN SUBJOINED LETTER PHA		
0FA6	TIBETAN SUBJOINED LETTER BA		
0FA7	TIBETAN SUBJOINED LETTER BHA		
0FA8	TIBETAN SUBJOINED LETTER MA		
0FA9	TIBETAN SUBJOINED LETTER TSA		
0FAA	TIBETAN SUBJOINED LETTER TSHA		
0FAB	TIBETAN SUBJOINED LETTER DZA		
0FAC	TIBETAN SUBJOINED LETTER DZHA		
0FAD	TIBETAN SUBJOINED LETTER WA *		
0FAE	TIBETAN SUBJOINED LETTER ZHA		
0FAF	TIBETAN SUBJOINED LETTER ZA		
0FB0	TIBETAN SUBJOINED LETTER -A		
0FB1	TIBETAN SUBJOINED LETTER YA *		
0FB2	TIBETAN SUBJOINED LETTER RA *		
0FB3	TIBETAN SUBJOINED LETTER LA		
0FB4	TIBETAN SUBJOINED LETTER SHA		
0FB5	TIBETAN SUBJOINED LETTER SSA		
0FB6	TIBETAN SUBJOINED LETTER SA		
0FB7	TIBETAN SUBJOINED LETTER HA		
0FB8	TIBETAN SUBJOINED LETTER A		
0FB9	TIBETAN SUBJOINED LETTER KSSA		
0FBA	TIBETAN SUBJOINED LETTER FIXED-FORM WA *		
0FBB	TIBETAN SUBJOINED LETTER FIXED-FORM YA *		
0FBC	TIBETAN SUBJOINED LETTER FIXED-FORM RA *		
0FBD	(This position shall not be used)		
0FBE	TIBETAN KU RU KHA (kuruka)		
0FBF	TIBETAN KU RU KHA BZHI MIG CAN (kuruka shi mik chen)		
0FC0	TIBETAN CANTILLATION SIGN HEAVY BEAT		
0FC1	TIBETAN CANTILLATION SIGN LIGHT BEAT		
0FC2	TIBETAN CANTILLATION SIGN CANG TE-U (chang tyu)		
0FC3	TIBETAN CANTILLATION SIGN SBUB -CHAL (bub chey)		
0FC4	TIBETAN SYMBOL DRIL BU (drilbu)		
0FC5	TIBETAN SYMBOL RDO RJE (dorje)		
0FC6	TIBETAN SYMBOL PADMA GDAN (pema den)		
0FC7	TIBETAN SYMBOL RDO RJE RGYA GRAM (dorje gya dram)		
0FC8	TIBETAN SYMBOL PHUR PA (phurba)		
0FC9	TIBETAN SYMBOL NOR BU (norbu)		
0FCA	TIBETAN SYMBOL NOR BU NYIS -KHYIL (norbu nyi khyi)		
0FCB	TIBETAN SYMBOL NOR BU GSUM -KHYIL (norbu sum khyi)		
0FCC	TIBETAN SYMBOL NOR BU BZHI -KHYIL (norbu shi khyi)		
0FCD	(This position shall not be used)		
0FCE	(This position shall not be used)		
0FCF	TIBETAN SIGN RDEL NAG GSUM (dena sum)		
0FD0	(This position shall not be used)		
0FD1	(This position shall not be used)		
0FD2	(This position shall not be used)		
0FD3	(This position shall not be used)		
0FD4	(This position shall not be used)		
0FD5	(This position shall not be used)		
0FD6	(This position shall not be used)		
0FD7	(This position shall not be used)		
0FD8	(This position shall not be used)		
0FD9	(This position shall not be used)		
0FDA	(This position shall not be used)		
0FDB	(This position shall not be used)		
0FDC	(This position shall not be used)		

Group 00

Plane 00

Row 0F

Table 34 - Row 10: Myanmar

	100	101	102	103	104	105	106	107	108	109
0	က 1000	တ 1010	ဇာ 1020	၀ 1030	ဝ 1040	၀ 1050				
1	ခ 1001	ထ 1011	ဒ 1021	ေ 1031	၁ 1041	၁ 1051				
2	ဂ 1002	ဒ 1012		ံ 1032	၂ 1042	၂ 1052				
3	ဃ 1003	စ 1013	ဆ 1023		၃ 1043	၃ 1053				
4	င 1004	န 1014	ဗြ 1024		၄ 1044	၄ 1054				
5	စ 1005	ပ 1015	ဉာ 1025		၅ 1045	၅ 1055				
6	ဆ 1006	ဖ 1016	ဉာ 1026	ံ 1036	၆ 1046	ံ 1056				
7	ဇ 1007	ဗ 1017	ဇ 1027	ံ 1037	၇ 1047	ံ 1057				
8	ဈ 1008	ဘ 1018		ံ 1038	၈ 1048	ံ 1058				
9	ည 1009	မ 1019	ဩ 1029	ံ 1039	၉ 1049	ံ 1059				
A	ဩ 100A	ယ 101A	ဩ 102A		ါ 104A					
B	ဩ 100B	ရ 101B			ါ 104B					
C	ဩ 100C	ဝ 101C	ံ 102C		ါ 104C					
D	ဩ 100D	ဝ 101D	ံ 102D		ါ 104D					
E	ဩ 100E	သ 101E	ံ 102E		ါ 104E					
F	ဩ 100F	တ 101F	ံ 102F		ါ 104F					

G = 00
P = 00

Table 34 - Row 10: Myanmar

HEX	NAME	HEX	NAME
1000	MYANMAR LETTER KA	105D	(This position shall not be used)
1001	MYANMAR LETTER KHA	105E	(This position shall not be used)
1002	MYANMAR LETTER GA	105F	(This position shall not be used)
1003	MYANMAR LETTER GHA	1060	(This position shall not be used)
1004	MYANMAR LETTER NGA	1061	(This position shall not be used)
1005	MYANMAR LETTER CA	1062	(This position shall not be used)
1006	MYANMAR LETTER CHA	1063	(This position shall not be used)
1007	MYANMAR LETTER JA	1064	(This position shall not be used)
1008	MYANMAR LETTER JHA	1065	(This position shall not be used)
1009	MYANMAR LETTER NYA	1066	(This position shall not be used)
100A	MYANMAR LETTER NNYA	1067	(This position shall not be used)
100B	MYANMAR LETTER TTA	1068	(This position shall not be used)
100C	MYANMAR LETTER TTHA	1069	(This position shall not be used)
100D	MYANMAR LETTER DDA	106A	(This position shall not be used)
100E	MYANMAR LETTER DDHA	106B	(This position shall not be used)
100F	MYANMAR LETTER NNA	106C	(This position shall not be used)
1010	MYANMAR LETTER TA	106D	(This position shall not be used)
1011	MYANMAR LETTER THA	106E	(This position shall not be used)
1012	MYANMAR LETTER DA	106F	(This position shall not be used)
1013	MYANMAR LETTER DHA	1070	(This position shall not be used)
1014	MYANMAR LETTER NA	1071	(This position shall not be used)
1015	MYANMAR LETTER PA	1072	(This position shall not be used)
1016	MYANMAR LETTER PHA	1073	(This position shall not be used)
1017	MYANMAR LETTER BA	1074	(This position shall not be used)
1018	MYANMAR LETTER BHA	1075	(This position shall not be used)
1019	MYANMAR LETTER MA	1076	(This position shall not be used)
101A	MYANMAR LETTER YA	1077	(This position shall not be used)
101B	MYANMAR LETTER RA	1078	(This position shall not be used)
101C	MYANMAR LETTER LA	1079	(This position shall not be used)
101D	MYANMAR LETTER WA	107A	(This position shall not be used)
101E	MYANMAR LETTER SA	107B	(This position shall not be used)
101F	MYANMAR LETTER HA	107C	(This position shall not be used)
1020	MYANMAR LETTER LLA	107D	(This position shall not be used)
1021	MYANMAR LETTER A	107E	(This position shall not be used)
1022	(This position shall not be used)	107F	(This position shall not be used)
1023	MYANMAR LETTER I	1080	(This position shall not be used)
1024	MYANMAR LETTER II	1081	(This position shall not be used)
1025	MYANMAR LETTER U	1082	(This position shall not be used)
1026	MYANMAR LETTER UU	1083	(This position shall not be used)
1027	MYANMAR LETTER E	1084	(This position shall not be used)
1028	(This position shall not be used)	1085	(This position shall not be used)
1029	MYANMAR LETTER O	1086	(This position shall not be used)
102A	MYANMAR LETTER AU	1087	(This position shall not be used)
102B	(This position shall not be used)	1088	(This position shall not be used)
102C	MYANMAR VOWEL SIGN AA	1089	(This position shall not be used)
102D	MYANMAR VOWEL SIGN I	108A	(This position shall not be used)
102E	MYANMAR VOWEL SIGN II	108B	(This position shall not be used)
102F	MYANMAR VOWEL SIGN U	108C	(This position shall not be used)
1030	MYANMAR VOWEL SIGN UU	108D	(This position shall not be used)
1031	MYANMAR VOWEL SIGN E	108E	(This position shall not be used)
1032	MYANMAR VOWEL SIGN AI	108F	(This position shall not be used)
1033	(This position shall not be used)	1090	(This position shall not be used)
1034	(This position shall not be used)	1091	(This position shall not be used)
1035	(This position shall not be used)	1092	(This position shall not be used)
1036	MYANMAR SIGN ANUSVARA	1093	(This position shall not be used)
1037	MYANMAR SIGN DOT BELOW	1094	(This position shall not be used)
1038	MYANMAR SIGN VISARGA	1095	(This position shall not be used)
1039	MYANMAR SIGN VIRAMA	1096	(This position shall not be used)
103A	(This position shall not be used)	1097	(This position shall not be used)
103B	(This position shall not be used)	1098	(This position shall not be used)
103C	(This position shall not be used)	1099	(This position shall not be used)
103D	(This position shall not be used)	109A	(This position shall not be used)
103E	(This position shall not be used)	109B	(This position shall not be used)
103F	(This position shall not be used)	109C	(This position shall not be used)
1040	MYANMAR DIGIT ZERO	109D	(This position shall not be used)
1041	MYANMAR DIGIT ONE	109E	(This position shall not be used)
1042	MYANMAR DIGIT TWO	109F	(This position shall not be used)
1043	MYANMAR DIGIT THREE		
1044	MYANMAR DIGIT FOUR		
1045	MYANMAR DIGIT FIVE		
1046	MYANMAR DIGIT SIX		
1047	MYANMAR DIGIT SEVEN		
1048	MYANMAR DIGIT EIGHT		
1049	MYANMAR DIGIT NINE		
104A	MYANMAR SIGN LITTLE SECTION		
104B	MYANMAR SIGN SECTION		
104C	MYANMAR SYMBOL LOCATIVE		
104D	MYANMAR SYMBOL COMPLETED		
104E	MYANMAR SYMBOL AFOREMENTIONED		
104F	MYANMAR SYMBOL GENITIVE		
1050	MYANMAR LETTER SHA		
1051	MYANMAR LETTER SSA		
1052	MYANMAR LETTER VOCALIC R		
1053	MYANMAR LETTER VOCALIC RR		
1054	MYANMAR LETTER VOCALIC L		
1055	MYANMAR LETTER VOCALIC LL		
1056	MYANMAR VOWEL SIGN VOCALIC R		
1057	MYANMAR VOWEL SIGN VOCALIC RR		
1058	MYANMAR VOWEL SIGN VOCALIC L		
1059	MYANMAR VOWEL SIGN VOCALIC LL		
105A	(This position shall not be used)		
105B	(This position shall not be used)		
105C	(This position shall not be used)		

Group 00

Plane 00

Row 10

Table 35 - Row 10: Georgian

	10A	10B	10C	10D	10E	10F
0	Ⴀ 10A0	Ⴁ 10B0	Ⴂ 10C0	Ⴃ 10D0	Ⴄ 10E0	Ⴅ 10F0
1	Ⴆ 10A1	Ⴇ 10B1	Ⴈ 10C1	Ⴉ 10D1	Ⴊ 10E1	Ⴋ 10F1
2	Ⴌ 10A2	Ⴍ 10B2	Ⴎ 10C2	Ⴏ 10D2	Ⴐ 10E2	Ⴑ 10F2
3	Ⴒ 10A3	Ⴓ 10B3	Ⴔ 10C3	Ⴕ 10D3	Ⴖ 10E3	Ⴗ 10F3
4	Ⴘ 10A4	Ⴙ 10B4	Ⴚ 10C4	Ⴛ 10D4	Ⴜ 10E4	Ⴝ 10F4
5	Ⴟ 10A5	Ⴡ 10B5	Ⴢ 10C5	Ⴣ 10D5	Ⴤ 10E5	Ⴥ 10F5
6	჆ 10A6	Ⴧ 10B6		჉ 10D6	჊ 10E6	჋ 10F6
7	჌ 10A7	Ⴭ 10B7		჏ 10D7	ა 10E7	ბ 10F7
8	გ 10A8	დ 10B8		ვ 10D8	ზ 10E8	თ 10F8
9	კ 10A9	ლ 10B9		ნ 10D9	ო 10E9	
A	პ 10AA	ჟ 10BA		მ 10DA	ნ 10EA	
B	რ 10AB	ს 10BB		ჟ 10DB	რ 10EB	ს 10FB
C	ტ 10AC	უ 10BC		ქ 10DC	ღ 10EC	
D	შ 10AD	ჩ 10BD		ჭ 10DD	ხ 10ED	
E	ჰ 10AE	ჱ 10BE		ჳ 10DE	ჴ 10EE	
F	ჶ 10AF	ჷ 10BF		ჹ 10DF	ჺ 10EF	

G = 00
P = 00

Table 35 - Row 10: Georgian








HEX	NAME	HEX	NAME
10A0	GEORGIAN CAPITAL LETTER AN (Khutsuri)	10FD	(This position shall not be used)
10A1	GEORGIAN CAPITAL LETTER BAN (Khutsuri)	10FE	(This position shall not be used)
10A2	GEORGIAN CAPITAL LETTER GAN (Khutsuri)	10FF	(This position shall not be used)
10A3	GEORGIAN CAPITAL LETTER DON (Khutsuri)		
10A4	GEORGIAN CAPITAL LETTER EN (Khutsuri)		
10A5	GEORGIAN CAPITAL LETTER VIN (Khutsuri)		
10A6	GEORGIAN CAPITAL LETTER ZEN (Khutsuri)		
10A7	GEORGIAN CAPITAL LETTER TAN (Khutsuri)		
10A8	GEORGIAN CAPITAL LETTER IN (Khutsuri)		
10A9	GEORGIAN CAPITAL LETTER KAN (Khutsuri)		
10AA	GEORGIAN CAPITAL LETTER LAS (Khutsuri)		
10AB	GEORGIAN CAPITAL LETTER MAN (Khutsuri)		
10AC	GEORGIAN CAPITAL LETTER NAR (Khutsuri)		
10AD	GEORGIAN CAPITAL LETTER ON (Khutsuri)		
10AE	GEORGIAN CAPITAL LETTER PAR (Khutsuri)		
10AF	GEORGIAN CAPITAL LETTER ZHAR (Khutsuri)		
10B0	GEORGIAN CAPITAL LETTER RAE (Khutsuri)		
10B1	GEORGIAN CAPITAL LETTER SAN (Khutsuri)		
10B2	GEORGIAN CAPITAL LETTER TAR (Khutsuri)		
10B3	GEORGIAN CAPITAL LETTER UN (Khutsuri)		
10B4	GEORGIAN CAPITAL LETTER PHAR (Khutsuri)		
10B5	GEORGIAN CAPITAL LETTER KHAR (Khutsuri)		
10B6	GEORGIAN CAPITAL LETTER GHAN (Khutsuri)		
10B7	GEORGIAN CAPITAL LETTER QAR (Khutsuri)		
10B8	GEORGIAN CAPITAL LETTER SHIN (Khutsuri)		
10B9	GEORGIAN CAPITAL LETTER CHIN (Khutsuri)		
10BA	GEORGIAN CAPITAL LETTER CAN (Khutsuri)		
10BB	GEORGIAN CAPITAL LETTER JIL (Khutsuri)		
10BC	GEORGIAN CAPITAL LETTER CIL (Khutsuri)		
10BD	GEORGIAN CAPITAL LETTER CHAR (Khutsuri)		
10BE	GEORGIAN CAPITAL LETTER XAN (Khutsuri)		
10BF	GEORGIAN CAPITAL LETTER JHAN (Khutsuri)		
10C0	GEORGIAN CAPITAL LETTER HAE (Khutsuri)		
10C1	GEORGIAN CAPITAL LETTER HE (Khutsuri)		
10C2	GEORGIAN CAPITAL LETTER HIE (Khutsuri)		
10C3	GEORGIAN CAPITAL LETTER WE (Khutsuri)		
10C4	GEORGIAN CAPITAL LETTER HAR (Khutsuri)		
10C5	GEORGIAN CAPITAL LETTER HOE (Khutsuri)		
10C6	(This position shall not be used)		
10C7	(This position shall not be used)		
10C8	(This position shall not be used)		
10C9	(This position shall not be used)		
10CA	(This position shall not be used)		
10CB	(This position shall not be used)		
10CC	(This position shall not be used)		
10CD	(This position shall not be used)		
10CE	(This position shall not be used)		
10CF	(This position shall not be used)		
10D0	GEORGIAN LETTER AN		
10D1	GEORGIAN LETTER BAN		
10D2	GEORGIAN LETTER GAN		
10D3	GEORGIAN LETTER DON		
10D4	GEORGIAN LETTER EN		
10D5	GEORGIAN LETTER VIN		
10D6	GEORGIAN LETTER ZEN		
10D7	GEORGIAN LETTER TAN		
10D8	GEORGIAN LETTER IN		
10D9	GEORGIAN LETTER KAN		
10DA	GEORGIAN LETTER LAS		
10DB	GEORGIAN LETTER MAN		
10DC	GEORGIAN LETTER NAR		
10DD	GEORGIAN LETTER ON		
10DE	GEORGIAN LETTER PAR		
10DF	GEORGIAN LETTER ZHAR		
10E0	GEORGIAN LETTER RAE		
10E1	GEORGIAN LETTER SAN		
10E2	GEORGIAN LETTER TAR		
10E3	GEORGIAN LETTER UN		
10E4	GEORGIAN LETTER PHAR		
10E5	GEORGIAN LETTER KHAR		
10E6	GEORGIAN LETTER GHAN		
10E7	GEORGIAN LETTER QAR		
10E8	GEORGIAN LETTER SHIN		
10E9	GEORGIAN LETTER CHIN		
10EA	GEORGIAN LETTER CAN		
10EB	GEORGIAN LETTER JIL		
10EC	GEORGIAN LETTER CIL		
10ED	GEORGIAN LETTER CHAR		
10EE	GEORGIAN LETTER XAN		
10EF	GEORGIAN LETTER JHAN		
10F0	GEORGIAN LETTER HAE		
10F1	GEORGIAN LETTER HE		
10F2	GEORGIAN LETTER HIE		
10F3	GEORGIAN LETTER WE		
10F4	GEORGIAN LETTER HAR		
10F5	GEORGIAN LETTER HOE		
10F6	GEORGIAN LETTER FI		
10F7	GEORGIAN LETTER YN		
10F8	GEORGIAN LETTER ELIFI		
10F9	(This position shall not be used)		
10FA	(This position shall not be used)		
10FB	GEORGIAN PARAGRAPH SEPARATOR		
10FC	(This position shall not be used)		

Group 00

Plane 00

Row 10

Table 36 - Row 11: Hangeul Jamo

	110	111	112	113	114	115	116	117
0	ㄱ 1100	ㅌ 1110	ㅍ 1120	ㅊ 1130	ㅋ 1140	ㆁ 1150	 1160	꺄 1170
1	ㄲ 1101	ㄴ 1111	ㄷ 1121	ㄹ 1131	ㅁ 1141	ㅂ 1151	ㅅ 1161	ㅇ 1171
2	ㄴ 1102	ㅇ 1112	ㅅ 1122	ㅈ 1132	ㅊ 1142	ㅋ 1152	ㆁ 1162	꺄 1172
3	ㄷ 1103	ㄴ 1113	ㅍ 1123	ㅊ 1133	ㅋ 1143	ㆁ 1153	꺄 1163	꺄 1173
4	ㄷ 1104	ㄴ 1114	ㅍ 1124	ㅊ 1134	ㅋ 1144	ㆁ 1154	꺄 1164	꺄 1174
5	ㄷ 1105	ㄴ 1115	ㅍ 1125	ㅊ 1135	ㅋ 1145	ㆁ 1155	꺄 1165	꺄 1175
6	ㅁ 1106	ㅂ 1116	ㅅ 1126	ㅈ 1136	ㅊ 1146	ㅋ 1156	ㆁ 1166	꺄 1176
7	ㅂ 1107	ㅅ 1117	ㅈ 1127	ㅊ 1137	ㅋ 1147	ㆁ 1157	꺄 1167	꺄 1177
8	ㅅ 1108	ㅈ 1118	ㅊ 1128	ㅋ 1138	ㆁ 1148	꺄 1158	꺄 1168	꺄 1178
9	ㅈ 1109	ㅊ 1119	ㅋ 1129	ㆁ 1139	꺄 1149	꺄 1159	꺄 1169	꺄 1179
A	ㅅ 110A	ㅈ 111A	ㅊ 112A	ㅋ 113A	ㆁ 114A		꺄 116A	꺄 117A
B	ㅇ 110B	꺄 111B	꺄 112B	꺄 113B	꺄 114B		꺄 116B	꺄 117B
C	ㅅ 110C	ㅈ 111C	ㅊ 112C	ㅋ 113C	ㆁ 114C		꺄 116C	꺄 117C
D	ㅅ 110D	ㅈ 111D	ㅊ 112D	ㅋ 113D	ㆁ 114D		꺄 116D	꺄 117D
E	ㅅ 110E	ㅈ 111E	ㅊ 112E	ㅋ 113E	ㆁ 114E		꺄 116E	꺄 117E
F	꺄 110F	꺄 111F	꺄 112F	꺄 113F	꺄 114F	 115F	꺄 116F	꺄 117F

G = 00
P = 00

Table 36 - Row 11: Hangu Jamo

HEX	NAME	HEX	NAME
1100	HANGUL CHOSEONG KIYEOK (g) *	115D	(This position shall not be used)
1101	HANGUL CHOSEONG SSANGKIYEOK (gg) *	115E	(This position shall not be used)
1102	HANGUL CHOSEONG NIEUN (n) *	115F	HANGUL CHOSEONG FILLER
1103	HANGUL CHOSEONG TIKEUT (d) *	1160	HANGUL JUNGSEONG FILLER
1104	HANGUL CHOSEONG SSANGTIKEUT (dd) *	1161	HANGUL JUNGSEONG A
1105	HANGUL CHOSEONG RIEUL (r) *	1162	HANGUL JUNGSEONG AE
1106	HANGUL CHOSEONG MIEUM (m) *	1163	HANGUL JUNGSEONG YA
1107	HANGUL CHOSEONG PIEUP (b) *	1164	HANGUL JUNGSEONG YAE
1108	HANGUL CHOSEONG SSANGPIEUP (bb) *	1165	HANGUL JUNGSEONG EO
1109	HANGUL CHOSEONG SIOS (s) *	1166	HANGUL JUNGSEONG E
110A	HANGUL CHOSEONG SSANGSIOS (ss) *	1167	HANGUL JUNGSEONG YEO
110B	HANGUL CHOSEONG IEUNG	1168	HANGUL JUNGSEONG YE
110C	HANGUL CHOSEONG CIEUC (j) *	1169	HANGUL JUNGSEONG O
110D	HANGUL CHOSEONG SSANGCIEUC (jj) *	116A	HANGUL JUNGSEONG WA
110E	HANGUL CHOSEONG CHIEUCH (c) *	116B	HANGUL JUNGSEONG WAE
110F	HANGUL CHOSEONG KHIEUKH (k) *	116C	HANGUL JUNGSEONG OE
1110	HANGUL CHOSEONG THIEUTH (t) *	116D	HANGUL JUNGSEONG YO
1111	HANGUL CHOSEONG PHIEUPH (p) *	116E	HANGUL JUNGSEONG U
1112	HANGUL CHOSEONG HIEUH (h) *	116F	HANGUL JUNGSEONG WEO
1113	HANGUL CHOSEONG NIEUN-KIYEOK	1170	HANGUL JUNGSEONG WE
1114	HANGUL CHOSEONG SSANGNIEUN	1171	HANGUL JUNGSEONG WI
1115	HANGUL CHOSEONG NIEUN-TIKEUT	1172	HANGUL JUNGSEONG YU
1116	HANGUL CHOSEONG NIEUN-PIEUP	1173	HANGUL JUNGSEONG EU
1117	HANGUL CHOSEONG TIKEUT-KIYEOK	1174	HANGUL JUNGSEONG YI
1118	HANGUL CHOSEONG RIEUL-NIEUN	1175	HANGUL JUNGSEONG I
1119	HANGUL CHOSEONG SSANGRIEUL	1176	HANGUL JUNGSEONG A-O
111A	HANGUL CHOSEONG RIEUL-HIEUH	1177	HANGUL JUNGSEONG A-U
111B	HANGUL CHOSEONG KAPYEOUNRIEUL	1178	HANGUL JUNGSEONG YA-O
111C	HANGUL CHOSEONG MIEUM-PIEUP	1179	HANGUL JUNGSEONG YA-YO
111D	HANGUL CHOSEONG KAPYEOUNMIEUM	117A	HANGUL JUNGSEONG EO-O
111E	HANGUL CHOSEONG PIEUP-KIYEOK	117B	HANGUL JUNGSEONG EO-U
111F	HANGUL CHOSEONG PIEUP-NIEUN	117C	HANGUL JUNGSEONG EO-EU
1120	HANGUL CHOSEONG PIEUP-TIKEUT	117D	HANGUL JUNGSEONG YEO-O
1121	HANGUL CHOSEONG PIEUP-SIOS	117E	HANGUL JUNGSEONG YEO-U
1122	HANGUL CHOSEONG PIEUP-SIOS-KIYEOK	117F	HANGUL JUNGSEONG O-EO
1123	HANGUL CHOSEONG PIEUP-SIOS-TIKEUT		
1124	HANGUL CHOSEONG PIEUP-SIOS-PIEUP		
1125	HANGUL CHOSEONG PIEUP-SSANGSIOS		
1126	HANGUL CHOSEONG PIEUP-SIOS-CIEUC		
1127	HANGUL CHOSEONG PIEUP-CIEUC		
1128	HANGUL CHOSEONG PIEUP-CHIEUCH		
1129	HANGUL CHOSEONG PIEUP-THIEUTH		
112A	HANGUL CHOSEONG PIEUP-PHIEUPH		
112B	HANGUL CHOSEONG KAPYEOUNPIEUP		
112C	HANGUL CHOSEONG KAPYEOUNSSANGPIEUP		
112D	HANGUL CHOSEONG SIOS-KIYEOK		
112E	HANGUL CHOSEONG SIOS-NIEUN		
112F	HANGUL CHOSEONG SIOS-TIKEUT		
1130	HANGUL CHOSEONG SIOS-RIEUL		
1131	HANGUL CHOSEONG SIOS-MIEUM		
1132	HANGUL CHOSEONG SIOS-PIEUP		
1133	HANGUL CHOSEONG SIOS-PIEUP-KIYEOK		
1134	HANGUL CHOSEONG SIOS-SSANGSIOS		
1135	HANGUL CHOSEONG SIOS-IEUNG		
1136	HANGUL CHOSEONG SIOS-CIEUC		
1137	HANGUL CHOSEONG SIOS-CHIEUCH		
1138	HANGUL CHOSEONG SIOS-KHIEUKH		
1139	HANGUL CHOSEONG SIOS-THIEUTH		
113A	HANGUL CHOSEONG SIOS-PHIEUPH		
113B	HANGUL CHOSEONG SIOS-HIEUH		
113C	HANGUL CHOSEONG CHITUEUMSIOS		
113D	HANGUL CHOSEONG CHITUEUMSSANGSIOS		
113E	HANGUL CHOSEONG CEONGCHIEUMSIOS		
113F	HANGUL CHOSEONG CEONGCHIEUMSSANGSIOS		
1140	HANGUL CHOSEONG PANSIOS		
1141	HANGUL CHOSEONG IEUNG-KIYEOK		
1142	HANGUL CHOSEONG IEUNG-TIKEUT		
1143	HANGUL CHOSEONG IEUNG-MIEUM		
1144	HANGUL CHOSEONG IEUNG-PIEUP		
1145	HANGUL CHOSEONG IEUNG-SIOS		
1146	HANGUL CHOSEONG IEUNG-PANSIOS		
1147	HANGUL CHOSEONG SSANGIEUNG		
1148	HANGUL CHOSEONG IEUNG-CIEUC		
1149	HANGUL CHOSEONG IEUNG-CHIEUCH		
114A	HANGUL CHOSEONG IEUNG-THIEUTH		
114B	HANGUL CHOSEONG IEUNG-PHIEUPH		
114C	HANGUL CHOSEONG YESIEUNG		
114D	HANGUL CHOSEONG CIEUC-IEUNG		
114E	HANGUL CHOSEONG CHITUEUMCIEUC		
114F	HANGUL CHOSEONG CHITUEUMSSANGCIEUC		
1150	HANGUL CHOSEONG CEONGCHIEUMCIEUC		
1151	HANGUL CHOSEONG CEONGCHIEUMSSANGCIEUC		
1152	HANGUL CHOSEONG CHIEUCH-KHIEUKH		
1153	HANGUL CHOSEONG CHIEUCH-HIEUH		
1154	HANGUL CHOSEONG CHITUEUMCHIEUCH		
1155	HANGUL CHOSEONG CEONGCHIEUMCHIEUCH		
1156	HANGUL CHOSEONG PHIEUPH-PIEUP		
1157	HANGUL CHOSEONG KAPYEOUNPHIEUPH		
1158	HANGUL CHOSEONG SSANGHIEUH		
1159	HANGUL CHOSEONG YEORINHIEUH		
115A	(This position shall not be used)		
115B	(This position shall not be used)		
115C	(This position shall not be used)		

Group 00

Plane 00

Row 11

Table 37 - Row 11: Hangeul Jamo

	118	119	11A	11B	11C	11D	11E	11F
0	예 1180	계 1190	누 11A0	리 11B0	ㄷ 11C0	런 11D0	ㅁ 11E0	ㅇ 11F0
1	예 1181	겨 1191	이 11A1	리 11B1	도 11C1	랴 11D1	ㅁ 11E1	ㅅ 11F1
2	소 1182	계 1192	ㅇ 11A2	래 11B2	ㅎ 11C2	랴 11D2	ㅁ 11E2	ㅇ 11F2
3	누 1183	꾸 1193		라 11B3	ㄱ 11C3	랴 11D3	ㅁ 11E3	ㅍ 11F3
4	ㅂ 1184	피 1194		래 11B4	기 11C4	랴 11D4	ㅁ 11E4	ㅇ 11F4
5	배 1185	두 1195		런 11B5	ㄴ 11C5	랴 11D5	ㅁ 11E5	ㅎ 11F5
6	벼 1186	ㅓ 1196		랑 11B6	ㄷ 11C6	랴 11D6	ㅁ 11E6	ㅎ 11F6
7	부 1187	쿠 1197		ㄹ 11B7	ㄴ 11C7	랴 11D7	ㅁ 11E7	ㅎ 11F7
8	피 1188	가 1198	ㄱ 11A8	ㅅ 11B8	ㄴ 11C8	랴 11D8	ㅁ 11E8	ㅎ 11F8
9	가 1189	ㅂ 1199	기 11A9	ㅅ 11B9	ㄴ 11C9	랴 11D9	ㅁ 11E9	ㅎ 11F9
A	개 118A	고 119A	가 11AA	ㅅ 11BA	ㄷ 11CA	ㅁ 11DA	ㅅ 11EA	
B	괴 118B	구 119B	ㄴ 11AB	ㅅ 11BB	ㄷ 11CB	ㅁ 11DB	ㅁ 11EB	
C	계 118C	그 119C	ㅂ 11AC	ㅇ 11BC	랴 11CC	ㅁ 11DC	ㅁ 11EC	
D	두 118D	ㅣ 119D	ㅎ 11AD	ㅅ 11BD	리 11CD	ㅁ 11DD	ㅁ 11ED	
E	파 118E	ㅣ 119E	ㄷ 11AE	ㅅ 11BE	리 11CE	ㅁ 11DE	ㅇ 11EE	
F	겨 118F	녀 119F	ㄷ 11AF	ㅋ 11BF	랴 11CF	ㅁ 11DF	ㅇ 11EF	

G = 00
P = 00

Table 37 - Row 11: Hangul Jamo

HEX	NAME	HEX	NAME
1180	HANGUL JUNGSEONG O-E	11DD	HANGUL JONGSEONG MIEUM-SIOS
1181	HANGUL JUNGSEONG O-YE	11DE	HANGUL JONGSEONG MIEUM-SSANGSIOS
1182	HANGUL JUNGSEONG O-O	11DF	HANGUL JONGSEONG MIEUM-PANSIOS
1183	HANGUL JUNGSEONG O-U	11E0	HANGUL JONGSEONG MIEUM-CHIEUCH
1184	HANGUL JUNGSEONG YO-YA	11E1	HANGUL JONGSEONG MIEUM-HIEUH
1185	HANGUL JUNGSEONG YO-YAE	11E2	HANGUL JONGSEONG KAPYEOUNMIEUM
1186	HANGUL JUNGSEONG YO-YEO	11E3	HANGUL JONGSEONG PIEUP-RIEUL
1187	HANGUL JUNGSEONG YO-O	11E4	HANGUL JONGSEONG PIEUP-PHIEUPH
1188	HANGUL JUNGSEONG YO-I	11E5	HANGUL JONGSEONG PIEUP-HIEUH
1189	HANGUL JUNGSEONG U-A	11E6	HANGUL JONGSEONG KAPYEOUNPIEUP
118A	HANGUL JUNGSEONG U-AE	11E7	HANGUL JONGSEONG SIOS-KIYEOK
118B	HANGUL JUNGSEONG U-EO-EU	11E8	HANGUL JONGSEONG SIOS-TIKEUT
118C	HANGUL JUNGSEONG U-YE	11E9	HANGUL JONGSEONG SIOS-RIEUL
118D	HANGUL JUNGSEONG U-U	11EA	HANGUL JONGSEONG SIOS-PIEUP
118E	HANGUL JUNGSEONG YU-A	11EB	HANGUL JONGSEONG PANSIOS
118F	HANGUL JUNGSEONG YU-EO	11EC	HANGUL JONGSEONG IEUNG-KIYEOK
1190	HANGUL JUNGSEONG YU-E	11ED	HANGUL JONGSEONG IEUNG-SSANGKIYEOK
1191	HANGUL JUNGSEONG YU-YEO	11EE	HANGUL JONGSEONG SSANGIEUNG
1192	HANGUL JUNGSEONG YU-YE	11EF	HANGUL JONGSEONG IEUNG-KHIEUKH
1193	HANGUL JUNGSEONG YU-U	11F0	HANGUL JONGSEONG YESIEUNG
1194	HANGUL JUNGSEONG YU-O	11F1	HANGUL JONGSEONG YESIEUNG-SIOS
1195	HANGUL JUNGSEONG EU-U	11F2	HANGUL JONGSEONG YESIEUNG-PANSIOS
1196	HANGUL JUNGSEONG EU-EU	11F3	HANGUL JONGSEONG PHIEUPH-PIEUP
1197	HANGUL JUNGSEONG YI-U	11F4	HANGUL JONGSEONG KAPYEOUNPHIEUPH
1198	HANGUL JUNGSEONG I-A	11F5	HANGUL JONGSEONG HIEUH-NIEUN
1199	HANGUL JUNGSEONG I-YA	11F6	HANGUL JONGSEONG HIEUH-RIEUL
119A	HANGUL JUNGSEONG I-O	11F7	HANGUL JONGSEONG HIEUH-MIEUM
119B	HANGUL JUNGSEONG I-U	11F8	HANGUL JONGSEONG HIEUH-PIEUP
119C	HANGUL JUNGSEONG I-EU	11F9	HANGUL JONGSEONG YEORINHIEUH
119D	HANGUL JUNGSEONG I-ARAEA	11FA	(This position shall not be used)
119E	HANGUL JUNGSEONG ARAEA	11FB	(This position shall not be used)
119F	HANGUL JUNGSEONG ARAEA-EO	11FC	(This position shall not be used)
11A0	HANGUL JUNGSEONG ARAEA-U	11FD	(This position shall not be used)
11A1	HANGUL JUNGSEONG ARAEA-I	11FE	(This position shall not be used)
11A2	HANGUL JUNGSEONG SSANGARAEA	11FF	(This position shall not be used)
11A3	(This position shall not be used)		
11A4	(This position shall not be used)		
11A5	(This position shall not be used)		
11A6	(This position shall not be used)		
11A7	(This position shall not be used)		
11A8	HANGUL JONGSEONG KIYEOK (g) *		
11A9	HANGUL JONGSEONG SSANGKIYEOK (gg) *		
11AA	HANGUL JONGSEONG KIYEOK-SIOS (gs) *		
11AB	HANGUL JONGSEONG NIEUN (n) *		
11AC	HANGUL JONGSEONG NIEUN-CIEUC (nj) *		
11AD	HANGUL JONGSEONG NIEUN-HIEUH (nh) *		
11AE	HANGUL JONGSEONG TIKEUT (d) *		
11AF	HANGUL JONGSEONG RIEUL (l) *		
11B0	HANGUL JONGSEONG RIEUL-KIYEOK (lg) *		
11B1	HANGUL JONGSEONG RIEUL-MIEUM (lm) *		
11B2	HANGUL JONGSEONG RIEUL-PIEUP (lb) *		
11B3	HANGUL JONGSEONG RIEUL-SIOS (ls) *		
11B4	HANGUL JONGSEONG RIEUL-THIEUTH (lt) *		
11B5	HANGUL JONGSEONG RIEUL-PHIEUPH (lp) *		
11B6	HANGUL JONGSEONG RIEUL-HIEUH (lh) *		
11B7	HANGUL JONGSEONG MIEUM (m) *		
11B8	HANGUL JONGSEONG PIEUP (b) *		
11B9	HANGUL JONGSEONG PIEUP-SIOS (bs) *		
11BA	HANGUL JONGSEONG SIOS (s) *		
11BB	HANGUL JONGSEONG SSANGSIOS (ss) *		
11BC	HANGUL JONGSEONG IEUNG (ng) *		
11BD	HANGUL JONGSEONG CIEUC (j) *		
11BE	HANGUL JONGSEONG CHIEUCH (c) *		
11BF	HANGUL JONGSEONG KHIEUKH (k) *		
11C0	HANGUL JONGSEONG THIEUTH (t) *		
11C1	HANGUL JONGSEONG PHIEUPH (p) *		
11C2	HANGUL JONGSEONG HIEUH (h) *		
11C3	HANGUL JONGSEONG KIYEOK-RIEUL		
11C4	HANGUL JONGSEONG KIYEOK-SIOS-KIYEOK		
11C5	HANGUL JONGSEONG NIEUN-KIYEOK		
11C6	HANGUL JONGSEONG NIEUN-TIKEUT		
11C7	HANGUL JONGSEONG NIEUN-SIOS		
11C8	HANGUL JONGSEONG NIEUN-PANSIOS		
11C9	HANGUL JONGSEONG NIEUN-THIEUTH		
11CA	HANGUL JONGSEONG TIKEUT-KIYEOK		
11CB	HANGUL JONGSEONG TIKEUT-RIEUL		
11CC	HANGUL JONGSEONG RIEUL-KIYEOK-SIOS		
11CD	HANGUL JONGSEONG RIEUL-NIEUN		
11CE	HANGUL JONGSEONG RIEUL-TIKEUT		
11CF	HANGUL JONGSEONG RIEUL-TIKEUT-HIEUH		
11D0	HANGUL JONGSEONG SSANGRIEUL		
11D1	HANGUL JONGSEONG RIEUL-MIEUM-KIYEOK		
11D2	HANGUL JONGSEONG RIEUL-MIEUM-SIOS		
11D3	HANGUL JONGSEONG RIEUL-PIEUP-SIOS		
11D4	HANGUL JONGSEONG RIEUL-PIEUP-HIEUH		
11D5	HANGUL JONGSEONG RIEUL-KAPYEOUNPIEUP		
11D6	HANGUL JONGSEONG RIEUL-SSANGSIOS		
11D7	HANGUL JONGSEONG RIEUL-PANSIOS		
11D8	HANGUL JONGSEONG RIEUL-KHIEUKH		
11D9	HANGUL JONGSEONG RIEUL-YEORINHIEUH		
11DA	HANGUL JONGSEONG MIEUM-KIYEOK		
11DB	HANGUL JONGSEONG MIEUM-RIEUL		
11DC	HANGUL JONGSEONG MIEUM-PIEUP		

Group 00

Plane 00

Row 11

Table 38 - Row 12: Ethiopic

	120	121	122	123	124	125	126	127
0	ሀ 1200	ሐ 1210	ሠ 1220	ሰ 1230	ቀ 1240	ቐ 1250	በ 1260	ተ 1270
1	ሁ 1201	ሑ 1211	ሡ 1221	ሱ 1231	ቁ 1241	ቑ 1251	ቡ 1261	ቲ 1271
2	ሂ 1202	ሒ 1212	ሢ 1222	ሲ 1232	ቂ 1242	ቊ 1252	ቢ 1262	ቲ 1272
3	ሃ 1203	ሓ 1213	ሣ 1223	ሳ 1233	ቃ 1243	ቐ 1253	ባ 1263	ታ 1273
4	ሄ 1204	ሔ 1214	ሣ 1224	ሴ 1234	ቄ 1244	ቋ 1254	ቤ 1264	ቲ 1274
5	ህ 1205	ሕ 1215	ሥ 1225	ስ 1235	ቅ 1245	ቕ 1255	ብ 1265	ት 1275
6	ሆ 1206	ሖ 1216	ሦ 1226	ሶ 1236	ቆ 1246	ቖ 1256	ቦ 1266	ቶ 1276
7		ሗ 1217	ሣ 1227	ሷ 1237			ቧ 1267	ቲ 1277
8	ለ 1208	መ 1218	ረ 1228	ሸ 1238	ቈ 1248	ቋ 1258	ሸ 1268	ቶ 1278
9	ሉ 1209	ሙ 1219	ሩ 1229	ሹ 1239			ሹ 1269	ቶ 1279
A	ሊ 120A	ሚ 121A	ሪ 122A	ሺ 123A	ቀሊ 124A	ቐሊ 125A	ሺ 126A	ቶ 127A
B	ላ 120B	ማ 121B	ራ 122B	ሻ 123B	ቁሊ 124B	ቑሊ 125B	ሻ 126B	ቶ 127B
C	ሌ 120C	ሚ 121C	ሪ 122C	ሼ 123C	ቂሊ 124C	ቋሊ 125C	ሼ 126C	ቶ 127C
D	ል 120D	ሞ 121D	ሮ 122D	ሽ 123D	ቀሊ 124D	ቐሊ 125D	ሽ 126D	ቶ 127D
E	ሎ 120E	ሞ 121E	ሮ 122E	ሾ 123E			ሾ 126E	ቶ 127E
F	ሷ 120F	ሚ 121F	ሪ 122F	ሺ 123F			ሺ 126F	ቶ 127F

G = 00
P = 00

Table 38 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1200	ETHIOPIC SYLLABLE HA	125D	ETHIOPIC SYLLABLE QHWE
1201	ETHIOPIC SYLLABLE HU	125E	(This position shall not be used)
1202	ETHIOPIC SYLLABLE HI	125F	(This position shall not be used)
1203	ETHIOPIC SYLLABLE HAA	1260	ETHIOPIC SYLLABLE BA
1204	ETHIOPIC SYLLABLE HEE	1261	ETHIOPIC SYLLABLE BU
1205	ETHIOPIC SYLLABLE HE	1262	ETHIOPIC SYLLABLE BI
1206	ETHIOPIC SYLLABLE HO	1263	ETHIOPIC SYLLABLE BAA
1207	(This position shall not be used)	1264	ETHIOPIC SYLLABLE BEE
1208	ETHIOPIC SYLLABLE LA	1265	ETHIOPIC SYLLABLE BE
1209	ETHIOPIC SYLLABLE LU	1266	ETHIOPIC SYLLABLE BO
120A	ETHIOPIC SYLLABLE LI	1267	ETHIOPIC SYLLABLE BWA
120B	ETHIOPIC SYLLABLE LAA	1268	ETHIOPIC SYLLABLE VA
120C	ETHIOPIC SYLLABLE LEE	1269	ETHIOPIC SYLLABLE VU
120D	ETHIOPIC SYLLABLE LE	126A	ETHIOPIC SYLLABLE VI
120E	ETHIOPIC SYLLABLE LO	126B	ETHIOPIC SYLLABLE VAA
120F	ETHIOPIC SYLLABLE LWA	126C	ETHIOPIC SYLLABLE VEE
1210	ETHIOPIC SYLLABLE HHA	126D	ETHIOPIC SYLLABLE VE
1211	ETHIOPIC SYLLABLE HHU	126E	ETHIOPIC SYLLABLE VO
1212	ETHIOPIC SYLLABLE HHI	126F	ETHIOPIC SYLLABLE VWVA
1213	ETHIOPIC SYLLABLE HHA	1270	ETHIOPIC SYLLABLE TA
1214	ETHIOPIC SYLLABLE HHEE	1271	ETHIOPIC SYLLABLE TU
1215	ETHIOPIC SYLLABLE HHE	1272	ETHIOPIC SYLLABLE TI
1216	ETHIOPIC SYLLABLE HHO	1273	ETHIOPIC SYLLABLE TAA
1217	ETHIOPIC SYLLABLE HHWA	1274	ETHIOPIC SYLLABLE TEE
1218	ETHIOPIC SYLLABLE MA	1275	ETHIOPIC SYLLABLE TE
1219	ETHIOPIC SYLLABLE MU	1276	ETHIOPIC SYLLABLE TO
121A	ETHIOPIC SYLLABLE MI	1277	ETHIOPIC SYLLABLE TWA
121B	ETHIOPIC SYLLABLE MAA	1278	ETHIOPIC SYLLABLE CA
121C	ETHIOPIC SYLLABLE MEE	1279	ETHIOPIC SYLLABLE CU
121D	ETHIOPIC SYLLABLE ME	127A	ETHIOPIC SYLLABLE CI
121E	ETHIOPIC SYLLABLE MO	127B	ETHIOPIC SYLLABLE CAA
121F	ETHIOPIC SYLLABLE MWA	127C	ETHIOPIC SYLLABLE CEE
1220	ETHIOPIC SYLLABLE SZA	127D	ETHIOPIC SYLLABLE CE
1221	ETHIOPIC SYLLABLE SZU	127E	ETHIOPIC SYLLABLE CO
1222	ETHIOPIC SYLLABLE SZI	127F	ETHIOPIC SYLLABLE CWA
1223	ETHIOPIC SYLLABLE SZAA		
1224	ETHIOPIC SYLLABLE SZEE		
1225	ETHIOPIC SYLLABLE SZE		
1226	ETHIOPIC SYLLABLE SZO		
1227	ETHIOPIC SYLLABLE SZWA		
1228	ETHIOPIC SYLLABLE RA		
1229	ETHIOPIC SYLLABLE RU		
122A	ETHIOPIC SYLLABLE RI		
122B	ETHIOPIC SYLLABLE RAA		
122C	ETHIOPIC SYLLABLE REE		
122D	ETHIOPIC SYLLABLE RE		
122E	ETHIOPIC SYLLABLE RO		
122F	ETHIOPIC SYLLABLE RWA		
1230	ETHIOPIC SYLLABLE SA		
1231	ETHIOPIC SYLLABLE SU		
1232	ETHIOPIC SYLLABLE SI		
1233	ETHIOPIC SYLLABLE SAA		
1234	ETHIOPIC SYLLABLE SEE		
1235	ETHIOPIC SYLLABLE SE		
1236	ETHIOPIC SYLLABLE SO		
1237	ETHIOPIC SYLLABLE SWA		
1238	ETHIOPIC SYLLABLE SHA		
1239	ETHIOPIC SYLLABLE SHU		
123A	ETHIOPIC SYLLABLE SHI		
123B	ETHIOPIC SYLLABLE SHAA		
123C	ETHIOPIC SYLLABLE SHEE		
123D	ETHIOPIC SYLLABLE SHE		
123E	ETHIOPIC SYLLABLE SHO		
123F	ETHIOPIC SYLLABLE SHWA		
1240	ETHIOPIC SYLLABLE QA		
1241	ETHIOPIC SYLLABLE QU		
1242	ETHIOPIC SYLLABLE QI		
1243	ETHIOPIC SYLLABLE QAA		
1244	ETHIOPIC SYLLABLE QEE		
1245	ETHIOPIC SYLLABLE QE		
1246	ETHIOPIC SYLLABLE QO		
1247	(This position shall not be used)		
1248	ETHIOPIC SYLLABLE QWA		
1249	(This position shall not be used)		
124A	ETHIOPIC SYLLABLE QWI		
124B	ETHIOPIC SYLLABLE QWAA		
124C	ETHIOPIC SYLLABLE QWEE		
124D	ETHIOPIC SYLLABLE QWE		
124E	(This position shall not be used)		
124F	(This position shall not be used)		
1250	ETHIOPIC SYLLABLE QHA		
1251	ETHIOPIC SYLLABLE QHU		
1252	ETHIOPIC SYLLABLE QHI		
1253	ETHIOPIC SYLLABLE QHAA		
1254	ETHIOPIC SYLLABLE QHEE		
1255	ETHIOPIC SYLLABLE QHE		
1256	ETHIOPIC SYLLABLE QHO		
1257	(This position shall not be used)		
1258	ETHIOPIC SYLLABLE QHWA		
1259	(This position shall not be used)		
125A	ETHIOPIC SYLLABLE QHWI		
125B	ETHIOPIC SYLLABLE QHWAA		
125C	ETHIOPIC SYLLABLE QHWEE		

Group 00

Plane 00

Row 12

Table 39 - Row 12: Ethiopic

	128	129	12A	12B	12C	12D	12E	12F
0	ሀ 1280	ሁ 1290	ሂ 12A0	ሃ 12B0	ሄ 12C0	ዐ 12D0	ዑ 12E0	ዒ 12F0
1	ህ 1281	ሆ 1291	ሇ 12A1			ዐ 12D1	ዑ 12E1	ዒ 12F1
2	ለ 1282	ሉ 1292	ሊ 12A2	ላ 12B2	ለ 12C2	ዐ 12D2	ዑ 12E2	ዒ 12F2
3	ሐ 1283	ሑ 1293	ሒ 12A3	ሓ 12B3	ሔ 12C3	ዐ 12D3	ዑ 12E3	ዒ 12F3
4	ሕ 1284	ሖ 1294	ሗ 12A4	መ 12B4	ሙ 12C4	ዐ 12D4	ዑ 12E4	ዒ 12F4
5	ላ 1285	ለ 1295	ሐ 12A5	ሑ 12B5	ሒ 12C5	ዐ 12D5	ዑ 12E5	ዒ 12F5
6	ላ 1286	ለ 1296	ሐ 12A6			ዐ 12D6	ዑ 12E6	ዒ 12F6
7		ላ 1297	ለ 12A7				ዐ 12E7	ዒ 12F7
8	ላ 1288	ለ 1298	ሐ 12A8	ሑ 12B8	ሒ 12C8	ዐ 12D8	ዑ 12E8	ዒ 12F8
9		ላ 1299	ለ 12A9	ሑ 12B9	ሒ 12C9	ዐ 12D9	ዑ 12E9	ዒ 12F9
A	ላ 128A	ለ 129A	ሐ 12AA	ሑ 12BA	ሒ 12CA	ዐ 12DA	ዑ 12EA	ዒ 12FA
B	ላ 128B	ለ 129B	ሐ 12AB	ሑ 12BB	ሒ 12CB	ዐ 12DB	ዑ 12EB	ዒ 12FB
C	ላ 128C	ለ 129C	ሐ 12AC	ሑ 12BC	ሒ 12CC	ዐ 12DC	ዑ 12EC	ዒ 12FC
D	ላ 128D	ለ 129D	ሐ 12AD	ሑ 12BD	ሒ 12CD	ዐ 12DD	ዑ 12ED	ዒ 12FD
E		ላ 129E	ለ 12AE	ሑ 12BE	ሒ 12CE	ዐ 12DE	ዑ 12EE	ዒ 12FE
F		ላ 129F				ዐ 12DF		ዒ 12FF

G = 00
P = 00

Table 39 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1280	ETHIOPIC SYLLABLE XA	12DD	ETHIOPIC SYLLABLE ZE
1281	ETHIOPIC SYLLABLE XU	12DE	ETHIOPIC SYLLABLE ZO
1282	ETHIOPIC SYLLABLE XI	12DF	ETHIOPIC SYLLABLE ZWA
1283	ETHIOPIC SYLLABLE XAA	12E0	ETHIOPIC SYLLABLE ZHA
1284	ETHIOPIC SYLLABLE XEE	12E1	ETHIOPIC SYLLABLE ZHU
1285	ETHIOPIC SYLLABLE XE	12E2	ETHIOPIC SYLLABLE ZHI
1286	ETHIOPIC SYLLABLE XO	12E3	ETHIOPIC SYLLABLE ZHAA
1287	(This position shall not be used)	12E4	ETHIOPIC SYLLABLE ZHEE
1288	ETHIOPIC SYLLABLE XWA	12E5	ETHIOPIC SYLLABLE ZHE
1289	(This position shall not be used)	12E6	ETHIOPIC SYLLABLE ZHO
128A	ETHIOPIC SYLLABLE XWI	12E7	ETHIOPIC SYLLABLE ZHWA
128B	ETHIOPIC SYLLABLE XWAA	12E8	ETHIOPIC SYLLABLE YA
128C	ETHIOPIC SYLLABLE XWEE	12E9	ETHIOPIC SYLLABLE YU
128D	ETHIOPIC SYLLABLE XWE	12EA	ETHIOPIC SYLLABLE YI
128E	(This position shall not be used)	12EB	ETHIOPIC SYLLABLE YAA
128F	(This position shall not be used)	12EC	ETHIOPIC SYLLABLE YEE
1290	ETHIOPIC SYLLABLE NA	12ED	ETHIOPIC SYLLABLE YE
1291	ETHIOPIC SYLLABLE NU	12EE	ETHIOPIC SYLLABLE YO
1292	ETHIOPIC SYLLABLE NI	12EF	(This position shall not be used)
1293	ETHIOPIC SYLLABLE NAA	12F0	ETHIOPIC SYLLABLE DA
1294	ETHIOPIC SYLLABLE NEE	12F1	ETHIOPIC SYLLABLE DU
1295	ETHIOPIC SYLLABLE NE	12F2	ETHIOPIC SYLLABLE DI
1296	ETHIOPIC SYLLABLE NO	12F3	ETHIOPIC SYLLABLE DAA
1297	ETHIOPIC SYLLABLE NWA	12F4	ETHIOPIC SYLLABLE DEE
1298	ETHIOPIC SYLLABLE NYA	12F5	ETHIOPIC SYLLABLE DE
1299	ETHIOPIC SYLLABLE NYU	12F6	ETHIOPIC SYLLABLE DO
129A	ETHIOPIC SYLLABLE NYI	12F7	ETHIOPIC SYLLABLE DWA
129B	ETHIOPIC SYLLABLE NYAA	12F8	ETHIOPIC SYLLABLE DDA
129C	ETHIOPIC SYLLABLE NYEE	12F9	ETHIOPIC SYLLABLE DDU
129D	ETHIOPIC SYLLABLE NYE	12FA	ETHIOPIC SYLLABLE DDI
129E	ETHIOPIC SYLLABLE NYO	12FB	ETHIOPIC SYLLABLE DDAA
129F	ETHIOPIC SYLLABLE NYWA	12FC	ETHIOPIC SYLLABLE DDEE
12A0	ETHIOPIC SYLLABLE GLOTTAL A	12FD	ETHIOPIC SYLLABLE DDE
12A1	ETHIOPIC SYLLABLE GLOTTAL U	12FE	ETHIOPIC SYLLABLE DDO
12A2	ETHIOPIC SYLLABLE GLOTTAL I	12FF	ETHIOPIC SYLLABLE DDWA
12A3	ETHIOPIC SYLLABLE GLOTTAL AA		
12A4	ETHIOPIC SYLLABLE GLOTTAL EE		
12A5	ETHIOPIC SYLLABLE GLOTTAL E		
12A6	ETHIOPIC SYLLABLE GLOTTAL O		
12A7	ETHIOPIC SYLLABLE GLOTTAL WA		
12A8	ETHIOPIC SYLLABLE KA		
12A9	ETHIOPIC SYLLABLE KU		
12AA	ETHIOPIC SYLLABLE KI		
12AB	ETHIOPIC SYLLABLE KAA		
12AC	ETHIOPIC SYLLABLE KEE		
12AD	ETHIOPIC SYLLABLE KE		
12AE	ETHIOPIC SYLLABLE KO		
12AF	(This position shall not be used)		
12B0	ETHIOPIC SYLLABLE KWA		
12B1	(This position shall not be used)		
12B2	ETHIOPIC SYLLABLE KWI		
12B3	ETHIOPIC SYLLABLE KWAA		
12B4	ETHIOPIC SYLLABLE KWEE		
12B5	ETHIOPIC SYLLABLE KWE		
12B6	(This position shall not be used)		
12B7	(This position shall not be used)		
12B8	ETHIOPIC SYLLABLE KXA		
12B9	ETHIOPIC SYLLABLE KXU		
12BA	ETHIOPIC SYLLABLE KXI		
12BB	ETHIOPIC SYLLABLE KXAA		
12BC	ETHIOPIC SYLLABLE KXEE		
12BD	ETHIOPIC SYLLABLE KXE		
12BE	ETHIOPIC SYLLABLE KXO		
12BF	(This position shall not be used)		
12C0	ETHIOPIC SYLLABLE KXWA		
12C1	(This position shall not be used)		
12C2	ETHIOPIC SYLLABLE KXWI		
12C3	ETHIOPIC SYLLABLE KXWAA		
12C4	ETHIOPIC SYLLABLE KXWEE		
12C5	ETHIOPIC SYLLABLE KXWE		
12C6	(This position shall not be used)		
12C7	(This position shall not be used)		
12C8	ETHIOPIC SYLLABLE WA		
12C9	ETHIOPIC SYLLABLE WU		
12CA	ETHIOPIC SYLLABLE WI		
12CB	ETHIOPIC SYLLABLE WAA		
12CC	ETHIOPIC SYLLABLE WEE		
12CD	ETHIOPIC SYLLABLE WE		
12CE	ETHIOPIC SYLLABLE WO		
12CF	(This position shall not be used)		
12D0	ETHIOPIC SYLLABLE PHARYNGEAL A		
12D1	ETHIOPIC SYLLABLE PHARYNGEAL U		
12D2	ETHIOPIC SYLLABLE PHARYNGEAL I		
12D3	ETHIOPIC SYLLABLE PHARYNGEAL AA		
12D4	ETHIOPIC SYLLABLE PHARYNGEAL EE		
12D5	ETHIOPIC SYLLABLE PHARYNGEAL E		
12D6	ETHIOPIC SYLLABLE PHARYNGEAL O		
12D7	(This position shall not be used)		
12D8	ETHIOPIC SYLLABLE ZA		
12D9	ETHIOPIC SYLLABLE ZU		
12DA	ETHIOPIC SYLLABLE ZI		
12DB	ETHIOPIC SYLLABLE ZAA		
12DC	ETHIOPIC SYLLABLE ZEE		

Group 00

Plane 00

Row 12

Table 40 - Row 13: Ethiopic

	130	131	132	133	134	135	136	137
0	ጂ 1300	ገ 1310	ጠ 1320	ጳ 1330	ፀ 1340	ፕ 1350		፳ 1370
1	ጃ 1301		ጡ 1321	ጴ 1331	ፁ 1341	ፑ 1351	፻ 1361	፴ 1371
2	ጄ 1302	ገሥ 1312	ጢ 1322	ጵ 1332	፺ 1342	ፒ 1352	፷ 1362	፵ 1372
3	ጅ 1303	ገጌ 1313	ጣ 1323	ጶ 1333	፻ 1343	ፓ 1353	፸ 1363	፶ 1373
4	ጆ 1304	ገጊ 1314	ጤ 1324	ጷ 1334	፻፩ 1344	ፔ 1354	፹ 1364	፷ 1374
5	ጇ 1305	ገጊ 1315	ፑ 1325	ጸ 1335	፻፪ 1345	ፕ 1355	፺ 1365	፸፩ 1375
6	ገ 1306		ጠ 1326	ጳ 1336	ፀ 1346	ፕ 1356	፻፫ 1366	፹፩ 1376
7	ገ 1307		ጡ 1327	ጴ 1337		ፕ 1357	፻፬ 1367	፳፩ 1377
8	ገ 1308	ገጊ 1318	ጠፎ 1328	ጳጳ 1338	ፀፈ 1348	ፕፎ 1358	፻፭ 1368	፳፪ 1378
9	ገ 1309	ገጊ 1319	ጠፎፎ 1329	ጳጳ፩ 1339	ፀፈ፩ 1349	ፕፎ፩ 1359	፻፮ 1369	፳፫ 1379
A	ገ 130A	ገጊ 131A	ጠፎ፩ 132A	ጳጳ፩ 133A	ፀፈ፩ 134A	ፕፎ፩ 135A	፻፯ 136A	፳፬ 137A
B	ገ 130B	ገጊ 131B	ጠፎ፪ 132B	ጳጳ፪ 133B	ፀፈ፪ 134B		፻፰ 136B	፳፭ 137B
C	ገ 130C	ገጊ 131C	ጠፎ፫ 132C	ጳጳ፫ 133C	ፀፈ፫ 134C		፻፱ 136C	፳፮ 137C
D	ገ 130D	ገጊ 131D	ጠፎ፬ 132D	ጳጳ፬ 133D	ፀፈ፬ 134D		፻፺ 136D	
E	ገ 130E	ገጊ 131E	ጠፎ፭ 132E	ጳጳ፭ 133E	ፀፈ፭ 134E		፻፻፩ 136E	
F			ጠፎ፮ 132F	ጳጳ፮ 133F	ፀፈ፮ 134F		፻፻፪ 136F	

G = 00
P = 00

Table 40 - Row 13: Ethiopic

HEX	NAME	HEX	NAME
1300	ETHIOPIC SYLLABLE JA	135D	(This position shall not be used)
1301	ETHIOPIC SYLLABLE JU	135E	(This position shall not be used)
1302	ETHIOPIC SYLLABLE JI	135F	(This position shall not be used)
1303	ETHIOPIC SYLLABLE JAA	1360	(This position shall not be used)
1304	ETHIOPIC SYLLABLE JEE	1361	ETHIOPIC WORDSPACE
1305	ETHIOPIC SYLLABLE JE	1362	ETHIOPIC FULL STOP
1306	ETHIOPIC SYLLABLE JO	1363	ETHIOPIC COMMA
1307	ETHIOPIC SYLLABLE JWA	1364	ETHIOPIC SEMICOLON
1308	ETHIOPIC SYLLABLE GA	1365	ETHIOPIC COLON
1309	ETHIOPIC SYLLABLE GU	1366	ETHIOPIC PREFACE COLON
130A	ETHIOPIC SYLLABLE GI	1367	ETHIOPIC QUESTION MARK
130B	ETHIOPIC SYLLABLE GAA	1368	ETHIOPIC PARAGRAPH SEPARATOR
130C	ETHIOPIC SYLLABLE GEE	1369	ETHIOPIC DIGIT ONE
130D	ETHIOPIC SYLLABLE GE	136A	ETHIOPIC DIGIT TWO
130E	ETHIOPIC SYLLABLE GO	136B	ETHIOPIC DIGIT THREE
130F	(This position shall not be used)	136C	ETHIOPIC DIGIT FOUR
1310	ETHIOPIC SYLLABLE GWA	136D	ETHIOPIC DIGIT FIVE
1311	(This position shall not be used)	136E	ETHIOPIC DIGIT SIX
1312	ETHIOPIC SYLLABLE GWI	136F	ETHIOPIC DIGIT SEVEN
1313	ETHIOPIC SYLLABLE GWAA	1370	ETHIOPIC DIGIT EIGHT
1314	ETHIOPIC SYLLABLE GWEE	1371	ETHIOPIC DIGIT NINE
1315	ETHIOPIC SYLLABLE GWE	1372	ETHIOPIC NUMBER TEN
1316	(This position shall not be used)	1373	ETHIOPIC NUMBER TWENTY
1317	(This position shall not be used)	1374	ETHIOPIC NUMBER THIRTY
1318	ETHIOPIC SYLLABLE GGA	1375	ETHIOPIC NUMBER FORTY
1319	ETHIOPIC SYLLABLE GGU	1376	ETHIOPIC NUMBER FIFTY
131A	ETHIOPIC SYLLABLE GGI	1377	ETHIOPIC NUMBER SIXTY
131B	ETHIOPIC SYLLABLE GGAA	1378	ETHIOPIC NUMBER SEVENTY
131C	ETHIOPIC SYLLABLE GGEE	1379	ETHIOPIC NUMBER EIGHTY
131D	ETHIOPIC SYLLABLE GGE	137A	ETHIOPIC NUMBER NINETY
131E	ETHIOPIC SYLLABLE GGO	137B	ETHIOPIC NUMBER HUNDRED
131F	(This position shall not be used)	137C	ETHIOPIC NUMBER TEN THOUSAND
1320	ETHIOPIC SYLLABLE THA	137D	(This position shall not be used)
1321	ETHIOPIC SYLLABLE THU	137E	(This position shall not be used)
1322	ETHIOPIC SYLLABLE THI	137F	(This position shall not be used)
1323	ETHIOPIC SYLLABLE THAA		
1324	ETHIOPIC SYLLABLE THEE		
1325	ETHIOPIC SYLLABLE THE		
1326	ETHIOPIC SYLLABLE THO		
1327	ETHIOPIC SYLLABLE THWA		
1328	ETHIOPIC SYLLABLE CHA		
1329	ETHIOPIC SYLLABLE CHU		
132A	ETHIOPIC SYLLABLE CHI		
132B	ETHIOPIC SYLLABLE CHAA		
132C	ETHIOPIC SYLLABLE CHEE		
132D	ETHIOPIC SYLLABLE CHE		
132E	ETHIOPIC SYLLABLE CHO		
132F	ETHIOPIC SYLLABLE CHWA		
1330	ETHIOPIC SYLLABLE PHA		
1331	ETHIOPIC SYLLABLE PHU		
1332	ETHIOPIC SYLLABLE PHI		
1333	ETHIOPIC SYLLABLE PHAA		
1334	ETHIOPIC SYLLABLE PHEE		
1335	ETHIOPIC SYLLABLE PHE		
1336	ETHIOPIC SYLLABLE PHO		
1337	ETHIOPIC SYLLABLE PHWA		
1338	ETHIOPIC SYLLABLE TSA		
1339	ETHIOPIC SYLLABLE TSU		
133A	ETHIOPIC SYLLABLE TSI		
133B	ETHIOPIC SYLLABLE TSAA		
133C	ETHIOPIC SYLLABLE TSEE		
133D	ETHIOPIC SYLLABLE TSE		
133E	ETHIOPIC SYLLABLE TSO		
133F	ETHIOPIC SYLLABLE TSWA		
1340	ETHIOPIC SYLLABLE TZA		
1341	ETHIOPIC SYLLABLE TZU		
1342	ETHIOPIC SYLLABLE TZI		
1343	ETHIOPIC SYLLABLE TZAA		
1344	ETHIOPIC SYLLABLE TZEE		
1345	ETHIOPIC SYLLABLE TZE		
1346	ETHIOPIC SYLLABLE TZO		
1347	(This position shall not be used)		
1348	ETHIOPIC SYLLABLE FA		
1349	ETHIOPIC SYLLABLE FU		
134A	ETHIOPIC SYLLABLE FI		
134B	ETHIOPIC SYLLABLE FAA		
134C	ETHIOPIC SYLLABLE FEE		
134D	ETHIOPIC SYLLABLE FE		
134E	ETHIOPIC SYLLABLE FO		
134F	ETHIOPIC SYLLABLE FWA		
1350	ETHIOPIC SYLLABLE PA		
1351	ETHIOPIC SYLLABLE PU		
1352	ETHIOPIC SYLLABLE PI		
1353	ETHIOPIC SYLLABLE PAA		
1354	ETHIOPIC SYLLABLE PEE		
1355	ETHIOPIC SYLLABLE PE		
1356	ETHIOPIC SYLLABLE PO		
1357	ETHIOPIC SYLLABLE PWA		
1358	ETHIOPIC SYLLABLE RYA		
1359	ETHIOPIC SYLLABLE MYA		
135A	ETHIOPIC SYLLABLE FYA		
135B	(This position shall not be used)		
135C	(This position shall not be used)		

Group 00

Plane 00

Row 13

Table 41 - Row 13: Cherokee

	13A	13B	13C	13D	13E	13F
0	D 13A0	F 13B0	G 13C0	† 13D0	‡ 13E0	β 13F0
1	R 13A1	Γ 13B1	Λ 13C1	∞ 13D1	∅ 13E1	∂ 13F1
2	T 13A2	Q 13B2	h 13C2	R 13D2	P 13E2	h 13F2
3	ð 13A3	W 13B3	Z 13C3	L 13D3	G 13E3	G ^w 13F3
4	Œ 13A4	ø 13B4	q 13C4	W 13D4	V 13E4	B 13F4
5	i 13A5	Ɔ 13B5	Œ 13C5	Œ 13D5	h 13E5	
6	Œ 13A6	G 13B6	T 13C6	τ 13D6	K 13E6	
7	∅ 13A7	M 13B7	∅ 13C7	λ 13D7	J 13E7	
8	Ɔ 13A8	q 13B8	∅ 13C8	λ 13D8	C ^w 13E8	
9	Y 13A9	∅ 13B9	v 13C9	V 13D9	G 13E9	
A	A 13AA	∅ 13BA	∅ 13CA	S 13DA	∅ 13EA	
B	J 13AB	H 13BB	ε 13CB	∅ 13DB	∅ 13EB	
C	E 13AC	∅ 13BC	U 13CC	∅ 13DC	∅ 13EC	
D	‡ 13AD	Y 13BD	∅ 13CD	L 13DD	∅ 13ED	
E	Ɔ 13AE	∅ 13BE	4 13CE	L 13DE	6 13EE	
F	∅ 13AF	t 13BF	∅ 13CF	C 13DF	∅ 13EF	

G = 00
P = 00

Table 41 - Row 13: Cherokee

































































































































































HEX	NAME	HEX	NAME
13A0	CHEROKEE LETTER A	13FD	(This position shall not be used)
13A1	CHEROKEE LETTER E	13FE	(This position shall not be used)
13A2	CHEROKEE LETTER I	13FF	(This position shall not be used)
13A3	CHEROKEE LETTER O		
13A4	CHEROKEE LETTER U		
13A5	CHEROKEE LETTER V		
13A6	CHEROKEE LETTER GA		
13A7	CHEROKEE LETTER KA		
13A8	CHEROKEE LETTER GE		
13A9	CHEROKEE LETTER GI		
13AA	CHEROKEE LETTER GO		
13AB	CHEROKEE LETTER GU		
13AC	CHEROKEE LETTER GV		
13AD	CHEROKEE LETTER HA		
13AE	CHEROKEE LETTER HE		
13AF	CHEROKEE LETTER HI		
13B0	CHEROKEE LETTER HO		
13B1	CHEROKEE LETTER HU		
13B2	CHEROKEE LETTER HV		
13B3	CHEROKEE LETTER LA		
13B4	CHEROKEE LETTER LE		
13B5	CHEROKEE LETTER LI		
13B6	CHEROKEE LETTER LO		
13B7	CHEROKEE LETTER LU		
13B8	CHEROKEE LETTER LV		
13B9	CHEROKEE LETTER MA		
13BA	CHEROKEE LETTER ME		
13BB	CHEROKEE LETTER MI		
13BC	CHEROKEE LETTER MO		
13BD	CHEROKEE LETTER MU		
13BE	CHEROKEE LETTER NA		
13BF	CHEROKEE LETTER HNA		
13C0	CHEROKEE LETTER NAH		
13C1	CHEROKEE LETTER NE		
13C2	CHEROKEE LETTER NI		
13C3	CHEROKEE LETTER NO		
13C4	CHEROKEE LETTER NU		
13C5	CHEROKEE LETTER NV		
13C6	CHEROKEE LETTER QUA		
13C7	CHEROKEE LETTER QUE		
13C8	CHEROKEE LETTER QUI		
13C9	CHEROKEE LETTER QUO		
13CA	CHEROKEE LETTER QUU		
13CB	CHEROKEE LETTER QUV		
13CC	CHEROKEE LETTER SA		
13CD	CHEROKEE LETTER S		
13CE	CHEROKEE LETTER SE		
13CF	CHEROKEE LETTER SI		
13D0	CHEROKEE LETTER SO		
13D1	CHEROKEE LETTER SU		
13D2	CHEROKEE LETTER SV		
13D3	CHEROKEE LETTER DA		
13D4	CHEROKEE LETTER TA		
13D5	CHEROKEE LETTER DE		
13D6	CHEROKEE LETTER TE		
13D7	CHEROKEE LETTER DI		
13D8	CHEROKEE LETTER TI		
13D9	CHEROKEE LETTER DO		
13DA	CHEROKEE LETTER DU		
13DB	CHEROKEE LETTER DV		
13DC	CHEROKEE LETTER DLA		
13DD	CHEROKEE LETTER TLA		
13DE	CHEROKEE LETTER TLE		
13DF	CHEROKEE LETTER TLI		
13E0	CHEROKEE LETTER TLO		
13E1	CHEROKEE LETTER TLU		
13E2	CHEROKEE LETTER TLV		
13E3	CHEROKEE LETTER TSA		
13E4	CHEROKEE LETTER TSE		
13E5	CHEROKEE LETTER TSI		
13E6	CHEROKEE LETTER TSO		
13E7	CHEROKEE LETTER TSU		
13E8	CHEROKEE LETTER TSV		
13E9	CHEROKEE LETTER WA		
13EA	CHEROKEE LETTER WE		
13EB	CHEROKEE LETTER WI		
13EC	CHEROKEE LETTER WO		
13ED	CHEROKEE LETTER WU		
13EE	CHEROKEE LETTER WV		
13EF	CHEROKEE LETTER YA		
13F0	CHEROKEE LETTER YE		
13F1	CHEROKEE LETTER YI		
13F2	CHEROKEE LETTER YO		
13F3	CHEROKEE LETTER YU		
13F4	CHEROKEE LETTER YV		
13F5	(This position shall not be used)		
13F6	(This position shall not be used)		
13F7	(This position shall not be used)		
13F8	(This position shall not be used)		
13F9	(This position shall not be used)		
13FA	(This position shall not be used)		
13FB	(This position shall not be used)		
13FC	(This position shall not be used)		

Group 00

Plane 00

Row 13

Table 42 - Row 14: Unified Canadian Aboriginal Syllabics

	140	141	142	143	144	145	146	147	148	149
0		 1410	 1420	 1430	 1440	 1450	 1460	 1470	 1480	 1490
1	 1401	 1411	 1421	 1431	 1441	 1451	 1461	 1471	 1481	 1491
2	 1402	 1412	 1422	 1432	 1442	 1452	 1462	 1472	 1482	 1492
3	 1403	 1413	 1423	 1433	 1443	 1453	 1463	 1473	 1483	 1493
4	 1404	 1414	 1424	 1434	 1444	 1454	 1464	 1474	 1484	 1494
5	 1405	 1415	 1425	 1435	 1445	 1455	 1465	 1475	 1485	 1495
6	 1406	 1416	 1426	 1436	 1446	 1456	 1466	 1476	 1486	 1496
7	 1407	 1417	 1427	 1437	 1447	 1457	 1467	 1477	 1487	 1497
8	 1408	 1418	 1428	 1438	 1448	 1458	 1468	 1478	 1488	 1498
9	 1409	 1419	 1429	 1439	 1449	 1459	 1469	 1479	 1489	 1499
A	 140A	 141A	 142A	 143A	 144A	 145A	 146A	 147A	 148A	 149A
B	 140B	 141B	 142B	 143B	 144B	 145B	 146B	 147B	 148B	 149B
C	 140C	 141C	 142C	 143C	 144C	 145C	 146C	 147C	 148C	 149C
D	 140D	 141D	 142D	 143D	 144D	 145D	 146D	 147D	 148D	 149D
E	 140E	 141E	 142E	 143E	 144E	 145E	 146E	 147E	 148E	 149E
F	 140F	 141F	 142F	 143F	 144F	 145F	 146F	 147F	 148F	 149F

G = 00
P = 00

Table 42 - Row 14: Unified Canadian Aboriginal Syllabics

HEX	NAME	HEX	NAME
1400	(This position shall not be used)	145D	CANADIAN SYLLABICS TWO
1401	CANADIAN SYLLABICS E	145E	CANADIAN SYLLABICS WEST-CREE TWO
1402	CANADIAN SYLLABICS AAI	145F	CANADIAN SYLLABICS TWOOD
1403	CANADIAN SYLLABICS I	1460	CANADIAN SYLLABICS WEST-CREE TWOOD
1404	CANADIAN SYLLABICS II	1461	CANADIAN SYLLABICS TWA
1405	CANADIAN SYLLABICS O	1462	CANADIAN SYLLABICS WEST-CREE TWA
1406	CANADIAN SYLLABICS OO	1463	CANADIAN SYLLABICS TWAA
1407	CANADIAN SYLLABICS Y-CREE OO	1464	CANADIAN SYLLABICS WEST-CREE TWAA
1408	CANADIAN SYLLABICS CARRIER EE	1465	CANADIAN SYLLABICS NASKAPI TWAA
1409	CANADIAN SYLLABICS CARRIER I	1466	CANADIAN SYLLABICS T
140A	CANADIAN SYLLABICS A	1467	CANADIAN SYLLABICS TTE
140B	CANADIAN SYLLABICS AA	1468	CANADIAN SYLLABICS TTI
140C	CANADIAN SYLLABICS WE	1469	CANADIAN SYLLABICS TTO
140D	CANADIAN SYLLABICS WEST-CREE WE	146A	CANADIAN SYLLABICS TTA
140E	CANADIAN SYLLABICS WI	146B	CANADIAN SYLLABICS KE
140F	CANADIAN SYLLABICS WEST-CREE WI	146C	CANADIAN SYLLABICS KAAI
1410	CANADIAN SYLLABICS WII	146D	CANADIAN SYLLABICS KI
1411	CANADIAN SYLLABICS WEST-CREE WII	146E	CANADIAN SYLLABICS KII
1412	CANADIAN SYLLABICS WO	146F	CANADIAN SYLLABICS KO
1413	CANADIAN SYLLABICS WEST-CREE WO	1470	CANADIAN SYLLABICS KOO
1414	CANADIAN SYLLABICS WOO	1471	CANADIAN SYLLABICS Y-CREE KOO
1415	CANADIAN SYLLABICS WEST-CREE WOO	1472	CANADIAN SYLLABICS KA
1416	CANADIAN SYLLABICS NASKAPI WOO	1473	CANADIAN SYLLABICS KAA
1417	CANADIAN SYLLABICS WA	1474	CANADIAN SYLLABICS KWE
1418	CANADIAN SYLLABICS WEST-CREE WA	1475	CANADIAN SYLLABICS WEST-CREE KWE
1419	CANADIAN SYLLABICS WAA	1476	CANADIAN SYLLABICS KWI
141A	CANADIAN SYLLABICS WEST-CREE WAA	1477	CANADIAN SYLLABICS WEST-CREE KWI
141B	CANADIAN SYLLABICS NASKAPI WAA	1478	CANADIAN SYLLABICS KWII
141C	CANADIAN SYLLABICS AI	1479	CANADIAN SYLLABICS WEST-CREE KWII
141D	CANADIAN SYLLABICS Y-CREE W	147A	CANADIAN SYLLABICS KWO
141E	CANADIAN SYLLABICS GLOTTAL STOP	147B	CANADIAN SYLLABICS WEST-CREE KWO
141F	CANADIAN SYLLABICS FINAL ACUTE	147C	CANADIAN SYLLABICS KWOO
1420	CANADIAN SYLLABICS FINAL GRAVE	147D	CANADIAN SYLLABICS WEST-CREE KWOO
1421	CANADIAN SYLLABICS FINAL BOTTOM HALF RING	147E	CANADIAN SYLLABICS KWA
1422	CANADIAN SYLLABICS FINAL TOP HALF RING	147F	CANADIAN SYLLABICS WEST-CREE KWA
1423	CANADIAN SYLLABICS FINAL RIGHT HALF RING	1480	CANADIAN SYLLABICS KWAA
1424	CANADIAN SYLLABICS FINAL RING	1481	CANADIAN SYLLABICS WEST-CREE KWAA
1425	CANADIAN SYLLABICS FINAL DOUBLE ACUTE	1482	CANADIAN SYLLABICS NASKAPI KWAA
1426	CANADIAN SYLLABICS FINAL DOUBLE SHORT VERTICAL STROKES	1483	CANADIAN SYLLABICS K
1427	CANADIAN SYLLABICS FINAL MIDDLE DOT	1484	CANADIAN SYLLABICS KW
1428	CANADIAN SYLLABICS FINAL SHORT HORIZONTAL STROKE	1485	CANADIAN SYLLABICS SOUTH-SLAVEY KEH
1429	CANADIAN SYLLABICS FINAL PLUS	1486	CANADIAN SYLLABICS SOUTH-SLAVEY KIH
142A	CANADIAN SYLLABICS FINAL DOWN TACK	1487	CANADIAN SYLLABICS SOUTH-SLAVEY KOH
142B	CANADIAN SYLLABICS EN	1488	CANADIAN SYLLABICS SOUTH-SLAVEY KAH
142C	CANADIAN SYLLABICS IN	1489	CANADIAN SYLLABICS CE
142D	CANADIAN SYLLABICS ON	148A	CANADIAN SYLLABICS CAAI
142E	CANADIAN SYLLABICS AN	148B	CANADIAN SYLLABICS CI
142F	CANADIAN SYLLABICS PE	148C	CANADIAN SYLLABICS CII
1430	CANADIAN SYLLABICS PAI	148D	CANADIAN SYLLABICS CO
1431	CANADIAN SYLLABICS PI	148E	CANADIAN SYLLABICS COO
1432	CANADIAN SYLLABICS PII	148F	CANADIAN SYLLABICS Y-CREE COO
1433	CANADIAN SYLLABICS PO	1490	CANADIAN SYLLABICS CA
1434	CANADIAN SYLLABICS POO	1491	CANADIAN SYLLABICS CAA
1435	CANADIAN SYLLABICS Y-CREE POO	1492	CANADIAN SYLLABICS CWE
1436	CANADIAN SYLLABICS CARRIER HEE	1493	CANADIAN SYLLABICS WEST-CREE CWE
1437	CANADIAN SYLLABICS CARRIER HI	1494	CANADIAN SYLLABICS CWI
1438	CANADIAN SYLLABICS PA	1495	CANADIAN SYLLABICS WEST-CREE CWI
1439	CANADIAN SYLLABICS PAA	1496	CANADIAN SYLLABICS CWII
143A	CANADIAN SYLLABICS PWE	1497	CANADIAN SYLLABICS WEST-CREE CWII
143B	CANADIAN SYLLABICS WEST-CREE PWE	1498	CANADIAN SYLLABICS CWO
143C	CANADIAN SYLLABICS PWI	1499	CANADIAN SYLLABICS WEST-CREE CWO
143D	CANADIAN SYLLABICS WEST-CREE PWI	149A	CANADIAN SYLLABICS CWOO
143E	CANADIAN SYLLABICS PWII	149B	CANADIAN SYLLABICS WEST-CREE CWOO
143F	CANADIAN SYLLABICS WEST-CREE PWII	149C	CANADIAN SYLLABICS CWA
1440	CANADIAN SYLLABICS PWO	149D	CANADIAN SYLLABICS WEST-CREE CWA
1441	CANADIAN SYLLABICS WEST-CREE PWO	149E	CANADIAN SYLLABICS CWAA
1442	CANADIAN SYLLABICS PWOO	149F	CANADIAN SYLLABICS WEST-CREE CWAA
1443	CANADIAN SYLLABICS WEST-CREE PWOO		
1444	CANADIAN SYLLABICS PWA		
1445	CANADIAN SYLLABICS WEST-CREE PWA		
1446	CANADIAN SYLLABICS PWAA		
1447	CANADIAN SYLLABICS WEST-CREE PWAA		
1448	CANADIAN SYLLABICS Y-CREE PWAA		
1449	CANADIAN SYLLABICS P		
144A	CANADIAN SYLLABICS WEST-CREE P		
144B	CANADIAN SYLLABICS CARRIER H		
144C	CANADIAN SYLLABICS TE		
144D	CANADIAN SYLLABICS TAAI		
144E	CANADIAN SYLLABICS TI		
144F	CANADIAN SYLLABICS TII		
1450	CANADIAN SYLLABICS TO		
1451	CANADIAN SYLLABICS TOO		
1452	CANADIAN SYLLABICS Y-CREE TOO		
1453	CANADIAN SYLLABICS CARRIER DEE		
1454	CANADIAN SYLLABICS CARRIER DI		
1455	CANADIAN SYLLABICS TA		
1456	CANADIAN SYLLABICS TAA		
1457	CANADIAN SYLLABICS TWE		
1458	CANADIAN SYLLABICS WEST-CREE TWE		
1459	CANADIAN SYLLABICS TWI		
145A	CANADIAN SYLLABICS WEST-CREE TWI		
145B	CANADIAN SYLLABICS TWII		
145C	CANADIAN SYLLABICS WEST-CREE TWII		

Group 00

Plane 00

Row 14

Table 43 - Rows 14-15: Unified Canadian Aboriginal Syllabics

HEX	NAME	HEX	NAME
14A0	CANADIAN SYLLABICS NASKAPI CWAA	14FD	CANADIAN SYLLABICS WEST-CREE SWO
14A1	CANADIAN SYLLABICS C	14FE	CANADIAN SYLLABICS SWOO
14A2	CANADIAN SYLLABICS SAYISI TH	14FF	CANADIAN SYLLABICS WEST-CREE SWOO
14A3	CANADIAN SYLLABICS ME	1500	CANADIAN SYLLABICS SWA
14A4	CANADIAN SYLLABICS MAAI	1501	CANADIAN SYLLABICS WEST-CREE SWA
14A5	CANADIAN SYLLABICS MI	1502	CANADIAN SYLLABICS SWAA
14A6	CANADIAN SYLLABICS MII	1503	CANADIAN SYLLABICS WEST-CREE SWAA
14A7	CANADIAN SYLLABICS MO	1504	CANADIAN SYLLABICS NASKAPI SWAA
14A8	CANADIAN SYLLABICS MOO	1505	CANADIAN SYLLABICS S
14A9	CANADIAN SYLLABICS Y-CREE MOO	1506	CANADIAN SYLLABICS ATHAPASCAN S
14AA	CANADIAN SYLLABICS MA	1507	CANADIAN SYLLABICS SW
14AB	CANADIAN SYLLABICS MAA	1508	CANADIAN SYLLABICS BLACKFOOT S
14AC	CANADIAN SYLLABICS MWE	1509	CANADIAN SYLLABICS MOOSE-CREE SK
14AD	CANADIAN SYLLABICS WEST-CREE MWE	150A	CANADIAN SYLLABICS NASKAPI SKW
14AE	CANADIAN SYLLABICS MWI	150B	CANADIAN SYLLABICS NASKAPI S-W
14AF	CANADIAN SYLLABICS WEST-CREE MWI	150C	CANADIAN SYLLABICS NASKAPI SPWA
14B0	CANADIAN SYLLABICS MWII	150D	CANADIAN SYLLABICS NASKAPI STWA
14B1	CANADIAN SYLLABICS WEST-CREE MWII	150E	CANADIAN SYLLABICS NASKAPI SKWA
14B2	CANADIAN SYLLABICS MWO	150F	CANADIAN SYLLABICS NASKAPI SCWA
14B3	CANADIAN SYLLABICS WEST-CREE MWO	1510	CANADIAN SYLLABICS SHE
14B4	CANADIAN SYLLABICS MWOO	1511	CANADIAN SYLLABICS SHI
14B5	CANADIAN SYLLABICS WEST-CREE MWOO	1512	CANADIAN SYLLABICS SHII
14B6	CANADIAN SYLLABICS MWA	1513	CANADIAN SYLLABICS SHO
14B7	CANADIAN SYLLABICS WEST-CREE MWA	1514	CANADIAN SYLLABICS SHOO
14B8	CANADIAN SYLLABICS MWAA	1515	CANADIAN SYLLABICS SHA
14B9	CANADIAN SYLLABICS WEST-CREE MWAA	1516	CANADIAN SYLLABICS SHAA
14BA	CANADIAN SYLLABICS NASKAPI MWAA	1517	CANADIAN SYLLABICS SHWE
14BB	CANADIAN SYLLABICS M	1518	CANADIAN SYLLABICS WEST-CREE SHWE
14BC	CANADIAN SYLLABICS WEST-CREE M	1519	CANADIAN SYLLABICS SHWI
14BD	CANADIAN SYLLABICS MH	151A	CANADIAN SYLLABICS WEST-CREE SHWI
14BE	CANADIAN SYLLABICS ATHAPASCAN M	151B	CANADIAN SYLLABICS SHWII
14BF	CANADIAN SYLLABICS SAYISI M	151C	CANADIAN SYLLABICS WEST-CREE SHWII
14C0	CANADIAN SYLLABICS NE	151D	CANADIAN SYLLABICS SHWO
14C1	CANADIAN SYLLABICS NAAI	151E	CANADIAN SYLLABICS WEST-CREE SHWO
14C2	CANADIAN SYLLABICS NI	151F	CANADIAN SYLLABICS SHWOO
14C3	CANADIAN SYLLABICS NII	1520	CANADIAN SYLLABICS WEST-CREE SHWOO
14C4	CANADIAN SYLLABICS NO	1521	CANADIAN SYLLABICS SHWA
14C5	CANADIAN SYLLABICS NOO	1522	CANADIAN SYLLABICS WEST-CREE SHWA
14C6	CANADIAN SYLLABICS Y-CREE NOO	1523	CANADIAN SYLLABICS SHWAA
14C7	CANADIAN SYLLABICS NA	1524	CANADIAN SYLLABICS WEST-CREE SHWAA
14C8	CANADIAN SYLLABICS NAA	1525	CANADIAN SYLLABICS SH
14C9	CANADIAN SYLLABICS NWE	1526	CANADIAN SYLLABICS YE
14CA	CANADIAN SYLLABICS WEST-CREE NWE	1527	CANADIAN SYLLABICS YAAI
14CB	CANADIAN SYLLABICS NWA	1528	CANADIAN SYLLABICS YI
14CC	CANADIAN SYLLABICS WEST-CREE NWA	1529	CANADIAN SYLLABICS YII
14CD	CANADIAN SYLLABICS NWAA	152A	CANADIAN SYLLABICS YO
14CE	CANADIAN SYLLABICS WEST-CREE NWAA	152B	CANADIAN SYLLABICS YOO
14CF	CANADIAN SYLLABICS NASKAPI NWAA	152C	CANADIAN SYLLABICS Y-CREE YOO
14D0	CANADIAN SYLLABICS N	152D	CANADIAN SYLLABICS YA
14D1	CANADIAN SYLLABICS CARRIER NG	152E	CANADIAN SYLLABICS YAA
14D2	CANADIAN SYLLABICS NH	152F	CANADIAN SYLLABICS YWE
14D3	CANADIAN SYLLABICS LE	1530	CANADIAN SYLLABICS WEST-CREE YWE
14D4	CANADIAN SYLLABICS LAAI	1531	CANADIAN SYLLABICS YWI
14D5	CANADIAN SYLLABICS LI	1532	CANADIAN SYLLABICS WEST-CREE YWI
14D6	CANADIAN SYLLABICS LII	1533	CANADIAN SYLLABICS YWII
14D7	CANADIAN SYLLABICS LO	1534	CANADIAN SYLLABICS WEST-CREE YWII
14D8	CANADIAN SYLLABICS LOO	1535	CANADIAN SYLLABICS YWO
14D9	CANADIAN SYLLABICS Y-CREE LOO	1536	CANADIAN SYLLABICS WEST-CREE YWO
14DA	CANADIAN SYLLABICS LA	1537	CANADIAN SYLLABICS YWOO
14DB	CANADIAN SYLLABICS LAA	1538	CANADIAN SYLLABICS WEST-CREE YWOO
14DC	CANADIAN SYLLABICS LWE	1539	CANADIAN SYLLABICS YWA
14DD	CANADIAN SYLLABICS WEST-CREE LWE	153A	CANADIAN SYLLABICS WEST-CREE YWA
14DE	CANADIAN SYLLABICS LWI	153B	CANADIAN SYLLABICS YWAA
14DF	CANADIAN SYLLABICS WEST-CREE LWI	153C	CANADIAN SYLLABICS WEST-CREE YWAA
14E0	CANADIAN SYLLABICS LWII	153D	CANADIAN SYLLABICS NASKAPI YWAA
14E1	CANADIAN SYLLABICS WEST-CREE LWII	153E	CANADIAN SYLLABICS Y
14E2	CANADIAN SYLLABICS LWO	153F	CANADIAN SYLLABICS BIBLE-CREE Y
14E3	CANADIAN SYLLABICS WEST-CREE LWO		
14E4	CANADIAN SYLLABICS LWOO		
14E5	CANADIAN SYLLABICS WEST-CREE LWOO		
14E6	CANADIAN SYLLABICS LWA		
14E7	CANADIAN SYLLABICS WEST-CREE LWA		
14E8	CANADIAN SYLLABICS LWAA		
14E9	CANADIAN SYLLABICS WEST-CREE LWAA		
14EA	CANADIAN SYLLABICS L		
14EB	CANADIAN SYLLABICS WEST-CREE L		
14EC	CANADIAN SYLLABICS MEDIAL L		
14ED	CANADIAN SYLLABICS SE		
14EE	CANADIAN SYLLABICS SAAI		
14EF	CANADIAN SYLLABICS SI		
14F0	CANADIAN SYLLABICS SII		
14F1	CANADIAN SYLLABICS SO		
14F2	CANADIAN SYLLABICS SOO		
14F3	CANADIAN SYLLABICS Y-CREE SOO		
14F4	CANADIAN SYLLABICS SA		
14F5	CANADIAN SYLLABICS SAA		
14F6	CANADIAN SYLLABICS SWE		
14F7	CANADIAN SYLLABICS WEST-CREE SWE		
14F8	CANADIAN SYLLABICS SWI		
14F9	CANADIAN SYLLABICS WEST-CREE SWI		
14FA	CANADIAN SYLLABICS SWII		
14FB	CANADIAN SYLLABICS WEST-CREE SWII		
14FC	CANADIAN SYLLABICS SWO		

Group 00

Plane 00

Row 14

Table 44 - Row 15: Unified Canadian Aboriginal Syllabics

	154	155	156	157	158	159	15A	15B	15C	15D
0	+	ᑦ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1540	1550	1560	1570	1580	1590	15A0	15B0	15C0	15D0
1	×	ᑦ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1541	1551	1561	1571	1581	1591	15A1	15B1	15C1	15D1
2	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1542	1552	1562	1572	1582	1592	15A2	15B2	15C2	15D2
3	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1543	1553	1563	1573	1583	1593	15A3	15B3	15C3	15D3
4	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1544	1554	1564	1574	1584	1594	15A4	15B4	15C4	15D4
5	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1545	1555	1565	1575	1585	1595	15A5	15B5	15C5	15D5
6	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1546	1556	1566	1576	1586	1596	15A6	15B6	15C6	15D6
7	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1547	1557	1567	1577	1587	1597	15A7	15B7	15C7	15D7
8	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1548	1558	1568	1578	1588	1598	15A8	15B8	15C8	15D8
9	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	1549	1559	1569	1579	1589	1599	15A9	15B9	15C9	15D9
A	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154A	155A	156A	157A	158A	159A	15AA	15BA	15CA	15DA
B	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154B	155B	156B	157B	158B	159B	15AB	15BB	15CB	15DB
C	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154C	155C	156C	157C	158C	159C	15AC	15BC	15CC	15DC
D	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154D	155D	156D	157D	158D	159D	15AD	15BD	15CD	15DD
E	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154E	155E	156E	157E	158E	159E	15AE	15BE	15CE	15DE
F	ᑭ	ᑭ	**	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ	ᑭ
	154F	155F	156F	157F	158F	159F	15AF	15BF	15CF	15DF

G = 00
P = 00

Table 44 - Row 15: Unified Canadian Aboriginal Syllabics

HEX	NAME	HEX	NAME
1540	CANADIAN SYLLABICS WEST-CREE Y	159D	CANADIAN SYLLABICS WOODS-CREE THO
1541	CANADIAN SYLLABICS SAYISI YI	159E	CANADIAN SYLLABICS WOODS-CREE THA
1542	CANADIAN SYLLABICS RE	159F	CANADIAN SYLLABICS WOODS-CREE TH
1543	CANADIAN SYLLABICS R-CREE RE	15A0	CANADIAN SYLLABICS LHI
1544	CANADIAN SYLLABICS WEST-CREE LE	15A1	CANADIAN SYLLABICS LHII
1545	CANADIAN SYLLABICS RAAI	15A2	CANADIAN SYLLABICS LHO
1546	CANADIAN SYLLABICS RI	15A3	CANADIAN SYLLABICS LHOO
1547	CANADIAN SYLLABICS RII	15A4	CANADIAN SYLLABICS LHA
1548	CANADIAN SYLLABICS RO	15A5	CANADIAN SYLLABICS LHAA
1549	CANADIAN SYLLABICS ROO	15A6	CANADIAN SYLLABICS LH
154A	CANADIAN SYLLABICS WEST-CREE LO	15A7	CANADIAN SYLLABICS TH-CREE THE
154B	CANADIAN SYLLABICS RA	15A8	CANADIAN SYLLABICS TH-CREE THI
154C	CANADIAN SYLLABICS RAA	15A9	CANADIAN SYLLABICS TH-CREE THII
154D	CANADIAN SYLLABICS WEST-CREE LA	15AA	CANADIAN SYLLABICS TH-CREE THO
154E	CANADIAN SYLLABICS RWA	15AB	CANADIAN SYLLABICS TH-CREE THOO
154F	CANADIAN SYLLABICS WEST-CREE RWA	15AC	CANADIAN SYLLABICS TH-CREE THA
1550	CANADIAN SYLLABICS R	15AD	CANADIAN SYLLABICS TH-CREE THAA
1551	CANADIAN SYLLABICS WEST-CREE R	15AE	CANADIAN SYLLABICS TH-CREE TH
1552	CANADIAN SYLLABICS MEDIAL R	15AF	CANADIAN SYLLABICS AIVILIK B
1553	CANADIAN SYLLABICS FE	15B0	CANADIAN SYLLABICS BLACKFOOT E
1554	CANADIAN SYLLABICS FAI	15B1	CANADIAN SYLLABICS BLACKFOOT I
1555	CANADIAN SYLLABICS FI	15B2	CANADIAN SYLLABICS BLACKFOOT O
1556	CANADIAN SYLLABICS FII	15B3	CANADIAN SYLLABICS BLACKFOOT A
1557	CANADIAN SYLLABICS FO	15B4	CANADIAN SYLLABICS BLACKFOOT WE
1558	CANADIAN SYLLABICS FOO	15B5	CANADIAN SYLLABICS BLACKFOOT WI
1559	CANADIAN SYLLABICS FA	15B6	CANADIAN SYLLABICS BLACKFOOT WO
155A	CANADIAN SYLLABICS FAA	15B7	CANADIAN SYLLABICS BLACKFOOT WA
155B	CANADIAN SYLLABICS FWAA	15B8	CANADIAN SYLLABICS BLACKFOOT NE
155C	CANADIAN SYLLABICS WEST-CREE FWAA	15B9	CANADIAN SYLLABICS BLACKFOOT NI
155D	CANADIAN SYLLABICS F	15BA	CANADIAN SYLLABICS BLACKFOOT NO
155E	CANADIAN SYLLABICS THE	15BB	CANADIAN SYLLABICS BLACKFOOT NA
155F	CANADIAN SYLLABICS N-CREE THE	15BC	CANADIAN SYLLABICS BLACKFOOT KE
1560	CANADIAN SYLLABICS THI	15BD	CANADIAN SYLLABICS BLACKFOOT KI
1561	CANADIAN SYLLABICS N-CREE THI	15BE	CANADIAN SYLLABICS BLACKFOOT KO
1562	CANADIAN SYLLABICS THII	15BF	CANADIAN SYLLABICS BLACKFOOT KA
1563	CANADIAN SYLLABICS N-CREE THII	15C0	CANADIAN SYLLABICS SAYISI HE
1564	CANADIAN SYLLABICS THO	15C1	CANADIAN SYLLABICS SAYISI HI
1565	CANADIAN SYLLABICS THOO	15C2	CANADIAN SYLLABICS SAYISI HO
1566	CANADIAN SYLLABICS THA	15C3	CANADIAN SYLLABICS SAYISI HA
1567	CANADIAN SYLLABICS THAA	15C4	CANADIAN SYLLABICS CARRIER GHU
1568	CANADIAN SYLLABICS THWAA	15C5	CANADIAN SYLLABICS CARRIER GHO
1569	CANADIAN SYLLABICS WEST-CREE THWAA	15C6	CANADIAN SYLLABICS CARRIER GHE
156A	CANADIAN SYLLABICS TH	15C7	CANADIAN SYLLABICS CARRIER GHEE
156B	CANADIAN SYLLABICS TTHE	15C8	CANADIAN SYLLABICS CARRIER GHI
156C	CANADIAN SYLLABICS TTHI	15C9	CANADIAN SYLLABICS CARRIER GHA
156D	CANADIAN SYLLABICS TTHO	15CA	CANADIAN SYLLABICS CARRIER RU
156E	CANADIAN SYLLABICS TTHA	15CB	CANADIAN SYLLABICS CARRIER RO
156F	CANADIAN SYLLABICS TTH	15CC	CANADIAN SYLLABICS CARRIER RE
1570	CANADIAN SYLLABICS TYE	15CD	CANADIAN SYLLABICS CARRIER REE
1571	CANADIAN SYLLABICS TYI	15CE	CANADIAN SYLLABICS CARRIER RI
1572	CANADIAN SYLLABICS TYO	15CF	CANADIAN SYLLABICS CARRIER RA
1573	CANADIAN SYLLABICS TYA	15D0	CANADIAN SYLLABICS CARRIER WU
1574	CANADIAN SYLLABICS NUNAVIK HE	15D1	CANADIAN SYLLABICS CARRIER WO
1575	CANADIAN SYLLABICS NUNAVIK HI	15D2	CANADIAN SYLLABICS CARRIER WE
1576	CANADIAN SYLLABICS NUNAVIK HII	15D3	CANADIAN SYLLABICS CARRIER WEE
1577	CANADIAN SYLLABICS NUNAVIK HO	15D4	CANADIAN SYLLABICS CARRIER WI
1578	CANADIAN SYLLABICS NUNAVIK HOO	15D5	CANADIAN SYLLABICS CARRIER WA
1579	CANADIAN SYLLABICS NUNAVIK HA	15D6	CANADIAN SYLLABICS CARRIER HWU
157A	CANADIAN SYLLABICS NUNAVIK HAA	15D7	CANADIAN SYLLABICS CARRIER HWO
157B	CANADIAN SYLLABICS NUNAVIK H	15D8	CANADIAN SYLLABICS CARRIER HWE
157C	CANADIAN SYLLABICS NUNAVUT H	15D9	CANADIAN SYLLABICS CARRIER HWE
157D	CANADIAN SYLLABICS HK	15DA	CANADIAN SYLLABICS CARRIER HWI
157E	CANADIAN SYLLABICS QAAI	15DB	CANADIAN SYLLABICS CARRIER HWA
157F	CANADIAN SYLLABICS QI	15DC	CANADIAN SYLLABICS CARRIER THU
1580	CANADIAN SYLLABICS QII	15DD	CANADIAN SYLLABICS CARRIER THO
1581	CANADIAN SYLLABICS QO	15DE	CANADIAN SYLLABICS CARRIER THE
1582	CANADIAN SYLLABICS QOO	15DF	CANADIAN SYLLABICS CARRIER THEE
1583	CANADIAN SYLLABICS QA		
1584	CANADIAN SYLLABICS QAA		
1585	CANADIAN SYLLABICS Q		
1586	CANADIAN SYLLABICS TLHE		
1587	CANADIAN SYLLABICS TLHI		
1588	CANADIAN SYLLABICS TLHO		
1589	CANADIAN SYLLABICS TLHA		
158A	CANADIAN SYLLABICS WEST-CREE RE		
158B	CANADIAN SYLLABICS WEST-CREE RI		
158C	CANADIAN SYLLABICS WEST-CREE RO		
158D	CANADIAN SYLLABICS WEST-CREE RA		
158E	CANADIAN SYLLABICS NGA		
158F	CANADIAN SYLLABICS NGI		
1590	CANADIAN SYLLABICS NGII		
1591	CANADIAN SYLLABICS NGO		
1592	CANADIAN SYLLABICS NGOO		
1593	CANADIAN SYLLABICS NGA		
1594	CANADIAN SYLLABICS NGAA		
1595	CANADIAN SYLLABICS NG		
1596	CANADIAN SYLLABICS NNG		
1597	CANADIAN SYLLABICS SAYISI SHE		
1598	CANADIAN SYLLABICS SAYISI SHI		
1599	CANADIAN SYLLABICS SAYISI SHO		
159A	CANADIAN SYLLABICS SAYISI SHA		
159B	CANADIAN SYLLABICS WOODS-CREE THE		
159C	CANADIAN SYLLABICS WOODS-CREE THI		

Group 00

Plane 00

Row 15

Table 45 - Rows 15-16: Unified Canadian Aboriginal Syllabics

	15E	15F	160	161	162	163	164	165	166	167
0	ᑃ 15E0	ᑄ 15F0	ᑅ 1600	ᑆ 1610	ᑇ 1620	ᑈ 1630	ᑉ 1640	ᑊ 1650	ᑋ 1660	ᑌ 1670
1	ᑍ 15E1	ᑎ 15F1	ᑏ 1601	ᑐ 1611	ᑑ 1621	ᑒ 1631	ᑓ 1641	ᑔ 1651	ᑕ 1661	ᑖ 1671
2	ᑗ 15E2	ᑘ 15F2	ᑙ 1602	ᑚ 1612	ᑛ 1622	ᑜ 1632	ᑝ 1642	ᑞ 1652	ᑟ 1662	ᑠ 1672
3	ᑡ 15E3	ᑢ 15F3	ᑣ 1603	ᑤ 1613	ᑥ 1623	ᑦ 1633	ᑧ 1643	ᑨ 1653	ᑩ 1663	ᑪ 1673
4	ᑫ 15E4	ᑬ 15F4	ᑭ 1604	ᑮ 1614	ᑯ 1624	ᑰ 1634	ᑱ 1644	ᑲ 1654	ᑳ 1664	ᑴ 1674
5	ᑷ 15E5	ᑸ 15F5	ᑹ 1605	ᑺ 1615	ᑻ 1625	ᑼ 1635	ᑽ 1645	ᑾ 1655	ᑿ 1665	ᑽ 1675
6	ᑽ 15E6	ᑾ 15F6	ᑿ 1606	ᑽ 1616	ᑾ 1626	ᑿ 1636	ᑽ 1646	ᑾ 1656	ᑿ 1666	ᑽ 1676
7	ᑽ 15E7	ᑾ 15F7	ᑿ 1607	ᑽ 1617	ᑾ 1627	ᑿ 1637	ᑽ 1647	ᑾ 1657	ᑿ 1667	
8	ᑽ 15E8	ᑾ 15F8	ᑿ 1608	ᑽ 1618	ᑾ 1628	ᑿ 1638	ᑽ 1648	ᑾ 1658	ᑿ 1668	
9	ᑽ 15E9	ᑾ 15F9	ᑿ 1609	ᑽ 1619	ᑾ 1629	ᑿ 1639	ᑽ 1649	ᑾ 1659	ᑿ 1669	
A	ᑽ 15EA	ᑾ 15FA	ᑿ 160A	ᑽ 161A	ᑾ 162A	ᑿ 163A	ᑽ 164A	ᑾ 165A	ᑿ 166A	
B	ᑽ 15EB	ᑾ 15FB	ᑿ 160B	ᑽ 161B	ᑾ 162B	ᑿ 163B	ᑽ 164B	ᑾ 165B	ᑿ 166B	
C	ᑽ 15EC	ᑾ 15FC	ᑿ 160C	ᑽ 161C	ᑾ 162C	ᑿ 163C	ᑽ 164C	ᑾ 165C	ᑿ 166C	
D	ᑽ 15ED	ᑾ 15FD	ᑿ 160D	ᑽ 161D	ᑾ 162D	ᑿ 163D	ᑽ 164D	ᑾ 165D	ᑿ 166D	
E	ᑽ 15EE	ᑾ 15FE	ᑿ 160E	ᑽ 161E	ᑾ 162E	ᑿ 163E	ᑽ 164E	ᑾ 165E	ᑿ 166E	
F	ᑽ 15EF	ᑾ 15FF	ᑿ 160F	ᑽ 161F	ᑾ 162F	ᑿ 163F	ᑽ 164F	ᑾ 165F	ᑿ 166F	

G = 00
P = 00

Table 45 - Rows 15-16: Unified Canadian Aboriginal Syllabics

HEX	NAME	HEX	NAME
15E0	CANADIAN SYLLABICS CARRIER THI	163D	CANADIAN SYLLABICS CARRIER TLEE
15E1	CANADIAN SYLLABICS CARRIER THU	163E	CANADIAN SYLLABICS CARRIER TLI
15E2	CANADIAN SYLLABICS CARRIER THU	163F	CANADIAN SYLLABICS CARRIER TLA
15E3	CANADIAN SYLLABICS CARRIER TTO	1640	CANADIAN SYLLABICS CARRIER ZU
15E4	CANADIAN SYLLABICS CARRIER TTE	1641	CANADIAN SYLLABICS CARRIER ZO
15E5	CANADIAN SYLLABICS CARRIER TTEE	1642	CANADIAN SYLLABICS CARRIER ZE
15E6	CANADIAN SYLLABICS CARRIER TTI	1643	CANADIAN SYLLABICS CARRIER ZEE
15E7	CANADIAN SYLLABICS CARRIER TTA	1644	CANADIAN SYLLABICS CARRIER ZI
15E8	CANADIAN SYLLABICS CARRIER PU	1645	CANADIAN SYLLABICS CARRIER ZA
15E9	CANADIAN SYLLABICS CARRIER PO	1646	CANADIAN SYLLABICS CARRIER Z
15EA	CANADIAN SYLLABICS CARRIER PE	1647	CANADIAN SYLLABICS CARRIER INITIAL Z
15EB	CANADIAN SYLLABICS CARRIER PEE	1648	CANADIAN SYLLABICS CARRIER DZU
15EC	CANADIAN SYLLABICS CARRIER PI	1649	CANADIAN SYLLABICS CARRIER DZO
15ED	CANADIAN SYLLABICS CARRIER PA	164A	CANADIAN SYLLABICS CARRIER DZE
15EE	CANADIAN SYLLABICS CARRIER P	164B	CANADIAN SYLLABICS CARRIER DZEE
15EF	CANADIAN SYLLABICS CARRIER GU	164C	CANADIAN SYLLABICS CARRIER DZI
15F0	CANADIAN SYLLABICS CARRIER GO	164D	CANADIAN SYLLABICS CARRIER DZA
15F1	CANADIAN SYLLABICS CARRIER GE	164E	CANADIAN SYLLABICS CARRIER SU
15F2	CANADIAN SYLLABICS CARRIER GEE	164F	CANADIAN SYLLABICS CARRIER SO
15F3	CANADIAN SYLLABICS CARRIER GI	1650	CANADIAN SYLLABICS CARRIER SE
15F4	CANADIAN SYLLABICS CARRIER GA	1651	CANADIAN SYLLABICS CARRIER SEE
15F5	CANADIAN SYLLABICS CARRIER KHU	1652	CANADIAN SYLLABICS CARRIER SI
15F6	CANADIAN SYLLABICS CARRIER KHO	1653	CANADIAN SYLLABICS CARRIER SA
15F7	CANADIAN SYLLABICS CARRIER KHE	1654	CANADIAN SYLLABICS CARRIER SHU
15F8	CANADIAN SYLLABICS CARRIER KHEE	1655	CANADIAN SYLLABICS CARRIER SHO
15F9	CANADIAN SYLLABICS CARRIER KHI	1656	CANADIAN SYLLABICS CARRIER SHE
15FA	CANADIAN SYLLABICS CARRIER KHA	1657	CANADIAN SYLLABICS CARRIER SHEE
15FB	CANADIAN SYLLABICS CARRIER KJU	1658	CANADIAN SYLLABICS CARRIER SHI
15FC	CANADIAN SYLLABICS CARRIER KKO	1659	CANADIAN SYLLABICS CARRIER SHA
15FD	CANADIAN SYLLABICS CARRIER KKE	165A	CANADIAN SYLLABICS CARRIER SH
15FE	CANADIAN SYLLABICS CARRIER KKEE	165B	CANADIAN SYLLABICS CARRIER TSU
15FF	CANADIAN SYLLABICS CARRIER KKI	165C	CANADIAN SYLLABICS CARRIER TSO
1600	CANADIAN SYLLABICS CARRIER KKA	165D	CANADIAN SYLLABICS CARRIER TSE
1601	CANADIAN SYLLABICS CARRIER KK	165E	CANADIAN SYLLABICS CARRIER TSEE
1602	CANADIAN SYLLABICS CARRIER NU	165F	CANADIAN SYLLABICS CARRIER TSI
1603	CANADIAN SYLLABICS CARRIER NO	1660	CANADIAN SYLLABICS CARRIER TSA
1604	CANADIAN SYLLABICS CARRIER NE	1661	CANADIAN SYLLABICS CARRIER CHU
1605	CANADIAN SYLLABICS CARRIER NEE	1662	CANADIAN SYLLABICS CARRIER CHO
1606	CANADIAN SYLLABICS CARRIER NI	1663	CANADIAN SYLLABICS CARRIER CHE
1607	CANADIAN SYLLABICS CARRIER NA	1664	CANADIAN SYLLABICS CARRIER CHEE
1608	CANADIAN SYLLABICS CARRIER MU	1665	CANADIAN SYLLABICS CARRIER CHI
1609	CANADIAN SYLLABICS CARRIER MO	1666	CANADIAN SYLLABICS CARRIER CHA
160A	CANADIAN SYLLABICS CARRIER ME	1667	CANADIAN SYLLABICS CARRIER TTSU
160B	CANADIAN SYLLABICS CARRIER MEE	1668	CANADIAN SYLLABICS CARRIER TTSE
160C	CANADIAN SYLLABICS CARRIER MI	1669	CANADIAN SYLLABICS CARRIER TTSE
160D	CANADIAN SYLLABICS CARRIER MA	166A	CANADIAN SYLLABICS CARRIER TTSEE
160E	CANADIAN SYLLABICS CARRIER YU	166B	CANADIAN SYLLABICS CARRIER TTSI
160F	CANADIAN SYLLABICS CARRIER YO	166C	CANADIAN SYLLABICS CARRIER TTSA
1610	CANADIAN SYLLABICS CARRIER YE	166D	CANADIAN SYLLABICS CHI SIGN
1611	CANADIAN SYLLABICS CARRIER YEE	166E	CANADIAN SYLLABICS FULL STOP
1612	CANADIAN SYLLABICS CARRIER YI	166F	CANADIAN SYLLABICS QAI
1613	CANADIAN SYLLABICS CARRIER YA	1670	CANADIAN SYLLABICS NGAI
1614	CANADIAN SYLLABICS CARRIER JU	1671	CANADIAN SYLLABICS NNGI
1615	CANADIAN SYLLABICS SAYISI JU	1672	CANADIAN SYLLABICS NNGII
1616	CANADIAN SYLLABICS CARRIER JO	1673	CANADIAN SYLLABICS NNGO
1617	CANADIAN SYLLABICS CARRIER JE	1674	CANADIAN SYLLABICS NNGOO
1618	CANADIAN SYLLABICS CARRIER JEE	1675	CANADIAN SYLLABICS NNGA
1619	CANADIAN SYLLABICS CARRIER JI	1676	CANADIAN SYLLABICS NNGAA
161A	CANADIAN SYLLABICS SAYISI JI	1677	(This position shall not be used)
161B	CANADIAN SYLLABICS CARRIER JA	1678	(This position shall not be used)
161C	CANADIAN SYLLABICS CARRIER JJU	1679	(This position shall not be used)
161D	CANADIAN SYLLABICS CARRIER JJO	167A	(This position shall not be used)
161E	CANADIAN SYLLABICS CARRIER JJE	167B	(This position shall not be used)
161F	CANADIAN SYLLABICS CARRIER JJE	167C	(This position shall not be used)
1620	CANADIAN SYLLABICS CARRIER JJA	167D	(This position shall not be used)
1621	CANADIAN SYLLABICS CARRIER JJA	167E	(This position shall not be used)
1622	CANADIAN SYLLABICS CARRIER LU	167F	(This position shall not be used)
1623	CANADIAN SYLLABICS CARRIER LO		
1624	CANADIAN SYLLABICS CARRIER LE		
1625	CANADIAN SYLLABICS CARRIER LEE		
1626	CANADIAN SYLLABICS CARRIER LI		
1627	CANADIAN SYLLABICS CARRIER LA		
1628	CANADIAN SYLLABICS CARRIER DLU		
1629	CANADIAN SYLLABICS CARRIER DLO		
162A	CANADIAN SYLLABICS CARRIER DLE		
162B	CANADIAN SYLLABICS CARRIER DLEE		
162C	CANADIAN SYLLABICS CARRIER DLI		
162D	CANADIAN SYLLABICS CARRIER DLA		
162E	CANADIAN SYLLABICS CARRIER LHU		
162F	CANADIAN SYLLABICS CARRIER LHO		
1630	CANADIAN SYLLABICS CARRIER LHE		
1631	CANADIAN SYLLABICS CARRIER LHEE		
1632	CANADIAN SYLLABICS CARRIER LHI		
1633	CANADIAN SYLLABICS CARRIER LHA		
1634	CANADIAN SYLLABICS CARRIER TLHU		
1635	CANADIAN SYLLABICS CARRIER TLHO		
1636	CANADIAN SYLLABICS CARRIER TLHE		
1637	CANADIAN SYLLABICS CARRIER TLHEE		
1638	CANADIAN SYLLABICS CARRIER TLHI		
1639	CANADIAN SYLLABICS CARRIER TLHA		
163A	CANADIAN SYLLABICS CARRIER TLU		
163B	CANADIAN SYLLABICS CARRIER TLO		
163C	CANADIAN SYLLABICS CARRIER TLE		

Group 00

Plane 00

Row 15

Table 46 - Row 16: Ogham

	168	169
0	— 1680	◆ 1690
1	┐ 1681	◆◆ 1691
2	┐┐ 1682	◆◆◆ 1692
3	┐┐┐ 1683	◆◆◆◆ 1693
4	┐┐┐┐ 1684	◆◆◆◆◆ 1694
5	┐┐┐┐┐ 1685	✕ 1695
6	└ 1686	◇ 1696
7	└└ 1687	└└ 1697
8	└└└ 1688	✕✕ 1698
9	└└└└ 1689	▣ 1699
A	└└└└└ 168A	═ 169A
B	└└└└└└ 168B	└└└ 169B
C	└└└└└└└ 168C	└└└└ 169C
D	└└└└└└└└ 168D	▨ 169D
E	└└└└└└└└└ 168E	▨ 169E
F	└└└└└└└└└└ 168F	▨ 169F

G = 00
P = 00

Table 46 - Row 16: Ogham


















































































HEX	NAME	HEX	NAME
1680	OGHAM SPACE MARK		
1681	OGHAM LETTER BEITH		
1682	OGHAM LETTER LUIS		
1683	OGHAM LETTER FEARN		
1684	OGHAM LETTER SAIL		
1685	OGHAM LETTER NION		
1686	OGHAM LETTER UATH		
1687	OGHAM LETTER DAIR		
1688	OGHAM LETTER TINNE		
1689	OGHAM LETTER COLL		
168A	OGHAM LETTER CEIRT		
168B	OGHAM LETTER MUIN		
168C	OGHAM LETTER GORT		
168D	OGHAM LETTER NGEADAL		
168E	OGHAM LETTER STRAIF		
168F	OGHAM LETTER RUIS		
1690	OGHAM LETTER AILM		
1691	OGHAM LETTER ONN		
1692	OGHAM LETTER UR		
1693	OGHAM LETTER EADHADH		
1694	OGHAM LETTER IODHADH		
1695	OGHAM LETTER EABHADH		
1696	OGHAM LETTER OR		
1697	OGHAM LETTER UILLEANN		
1698	OGHAM LETTER IFIN		
1699	OGHAM LETTER EAMHANCHOLL		
169A	OGHAM LETTER PEITH		
169B	OGHAM FEATHER MARK		
169C	OGHAM REVERSED FEATHER MARK		
169D	(This position shall not be used)		
169E	(This position shall not be used)		
169F	(This position shall not be used)		

Group 00

Plane 00

Row 16

Table 47 - Row 16: Runic

	16A	16B	16C	16D	16E	16F
0	 16A0	 16B0	 16C0	 16D0	 16E0	 16F0
1	 16A1	 16B1	 16C1	 16D1	 16E1	
2	 16A2	 16B2	 16C2	 16D2	 16E2	
3	 16A3	 16B3	 16C3	 16D3	 16E3	
4	 16A4	 16B4	 16C4	 16D4	 16E4	
5	 16A5	 16B5	 16C5	 16D5	 16E5	
6	 16A6	 16B6	 16C6	 16D6	 16E6	
7	 16A7	 16B7	 16C7	 16D7	 16E7	
8	 16A8	 16B8	 16C8	 16D8	 16E8	
9	 16A9	 16B9	 16C9	 16D9	 16E9	
A	 16AA	 16BA	 16CA	 16DA	 16EA	
B	 16AB	 16BB	 16CB	 16DB	 16EB	
C	 16AC	 16BC	 16CC	 16DC	 16EC	
D	 16AD	 16BD	 16CD	 16DD	 16ED	
E	 16AE	 16BE	 16CE	 16DE	 16EE	
F	 16AF	 16BF	 16CF	 16DF	 16EF	

G = 00
P = 00

Table 47 - Row 16: Runic























HEX	NAME	HEX	NAME
16A0	RUNIC LETTER FEHU FEHO FE F	16FD	(This position shall not be used)
16A1	RUNIC LETTER V	16FE	(This position shall not be used)
16A2	RUNIC LETTER URUZ UR U	16FF	(This position shall not be used)
16A3	RUNIC LETTER YR		
16A4	RUNIC LETTER Y		
16A5	RUNIC LETTER W		
16A6	RUNIC LETTER THURISAZ THURS THORN		
16A7	RUNIC LETTER ETH		
16A8	RUNIC LETTER ANSUZ A		
16A9	RUNIC LETTER OS O		
16AA	RUNIC LETTER AC A		
16AB	RUNIC LETTER AESC		
16AC	RUNIC LETTER LONG-BRANCH-OSS O		
16AD	RUNIC LETTER SHORT-TWIG-OSS O		
16AE	RUNIC LETTER O		
16AF	RUNIC LETTER OE		
16B0	RUNIC LETTER ON		
16B1	RUNIC LETTER RAIDO RAD REID R		
16B2	RUNIC LETTER KAUNA		
16B3	RUNIC LETTER CEN		
16B4	RUNIC LETTER KAUN K		
16B5	RUNIC LETTER G		
16B6	RUNIC LETTER ENG		
16B7	RUNIC LETTER GEBO GYFU G		
16B8	RUNIC LETTER GAR		
16B9	RUNIC LETTER WUNJO WYNN W		
16BA	RUNIC LETTER HAGLAZ H		
16BB	RUNIC LETTER HAEGH H		
16BC	RUNIC LETTER LONG-BRANCH-HAGALL H		
16BD	RUNIC LETTER SHORT-TWIG-HAGALL H		
16BE	RUNIC LETTER NAUDIZ NYD NAUD N		
16BF	RUNIC LETTER SHORT-TWIG-NAUD N		
16C0	RUNIC LETTER DOTTED-N		
16C1	RUNIC LETTER ISAZ IS ISS I		
16C2	RUNIC LETTER E		
16C3	RUNIC LETTER JERAN J		
16C4	RUNIC LETTER GER		
16C5	RUNIC LETTER LONG-BRANCH-AR AE		
16C6	RUNIC LETTER SHORT-TWIG-AR A		
16C7	RUNIC LETTER IWAZ EOH		
16C8	RUNIC LETTER PERTHO PEORTH P		
16C9	RUNIC LETTER ALGIZ EOLHX		
16CA	RUNIC LETTER SOWILO S		
16CB	RUNIC LETTER SIGEL LONG-BRANCH-SOL S		
16CC	RUNIC LETTER SHORT-TWIG-SOL S		
16CD	RUNIC LETTER C		
16CE	RUNIC LETTER Z		
16CF	RUNIC LETTER TIWAZ TIR TYR T		
16D0	RUNIC LETTER SHORT-TWIG-TYR T		
16D1	RUNIC LETTER D		
16D2	RUNIC LETTER BERKANAN BEORC BJARKAN B		
16D3	RUNIC LETTER SHORT-TWIG-BJARKAN B		
16D4	RUNIC LETTER DOTTED-P		
16D5	RUNIC LETTER OPEN-P		
16D6	RUNIC LETTER EHWAZ EH E		
16D7	RUNIC LETTER MANNAZ MAN M		
16D8	RUNIC LETTER LONG-BRANCH-MADR M		
16D9	RUNIC LETTER SHORT-TWIG-MADR M		
16DA	RUNIC LETTER LAUKAZ LAGU LOGR L		
16DB	RUNIC LETTER DOTTED-L		
16DC	RUNIC LETTER INGWAZ		
16DD	RUNIC LETTER ING		
16DE	RUNIC LETTER DAGAZ DAEG D		
16DF	RUNIC LETTER OTHALAN ETHEL O		
16E0	RUNIC LETTER EAR		
16E1	RUNIC LETTER IOR		
16E2	RUNIC LETTER CWEORTH		
16E3	RUNIC LETTER CALC		
16E4	RUNIC LETTER CEALC		
16E5	RUNIC LETTER STAN		
16E6	RUNIC LETTER LONG-BRANCH-YR		
16E7	RUNIC LETTER SHORT-TWIG-YR		
16E8	RUNIC LETTER ICELANDIC-YR		
16E9	RUNIC LETTER Q		
16EA	RUNIC LETTER X		
16EB	RUNIC SINGLE PUNCTUATION		
16EC	RUNIC MULTIPLE PUNCTUATION		
16ED	RUNIC CROSS PUNCTUATION		
16EE	RUNIC ARLAUG SYMBOL (golden number 17)		
16EF	RUNIC TVIMADUR SYMBOL (golden number 18)		
16F0	RUNIC BELGTHOR SYMBOL (golden number 19)		
16F1	(This position shall not be used)		
16F2	(This position shall not be used)		
16F3	(This position shall not be used)		
16F4	(This position shall not be used)		
16F5	(This position shall not be used)		
16F6	(This position shall not be used)		
16F7	(This position shall not be used)		
16F8	(This position shall not be used)		
16F9	(This position shall not be used)		
16FA	(This position shall not be used)		
16FB	(This position shall not be used)		
16FC	(This position shall not be used)		

Group 00

Plane 00

Row 16

Table 48 - Row 17: Tagalog

	170	171
0	 1700	 1710
1	 1701	 1711
2	 1702	 1712
3	 1703	 1713
4	 1704	 1714
5	 1705	
6	 1706	
7	 1707	
8	 1708	
9	 1709	
A	 170A	
B	 170B	
C	 170C	
D		
E	 170E	
F	 170F	

G = 00
P = 00

Table 48 - Row 17: Tagalog

























HEX	NAME	HEX	NAME
1700	TAGALOG LETTER A		
1701	TAGALOG LETTER I		
1702	TAGALOG LETTER U		
1703	TAGALOG LETTER KA		
1704	TAGALOG LETTER GA		
1705	TAGALOG LETTER NGA		
1706	TAGALOG LETTER TA		
1707	TAGALOG LETTER DA		
1708	TAGALOG LETTER NA		
1709	TAGALOG LETTER PA		
170A	TAGALOG LETTER BA		
170B	TAGALOG LETTER MA		
170C	TAGALOG LETTER YA		
170D	(This position shall not be used)		
170E	TAGALOG LETTER LA		
170F	TAGALOG LETTER WA		
1710	TAGALOG LETTER SA		
1711	TAGALOG LETTER HA		
1712	TAGALOG VOWEL SIGN I		
1713	TAGALOG VOWEL SIGN U		
1714	TAGALOG SIGN VIRAMA		
1715	(This position shall not be used)		
1716	(This position shall not be used)		
1717	(This position shall not be used)		
1718	(This position shall not be used)		
1719	(This position shall not be used)		
171A	(This position shall not be used)		
171B	(This position shall not be used)		
171C	(This position shall not be used)		
171D	(This position shall not be used)		
171E	(This position shall not be used)		
171F	(This position shall not be used)		

Group 00

Plane 00

Row 17

Table 49 - Row 17: Hanunoo

	172	173
0	 1720	 1730
1	 1721	 1731
2	 1722	 1732
3	 1723	 1733
4	 1724	 1734
5	 1725	 1735
6	 1726	 1736
7	 1727	
8	 1728	
9	 1729	
A	 172A	
B	 172B	
C	 172C	
D	 172D	
E	 172E	
F	 172F	

G = 00
P = 00

Table 49 - Row 17: Hanunoo






















HEX	NAME	HEX	NAME
1720	HANUNOO LETTER A		
1721	HANUNOO LETTER I		
1722	HANUNOO LETTER U		
1723	HANUNOO LETTER KA		
1724	HANUNOO LETTER GA		
1725	HANUNOO LETTER NGA		
1726	HANUNOO LETTER TA		
1727	HANUNOO LETTER DA		
1728	HANUNOO LETTER NA		
1729	HANUNOO LETTER PA		
172A	HANUNOO LETTER BA		
172B	HANUNOO LETTER MA		
172C	HANUNOO LETTER YA		
172D	HANUNOO LETTER RA		
172E	HANUNOO LETTER LA		
172F	HANUNOO LETTER WA		
1730	HANUNOO LETTER SA		
1731	HANUNOO LETTER HA		
1732	HANUNOO VOWEL SIGN I		
1733	HANUNOO VOWEL SIGN U		
1734	HANUNOO SIGN PAMUDPOD		
1735	PHILIPPINE SINGLE PUNCTUATION		
1736	PHILIPPINE DOUBLE PUNCTUATION		
1737	(This position shall not be used)		
1738	(This position shall not be used)		
1739	(This position shall not be used)		
173A	(This position shall not be used)		
173B	(This position shall not be used)		
173C	(This position shall not be used)		
173D	(This position shall not be used)		
173E	(This position shall not be used)		
173F	(This position shall not be used)		

Group 00

Plane 00

Row 17

Table 50 - Row 17: Buhid

	174	175
0	 1740	 1750
1	 1741	 1751
2	 1742	 1752
3	 1743	 1753
4	 1744	
5	 1745	
6	 1746	
7	 1747	
8	 1748	
9	 1749	
A	 174A	
B	 174B	
C	 174C	
D	 174D	
E	 174E	
F	 174F	

G = 00
P = 00

Table 50 - Row 17: Buhid

































HEX	NAME	HEX	NAME
1740	BUHID LETTER A		
1741	BUHID LETTER I		
1742	BUHID LETTER U		
1743	BUHID LETTER KA		
1744	BUHID LETTER GA		
1745	BUHID LETTER NGA		
1746	BUHID LETTER TA		
1747	BUHID LETTER DA		
1748	BUHID LETTER NA		
1749	BUHID LETTER PA		
174A	BUHID LETTER BA		
174B	BUHID LETTER MA		
174C	BUHID LETTER YA		
174D	BUHID LETTER RA		
174E	BUHID LETTER LA		
174F	BUHID LETTER WA		
1750	BUHID LETTER SA		
1751	BUHID LETTER HA		
1752	BUHID VOWEL SIGN I		
1753	BUHID VOWEL SIGN U		
1754	(This position shall not be used)		
1755	(This position shall not be used)		
1756	(This position shall not be used)		
1757	(This position shall not be used)		
1758	(This position shall not be used)		
1759	(This position shall not be used)		
175A	(This position shall not be used)		
175B	(This position shall not be used)		
175C	(This position shall not be used)		
175D	(This position shall not be used)		
175E	(This position shall not be used)		
175F	(This position shall not be used)		

Group 00

Plane 00

Row 17

Table 51 - Row 17: Tagbanwa

	176	177
0	 1760	 1770
1	 1761	
2	 1762	 1772
3	 1763	 1773
4	 1764	
5	 1765	
6	 1766	
7	 1767	
8	 1768	
9	 1769	
A	 176A	
B	 176B	
C	 176C	
D		
E	 176E	
F	 176F	

G = 00
P = 00

Table 51 - Row 17: Tagbanwa

HEX	NAME	HEX	NAME
1760	TAGBANWA LETTER A		
1761	TAGBANWA LETTER I		
1762	TAGBANWA LETTER U		
1763	TAGBANWA LETTER KA		
1764	TAGBANWA LETTER GA		
1765	TAGBANWA LETTER NGA		
1766	TAGBANWA LETTER TA		
1767	TAGBANWA LETTER DA		
1768	TAGBANWA LETTER NA		
1769	TAGBANWA LETTER PA		
176A	TAGBANWA LETTER BA		
176B	TAGBANWA LETTER MA		
176C	TAGBANWA LETTER YA		
176D	(This position shall not be used)		
176E	TAGBANWA LETTER LA		
176F	TAGBANWA LETTER WA		
1770	TAGBANWA LETTER SA		
1771	(This position shall not be used)		
1772	TAGBANWA VOWEL SIGN I		
1773	TAGBANWA VOWEL SIGN U		
1774	(This position shall not be used)		
1775	(This position shall not be used)		
1776	(This position shall not be used)		
1777	(This position shall not be used)		
1778	(This position shall not be used)		
1779	(This position shall not be used)		
177A	(This position shall not be used)		
177B	(This position shall not be used)		
177C	(This position shall not be used)		
177D	(This position shall not be used)		
177E	(This position shall not be used)		
177F	(This position shall not be used)		

Group 00

Plane 00

Row 17

Table 52 - Row 17: Khmer

	178	179	17A	17B	17C	17D	17E	17F
0	ក 1780	ថ 1790	ហ 17A0	ព 17B0	ៀ 17C0	្ក 17D0	័ 17E0	្ក 17F0
1	ខ 1781	ទ 1791	ឡ 17A1	ឱ 17B1	្ក 17C1	្ក 17D1	្ក 17E1	្ក 17F1
2	គ 1782	ធ 1792	អ 17A2	ច 17B2	្ក 17C2	្ក 17D2	្ក 17E2	្ក 17F2
3	ឃ 1783	ង 1793	អ 17A3	ឱ 17B3	្ក 17C3	្ក 17D3	្ក 17E3	្ក 17F3
4	ដ 1784	ប 1794	អ 17A4	KIV AQ 17B4	្ក 17C4	្ក 17D4	្ក 17E4	្ក 17F4
5	ច 1785	ផ 1795	ត 17A5	KIV AA 17B5	្ក 17C5	្ក 17D5	្ក 17E5	្ក 17F5
6	ឆ 1786	ព 1796	ឡ 17A6	្ក 17B6	្ក 17C6	្ក 17D6	្ក 17E6	្ក 17F6
7	ជ 1787	ភ 1797	ខ 17A7	្ក 17B7	្ក 17C7	្ក 17D7	្ក 17E7	្ក 17F7
8	ឈ 1788	ម 1798	ឱ 17A8	្ក 17B8	្ក 17C8	្ក 17D8	្ក 17E8	្ក 17F8
9	ញ 1789	យ 1799	ឱ 17A9	្ក 17B9	្ក 17C9	្ក 17D9	្ក 17E9	្ក 17F9
A	ដ 178A	រ 179A	ឱ 17AA	្ក 17BA	្ក 17CA	្ក 17DA		
B	វ 178B	ល 179B	ប 17AB	្ក 17BB	្ក 17CB	្ក 17DB		
C	ខ 178C	រ 179C	ប 17AC	្ក 17BC	្ក 17CC	្ក 17DC		
D	ឆ 178D	ត 179D	ព 17AD	្ក 17BD	្ក 17CD	្ក 17DD		
E	ណ 178E	ថ 179E	ព 17AE	្ក 17BE	្ក 17CE			
F	ត 178F	ស 179F	ង 17AF	្ក 17BF	្ក 17CF			

G = 00
P = 00

Table 52 - Row 17: Khmer

HEX	NAME	HEX	NAME
1780	KHMER LETTER KA	17DD	KHMER SIGN ATTHACAN
1781	KHMER LETTER KHA	17DE	(This position shall not be used)
1782	KHMER LETTER KO	17DF	(This position shall not be used)
1783	KHMER LETTER KHO	17E0	KHMER DIGIT ZERO
1784	KHMER LETTER NGO	17E1	KHMER DIGIT ONE
1785	KHMER LETTER CA	17E2	KHMER DIGIT TWO
1786	KHMER LETTER CHA	17E3	KHMER DIGIT THREE
1787	KHMER LETTER CO	17E4	KHMER DIGIT FOUR
1788	KHMER LETTER CHO	17E5	KHMER DIGIT FIVE
1789	KHMER LETTER NYO	17E6	KHMER DIGIT SIX
178A	KHMER LETTER DA	17E7	KHMER DIGIT SEVEN
178B	KHMER LETTER TTHA	17E8	KHMER DIGIT EIGHT
178C	KHMER LETTER DO	17E9	KHMER DIGIT NINE
178D	KHMER LETTER TTHO	17EA	(This position shall not be used)
178E	KHMER LETTER NNO	17EB	(This position shall not be used)
178F	KHMER LETTER TA	17EC	(This position shall not be used)
1790	KHMER LETTER THA	17ED	(This position shall not be used)
1791	KHMER LETTER TO	17EE	(This position shall not be used)
1792	KHMER LETTER THO	17EF	(This position shall not be used)
1793	KHMER LETTER NO	17F0	KHMER SYMBOL LEK ATTAK SON
1794	KHMER LETTER BA	17F1	KHMER SYMBOL LEK ATTAK MUOY
1795	KHMER LETTER PHA	17F2	KHMER SYMBOL LEK ATTAK PII
1796	KHMER LETTER PO	17F3	KHMER SYMBOL LEK ATTAK BEI
1797	KHMER LETTER PHO	17F4	KHMER SYMBOL LEK ATTAK BUON
1798	KHMER LETTER MO	17F5	KHMER SYMBOL LEK ATTAK PRAM
1799	KHMER LETTER YO	17F6	KHMER SYMBOL LEK ATTAK PRAM-MUOY
179A	KHMER LETTER RO	17F7	KHMER SYMBOL LEK ATTAK PRAM-PII
179B	KHMER LETTER LO	17F8	KHMER SYMBOL LEK ATTAK PRAM-BEI
179C	KHMER LETTER VO	17F9	KHMER SYMBOL LEK ATTAK PRAM-BUON
179D	KHMER LETTER SHA	17FA	(This position shall not be used)
179E	KHMER LETTER SSO	17FB	(This position shall not be used)
179F	KHMER LETTER SA	17FC	(This position shall not be used)
17A0	KHMER LETTER HA	17FD	(This position shall not be used)
17A1	KHMER LETTER LA	17FE	(This position shall not be used)
17A2	KHMER LETTER QA	17FF	(This position shall not be used)
17A3	KHMER INDEPENDENT VOWEL QAA *		
17A4	KHMER INDEPENDENT VOWEL QAA *		
17A5	KHMER INDEPENDENT VOWEL QI		
17A6	KHMER INDEPENDENT VOWEL QII		
17A7	KHMER INDEPENDENT VOWEL QU		
17A8	KHMER INDEPENDENT VOWEL QUK		
17A9	KHMER INDEPENDENT VOWEL QUU		
17AA	KHMER INDEPENDENT VOWEL QUUV		
17AB	KHMER INDEPENDENT VOWEL RY		
17AC	KHMER INDEPENDENT VOWEL RYY		
17AD	KHMER INDEPENDENT VOWEL LY		
17AE	KHMER INDEPENDENT VOWEL LYY		
17AF	KHMER INDEPENDENT VOWEL OE		
17B0	KHMER INDEPENDENT VOWEL QAI		
17B1	KHMER INDEPENDENT VOWEL QOO TYPE ONE		
17B2	KHMER INDEPENDENT VOWEL QOO TYPE TWO		
17B3	KHMER INDEPENDENT VOWEL QAU		
17B4	KHMER VOWEL INHERENT AQ *		
17B5	KHMER VOWEL INHERENT AA *		
17B6	KHMER VOWEL SIGN AA		
17B7	KHMER VOWEL SIGN I		
17B8	KHMER VOWEL SIGN II		
17B9	KHMER VOWEL SIGN Y		
17BA	KHMER VOWEL SIGN YY		
17BB	KHMER VOWEL SIGN U		
17BC	KHMER VOWEL SIGN UU		
17BD	KHMER VOWEL SIGN UA		
17BE	KHMER VOWEL SIGN OE		
17BF	KHMER VOWEL SIGN YA		
17C0	KHMER VOWEL SIGN IE		
17C1	KHMER VOWEL SIGN E		
17C2	KHMER VOWEL SIGN AE		
17C3	KHMER VOWEL SIGN AI		
17C4	KHMER VOWEL SIGN OO		
17C5	KHMER VOWEL SIGN AU		
17C6	KHMER SIGN NIKAHIT		
17C7	KHMER SIGN REAHMUK		
17C8	KHMER SIGN YUUKALEAPINTU		
17C9	KHMER SIGN MUUSIKATOAN		
17CA	KHMER SIGN TRIISAP		
17CB	KHMER SIGN BANTOC		
17CC	KHMER SIGN ROBAT		
17CD	KHMER SIGN TOANDAKHIAT		
17CE	KHMER SIGN KAKABAT		
17CF	KHMER SIGN AHSDA		
17D0	KHMER SIGN SAMYOK SANNYA		
17D1	KHMER SIGN VIRIAM		
17D2	KHMER SIGN COENG		
17D3	KHMER SIGN BATHAMASAT *		
17D4	KHMER SIGN KHAN		
17D5	KHMER SIGN BARIYOOSAN		
17D6	KHMER SIGN CAMNUC PII KUUH		
17D7	KHMER SIGN LEK TOO		
17D8	KHMER SIGN BEYYAL *		
17D9	KHMER SIGN PHNAEK MUAN		
17DA	KHMER SIGN KOOMUT		
17DB	KHMER CURRENCY SYMBOL RIEL		
17DC	KHMER SIGN AVAKRAHASANYA		

Group 00

Plane 00

Row 17

Table 53 - Row 18: Mongolian

HEX	NAME	HEX	NAME
1800	MONGOLIAN BIRGA	185D	MONGOLIAN LETTER SIBE E
1801	MONGOLIAN ELLIPSIS	185E	MONGOLIAN LETTER SIBE I
1802	MONGOLIAN COMMA	185F	MONGOLIAN LETTER SIBE Y
1803	MONGOLIAN FULL STOP	1860	MONGOLIAN LETTER SIBE UE
1804	MONGOLIAN COLON	1861	MONGOLIAN LETTER SIBE U
1805	MONGOLIAN FOUR DOTS	1862	MONGOLIAN LETTER SIBE ANG
1806	MONGOLIAN TODO SOFT HYPHEN	1863	MONGOLIAN LETTER SIBE KA
1807	MONGOLIAN SIBE SYLLABLE BOUNDARY MARKER	1864	MONGOLIAN LETTER SIBE GA
1808	MONGOLIAN MANCHU COMMA	1865	MONGOLIAN LETTER SIBE HA
1809	MONGOLIAN MANCHU FULL STOP	1866	MONGOLIAN LETTER SIBE PA
180A	MONGOLIAN NIRUGU	1867	MONGOLIAN LETTER SIBE SHA
180B	MONGOLIAN FREE VARIATION SELECTOR ONE	1868	MONGOLIAN LETTER SIBE TA
180C	MONGOLIAN FREE VARIATION SELECTOR TWO	1869	MONGOLIAN LETTER SIBE DA
180D	MONGOLIAN FREE VARIATION SELECTOR THREE	186A	MONGOLIAN LETTER SIBE JA
180E	MONGOLIAN VOWEL SEPARATOR	186B	MONGOLIAN LETTER SIBE FA
180F	(This position shall not be used)	186C	MONGOLIAN LETTER SIBE GAA
1810	MONGOLIAN DIGIT ZERO	186D	MONGOLIAN LETTER SIBE HAA
1811	MONGOLIAN DIGIT ONE	186E	MONGOLIAN LETTER SIBE TSA
1812	MONGOLIAN DIGIT TWO	186F	MONGOLIAN LETTER SIBE ZA
1813	MONGOLIAN DIGIT THREE	1870	MONGOLIAN LETTER SIBE RAA
1814	MONGOLIAN DIGIT FOUR	1871	MONGOLIAN LETTER SIBE CHA
1815	MONGOLIAN DIGIT FIVE	1872	MONGOLIAN LETTER SIBE ZHA
1816	MONGOLIAN DIGIT SIX	1873	MONGOLIAN LETTER MANCHU I
1817	MONGOLIAN DIGIT SEVEN	1874	MONGOLIAN LETTER MANCHU KA
1818	MONGOLIAN DIGIT EIGHT	1875	MONGOLIAN LETTER MANCHU RA
1819	MONGOLIAN DIGIT NINE	1876	MONGOLIAN LETTER MANCHU FA
181A	(This position shall not be used)	1877	MONGOLIAN LETTER MANCHU ZHA
181B	(This position shall not be used)	1878	(This position shall not be used)
181C	(This position shall not be used)	1879	(This position shall not be used)
181D	(This position shall not be used)	187A	(This position shall not be used)
181E	(This position shall not be used)	187B	(This position shall not be used)
181F	(This position shall not be used)	187C	(This position shall not be used)
1820	MONGOLIAN LETTER A	187D	(This position shall not be used)
1821	MONGOLIAN LETTER E	187E	(This position shall not be used)
1822	MONGOLIAN LETTER I	187F	(This position shall not be used)
1823	MONGOLIAN LETTER O	1880	MONGOLIAN LETTER ALI GALI ANUSVARA ONE
1824	MONGOLIAN LETTER U	1881	MONGOLIAN LETTER ALI GALI VISARGA ONE
1825	MONGOLIAN LETTER OE	1882	MONGOLIAN LETTER ALI GALI DAMARU
1826	MONGOLIAN LETTER UE	1883	MONGOLIAN LETTER ALI GALI UBADAMA
1827	MONGOLIAN LETTER EE	1884	MONGOLIAN LETTER ALI GALI INVERTED UBADAMA
1828	MONGOLIAN LETTER NA	1885	MONGOLIAN LETTER ALI GALI BALUDA
1829	MONGOLIAN LETTER ANG	1886	MONGOLIAN LETTER ALI GALI THREE BALUDA
182A	MONGOLIAN LETTER BA	1887	MONGOLIAN LETTER ALI GALI A
182B	MONGOLIAN LETTER PA	1888	MONGOLIAN LETTER ALI GALI I
182C	MONGOLIAN LETTER QA	1889	MONGOLIAN LETTER ALI GALI KA
182D	MONGOLIAN LETTER GA	188A	MONGOLIAN LETTER ALI GALI NGA
182E	MONGOLIAN LETTER MA	188B	MONGOLIAN LETTER ALI GALI CA
182F	MONGOLIAN LETTER LA	188C	MONGOLIAN LETTER ALI GALI TTA
1830	MONGOLIAN LETTER SA	188D	MONGOLIAN LETTER ALI GALI TTHA
1831	MONGOLIAN LETTER SHA	188E	MONGOLIAN LETTER ALI GALI DDA
1832	MONGOLIAN LETTER TA	188F	MONGOLIAN LETTER ALI GALI NNA
1833	MONGOLIAN LETTER DA	1890	MONGOLIAN LETTER ALI GALI TA
1834	MONGOLIAN LETTER CHA	1891	MONGOLIAN LETTER ALI GALI DA
1835	MONGOLIAN LETTER JA	1892	MONGOLIAN LETTER ALI GALI PA
1836	MONGOLIAN LETTER YA	1893	MONGOLIAN LETTER ALI GALI PHA
1837	MONGOLIAN LETTER RA	1894	MONGOLIAN LETTER ALI GALI SSA
1838	MONGOLIAN LETTER WA	1895	MONGOLIAN LETTER ALI GALI ZHA
1839	MONGOLIAN LETTER FA	1896	MONGOLIAN LETTER ALI GALI ZA
183A	MONGOLIAN LETTER KA	1897	MONGOLIAN LETTER ALI GALI AH
183B	MONGOLIAN LETTER KHA	1898	MONGOLIAN LETTER TODO ALI GALI TA
183C	MONGOLIAN LETTER TSA	1899	MONGOLIAN LETTER TODO ALI GALI ZHA
183D	MONGOLIAN LETTER ZA	189A	MONGOLIAN LETTER MANCHU ALI GALI GHA
183E	MONGOLIAN LETTER HAA	189B	MONGOLIAN LETTER MANCHU ALI GALI NGA
183F	MONGOLIAN LETTER ZRA	189C	MONGOLIAN LETTER MANCHU ALI GALI CA
1840	MONGOLIAN LETTER LHA	189D	MONGOLIAN LETTER MANCHU ALI GALI JHA
1841	MONGOLIAN LETTER ZHI	189E	MONGOLIAN LETTER MANCHU ALI GALI TTA
1842	MONGOLIAN LETTER CHI	189F	MONGOLIAN LETTER MANCHU ALI GALI DDHA
1843	MONGOLIAN LETTER TODO LONG VOWEL SIGN	18A0	MONGOLIAN LETTER MANCHU ALI GALI TA
1844	MONGOLIAN LETTER TODO E	18A1	MONGOLIAN LETTER MANCHU ALI GALI DHA
1845	MONGOLIAN LETTER TODO I	18A2	MONGOLIAN LETTER MANCHU ALI GALI SSA
1846	MONGOLIAN LETTER TODO O	18A3	MONGOLIAN LETTER MANCHU ALI GALI CYA
1847	MONGOLIAN LETTER TODO U	18A4	MONGOLIAN LETTER MANCHU ALI GALI ZHA
1848	MONGOLIAN LETTER TODO OE	18A5	MONGOLIAN LETTER MANCHU ALI GALI ZA
1849	MONGOLIAN LETTER TODO UE	18A6	MONGOLIAN LETTER ALI GALI HALF U
184A	MONGOLIAN LETTER TODO ANG	18A7	MONGOLIAN LETTER ALI GALI HALF YA
184B	MONGOLIAN LETTER TODO BA	18A8	MONGOLIAN LETTER MANCHU ALI GALI BHA
184C	MONGOLIAN LETTER TODO PA	18A9	MONGOLIAN LETTER ALI GALI DAGALGA
184D	MONGOLIAN LETTER TODO QA	18AA	(This position shall not be used)
184E	MONGOLIAN LETTER TODO GA	18AB	(This position shall not be used)
184F	MONGOLIAN LETTER TODO MA	18AC	(This position shall not be used)
1850	MONGOLIAN LETTER TODO TA	18AD	(This position shall not be used)
1851	MONGOLIAN LETTER TODO DA	18AE	(This position shall not be used)
1852	MONGOLIAN LETTER TODO CHA	18AF	(This position shall not be used)
1853	MONGOLIAN LETTER TODO JA		
1854	MONGOLIAN LETTER TODO TSA		
1855	MONGOLIAN LETTER TODO YA		
1856	MONGOLIAN LETTER TODO WA		
1857	MONGOLIAN LETTER TODO KA		
1858	MONGOLIAN LETTER TODO GAA		
1859	MONGOLIAN LETTER TODO HAA		
185A	MONGOLIAN LETTER TODO JIA		
185B	MONGOLIAN LETTER TODO NIA		
185C	MONGOLIAN LETTER TODO DZA		

Group 00

Plane 00

Row 18

Table 54 - Row 19: Limbu

	190	191	192	193	194
0	𑄀 1900	𑄁 1910	𑄂 1920	𑄃 1930	𑄄 1940
1	𑄅 1901	𑄆 1911	𑄇 1921	𑄈 1931	
2	𑄉 1902	𑄊 1912	𑄋 1922	𑄌 1932	
3	𑄍 1903	𑄎 1913	𑄏 1923	𑄐 1933	
4	𑄑 1904	𑄒 1914	𑄓 1924	𑄔 1934	𑄕 1944
5	𑄖 1905	𑄗 1915	𑄘 1925	𑄙 1935	𑄚 1945
6	𑄛 1906	𑄜 1916	𑄝 1926	𑄞 1936	𑄟 1946
7	𑄠 1907	𑄡 1917	𑄢 1927	𑄣 1937	𑄤 1947
8	𑄥 1908	𑄦 1918	𑄧 1928	𑄨 1938	𑄩 1948
9	𑄪 1909	𑄫 1919	𑄬 1929	𑄭 1939	𑄮 1949
A	𑄯 190A	𑄰 191A	𑄱 192A	𑄲 193A	𑄳 194A
B	𑄴 190B	𑄵 191B	𑄶 192B	𑄷 193B	𑄸 194B
C	𑄹 190C	𑄺 191C			𑄻 194C
D	𑄼 190D				𑄽 194D
E	𑄾 190E				𑄿 194E
F	𑅀 190F				𑅁 194F

G = 00
P = 00

Table 54 - Row 19: Limbu

HEX	NAME	HEX	NAME
1900	LIMBU VOWEL-CARRIER LETTER		
1901	LIMBU LETTER KA		
1902	LIMBU LETTER KHA		
1903	LIMBU LETTER GA		
1904	LIMBU LETTER GHA		
1905	LIMBU LETTER NGA		
1906	LIMBU LETTER CA		
1907	LIMBU LETTER CHA		
1908	LIMBU LETTER JA		
1909	LIMBU LETTER JHA		
190A	LIMBU LETTER YAN		
190B	LIMBU LETTER TA		
190C	LIMBU LETTER THA		
190D	LIMBU LETTER DA		
190E	LIMBU LETTER DHA		
190F	LIMBU LETTER NA		
1910	LIMBU LETTER PA		
1911	LIMBU LETTER PHA		
1912	LIMBU LETTER BA		
1913	LIMBU LETTER BHA		
1914	LIMBU LETTER MA		
1915	LIMBU LETTER YA		
1916	LIMBU LETTER RA		
1917	LIMBU LETTER LA		
1918	LIMBU LETTER WA		
1919	LIMBU LETTER SHA		
191A	LIMBU LETTER SSA		
191B	LIMBU LETTER SA		
191C	LIMBU LETTER HA		
191D	(This position shall not be used)		
191E	(This position shall not be used)		
191F	(This position shall not be used)		
1920	LIMBU VOWEL SIGN A		
1921	LIMBU VOWEL SIGN I		
1922	LIMBU VOWEL SIGN U		
1923	LIMBU VOWEL SIGN EE		
1924	LIMBU VOWEL SIGN AI		
1925	LIMBU VOWEL SIGN OO		
1926	LIMBU VOWEL SIGN AU		
1927	LIMBU VOWEL SIGN E		
1928	LIMBU VOWEL SIGN O		
1929	LIMBU SUBJOINED LETTER YA		
192A	LIMBU SUBJOINED LETTER RA		
192B	LIMBU SUBJOINED LETTER WA		
192C	(This position shall not be used)		
192D	(This position shall not be used)		
192E	(This position shall not be used)		
192F	(This position shall not be used)		
1930	LIMBU SMALL LETTER KA		
1931	LIMBU SMALL LETTER NGA		
1932	LIMBU SMALL LETTER ANUSVARA		
1933	LIMBU SMALL LETTER TA		
1934	LIMBU SMALL LETTER NA		
1935	LIMBU SMALL LETTER PA		
1936	LIMBU SMALL LETTER MA		
1937	LIMBU SMALL LETTER RA		
1938	LIMBU SMALL LETTER LA		
1939	LIMBU SIGN MUKPHRENG		
193A	LIMBU SIGN KEMPHRENG		
193B	LIMBU SIGN SA-I		
193C	(This position shall not be used)		
193D	(This position shall not be used)		
193E	(This position shall not be used)		
193F	(This position shall not be used)		
1940	LIMBU SIGN LOO		
1941	(This position shall not be used)		
1942	(This position shall not be used)		
1943	(This position shall not be used)		
1944	LIMBU EXCLAMATION MARK		
1945	LIMBU QUESTION MARK		
1946	LIMBU DIGIT ZERO		
1947	LIMBU DIGIT ONE		
1948	LIMBU DIGIT TWO		
1949	LIMBU DIGIT THREE		
194A	LIMBU DIGIT FOUR		
194B	LIMBU DIGIT FIVE		
194C	LIMBU DIGIT SIX		
194D	LIMBU DIGIT SEVEN		
194E	LIMBU DIGIT EIGHT		
194F	LIMBU DIGIT NINE		

Group 00

Plane 00

Row 19

Table 55 - Row 19: Tai Le

	195	196	197
0	ᨁ 1950	ᨂ 1960	ᨃ 1970
1	ᨄ 1951	ᨅ 1961	ᨆ 1971
2	ᨇ 1952	ᨈ 1962	ᨉ 1972
3	ᨊ 1953	ᨋ 1963	ᨌ 1973
4	ᨍ 1954	ᨎ 1964	ᨏ 1974
5	ᨐ 1955	ᨑ 1965	
6	ᨒ 1956	ᨓ 1966	
7	ᨔ 1957	ᨕ 1967	
8	ᨖ 1958	ᨗ 1968	
9	ᨙ 1959	ᨚ 1969	
A	ᨛ 195A	᨜ 196A	
B	᨞ 195B	᨟ 196B	
C	ᨡ 195C	ᨢ 196C	
D	ᨤ 195D	ᨥ 196D	
E	ᨧ 195E		
F	ᨩ 195F		

G = 00
P = 00

Table 55 - Row 19: Tai Le

HEX	NAME	HEX	NAME
1950	TAI LE LETTER KA		
1951	TAI LE LETTER XA		
1952	TAI LE LETTER NGA		
1953	TAI LE LETTER TSA		
1954	TAI LE LETTER SA		
1955	TAI LE LETTER YA		
1956	TAI LE LETTER TA		
1957	TAI LE LETTER THA		
1958	TAI LE LETTER LA		
1959	TAI LE LETTER PA		
195A	TAI LE LETTER PHA		
195B	TAI LE LETTER MA		
195C	TAI LE LETTER FA		
195D	TAI LE LETTER VA		
195E	TAI LE LETTER HA		
195F	TAI LE LETTER QA		
1960	TAI LE LETTER KHA		
1961	TAI LE LETTER TSHA		
1962	TAI LE LETTER NA		
1963	TAI LE LETTER A		
1964	TAI LE LETTER I		
1965	TAI LE LETTER EE		
1966	TAI LE LETTER EH		
1967	TAI LE LETTER U		
1968	TAI LE LETTER OO		
1969	TAI LE LETTER O		
196A	TAI LE LETTER UE		
196B	TAI LE LETTER E		
196C	TAI LE LETTER AUE		
196D	TAI LE LETTER AI		
196E	(This position shall not be used)		
196F	(This position shall not be used)		
1970	TAI LE LETTER TONE-2		
1971	TAI LE LETTER TONE-3		
1972	TAI LE LETTER TONE-4		
1973	TAI LE LETTER TONE-5		
1974	TAI LE LETTER TONE-6		
1975	(This position shall not be used)		
1976	(This position shall not be used)		
1977	(This position shall not be used)		
1978	(This position shall not be used)		
1979	(This position shall not be used)		
197A	(This position shall not be used)		
197B	(This position shall not be used)		
197C	(This position shall not be used)		
197D	(This position shall not be used)		
197E	(This position shall not be used)		
197F	(This position shall not be used)		

Group 00

Plane 00

Row 19

Table 56 - Row 19: Khmer Symbols

	19E	19F
0	០ 19E0	៨ 19F0
1	១ 19E1	១ 19F1
2	២ 19E2	២ 19F2
3	៣ 19E3	៣ 19F3
4	៤ 19E4	៤ 19F4
5	៥ 19E5	៥ 19F5
6	៦ 19E6	៦ 19F6
7	៧ 19E7	៧ 19F7
8	៨ 19E8	៨ 19F8
9	៩ 19E9	៩ 19F9
A	១០ 19EA	១០ 19FA
B	១១ 19EB	១១ 19FB
C	១២ 19EC	១២ 19FC
D	១៣ 19ED	១៣ 19FD
E	១៤ 19EE	១៤ 19FE
F	១៥ 19EF	១៥ 19FF

G = 00
P = 00

Table 56 - Row 19: Khmer Symbols

HEX	NAME	HEX	NAME
19E0	KHMER SYMBOL PATHAMASAT		
19E1	KHMER SYMBOL MUOY KOET		
19E2	KHMER SYMBOL PII KOET		
19E3	KHMER SYMBOL BEI KOET		
19E4	KHMER SYMBOL BUON KOET		
19E5	KHMER SYMBOL PRAM KOET		
19E6	KHMER SYMBOL PRAM-MUOY KOET		
19E7	KHMER SYMBOL PRAM-PII KOET		
19E8	KHMER SYMBOL PRAM-BEI KOET		
19E9	KHMER SYMBOL PRAM-BUON KOET		
19EA	KHMER SYMBOL DAP KOET		
19EB	KHMER SYMBOL DAP-MUOY KOET		
19EC	KHMER SYMBOL DAP-PII KOET		
19ED	KHMER SYMBOL DAP-BEI KOET		
19EE	KHMER SYMBOL DAP-BUON KOET		
19EF	KHMER SYMBOL DAP-PRAM KOET		
19F0	KHMER SYMBOL TUTEYASAT		
19F1	KHMER SYMBOL MUOY ROC		
19F2	KHMER SYMBOL PII ROC		
19F3	KHMER SYMBOL BEI ROC		
19F4	KHMER SYMBOL BUON ROC		
19F5	KHMER SYMBOL PRAM ROC		
19F6	KHMER SYMBOL PRAM-MUOY ROC		
19F7	KHMER SYMBOL PRAM-PII ROC		
19F8	KHMER SYMBOL PRAM-BEI ROC		
19F9	KHMER SYMBOL PRAM-BUON ROC		
19FA	KHMER SYMBOL DAP ROC		
19FB	KHMER SYMBOL DAP-MUOY ROC		
19FC	KHMER SYMBOL DAP-PII ROC		
19FD	KHMER SYMBOL DAP-BEI ROC		
19FE	KHMER SYMBOL DAP-BUON ROC		
19FF	KHMER SYMBOL DAP-PRAM ROC		

Group 00

Plane 00

Row 19

Table 57 - Row 1D: Phonetic Extensions

	1D0	1D1	1D2	1D3	1D4	1D5	1D6	1D7
0	A 1D00	Ɔ 1D10	V 1D20	D 1D30	T 1D40	m 1D50	φ 1D60	
1	Æ 1D01	○ 1D11	W 1D21	E 1D31	U 1D41	η 1D51	χ 1D61	
2	æ 1D02	◌̣ 1D12	Z 1D22	Ǝ 1D32	W 1D42	o 1D52	i 1D62	
3	B 1D03	⊙ 1D13	Ʒ 1D23	G 1D33	a 1D43	◌̣ 1D53	r 1D63	
4	C 1D04	∞ 1D14	ʔ 1D24	H 1D34	ə 1D44	◌̣ 1D54	u 1D64	
5	D 1D05	ɔ̣ 1D15	◌̣ 1D25	I 1D35	a 1D45	◌̣ 1D55	v 1D65	
6	Ð 1D06	◌̣ 1D16	Γ 1D26	J 1D36	æ 1D46	p 1D56	β 1D66	
7	E 1D07	◌̣ 1D17	Λ 1D27	K 1D37	b 1D47	t 1D57	γ 1D67	
8	Ʒ 1D08	P 1D18	Π 1D28	L 1D38	d 1D48	u 1D58	◌̣ 1D68	
9	İ 1D09	Я 1D19	P 1D29	M 1D39	e 1D49	◌̣ 1D59	φ 1D69	
A	J 1D0A	Я 1D1A	Ψ 1D2A	N 1D3A	ə 1D4A	ш 1D5A	χ 1D6A	
B	K 1D0B	T 1D1B	Л 1D2B	И 1D3B	ε 1D4B	v 1D5B	œ 1D6B	
C	Ł 1D0C	U 1D1C	A 1D2C	O 1D3C	з 1D4C	◌̣ 1D5C		
D	M 1D0D	◌̣ 1D1D	Æ 1D2D	ɔ̣ 1D3D	g 1D4D	β 1D5D		
E	И 1D0E	ü 1D1E	B 1D2E	P 1D3E	ı 1D4E	γ 1D5E		
F	O 1D0F	ш 1D1F	B 1D2F	R 1D3F	k 1D4F	δ 1D5F		

G = 00
P = 00

Table 57 - Row 1D: Phonetic Extensions

HEX	NAME	HEX	NAME
1D00	LATIN LETTER SMALL CAPITAL A	1D5D	MODIFIER LETTER SMALL BETA
1D01	LATIN LETTER SMALL CAPITAL AE	1D5E	MODIFIER LETTER SMALL GREEK GAMMA
1D02	LATIN SMALL LETTER TURNED AE	1D5F	MODIFIER LETTER SMALL DELTA
1D03	LATIN LETTER SMALL CAPITAL BARRED B	1D60	MODIFIER LETTER SMALL GREEK PHI
1D04	LATIN LETTER SMALL CAPITAL C	1D61	MODIFIER LETTER SMALL CHI
1D05	LATIN LETTER SMALL CAPITAL D	1D62	LATIN SUBSCRIPT SMALL LETTER I
1D06	LATIN LETTER SMALL CAPITAL ETH	1D63	LATIN SUBSCRIPT SMALL LETTER R
1D07	LATIN LETTER SMALL CAPITAL E	1D64	LATIN SUBSCRIPT SMALL LETTER U
1D08	LATIN SMALL LETTER TURNED OPEN E	1D65	LATIN SUBSCRIPT SMALL LETTER V
1D09	LATIN SMALL LETTER TURNED I	1D66	GREEK SUBSCRIPT SMALL LETTER BETA
1D0A	LATIN LETTER SMALL CAPITAL J	1D67	GREEK SUBSCRIPT SMALL LETTER GAMMA
1D0B	LATIN LETTER SMALL CAPITAL K	1D68	GREEK SUBSCRIPT SMALL LETTER RHO
1D0C	LATIN LETTER SMALL CAPITAL L WITH STROKE	1D69	GREEK SUBSCRIPT SMALL LETTER PHI
1D0D	LATIN LETTER SMALL CAPITAL M	1D6A	GREEK SUBSCRIPT SMALL LETTER CHI
1D0E	LATIN LETTER SMALL CAPITAL REVERSED N	1D6B	LATIN SMALL LETTER UE
1D0F	LATIN LETTER SMALL CAPITAL O	1D6C	(This position shall not be used)
1D10	LATIN LETTER SMALL CAPITAL OPEN O	1D6D	(This position shall not be used)
1D11	LATIN SMALL LETTER SIDEWAYS O	1D6E	(This position shall not be used)
1D12	LATIN SMALL LETTER SIDEWAYS OPEN O	1D6F	(This position shall not be used)
1D13	LATIN SMALL LETTER SIDEWAYS O WITH STROKE	1D70	(This position shall not be used)
1D14	LATIN SMALL LETTER TURNED OE	1D71	(This position shall not be used)
1D15	LATIN LETTER SMALL CAPITAL OU	1D72	(This position shall not be used)
1D16	LATIN SMALL LETTER TOP HALF O	1D73	(This position shall not be used)
1D17	LATIN SMALL LETTER BOTTOM HALF O	1D74	(This position shall not be used)
1D18	LATIN LETTER SMALL CAPITAL P	1D75	(This position shall not be used)
1D19	LATIN LETTER SMALL CAPITAL REVERSED R	1D76	(This position shall not be used)
1D1A	LATIN LETTER SMALL CAPITAL TURNED R	1D77	(This position shall not be used)
1D1B	LATIN LETTER SMALL CAPITAL T	1D78	(This position shall not be used)
1D1C	LATIN LETTER SMALL CAPITAL U	1D79	(This position shall not be used)
1D1D	LATIN SMALL LETTER SIDEWAYS U	1D7A	(This position shall not be used)
1D1E	LATIN SMALL LETTER SIDEWAYS DIAERESIZED U	1D7B	(This position shall not be used)
1D1F	LATIN SMALL LETTER SIDEWAYS TURNED M	1D7C	(This position shall not be used)
1D20	LATIN LETTER SMALL CAPITAL V	1D7D	(This position shall not be used)
1D21	LATIN LETTER SMALL CAPITAL W	1D7E	(This position shall not be used)
1D22	LATIN LETTER SMALL CAPITAL Z	1D7F	(This position shall not be used)
1D23	LATIN LETTER SMALL CAPITAL EZH		
1D24	LATIN LETTER VOICED LARYNGEAL SPIRANT		
1D25	LATIN LETTER AIN		
1D26	GREEK LETTER SMALL CAPITAL GAMMA		
1D27	GREEK LETTER SMALL CAPITAL LAMDA		
1D28	GREEK LETTER SMALL CAPITAL PI		
1D29	GREEK LETTER SMALL CAPITAL RHO		
1D2A	GREEK LETTER SMALL CAPITAL PSI		
1D2B	CYRILLIC LETTER SMALL CAPITAL EL		
1D2C	MODIFIER LETTER CAPITAL A		
1D2D	MODIFIER LETTER CAPITAL AE		
1D2E	MODIFIER LETTER CAPITAL B		
1D2F	MODIFIER LETTER CAPITAL BARRED B		
1D30	MODIFIER LETTER CAPITAL D		
1D31	MODIFIER LETTER CAPITAL E		
1D32	MODIFIER LETTER CAPITAL REVERSED E		
1D33	MODIFIER LETTER CAPITAL G		
1D34	MODIFIER LETTER CAPITAL H		
1D35	MODIFIER LETTER CAPITAL I		
1D36	MODIFIER LETTER CAPITAL J		
1D37	MODIFIER LETTER CAPITAL K		
1D38	MODIFIER LETTER CAPITAL L		
1D39	MODIFIER LETTER CAPITAL M		
1D3A	MODIFIER LETTER CAPITAL N		
1D3B	MODIFIER LETTER CAPITAL REVERSED N		
1D3C	MODIFIER LETTER CAPITAL O		
1D3D	MODIFIER LETTER CAPITAL OU		
1D3E	MODIFIER LETTER CAPITAL P		
1D3F	MODIFIER LETTER CAPITAL R		
1D40	MODIFIER LETTER CAPITAL T		
1D41	MODIFIER LETTER CAPITAL U		
1D42	MODIFIER LETTER CAPITAL W		
1D43	MODIFIER LETTER SMALL A		
1D44	MODIFIER LETTER SMALL TURNED A		
1D45	MODIFIER LETTER SMALL ALPHA		
1D46	MODIFIER LETTER SMALL TURNED AE		
1D47	MODIFIER LETTER SMALL B		
1D48	MODIFIER LETTER SMALL D		
1D49	MODIFIER LETTER SMALL E		
1D4A	MODIFIER LETTER SMALL SCHWA		
1D4B	MODIFIER LETTER SMALL OPEN E		
1D4C	MODIFIER LETTER SMALL TURNED OPEN E		
1D4D	MODIFIER LETTER SMALL G		
1D4E	MODIFIER LETTER SMALL TURNED I		
1D4F	MODIFIER LETTER SMALL K		
1D50	MODIFIER LETTER SMALL M		
1D51	MODIFIER LETTER SMALL ENG		
1D52	MODIFIER LETTER SMALL O		
1D53	MODIFIER LETTER SMALL OPEN O		
1D54	MODIFIER LETTER SMALL TOP HALF O		
1D55	MODIFIER LETTER SMALL BOTTOM HALF O		
1D56	MODIFIER LETTER SMALL P		
1D57	MODIFIER LETTER SMALL T		
1D58	MODIFIER LETTER SMALL U		
1D59	MODIFIER LETTER SMALL SIDEWAYS U		
1D5A	MODIFIER LETTER SMALL TURNED M		
1D5B	MODIFIER LETTER SMALL V		
1D5C	MODIFIER LETTER SMALL AIN		

Group 00

Plane 00

Row 1D

Table 58 - Row 1E: Latin Extended Additional

	1E0	1E1	1E2	1E3	1E4	1E5	1E6	1E7
0	À 1E00	Ā 1E10	Ā 1E20	Ā 1E30	Ā 1E40	Ā 1E50	Ā 1E60	Ā 1E70
1	à 1E01	ā 1E11	ā 1E21	ā 1E31	ā 1E41	ā 1E51	ā 1E61	ā 1E71
2	Ā 1E02	Ā 1E12	Ā 1E22	Ā 1E32	Ā 1E42	Ā 1E52	Ā 1E62	Ā 1E72
3	ā 1E03	ā 1E13	ā 1E23	ā 1E33	ā 1E43	ā 1E53	ā 1E63	ā 1E73
4	Ā 1E04	Ā 1E14	Ā 1E24	Ā 1E34	Ā 1E44	Ā 1E54	Ā 1E64	Ā 1E74
5	ā 1E05	ā 1E15	ā 1E25	ā 1E35	ā 1E45	ā 1E55	ā 1E65	ā 1E75
6	Ā 1E06	Ā 1E16	Ā 1E26	Ā 1E36	Ā 1E46	Ā 1E56	Ā 1E66	Ā 1E76
7	ā 1E07	ā 1E17	ā 1E27	ā 1E37	ā 1E47	ā 1E57	ā 1E67	ā 1E77
8	Ā 1E08	Ā 1E18	Ā 1E28	Ā 1E38	Ā 1E48	Ā 1E58	Ā 1E68	Ā 1E78
9	ā 1E09	ā 1E19	ā 1E29	ā 1E39	ā 1E49	ā 1E59	ā 1E69	ā 1E79
A	Ā 1E0A	Ā 1E1A	Ā 1E2A	Ā 1E3A	Ā 1E4A	Ā 1E5A	Ā 1E6A	Ā 1E7A
B	ā 1E0B	ā 1E1B	ā 1E2B	ā 1E3B	ā 1E4B	ā 1E5B	ā 1E6B	ā 1E7B
C	Ā 1E0C	Ā 1E1C	Ā 1E2C	Ā 1E3C	Ā 1E4C	Ā 1E5C	Ā 1E6C	Ā 1E7C
D	ā 1E0D	ā 1E1D	ā 1E2D	ā 1E3D	ā 1E4D	ā 1E5D	ā 1E6D	ā 1E7D
E	Ā 1E0E	Ā 1E1E	Ā 1E2E	Ā 1E3E	Ā 1E4E	Ā 1E5E	Ā 1E6E	Ā 1E7E
F	ā 1E0F	ā 1E1F	ā 1E2F	ā 1E3F	ā 1E4F	ā 1E5F	ā 1E6F	ā 1E7F

G = 00
P = 00

Table 58 - Row 1E: Latin Extended Additional

HEX	NAME	HEX	NAME
1E00	LATIN CAPITAL LETTER A WITH RING BELOW	1E5D	LATIN SMALL LETTER R WITH DOT BELOW AND MACRON
1E01	LATIN SMALL LETTER A WITH RING BELOW	1E5E	LATIN CAPITAL LETTER R WITH LINE BELOW
1E02	LATIN CAPITAL LETTER B WITH DOT ABOVE	1E5F	LATIN SMALL LETTER R WITH LINE BELOW
1E03	LATIN SMALL LETTER B WITH DOT ABOVE	1E60	LATIN CAPITAL LETTER S WITH DOT ABOVE
1E04	LATIN CAPITAL LETTER B WITH DOT BELOW	1E61	LATIN SMALL LETTER S WITH DOT ABOVE
1E05	LATIN SMALL LETTER B WITH DOT BELOW	1E62	LATIN CAPITAL LETTER S WITH DOT BELOW
1E06	LATIN CAPITAL LETTER B WITH LINE BELOW	1E63	LATIN SMALL LETTER S WITH DOT BELOW
1E07	LATIN SMALL LETTER B WITH LINE BELOW	1E64	LATIN CAPITAL LETTER S WITH ACUTE AND DOT ABOVE
1E08	LATIN CAPITAL LETTER C WITH CEDILLA AND ACUTE	1E65	LATIN SMALL LETTER S WITH ACUTE AND DOT ABOVE
1E09	LATIN SMALL LETTER C WITH CEDILLA AND ACUTE	1E66	LATIN CAPITAL LETTER S WITH CARON AND DOT ABOVE
1E0A	LATIN CAPITAL LETTER D WITH DOT ABOVE	1E67	LATIN SMALL LETTER S WITH CARON AND DOT ABOVE
1E0B	LATIN SMALL LETTER D WITH DOT ABOVE	1E68	LATIN CAPITAL LETTER S WITH DOT BELOW AND DOT ABOVE
1E0C	LATIN CAPITAL LETTER D WITH DOT BELOW	1E69	LATIN SMALL LETTER S WITH DOT BELOW AND DOT ABOVE
1E0D	LATIN SMALL LETTER D WITH DOT BELOW	1E6A	LATIN CAPITAL LETTER T WITH DOT ABOVE
1E0E	LATIN CAPITAL LETTER D WITH LINE BELOW	1E6B	LATIN SMALL LETTER T WITH DOT ABOVE
1E0F	LATIN SMALL LETTER D WITH LINE BELOW	1E6C	LATIN CAPITAL LETTER T WITH DOT BELOW
1E10	LATIN CAPITAL LETTER D WITH CEDILLA	1E6D	LATIN SMALL LETTER T WITH DOT BELOW
1E11	LATIN SMALL LETTER D WITH CEDILLA	1E6E	LATIN CAPITAL LETTER T WITH LINE BELOW
1E12	LATIN CAPITAL LETTER D WITH CIRCUMFLEX BELOW	1E6F	LATIN SMALL LETTER T WITH LINE BELOW
1E13	LATIN SMALL LETTER D WITH CIRCUMFLEX BELOW	1E70	LATIN CAPITAL LETTER T WITH CIRCUMFLEX BELOW
1E14	LATIN CAPITAL LETTER E WITH MACRON AND GRAVE	1E71	LATIN SMALL LETTER T WITH CIRCUMFLEX BELOW
1E15	LATIN SMALL LETTER E WITH MACRON AND GRAVE	1E72	LATIN CAPITAL LETTER U WITH DIAERESIS BELOW
1E16	LATIN CAPITAL LETTER E WITH MACRON AND ACUTE	1E73	LATIN SMALL LETTER U WITH DIAERESIS BELOW
1E17	LATIN SMALL LETTER E WITH MACRON AND ACUTE	1E74	LATIN CAPITAL LETTER U WITH TILDE BELOW
1E18	LATIN CAPITAL LETTER E WITH CIRCUMFLEX BELOW	1E75	LATIN SMALL LETTER U WITH TILDE BELOW
1E19	LATIN SMALL LETTER E WITH CIRCUMFLEX BELOW	1E76	LATIN CAPITAL LETTER U WITH CIRCUMFLEX BELOW
1E1A	LATIN CAPITAL LETTER E WITH TILDE BELOW	1E77	LATIN SMALL LETTER U WITH CIRCUMFLEX BELOW
1E1B	LATIN SMALL LETTER E WITH TILDE BELOW	1E78	LATIN CAPITAL LETTER U WITH TILDE AND ACUTE
1E1C	LATIN CAPITAL LETTER E WITH CEDILLA AND BREVE	1E79	LATIN SMALL LETTER U WITH TILDE AND ACUTE
1E1D	LATIN SMALL LETTER E WITH CEDILLA AND BREVE	1E7A	LATIN CAPITAL LETTER U WITH MACRON AND DIAERESIS
1E1E	LATIN CAPITAL LETTER F WITH DOT ABOVE	1E7B	LATIN SMALL LETTER U WITH MACRON AND DIAERESIS
1E1F	LATIN SMALL LETTER F WITH DOT ABOVE	1E7C	LATIN CAPITAL LETTER V WITH TILDE
1E20	LATIN CAPITAL LETTER G WITH MACRON	1E7D	LATIN SMALL LETTER V WITH TILDE
1E21	LATIN SMALL LETTER G WITH MACRON	1E7E	LATIN CAPITAL LETTER V WITH DOT BELOW
1E22	LATIN CAPITAL LETTER H WITH DOT ABOVE	1E7F	LATIN SMALL LETTER V WITH DOT BELOW
1E23	LATIN SMALL LETTER H WITH DOT ABOVE		
1E24	LATIN CAPITAL LETTER H WITH DOT BELOW		
1E25	LATIN SMALL LETTER H WITH DOT BELOW		
1E26	LATIN CAPITAL LETTER H WITH DIAERESIS		
1E27	LATIN SMALL LETTER H WITH DIAERESIS		
1E28	LATIN CAPITAL LETTER H WITH CEDILLA		
1E29	LATIN SMALL LETTER H WITH CEDILLA		
1E2A	LATIN CAPITAL LETTER H WITH BREVE BELOW		
1E2B	LATIN SMALL LETTER H WITH BREVE BELOW		
1E2C	LATIN CAPITAL LETTER I WITH TILDE BELOW		
1E2D	LATIN SMALL LETTER I WITH TILDE BELOW		
1E2E	LATIN CAPITAL LETTER I WITH DIAERESIS AND ACUTE		
1E2F	LATIN SMALL LETTER I WITH DIAERESIS AND ACUTE		
1E30	LATIN CAPITAL LETTER K WITH ACUTE		
1E31	LATIN SMALL LETTER K WITH ACUTE		
1E32	LATIN CAPITAL LETTER K WITH DOT BELOW		
1E33	LATIN SMALL LETTER K WITH DOT BELOW		
1E34	LATIN CAPITAL LETTER K WITH LINE BELOW		
1E35	LATIN SMALL LETTER K WITH LINE BELOW		
1E36	LATIN CAPITAL LETTER L WITH DOT BELOW		
1E37	LATIN SMALL LETTER L WITH DOT BELOW		
1E38	LATIN CAPITAL LETTER L WITH DOT BELOW AND MACRON		
1E39	LATIN SMALL LETTER L WITH DOT BELOW AND MACRON		
1E3A	LATIN CAPITAL LETTER L WITH LINE BELOW		
1E3B	LATIN SMALL LETTER L WITH LINE BELOW		
1E3C	LATIN CAPITAL LETTER L WITH CIRCUMFLEX BELOW		
1E3D	LATIN SMALL LETTER L WITH CIRCUMFLEX BELOW		
1E3E	LATIN CAPITAL LETTER M WITH ACUTE		
1E3F	LATIN SMALL LETTER M WITH ACUTE		
1E40	LATIN CAPITAL LETTER M WITH DOT ABOVE		
1E41	LATIN SMALL LETTER M WITH DOT ABOVE		
1E42	LATIN CAPITAL LETTER M WITH DOT BELOW		
1E43	LATIN SMALL LETTER M WITH DOT BELOW		
1E44	LATIN CAPITAL LETTER N WITH DOT ABOVE		
1E45	LATIN SMALL LETTER N WITH DOT ABOVE		
1E46	LATIN CAPITAL LETTER N WITH DOT BELOW		
1E47	LATIN SMALL LETTER N WITH DOT BELOW		
1E48	LATIN CAPITAL LETTER N WITH LINE BELOW		
1E49	LATIN SMALL LETTER N WITH LINE BELOW		
1E4A	LATIN CAPITAL LETTER N WITH CIRCUMFLEX BELOW		
1E4B	LATIN SMALL LETTER N WITH CIRCUMFLEX BELOW		
1E4C	LATIN CAPITAL LETTER O WITH TILDE AND ACUTE		
1E4D	LATIN SMALL LETTER O WITH TILDE AND ACUTE		
1E4E	LATIN CAPITAL LETTER O WITH TILDE AND DIAERESIS		
1E4F	LATIN SMALL LETTER O WITH TILDE AND DIAERESIS		
1E50	LATIN CAPITAL LETTER O WITH MACRON AND GRAVE		
1E51	LATIN SMALL LETTER O WITH MACRON AND GRAVE		
1E52	LATIN CAPITAL LETTER O WITH MACRON AND ACUTE		
1E53	LATIN SMALL LETTER O WITH MACRON AND ACUTE		
1E54	LATIN CAPITAL LETTER P WITH ACUTE		
1E55	LATIN SMALL LETTER P WITH ACUTE		
1E56	LATIN CAPITAL LETTER P WITH DOT ABOVE		
1E57	LATIN SMALL LETTER P WITH DOT ABOVE		
1E58	LATIN CAPITAL LETTER R WITH DOT ABOVE		
1E59	LATIN SMALL LETTER R WITH DOT ABOVE		
1E5A	LATIN CAPITAL LETTER R WITH DOT BELOW		
1E5B	LATIN SMALL LETTER R WITH DOT BELOW		
1E5C	LATIN CAPITAL LETTER R WITH DOT BELOW AND MACRON		

Group 00

Plane 00

Row 1E

Table 59 - Row 1E: Latin Extended Additional

	1E8	1E9	1EA	1EB	1EC	1ED	1EE	1EF
0	Ẁ 1E80	Ẃ 1E90	À 1EA0	Ǻ 1EB0	Ë 1EC0	Õ 1ED0	Ǿ 1EE0	Ư 1EF0
1	ẁ 1E81	ẃ 1E91	á 1EA1	ǻ 1EB1	ë 1EC1	ó 1ED1	ǿ 1EE1	ұ 1EF1
2	Ẃ 1E82	Ẅ 1E92	Ā 1EA2	Ǽ 1EB2	Ĕ 1EC2	Ö 1ED2	Ơ 1EE2	Ỳ 1EF2
3	ẃ 1E83	ẅ 1E93	ả 1EA3	ǽ 1EB3	ĕ 1EC3	ồ 1ED3	ợ 1EE3	ỳ 1EF3
4	Ẅ 1E84	Ẇ 1E94	Ă 1EA4	Ǽ 1EB4	Ë 1EC4	Õ 1ED4	Ư 1EE4	Ỳ 1EF4
5	ẅ 1E85	ẇ 1E95	ă 1EA5	ǽ 1EB5	ë 1EC5	ỏ 1ED5	ụ 1EE5	ỵ 1EF5
6	Ẇ 1E86	Ẉ 1E96	Ǻ 1EA6	Ǻ 1EB6	Ê 1EC6	Õ 1ED6	Ủ 1EE6	Ỳ 1EF6
7	ẇ 1E87	ẉ 1E97	ǻ 1EA7	ǻ 1EB7	ê 1EC7	õ 1ED7	ủ 1EE7	ỷ 1EF7
8	Ẉ 1E88	Ẋ 1E98	Ǻ 1EA8	Ĕ 1EB8	Ĭ 1EC8	Ộ 1ED8	Ứ 1EE8	Ỹ 1EF8
9	ẉ 1E89	Ẍ 1E99	ă 1EA9	ẹ 1EB9	ỉ 1EC9	ộ 1ED9	ứ 1EE9	ỹ 1EF9
A	Ẋ 1E8A	ả 1E9A	Ǻ 1EA A	Ĕ 1EB A	Ị 1EC A	Ớ 1ED A	Ừ 1EE A	
B	Ẍ 1E8 B	ỉ 1E9 B	ă 1EA B	ẹ 1EB B	ị 1EC B	ớ 1ED B	ừ 1EE B	
C	Ẍ 1E8 C		Ả 1EA C	Ë 1EB C	Ọ 1EC C	Ờ 1ED C	Ử 1EE C	
D	Ẍ 1E8 D		ả 1EA D	ë 1EB D	ọ 1EC D	ờ 1ED D	ử 1EE D	
E	Ỳ 1E8 E		Ǻ 1EA E	Ë 1EB E	Ỏ 1EC E	Ở 1ED E	Ữ 1EE E	
F	ỳ 1E8 F		ả 1EA F	ë 1EB F	ỏ 1EC F	ở 1ED F	ữ 1EE F	

G = 00
P = 00

Table 59 - Row 1E: Latin Extended Additional

HEX	NAME	HEX	NAME
1E80	LATIN CAPITAL LETTER W WITH GRAVE	1EDD	LATIN SMALL LETTER O WITH HORN AND GRAVE
1E81	LATIN SMALL LETTER W WITH GRAVE	1EDE	LATIN CAPITAL LETTER O WITH HORN AND HOOK ABOVE
1E82	LATIN CAPITAL LETTER W WITH ACUTE	1EDF	LATIN SMALL LETTER O WITH HORN AND HOOK ABOVE
1E83	LATIN SMALL LETTER W WITH ACUTE	1EE0	LATIN CAPITAL LETTER O WITH HORN AND TILDE
1E84	LATIN CAPITAL LETTER W WITH DIAERESIS	1EE1	LATIN SMALL LETTER O WITH HORN AND TILDE
1E85	LATIN SMALL LETTER W WITH DIAERESIS	1EE2	LATIN CAPITAL LETTER O WITH HORN AND DOT BELOW
1E86	LATIN CAPITAL LETTER W WITH DOT ABOVE	1EE3	LATIN SMALL LETTER O WITH HORN AND DOT BELOW
1E87	LATIN SMALL LETTER W WITH DOT ABOVE	1EE4	LATIN CAPITAL LETTER U WITH DOT BELOW
1E88	LATIN CAPITAL LETTER W WITH DOT BELOW	1EE5	LATIN SMALL LETTER U WITH DOT BELOW
1E89	LATIN SMALL LETTER W WITH DOT BELOW	1EE6	LATIN CAPITAL LETTER U WITH HOOK ABOVE
1E8A	LATIN CAPITAL LETTER X WITH DOT ABOVE	1EE7	LATIN SMALL LETTER U WITH HOOK ABOVE
1E8B	LATIN SMALL LETTER X WITH DOT ABOVE	1EE8	LATIN CAPITAL LETTER U WITH HORN AND ACUTE
1E8C	LATIN CAPITAL LETTER X WITH DIAERESIS	1EE9	LATIN SMALL LETTER U WITH HORN AND ACUTE
1E8D	LATIN SMALL LETTER X WITH DIAERESIS	1EEA	LATIN CAPITAL LETTER U WITH HORN AND GRAVE
1E8E	LATIN CAPITAL LETTER Y WITH DOT ABOVE	1EEB	LATIN SMALL LETTER U WITH HORN AND GRAVE
1E8F	LATIN SMALL LETTER Y WITH DOT ABOVE	1EEC	LATIN CAPITAL LETTER U WITH HORN AND HOOK ABOVE
1E90	LATIN CAPITAL LETTER Z WITH CIRCUMFLEX	1EED	LATIN SMALL LETTER U WITH HORN AND HOOK ABOVE
1E91	LATIN SMALL LETTER Z WITH CIRCUMFLEX	1EEE	LATIN CAPITAL LETTER U WITH HORN AND TILDE
1E92	LATIN CAPITAL LETTER Z WITH DOT BELOW	1EEF	LATIN SMALL LETTER U WITH HORN AND TILDE
1E93	LATIN SMALL LETTER Z WITH DOT BELOW	1EF0	LATIN CAPITAL LETTER U WITH HORN AND DOT BELOW
1E94	LATIN CAPITAL LETTER Z WITH LINE BELOW	1EF1	LATIN SMALL LETTER U WITH HORN AND DOT BELOW
1E95	LATIN SMALL LETTER Z WITH LINE BELOW	1EF2	LATIN CAPITAL LETTER Y WITH GRAVE
1E96	LATIN CAPITAL LETTER H WITH LINE BELOW	1EF3	LATIN SMALL LETTER Y WITH GRAVE
1E97	LATIN SMALL LETTER T WITH DIAERESIS	1EF4	LATIN CAPITAL LETTER Y WITH DOT BELOW
1E98	LATIN SMALL LETTER W WITH RING ABOVE	1EF5	LATIN SMALL LETTER Y WITH DOT BELOW
1E99	LATIN SMALL LETTER Y WITH RING ABOVE	1EF6	LATIN CAPITAL LETTER Y WITH HOOK ABOVE
1E9A	LATIN SMALL LETTER A WITH RIGHT HALF RING	1EF7	LATIN SMALL LETTER Y WITH HOOK ABOVE
1E9B	LATIN SMALL LETTER LONG S WITH DOT ABOVE	1EF8	LATIN CAPITAL LETTER Y WITH TILDE
1E9C	(This position shall not be used)	1EF9	LATIN SMALL LETTER Y WITH TILDE
1E9D	(This position shall not be used)	1EFA	(This position shall not be used)
1E9E	(This position shall not be used)	1EFB	(This position shall not be used)
1E9F	(This position shall not be used)	1EFC	(This position shall not be used)
1EA0	LATIN CAPITAL LETTER A WITH DOT BELOW	1EFD	(This position shall not be used)
1EA1	LATIN SMALL LETTER A WITH DOT BELOW	1EFE	(This position shall not be used)
1EA2	LATIN CAPITAL LETTER A WITH HOOK ABOVE	1EFF	(This position shall not be used)
1EA3	LATIN SMALL LETTER A WITH HOOK ABOVE		
1EA4	LATIN CAPITAL LETTER A WITH CIRCUMFLEX AND ACUTE		
1EA5	LATIN SMALL LETTER A WITH CIRCUMFLEX AND ACUTE		
1EA6	LATIN CAPITAL LETTER A WITH CIRCUMFLEX AND GRAVE		
1EA7	LATIN SMALL LETTER A WITH CIRCUMFLEX AND GRAVE		
1EA8	LATIN CAPITAL LETTER A WITH CIRCUMFLEX AND HOOK ABOVE		
1EA9	LATIN SMALL LETTER A WITH CIRCUMFLEX AND HOOK ABOVE		
1EAA	LATIN CAPITAL LETTER A WITH CIRCUMFLEX AND TILDE		
1EAB	LATIN SMALL LETTER A WITH CIRCUMFLEX AND TILDE		
1EAC	LATIN CAPITAL LETTER A WITH CIRCUMFLEX AND DOT BELOW		
1EAD	LATIN SMALL LETTER A WITH CIRCUMFLEX AND DOT BELOW		
1EAE	LATIN CAPITAL LETTER A WITH BREVE AND ACUTE		
1EAF	LATIN SMALL LETTER A WITH BREVE AND ACUTE		
1EB0	LATIN CAPITAL LETTER A WITH BREVE AND GRAVE		
1EB1	LATIN SMALL LETTER A WITH BREVE AND GRAVE		
1EB2	LATIN CAPITAL LETTER A WITH BREVE AND HOOK ABOVE		
1EB3	LATIN SMALL LETTER A WITH BREVE AND HOOK ABOVE		
1EB4	LATIN CAPITAL LETTER A WITH BREVE AND TILDE		
1EB5	LATIN SMALL LETTER A WITH BREVE AND TILDE		
1EB6	LATIN CAPITAL LETTER A WITH BREVE AND DOT BELOW		
1EB7	LATIN SMALL LETTER A WITH BREVE AND DOT BELOW		
1EB8	LATIN CAPITAL LETTER E WITH DOT BELOW		
1EB9	LATIN SMALL LETTER E WITH DOT BELOW		
1EBA	LATIN CAPITAL LETTER E WITH HOOK ABOVE		
1EBB	LATIN SMALL LETTER E WITH HOOK ABOVE		
1EBC	LATIN CAPITAL LETTER E WITH TILDE		
1EBD	LATIN SMALL LETTER E WITH TILDE		
1EBE	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND ACUTE		
1EBF	LATIN SMALL LETTER E WITH CIRCUMFLEX AND ACUTE		
1EC0	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND GRAVE		
1EC1	LATIN SMALL LETTER E WITH CIRCUMFLEX AND GRAVE		
1EC2	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND HOOK ABOVE		
1EC3	LATIN SMALL LETTER E WITH CIRCUMFLEX AND HOOK ABOVE		
1EC4	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND TILDE		
1EC5	LATIN SMALL LETTER E WITH CIRCUMFLEX AND TILDE		
1EC6	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND DOT BELOW		
1EC7	LATIN SMALL LETTER E WITH CIRCUMFLEX AND DOT BELOW		
1EC8	LATIN CAPITAL LETTER I WITH HOOK ABOVE		
1EC9	LATIN SMALL LETTER I WITH HOOK ABOVE		
1ECA	LATIN CAPITAL LETTER I WITH DOT BELOW		
1ECB	LATIN SMALL LETTER I WITH DOT BELOW		
1ECC	LATIN CAPITAL LETTER O WITH DOT BELOW		
1ECD	LATIN SMALL LETTER O WITH DOT BELOW		
1ECE	LATIN CAPITAL LETTER O WITH HOOK ABOVE		
1ECF	LATIN SMALL LETTER O WITH HOOK ABOVE		
1ED0	LATIN CAPITAL LETTER O WITH CIRCUMFLEX AND ACUTE		
1ED1	LATIN SMALL LETTER O WITH CIRCUMFLEX AND ACUTE		
1ED2	LATIN CAPITAL LETTER O WITH CIRCUMFLEX AND GRAVE		
1ED3	LATIN SMALL LETTER O WITH CIRCUMFLEX AND GRAVE		
1ED4	LATIN CAPITAL LETTER O WITH CIRCUMFLEX AND HOOK ABOVE		
1ED5	LATIN SMALL LETTER O WITH CIRCUMFLEX AND HOOK ABOVE		
1ED6	LATIN CAPITAL LETTER O WITH CIRCUMFLEX AND TILDE		
1ED7	LATIN SMALL LETTER O WITH CIRCUMFLEX AND TILDE		
1ED8	LATIN CAPITAL LETTER O WITH CIRCUMFLEX AND DOT BELOW		
1ED9	LATIN SMALL LETTER O WITH CIRCUMFLEX AND DOT BELOW		
1EDA	LATIN CAPITAL LETTER O WITH HORN AND ACUTE		
1EDB	LATIN SMALL LETTER O WITH HORN AND ACUTE		
1EDC	LATIN CAPITAL LETTER O WITH HORN AND GRAVE		

Group 00

Plane 00

Row 1E

Table 60 - Row 1F: Greek Extended

	1F0	1F1	1F2	1F3	1F4	1F5	1F6	1F7
0	Ά 1F00	Έ 1F10	Ή 1F20	Ί 1F30	Ό 1F40	ΰ 1F50	ώ 1F60	ά 1F70
1	Ά 1F01	Έ 1F11	Ή 1F21	Ί 1F31	Ό 1F41	ΰ 1F51	ώ 1F61	ά 1F71
2	Ἄ 1F02	Ἐ 1F12	Ἠ 1F22	Ἰ 1F32	Ὀ 1F42	ϋ 1F52	ὦ 1F62	ἐ 1F72
3	Ἄ 1F03	Ἐ 1F13	Ἠ 1F23	Ἰ 1F33	Ὀ 1F43	ϋ 1F53	ὦ 1F63	έ 1F73
4	Ἄ 1F04	Ἐ 1F14	Ἠ 1F24	ΐ 1F34	Ὀ 1F44	ϋ 1F54	ώ 1F64	ή 1F74
5	Ἄ 1F05	Ἐ 1F15	Ἠ 1F25	ΐ 1F35	Ὀ 1F45	ϋ 1F55	ώ 1F65	ή 1F75
6	Ἄ̃ 1F06		Ἠ̃ 1F26	Ἰ̃ 1F36		ϋ̃ 1F56	ὦ̃ 1F66	ι̃ 1F76
7	Ἄ̃ 1F07		Ἠ̃ 1F27	Ἰ̃ 1F37		ϋ̃ 1F57	ὦ̃ 1F67	ί̃ 1F77
8	À 1F08	È 1F18	Ĥ 1F28	Ì 1F38	Ò 1F48		’Ω 1F68	ò 1F78
9	À 1F09	È 1F19	Ĥ 1F29	Ì 1F39	Ò 1F49	Υ 1F59	’Ω 1F69	ó 1F79
A	”À 1F0A	”È 1F1A	”Ĥ 1F2A	”Ì 1F3A	”Ò 1F4A		”Ω 1F6A	ù 1F7A
B	À 1F0B	È 1F1B	Ĥ 1F2B	Ì 1F3B	Ò 1F4B	Υ 1F5B	’Ω 1F6B	ú 1F7B
C	”À 1F0C	”È 1F1C	”Ĥ 1F2C	”Ì 1F3C	”Ò 1F4C		”Ω 1F6C	ώ 1F7C
D	À 1F0D	È 1F1D	Ĥ 1F2D	Ì 1F3D	Ò 1F4D	Υ 1F5D	’Ω 1F6D	ώ 1F7D
E	À̃ 1F0E		Ĥ̃ 1F2E	Ì̃ 1F3E			’Ω̃ 1F6E	
F	À̃ 1F0F		Ĥ̃ 1F2F	Ì̃ 1F3F		Υ̃ 1F5F	’Ω̃ 1F6F	

G = 00
P = 00

Table 60 - Row 1F: Greek Extended

HEX	NAME	HEX	NAME
1F00	GREEK SMALL LETTER ALPHA WITH PSILI	1F5D	GREEK CAPITAL LETTER UPSILON WITH DASIA AND OXIA
1F01	GREEK SMALL LETTER ALPHA WITH DASIA	1F5E	(This position shall not be used)
1F02	GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA	1F5F	GREEK CAPITAL LETTER UPSILON WITH DASIA AND PERISPOMENI
1F03	GREEK SMALL LETTER ALPHA WITH DASIA AND VARIA	1F60	GREEK SMALL LETTER OMEGA WITH PSILI
1F04	GREEK SMALL LETTER ALPHA WITH PSILI AND OXIA	1F61	GREEK SMALL LETTER OMEGA WITH DASIA
1F05	GREEK SMALL LETTER ALPHA WITH DASIA AND OXIA	1F62	GREEK SMALL LETTER OMEGA WITH PSILI AND VARIA
1F06	GREEK SMALL LETTER ALPHA WITH PSILI AND PERISPOMENI	1F63	GREEK SMALL LETTER OMEGA WITH DASIA AND VARIA
1F07	GREEK SMALL LETTER ALPHA WITH DASIA AND PERISPOMENI	1F64	GREEK SMALL LETTER OMEGA WITH PSILI AND OXIA
1F08	GREEK CAPITAL LETTER ALPHA WITH PSILI	1F65	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA
1F09	GREEK CAPITAL LETTER ALPHA WITH DASIA	1F66	GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI
1F0A	GREEK CAPITAL LETTER ALPHA WITH PSILI AND VARIA	1F67	GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI
1F0B	GREEK CAPITAL LETTER ALPHA WITH DASIA AND VARIA	1F68	GREEK CAPITAL LETTER OMEGA WITH PSILI
1F0C	GREEK CAPITAL LETTER ALPHA WITH PSILI AND OXIA	1F69	GREEK CAPITAL LETTER OMEGA WITH DASIA
1F0D	GREEK CAPITAL LETTER ALPHA WITH DASIA AND OXIA	1F6A	GREEK CAPITAL LETTER OMEGA WITH PSILI AND VARIA
1F0E	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PERISPOMENI	1F6B	GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA
1F0F	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PERISPOMENI	1F6C	GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA
1F10	GREEK SMALL LETTER EPSILON WITH PSILI	1F6D	GREEK CAPITAL LETTER OMEGA WITH DASIA AND OXIA
1F11	GREEK SMALL LETTER EPSILON WITH DASIA	1F6E	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PERISPOMENI
1F12	GREEK SMALL LETTER EPSILON WITH PSILI AND VARIA	1F6F	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI
1F13	GREEK SMALL LETTER EPSILON WITH DASIA AND VARIA	1F70	GREEK SMALL LETTER ALPHA WITH VARIA
1F14	GREEK SMALL LETTER EPSILON WITH PSILI AND OXIA	1F71	GREEK SMALL LETTER ALPHA WITH OXIA
1F15	GREEK SMALL LETTER EPSILON WITH DASIA AND OXIA	1F72	GREEK SMALL LETTER EPSILON WITH VARIA
1F16	(This position shall not be used)	1F73	GREEK SMALL LETTER EPSILON WITH OXIA
1F17	(This position shall not be used)	1F74	GREEK SMALL LETTER ETA WITH VARIA
1F18	GREEK CAPITAL LETTER EPSILON WITH PSILI	1F75	GREEK SMALL LETTER ETA WITH OXIA
1F19	GREEK CAPITAL LETTER EPSILON WITH DASIA	1F76	GREEK SMALL LETTER IOTA WITH VARIA
1F1A	GREEK CAPITAL LETTER EPSILON WITH PSILI AND VARIA	1F77	GREEK SMALL LETTER IOTA WITH OXIA
1F1B	GREEK CAPITAL LETTER EPSILON WITH DASIA AND VARIA	1F78	GREEK SMALL LETTER OMICRON WITH VARIA
1F1C	GREEK CAPITAL LETTER EPSILON WITH PSILI AND OXIA	1F79	GREEK SMALL LETTER OMICRON WITH OXIA
1F1D	GREEK CAPITAL LETTER EPSILON WITH DASIA AND OXIA	1F7A	GREEK SMALL LETTER UPSILON WITH VARIA
1F1E	(This position shall not be used)	1F7B	GREEK SMALL LETTER UPSILON WITH OXIA
1F1F	(This position shall not be used)	1F7C	GREEK SMALL LETTER OMEGA WITH VARIA
1F20	GREEK SMALL LETTER ETA WITH PSILI	1F7D	GREEK SMALL LETTER OMEGA WITH OXIA
1F21	GREEK SMALL LETTER ETA WITH DASIA	1F7E	(This position shall not be used)
1F22	GREEK SMALL LETTER ETA WITH PSILI AND VARIA	1F7F	(This position shall not be used)
1F23	GREEK SMALL LETTER ETA WITH DASIA AND VARIA		
1F24	GREEK SMALL LETTER ETA WITH PSILI AND OXIA		
1F25	GREEK SMALL LETTER ETA WITH DASIA AND OXIA		
1F26	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI		
1F27	GREEK SMALL LETTER ETA WITH DASIA AND PERISPOMENI		
1F28	GREEK CAPITAL LETTER ETA WITH PSILI		
1F29	GREEK CAPITAL LETTER ETA WITH DASIA		
1F2A	GREEK CAPITAL LETTER ETA WITH PSILI AND VARIA		
1F2B	GREEK CAPITAL LETTER ETA WITH DASIA AND VARIA		
1F2C	GREEK CAPITAL LETTER ETA WITH PSILI AND OXIA		
1F2D	GREEK CAPITAL LETTER ETA WITH DASIA AND OXIA		
1F2E	GREEK CAPITAL LETTER ETA WITH PSILI AND PERISPOMENI		
1F2F	GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI		
1F30	GREEK SMALL LETTER IOTA WITH PSILI		
1F31	GREEK SMALL LETTER IOTA WITH DASIA		
1F32	GREEK SMALL LETTER IOTA WITH PSILI AND VARIA		
1F33	GREEK SMALL LETTER IOTA WITH DASIA AND VARIA		
1F34	GREEK SMALL LETTER IOTA WITH PSILI AND OXIA		
1F35	GREEK SMALL LETTER IOTA WITH DASIA AND OXIA		
1F36	GREEK SMALL LETTER IOTA WITH PSILI AND PERISPOMENI		
1F37	GREEK SMALL LETTER IOTA WITH DASIA AND PERISPOMENI		
1F38	GREEK CAPITAL LETTER IOTA WITH PSILI		
1F39	GREEK CAPITAL LETTER IOTA WITH DASIA		
1F3A	GREEK CAPITAL LETTER IOTA WITH PSILI AND VARIA		
1F3B	GREEK CAPITAL LETTER IOTA WITH DASIA AND VARIA		
1F3C	GREEK CAPITAL LETTER IOTA WITH PSILI AND OXIA		
1F3D	GREEK CAPITAL LETTER IOTA WITH DASIA AND OXIA		
1F3E	GREEK CAPITAL LETTER IOTA WITH PSILI AND PERISPOMENI		
1F3F	GREEK CAPITAL LETTER IOTA WITH DASIA AND PERISPOMENI		
1F40	GREEK SMALL LETTER OMICRON WITH PSILI		
1F41	GREEK SMALL LETTER OMICRON WITH DASIA		
1F42	GREEK SMALL LETTER OMICRON WITH PSILI AND VARIA		
1F43	GREEK SMALL LETTER OMICRON WITH DASIA AND VARIA		
1F44	GREEK SMALL LETTER OMICRON WITH PSILI AND OXIA		
1F45	GREEK SMALL LETTER OMICRON WITH DASIA AND OXIA		
1F46	(This position shall not be used)		
1F47	(This position shall not be used)		
1F48	GREEK CAPITAL LETTER OMICRON WITH PSILI		
1F49	GREEK CAPITAL LETTER OMICRON WITH DASIA		
1F4A	GREEK CAPITAL LETTER OMICRON WITH PSILI AND VARIA		
1F4B	GREEK CAPITAL LETTER OMICRON WITH DASIA AND VARIA		
1F4C	GREEK CAPITAL LETTER OMICRON WITH PSILI AND OXIA		
1F4D	GREEK CAPITAL LETTER OMICRON WITH DASIA AND OXIA		
1F4E	(This position shall not be used)		
1F4F	(This position shall not be used)		
1F50	GREEK SMALL LETTER UPSILON WITH PSILI		
1F51	GREEK SMALL LETTER UPSILON WITH DASIA		
1F52	GREEK SMALL LETTER UPSILON WITH PSILI AND VARIA		
1F53	GREEK SMALL LETTER UPSILON WITH DASIA AND VARIA		
1F54	GREEK SMALL LETTER UPSILON WITH PSILI AND OXIA		
1F55	GREEK SMALL LETTER UPSILON WITH DASIA AND OXIA		
1F56	GREEK SMALL LETTER UPSILON WITH PSILI AND PERISPOMENI		
1F57	GREEK SMALL LETTER UPSILON WITH DASIA AND PERISPOMENI		
1F58	(This position shall not be used)		
1F59	GREEK CAPITAL LETTER UPSILON WITH DASIA		
1F5A	(This position shall not be used)		
1F5B	GREEK CAPITAL LETTER UPSILON WITH DASIA AND VARIA		
1F5C	(This position shall not be used)		

Group 00

Plane 00

Row 1F

Table 61 - Row 1F: Greek Extended

	1F8	1F9	1FA	1FB	1FC	1FD	1FE	1FF
0	ἄ 1F80	ή 1F90	ώ 1FA0	ἄ 1FB0	~ 1FC0	ϊ 1FD0	ϋ 1FE0	
1	ἄ 1F81	ή 1F91	ώ 1FA1	ᾱ 1FB1	~ 1FC1	ī 1FD1	ū 1FE1	
2	ἄ 1F82	ή 1F92	ώ 1FA2	ὰ 1FB2	ἦ 1FC2	ἱ 1FD2	ϋ 1FE2	ὠ 1FF2
3	ἄ 1F83	ή 1F93	ώ 1FA3	α 1FB3	η 1FC3	ί 1FD3	ύ 1FE3	ω 1FF3
4	ἄ 1F84	ή 1F94	ώ 1FA4	ά 1FB4	ή 1FC4		ρ 1FE4	ώ 1FF4
5	ἄ 1F85	ή 1F95	ώ 1FA5				ρ 1FE5	
6	ἄ 1F86	ή 1F96	ώ 1FA6	ᾱ 1FB6	ἦ 1FC6	ī 1FD6	ū 1FE6	ῶ 1FF6
7	ἄ 1F87	ή 1F97	ώ 1FA7	ἄ 1FB7	ἦ 1FC7	ī 1FD7	ū 1FE7	ῶ 1FF7
8	Ά 1F88	Ή 1F98	Ω 1FA8	Ἄ 1FB8	Έ 1FC8	Ϊ 1FD8	Υ 1FE8	Ό 1FF8
9	Ά 1F89	Ή 1F99	Ω 1FA9	Ἀ 1FB9	Ἐ 1FC9	Ϊ 1FD9	Υ 1FE9	Ό 1FF9
A	Ά 1F8A	Ή 1F9A	Ω 1FAA	Α 1FBA	Η 1FCA	Ι 1FDA	Υ 1FEA	Ω 1FFA
B	Ά 1F8B	Ή 1F9B	Ω 1FAB	Α 1FBB	Η 1FCB	Ι 1FDB	Υ 1FEB	Ω 1FFB
C	Ά 1F8C	Ή 1F9C	Ω 1FAC	Α 1FBC	Η 1FCC		Ρ 1FEC	Ω 1FFC
D	Ά 1F8D	Ή 1F9D	Ω 1FAD	΄ 1FBD	΄ 1FCD	΄ 1FDD	΄ 1FED	΄ 1FFD
E	Ἄ 1F8E	ἥ 1F9E	ῶ 1FAE	΄ 1FBE	΄ 1FCE	΄ 1FDE	΄ 1FEE	΄ 1FFE
F	Ἄ 1F8F	ἥ 1F9F	ῶ 1FAF	΄ 1FBF	΄ 1FCF	΄ 1FDF	΄ 1FEF	

G = 00
P = 00

Table 61 - Row 1F: Greek Extended



















































HEX	NAME	HEX	NAME
1F80	GREEK SMALL LETTER ALPHA WITH PSILI AND YPOGEGRAMMENI	1FDD	GREEK DASIA AND VARIA
1F81	GREEK SMALL LETTER ALPHA WITH DASIA AND YPOGEGRAMMENI	1FDE	GREEK DASIA AND OXIA
1F82	GREEK SMALL LETTER ALPHA WITH PSILI AND VARIA AND YPOGEGRAMMENI	1FDF	GREEK DASIA AND PERISPOMENI
1F83	GREEK SMALL LETTER ALPHA WITH DASIA AND VARIA AND YPOGEGRAMMENI	1FE0	GREEK SMALL LETTER UPSILON WITH VRACHY
1F84	GREEK SMALL LETTER ALPHA WITH PSILI AND OXIA AND YPOGEGRAMMENI	1FE1	GREEK SMALL LETTER UPSILON WITH MACRON
1F85	GREEK SMALL LETTER ALPHA WITH DASIA AND OXIA AND YPOGEGRAMMENI	1FE2	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND VARIA
1F86	GREEK SMALL LETTER ALPHA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	1FE3	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND OXIA
1F87	GREEK SMALL LETTER ALPHA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	1FE4	GREEK SMALL LETTER RHO WITH PSILI
1F88	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PROSGEGRAMMENI	1FE5	GREEK SMALL LETTER RHO WITH DASIA
1F89	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PROSGEGRAMMENI	1FE6	GREEK SMALL LETTER UPSILON WITH PERISPOMENI
1F8A	GREEK CAPITAL LETTER ALPHA WITH PSILI AND VARIA AND PROSGEGRAMMENI	1FE7	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND PERISPOMENI
1F8B	GREEK CAPITAL LETTER ALPHA WITH DASIA AND VARIA AND PROSGEGRAMMENI	1FE8	GREEK CAPITAL LETTER UPSILON WITH VRACHY
1F8C	GREEK CAPITAL LETTER ALPHA WITH PSILI AND OXIA AND PROSGEGRAMMENI	1FE9	GREEK CAPITAL LETTER UPSILON WITH MACRON
1F8D	GREEK CAPITAL LETTER ALPHA WITH DASIA AND OXIA AND PROSGEGRAMMENI	1FEA	GREEK CAPITAL LETTER UPSILON WITH VARIA
1F8E	GREEK CAPITAL LETTER ALPHA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI	1FEB	GREEK CAPITAL LETTER UPSILON WITH OXIA
1F8F	GREEK CAPITAL LETTER ALPHA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI	1FEC	GREEK CAPITAL LETTER RHO WITH DASIA
1F90	GREEK SMALL LETTER ETA WITH PSILI AND YPOGEGRAMMENI	1FED	GREEK DIALYTIKA AND VARIA
1F91	GREEK SMALL LETTER ETA WITH DASIA AND YPOGEGRAMMENI	1FEE	GREEK DIALYTIKA AND OXIA
1F92	GREEK SMALL LETTER ETA WITH PSILI AND VARIA AND YPOGEGRAMMENI	1FEF	GREEK VARIA
1F93	GREEK SMALL LETTER ETA WITH DASIA AND VARIA AND YPOGEGRAMMENI	1FF0	(This position shall not be used)
1F94	GREEK SMALL LETTER ETA WITH PSILI AND OXIA AND YPOGEGRAMMENI	1FF1	(This position shall not be used)
1F95	GREEK SMALL LETTER ETA WITH DASIA AND OXIA AND YPOGEGRAMMENI	1FF2	GREEK SMALL LETTER OMEGA WITH VARIA AND YPOGEGRAMMENI
1F96	GREEK SMALL LETTER ETA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI	1FF3	GREEK SMALL LETTER OMEGA WITH VRACHY
1F97	GREEK SMALL LETTER ETA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI	1FF4	GREEK SMALL LETTER OMEGA WITH OXIA AND YPOGEGRAMMENI
1F98	GREEK CAPITAL LETTER ETA WITH PSILI AND PROSGEGRAMMENI	1FF5	(This position shall not be used)
1F99	GREEK CAPITAL LETTER ETA WITH DASIA AND PROSGEGRAMMENI	1FF6	GREEK SMALL LETTER OMEGA WITH PERISPOMENI
1F9A	GREEK CAPITAL LETTER ETA WITH PSILI AND VARIA AND PROSGEGRAMMENI	1FF7	GREEK SMALL LETTER OMEGA WITH PERISPOMENI AND YPOGEGRAMMENI
1F9B	GREEK CAPITAL LETTER ETA WITH DASIA AND VARIA AND PROSGEGRAMMENI	1FF8	GREEK CAPITAL LETTER OMICRON WITH VARIA
1F9C	GREEK CAPITAL LETTER ETA WITH PSILI AND OXIA AND PROSGEGRAMMENI	1FF9	GREEK CAPITAL LETTER OMICRON WITH OXIA
1F9D	GREEK CAPITAL LETTER ETA WITH DASIA AND OXIA AND PROSGEGRAMMENI	1FFA	GREEK CAPITAL LETTER OMEGA WITH VARIA
1F9E	GREEK CAPITAL LETTER ETA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI	1FFB	GREEK CAPITAL LETTER OMEGA WITH OXIA
1F9F	GREEK CAPITAL LETTER ETA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI	1FFC	GREEK CAPITAL LETTER OMEGA WITH PROSGEGRAMMENI
1FA0	GREEK SMALL LETTER OMEGA WITH PSILI AND YPOGEGRAMMENI	1FFD	GREEK OXIA
1FA1	GREEK SMALL LETTER OMEGA WITH DASIA AND YPOGEGRAMMENI	1FFE	GREEK DASIA
1FA2	GREEK SMALL LETTER OMEGA WITH PSILI AND VARIA AND YPOGEGRAMMENI	1FFF	(This position shall not be used)
1FA3	GREEK SMALL LETTER OMEGA WITH DASIA AND VARIA AND YPOGEGRAMMENI		
1FA4	GREEK SMALL LETTER OMEGA WITH PSILI AND OXIA AND YPOGEGRAMMENI		
1FA5	GREEK SMALL LETTER OMEGA WITH DASIA AND OXIA AND YPOGEGRAMMENI		
1FA6	GREEK SMALL LETTER OMEGA WITH PSILI AND PERISPOMENI AND YPOGEGRAMMENI		
1FA7	GREEK SMALL LETTER OMEGA WITH DASIA AND PERISPOMENI AND YPOGEGRAMMENI		
1FA8	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PROSGEGRAMMENI		
1FA9	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PROSGEGRAMMENI		
1FAA	GREEK CAPITAL LETTER OMEGA WITH PSILI AND VARIA AND PROSGEGRAMMENI		
1FAB	GREEK CAPITAL LETTER OMEGA WITH DASIA AND VARIA AND PROSGEGRAMMENI		
1FAC	GREEK CAPITAL LETTER OMEGA WITH PSILI AND OXIA AND PROSGEGRAMMENI		
1FAD	GREEK CAPITAL LETTER OMEGA WITH DASIA AND OXIA AND PROSGEGRAMMENI		
1FAE	GREEK CAPITAL LETTER OMEGA WITH PSILI AND PERISPOMENI AND PROSGEGRAMMENI		
1FAF	GREEK CAPITAL LETTER OMEGA WITH DASIA AND PERISPOMENI AND PROSGEGRAMMENI		
1FB0	GREEK SMALL LETTER ALPHA WITH VRACHY		
1FB1	GREEK SMALL LETTER ALPHA WITH MACRON		
1FB2	GREEK SMALL LETTER ALPHA WITH VARIA AND YPOGEGRAMMENI		
1FB3	GREEK SMALL LETTER ALPHA WITH YPOGEGRAMMENI		
1FB4	GREEK SMALL LETTER ALPHA WITH OXIA AND YPOGEGRAMMENI		
1FB5	(This position shall not be used)		
1FB6	GREEK SMALL LETTER ALPHA WITH PERISPOMENI		
1FB7	GREEK SMALL LETTER ALPHA WITH PERISPOMENI AND YPOGEGRAMMENI		
1FB8	GREEK CAPITAL LETTER ALPHA WITH VRACHY		
1FB9	GREEK CAPITAL LETTER ALPHA WITH MACRON		
1FBA	GREEK CAPITAL LETTER ALPHA WITH VARIA		
1FBB	GREEK CAPITAL LETTER ALPHA WITH OXIA		
1FBC	GREEK CAPITAL LETTER ALPHA WITH PROSGEGRAMMENI		
1FBD	GREEK KORONIS		
1FBE	GREEK PROSGEGRAMMENI		
1FBF	GREEK PSILI		
1FC0	GREEK PERISPOMENI		
1FC1	GREEK DIALYTIKA AND PERISPOMENI		
1FC2	GREEK SMALL LETTER ETA WITH VARIA AND YPOGEGRAMMENI		
1FC3	GREEK SMALL LETTER ETA WITH YPOGEGRAMMENI		
1FC4	GREEK SMALL LETTER ETA WITH OXIA AND YPOGEGRAMMENI		
1FC5	(This position shall not be used)		
1FC6	GREEK SMALL LETTER ETA WITH PERISPOMENI		
1FC7	GREEK SMALL LETTER ETA WITH PERISPOMENI AND YPOGEGRAMMENI		
1FC8	GREEK CAPITAL LETTER EPSILON WITH VARIA		
1FC9	GREEK CAPITAL LETTER EPSILON WITH OXIA		
1FCA	GREEK CAPITAL LETTER ETA WITH VARIA		
1FCB	GREEK CAPITAL LETTER ETA WITH OXIA		
1FCC	GREEK CAPITAL LETTER ETA WITH PROSGEGRAMMENI		
1FCD	GREEK PSILI AND VARIA		
1FCE	GREEK PSILI AND OXIA		
1FCF	GREEK PSILI AND PERISPOMENI		
1FD0	GREEK SMALL LETTER IOTA WITH VRACHY		
1FD1	GREEK SMALL LETTER IOTA WITH MACRON		
1FD2	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND VARIA		
1FD3	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND OXIA		
1FD4	(This position shall not be used)		
1FD5	(This position shall not be used)		
1FD6	GREEK SMALL LETTER IOTA WITH PERISPOMENI		
1FD7	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND PERISPOMENI		
1FD8	GREEK CAPITAL LETTER IOTA WITH VRACHY		
1FD9	GREEK CAPITAL LETTER IOTA WITH MACRON		
1FDA	GREEK CAPITAL LETTER IOTA WITH VARIA		
1FDB	GREEK CAPITAL LETTER IOTA WITH OXIA		
1FDC	(This position shall not be used)		

Group 00

Plane 00

Row 1F

Table 62 - Row 20: General Punctuation

	200	201	202	203	204	205	206
0	 2000	— 2010	† 2020	‰ 2030	◌ 2040	◌ 2050	 2060
1	 2001	 2011	‡ 2021	‰ 2031	∕ 2041	* 2051	 2061
2	 2002	— 2012	● 2022	' 2032	* 2042	% 2052	 2062
3	 2003	— 2013	▶ 2023	" 2033	■ 2043	~ 2053	 2063
4	 2004	— 2014	• 2024	” 2034	/ 2044	◌ 2054	
5	 2005	— 2015	•• 2025	\ 2035	[2045		
6	 2006	 2016	••• 2026	“ 2036	}] 2046		
7	 2007	== 2017	• 2027	≡ 2037	?? 2047	≡ 2057	
8	 2008	‘ 2018	 2028	^ 2038	?! 2048		
9	 2009	’ 2019	 2029	< 2039	!? 2049		
A	 200A	, 201A	 202A	> 203A	7 204A		 206A
B	 200B	‘ 201B	 202B	⊗ 203B	¶ 204B		 206B
C	 200C	“ 201C	 202C	!! 203C	◐ 204C		 206C
D	 200D	” 201D	 202D	!? 203D	◑ 204D		 206D
E	 200E	” 201E	 202E	— 203E	* 204E		 206E
F	 200F	“ 201F	 202F	◌ 203F	• 204F	 205F	 206F

G = 00
P = 00

Table 62 - Row 20: General Punctuation

HEX	NAME	HEX	NAME
2000	EN QUAD	205D	(This position shall not be used)
2001	EM QUAD	205E	(This position shall not be used)
2002	EN SPACE	205F	MEDIUM MATHEMATICAL SPACE
2003	EM SPACE	2060	WORD JOINER
2004	THREE-PER-EM SPACE	2061	FUNCTION APPLICATION
2005	FOUR-PER-EM SPACE	2062	INVISIBLE TIMES
2006	SIX-PER-EM SPACE	2063	INVISIBLE SEPARATOR
2007	FIGURE SPACE	2064	(This position shall not be used)
2008	PUNCTUATION SPACE	2065	(This position shall not be used)
2009	THIN SPACE	2066	(This position shall not be used)
200A	HAIR SPACE	2067	(This position shall not be used)
200B	ZERO WIDTH SPACE	2068	(This position shall not be used)
200C	ZERO WIDTH NON-JOINER	2069	(This position shall not be used)
200D	ZERO WIDTH JOINER	206A	INHIBIT SYMMETRIC SWAPPING
200E	LEFT-TO-RIGHT MARK	206B	ACTIVATE SYMMETRIC SWAPPING
200F	RIGHT-TO-LEFT MARK	206C	INHIBIT ARABIC FORM SHAPING
2010	HYPHEN	206D	ACTIVATE ARABIC FORM SHAPING
2011	NON-BREAKING HYPHEN	206E	NATIONAL DIGIT SHAPES
2012	FIGURE DASH	206F	NOMINAL DIGIT SHAPES
2013	EN DASH		
2014	EM DASH		
2015	HORIZONTAL BAR		
2016	DOUBLE VERTICAL LINE		
2017	DOUBLE LOW LINE		
2018	LEFT SINGLE QUOTATION MARK		
2019	RIGHT SINGLE QUOTATION MARK		
201A	SINGLE LOW-9 QUOTATION MARK		
201B	SINGLE HIGH-REVERSED-9 QUOTATION MARK		
201C	LEFT DOUBLE QUOTATION MARK		
201D	RIGHT DOUBLE QUOTATION MARK		
201E	DOUBLE LOW-9 QUOTATION MARK		
201F	DOUBLE HIGH-REVERSED-9 QUOTATION MARK		
2020	DAGGER		
2021	DOUBLE DAGGER		
2022	BULLET		
2023	TRIANGULAR BULLET		
2024	ONE DOT LEADER		
2025	TWO DOT LEADER		
2026	HORIZONTAL ELLIPSIS		
2027	HYPHENATION POINT		
2028	LINE SEPARATOR		
2029	PARAGRAPH SEPARATOR		
202A	LEFT-TO-RIGHT EMBEDDING		
202B	RIGHT-TO-LEFT EMBEDDING		
202C	POP DIRECTIONAL FORMATTING		
202D	LEFT-TO-RIGHT OVERRIDE		
202E	RIGHT-TO-LEFT OVERRIDE		
202F	NARROW NO-BREAK SPACE		
2030	PER MILLE SIGN		
2031	PER TENTH THOUSAND SIGN		
2032	PRIME		
2033	DOUBLE PRIME		
2034	TRIPLE PRIME		
2035	REVERSED PRIME		
2036	REVERSED DOUBLE PRIME		
2037	REVERSED TRIPLE PRIME		
2038	CARET		
2039	SINGLE LEFT-POINTING ANGLE QUOTATION MARK		
203A	SINGLE RIGHT-POINTING ANGLE QUOTATION MARK		
203B	REFERENCE MARK		
203C	DOUBLE EXCLAMATION MARK		
203D	INTERROBANG		
203E	OVERLINE		
203F	UNDERTIE (Enotikon)		
2040	CHARACTER TIE		
2041	CARET INSERTION POINT		
2042	ASTERISM		
2043	HYPHEN BULLET		
2044	FRACTION SLASH		
2045	LEFT SQUARE BRACKET WITH QUILL		
2046	RIGHT SQUARE BRACKET WITH QUILL		
2047	DOUBLE QUESTION MARK		
2048	QUESTION EXCLAMATION MARK		
2049	EXCLAMATION QUESTION MARK		
204A	TIRONIAN SIGN ET		
204B	REVERSED PILCROW SIGN		
204C	BLACK LEFTWARDS BULLET		
204D	BLACK RIGHTWARDS BULLET		
204E	LOW ASTERISK		
204F	REVERSED SEMICOLON		
2050	CLOSE UP		
2051	TWO ASTERISKS ALIGNED VERTICALLY		
2052	COMMERCIAL MINUS SIGN		
2053	SWUNG DASH		
2054	INVERTED UNDERTIE		
2055	(This position shall not be used)		
2056	(This position shall not be used)		
2057	QUADRUPLE PRIME		
2058	(This position shall not be used)		
2059	(This position shall not be used)		
205A	(This position shall not be used)		
205B	(This position shall not be used)		
205C	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 63 - Row 20: Superscripts and Subscripts

	207	208	209
0	0 2070	0 2080	
1	i 2071	1 2081	
2		2 2082	
3		3 2083	
4	4 2074	4 2084	
5	5 2075	5 2085	
6	6 2076	6 2086	
7	7 2077	7 2087	
8	8 2078	8 2088	
9	9 2079	9 2089	
A	+ 207A	+ 208A	
B	- 207B	- 208B	
C	= 207C	= 208C	
D	(207D	(208D	
E) 207E) 208E	
F	n 207F		

G = 00
P = 00

Table 63 - Row 20: Superscripts and Subscripts

HEX	NAME	HEX	NAME
2070	SUPERSCRIPT ZERO		
2071	SUPERSCRIPT LATIN SMALL LETTER I		
2072	(This position shall not be used)		
2073	(This position shall not be used)		
2074	SUPERSCRIPT FOUR		
2075	SUPERSCRIPT FIVE		
2076	SUPERSCRIPT SIX		
2077	SUPERSCRIPT SEVEN		
2078	SUPERSCRIPT EIGHT		
2079	SUPERSCRIPT NINE		
207A	SUPERSCRIPT PLUS SIGN		
207B	SUPERSCRIPT MINUS		
207C	SUPERSCRIPT EQUALS SIGN		
207D	SUPERSCRIPT LEFT PARENTHESIS		
207E	SUPERSCRIPT RIGHT PARENTHESIS		
207F	SUPERSCRIPT LATIN SMALL LETTER N		
2080	SUBSCRIPT ZERO		
2081	SUBSCRIPT ONE		
2082	SUBSCRIPT TWO		
2083	SUBSCRIPT THREE		
2084	SUBSCRIPT FOUR		
2085	SUBSCRIPT FIVE		
2086	SUBSCRIPT SIX		
2087	SUBSCRIPT SEVEN		
2088	SUBSCRIPT EIGHT		
2089	SUBSCRIPT NINE		
208A	SUBSCRIPT PLUS SIGN		
208B	SUBSCRIPT MINUS		
208C	SUBSCRIPT EQUALS SIGN		
208D	SUBSCRIPT LEFT PARENTHESIS		
208E	SUBSCRIPT RIGHT PARENTHESIS		
208F	(This position shall not be used)		
2090	(This position shall not be used)		
2091	(This position shall not be used)		
2092	(This position shall not be used)		
2093	(This position shall not be used)		
2094	(This position shall not be used)		
2095	(This position shall not be used)		
2096	(This position shall not be used)		
2097	(This position shall not be used)		
2098	(This position shall not be used)		
2099	(This position shall not be used)		
209A	(This position shall not be used)		
209B	(This position shall not be used)		
209C	(This position shall not be used)		
209D	(This position shall not be used)		
209E	(This position shall not be used)		
209F	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 64 - Row 20: Currency Symbols

	20A	20B	20C
0	₣ 20A0	₧ 20B0	
1	₵ 20A1	₡ 20B1	
2	₶ 20A2		
3	₯ 20A3		
4	₰ 20A4		
5	₱ 20A5		
6	₲ 20A6		
7	Pts 20A7		
8	₳ 20A8		
9	₴ 20A9		
A	₵ 20AA		
B	₶ 20AB		
C	₷ 20AC		
D	₸ 20AD		
E	₹ 20AE		
F	₺ 20AF		

G = 00
P = 00

Table 64 - Row 20: Currency Symbols





























HEX	NAME	HEX	NAME
20A0	EURO-CURRENCY SIGN		
20A1	COLON SIGN		
20A2	CRUZEIRO SIGN		
20A3	FRENCH FRANC SIGN		
20A4	LIRA SIGN		
20A5	MILL SIGN		
20A6	NAIRA SIGN		
20A7	PESETA SIGN		
20A8	RUPEE SIGN		
20A9	WON SIGN		
20AA	NEW SHEQEL SIGN		
20AB	DONG SIGN		
20AC	EURO SIGN		
20AD	KIP SIGN		
20AE	TUGRIK SIGN		
20AF	DRACHMA SIGN		
20B0	GERMAN PENNY SIGN		
20B1	PESO SIGN		
20B2	(This position shall not be used)		
20B3	(This position shall not be used)		
20B4	(This position shall not be used)		
20B5	(This position shall not be used)		
20B6	(This position shall not be used)		
20B7	(This position shall not be used)		
20B8	(This position shall not be used)		
20B9	(This position shall not be used)		
20BA	(This position shall not be used)		
20BB	(This position shall not be used)		
20BC	(This position shall not be used)		
20BD	(This position shall not be used)		
20BE	(This position shall not be used)		
20BF	(This position shall not be used)		
20C0	(This position shall not be used)		
20C1	(This position shall not be used)		
20C2	(This position shall not be used)		
20C3	(This position shall not be used)		
20C4	(This position shall not be used)		
20C5	(This position shall not be used)		
20C6	(This position shall not be used)		
20C7	(This position shall not be used)		
20C8	(This position shall not be used)		
20C9	(This position shall not be used)		
20CA	(This position shall not be used)		
20CB	(This position shall not be used)		
20CC	(This position shall not be used)		
20CD	(This position shall not be used)		
20CE	(This position shall not be used)		
20CF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 65 - Row 20: Combining Diacritical Marks for Symbols

	20D	20E	20F
0	 20D0	 20E0	
1	 20D1	 20E1	
2	 20D2	 20E2	
3	 20D3	 20E3	
4	 20D4	 20E4	
5	 20D5	 20E5	
6	 20D6	 20E6	
7	 20D7	 20E7	
8	 20D8	 20E8	
9	 20D9	 20E9	
A	 20DA	 20EA	
B	 20DB		
C	 20DC		
D	 20DD		
E	 20DE		
F	 20DF		

G = 00
P = 00

Table 65 - Row 20: Combining Diacritical Marks for Symbols

HEX	NAME	HEX	NAME
20D0	COMBINING LEFT HARPOON ABOVE		
20D1	COMBINING RIGHT HARPOON ABOVE		
20D2	COMBINING LONG VERTICAL LINE OVERLAY		
20D3	COMBINING SHORT VERTICAL LINE OVERLAY		
20D4	COMBINING ANTICLOCKWISE ARROW ABOVE		
20D5	COMBINING CLOCKWISE ARROW ABOVE		
20D6	COMBINING LEFT ARROW ABOVE		
20D7	COMBINING RIGHT ARROW ABOVE		
20D8	COMBINING RING OVERLAY		
20D9	COMBINING CLOCKWISE RING OVERLAY		
20DA	COMBINING ANTICLOCKWISE RING OVERLAY		
20DB	COMBINING THREE DOTS ABOVE		
20DC	COMBINING FOUR DOTS ABOVE		
20DD	COMBINING ENCLOSING CIRCLE		
20DE	COMBINING ENCLOSING SQUARE		
20DF	COMBINING ENCLOSING DIAMOND		
20E0	COMBINING ENCLOSING CIRCLE BACKSLASH		
20E1	COMBINING LEFT RIGHT ARROW ABOVE		
20E2	COMBINING ENCLOSING SCREEN		
20E3	COMBINING ENCLOSING KEYCAP		
20E4	COMBINING ENCLOSING UPWARD POINTING TRIANGLE		
20E5	COMBINING REVERSE SOLIDUS OVERLAY		
20E6	COMBINING DOUBLE VERTICAL STROKE OVERLAY		
20E7	COMBINING ANNUITY SYMBOL		
20E8	COMBINING TRIPLE UNDERDOT		
20E9	COMBINING WIDE BRIDGE ABOVE		
20EA	COMBINING LEFTWARDS ARROW OVERLAY		
20EB	(This position shall not be used)		
20EC	(This position shall not be used)		
20ED	(This position shall not be used)		
20EE	(This position shall not be used)		
20EF	(This position shall not be used)		
20F0	(This position shall not be used)		
20F1	(This position shall not be used)		
20F2	(This position shall not be used)		
20F3	(This position shall not be used)		
20F4	(This position shall not be used)		
20F5	(This position shall not be used)		
20F6	(This position shall not be used)		
20F7	(This position shall not be used)		
20F8	(This position shall not be used)		
20F9	(This position shall not be used)		
20FA	(This position shall not be used)		
20FB	(This position shall not be used)		
20FC	(This position shall not be used)		
20FD	(This position shall not be used)		
20FE	(This position shall not be used)		
20FF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 66 - Row 21: Letterlike Symbols

	210	211	212	213	214
0	<i>a/c</i> 2100	<i>J</i> 2110	SM 2120	<i>E</i> 2130	Σ 2140
1	<i>a/s</i> 2101	<i>J</i> 2111	TEL 2121	<i>F</i> 2131	G 2141
2	C 2102	<i>L</i> 2112	TM 2122	H 2132	I 2142
3	$^{\circ}\text{C}$ 2103	<i>l</i> 2113	<i>V</i> 2123	<i>M</i> 2133	J 2143
4	E 2104	F 2114	Z 2124	<i>o</i> 2134	A 2144
5	<i>%</i> 2105	N 2115	Z 2125	X 2135	D 2145
6	<i>%u</i> 2106	N_o 2116	Ω 2126	C 2136	<i>d</i> 2146
7	E 2107	P 2117	U 2127	L 2137	<i>e</i> 2147
8	D 2108	S 2118	Z 2128	I 2138	<i>ii</i> 2148
9	$^{\circ}\text{F}$ 2109	P 2119	r 2129	i 2139	<i>j</i> 2149
A	<i>g</i> 210A	Q 211A	K 212A	O 213A	P 214A
B	<i>H</i> 210B	<i>R</i> 211B	A 212B	FAX 213B	S 214B
C	H 210C	R 211C	<i>B</i> 212C		
D	H 210D	R 211D	C 212D	γ 213D	
E	<i>h</i> 210E	R 211E	<i>e</i> 212E	I 213E	
F	<i>h</i> 210F	R 211F	<i>e</i> 212F	I 213F	

G = 00
P = 00

Table 66 - Row 21: Letterlike Symbols

HEX	NAME	HEX	NAME
2100	ACCOUNT OF		
2101	ADDRESSED TO THE SUBJECT		
2102	DOUBLE-STRUCK CAPITAL C		
2103	DEGREE CELSIUS		
2104	CENTRE LINE SYMBOL		
2105	CARE OF		
2106	CADA UNA		
2107	EULER CONSTANT		
2108	SCRUPLE		
2109	DEGREE FAHRENHEIT		
210A	SCRIPT SMALL G		
210B	SCRIPT CAPITAL H		
210C	BLACK-LETTER CAPITAL H		
210D	DOUBLE-STRUCK CAPITAL H		
210E	PLANCK CONSTANT		
210F	PLANCK CONSTANT OVER TWO PI		
2110	SCRIPT CAPITAL I		
2111	BLACK-LETTER CAPITAL I		
2112	SCRIPT CAPITAL L		
2113	SCRIPT SMALL L		
2114	L B BAR SYMBOL		
2115	DOUBLE-STRUCK CAPITAL N		
2116	NUMERO SIGN		
2117	SOUND RECORDING COPYRIGHT		
2118	SCRIPT CAPITAL P		
2119	DOUBLE-STRUCK CAPITAL P		
211A	DOUBLE-STRUCK CAPITAL Q		
211B	SCRIPT CAPITAL R		
211C	BLACK-LETTER CAPITAL R		
211D	DOUBLE-STRUCK CAPITAL R		
211E	PRESCRIPTION TAKE		
211F	RESPONSE		
2120	SERVICE MARK		
2121	TELEPHONE SIGN		
2122	TRADE MARK SIGN		
2123	VERSICLE		
2124	DOUBLE-STRUCK CAPITAL Z		
2125	OUNCE SIGN		
2126	OHM SIGN		
2127	INVERTED OHM SIGN		
2128	BLACK-LETTER CAPITAL Z		
2129	TURNED GREEK SMALL LETTER IOTA		
212A	KELVIN SIGN		
212B	ANGSTROM SIGN		
212C	SCRIPT CAPITAL B		
212D	BLACK-LETTER CAPITAL C		
212E	ESTIMATED SYMBOL		
212F	SCRIPT SMALL E		
2130	SCRIPT CAPITAL E		
2131	SCRIPT CAPITAL F		
2132	TURNED CAPITAL F		
2133	SCRIPT CAPITAL M		
2134	SCRIPT SMALL O		
2135	ALEF SYMBOL		
2136	BET SYMBOL		
2137	GIMEL SYMBOL		
2138	DALET SYMBOL		
2139	INFORMATION SOURCE		
213A	ROTATED CAPITAL Q		
213B	FACSIMILE SIGN		
213C	(This position shall not be used)		
213D	DOUBLE-STRUCK SMALL GAMMA		
213E	DOUBLE-STRUCK CAPITAL GAMMA		
213F	DOUBLE-STRUCK CAPITAL PI		
2140	DOUBLE-STRUCK N-ARY SUMMATION		
2141	TURNED SANS-SERIF CAPITAL G		
2142	TURNED SANS-SERIF CAPITAL L		
2143	REVERSED SANS-SERIF CAPITAL L		
2144	TURNED SANS-SERIF CAPITAL Y		
2145	DOUBLE-STRUCK ITALIC CAPITAL D		
2146	DOUBLE-STRUCK ITALIC SMALL D		
2147	DOUBLE-STRUCK ITALIC SMALL E		
2148	DOUBLE-STRUCK ITALIC SMALL I		
2149	DOUBLE-STRUCK ITALIC SMALL J		
214A	PROPERTY LINE		
214B	TURNED AMPERSAND		
214C	(This position shall not be used)		
214D	(This position shall not be used)		
214E	(This position shall not be used)		
214F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 67 - Row 21: Number Forms

	215	216	217	218
0		I 2160	i 2170	⓪ 2180
1		II 2161	ii 2171	Ⓛ 2181
2		III 2162	iii 2172	Ⓞ 2182
3	1/3 2153	IV 2163	iv 2173	Ⓢ 2183
4	2/3 2154	V 2164	v 2174	
5	1/5 2155	VI 2165	vi 2175	
6	2/5 2156	VII 2166	vii 2176	
7	3/5 2157	VIII 2167	viii 2177	
8	4/5 2158	IX 2168	ix 2178	
9	1/6 2159	X 2169	x 2179	
A	5/6 215A	XI 216A	xi 217A	
B	1/8 215B	XII 216B	xii 217B	
C	3/8 215C	L 216C	l 217C	
D	5/8 215D	C 216D	c 217D	
E	7/8 215E	D 216E	d 217E	
F	1/7 215F	M 216F	m 217F	

G = 00
P = 00

Table 67 - Row 21: Number Forms

















































































































HEX	NAME	HEX	NAME
2150	(This position shall not be used)		
2151	(This position shall not be used)		
2152	(This position shall not be used)		
2153	VULGAR FRACTION ONE THIRD		
2154	VULGAR FRACTION TWO THIRDS		
2155	VULGAR FRACTION ONE FIFTH		
2156	VULGAR FRACTION TWO FIFTHS		
2157	VULGAR FRACTION THREE FIFTHS		
2158	VULGAR FRACTION FOUR FIFTHS		
2159	VULGAR FRACTION ONE SIXTH		
215A	VULGAR FRACTION FIVE SIXTHS		
215B	VULGAR FRACTION ONE EIGHTH		
215C	VULGAR FRACTION THREE EIGHTHS		
215D	VULGAR FRACTION FIVE EIGHTHS		
215E	VULGAR FRACTION SEVEN EIGHTHS		
215F	FRACTION NUMERATOR ONE		
2160	ROMAN NUMERAL ONE		
2161	ROMAN NUMERAL TWO		
2162	ROMAN NUMERAL THREE		
2163	ROMAN NUMERAL FOUR		
2164	ROMAN NUMERAL FIVE		
2165	ROMAN NUMERAL SIX		
2166	ROMAN NUMERAL SEVEN		
2167	ROMAN NUMERAL EIGHT		
2168	ROMAN NUMERAL NINE		
2169	ROMAN NUMERAL TEN		
216A	ROMAN NUMERAL ELEVEN		
216B	ROMAN NUMERAL TWELVE		
216C	ROMAN NUMERAL FIFTY		
216D	ROMAN NUMERAL ONE HUNDRED		
216E	ROMAN NUMERAL FIVE HUNDRED		
216F	ROMAN NUMERAL ONE THOUSAND		
2170	SMALL ROMAN NUMERAL ONE		
2171	SMALL ROMAN NUMERAL TWO		
2172	SMALL ROMAN NUMERAL THREE		
2173	SMALL ROMAN NUMERAL FOUR		
2174	SMALL ROMAN NUMERAL FIVE		
2175	SMALL ROMAN NUMERAL SIX		
2176	SMALL ROMAN NUMERAL SEVEN		
2177	SMALL ROMAN NUMERAL EIGHT		
2178	SMALL ROMAN NUMERAL NINE		
2179	SMALL ROMAN NUMERAL TEN		
217A	SMALL ROMAN NUMERAL ELEVEN		
217B	SMALL ROMAN NUMERAL TWELVE		
217C	SMALL ROMAN NUMERAL FIFTY		
217D	SMALL ROMAN NUMERAL ONE HUNDRED		
217E	SMALL ROMAN NUMERAL FIVE HUNDRED		
217F	SMALL ROMAN NUMERAL ONE THOUSAND		
2180	ROMAN NUMERAL ONE THOUSAND C D		
2181	ROMAN NUMERAL FIVE THOUSAND		
2182	ROMAN NUMERAL TEN THOUSAND		
2183	ROMAN NUMERAL REVERSED ONE HUNDRED		
2184	(This position shall not be used)		
2185	(This position shall not be used)		
2186	(This position shall not be used)		
2187	(This position shall not be used)		
2188	(This position shall not be used)		
2189	(This position shall not be used)		
218A	(This position shall not be used)		
218B	(This position shall not be used)		
218C	(This position shall not be used)		
218D	(This position shall not be used)		
218E	(This position shall not be used)		
218F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 68 - Row 21: Arrows

	219	21A	21B	21C	21D	21E	21F
0	 2190	 21A0	 21B0	 21C0	 21D0	 21E0	 21F0
1	 2191	 21A1	 21B1	 21C1	 21D1	 21E1	 21F1
2	 2192	 21A2	 21B2	 21C2	 21D2	 21E2	 21F2
3	 2193	 21A3	 21B3	 21C3	 21D3	 21E3	 21F3
4	 2194	 21A4	 21B4	 21C4	 21D4	 21E4	 21F4
5	 2195	 21A5	 21B5	 21C5	 21D5	 21E5	 21F5
6	 2196	 21A6	 21B6	 21C6	 21D6	 21E6	 21F6
7	 2197	 21A7	 21B7	 21C7	 21D7	 21E7	 21F7
8	 2198	 21A8	 21B8	 21C8	 21D8	 21E8	 21F8
9	 2199	 21A9	 21B9	 21C9	 21D9	 21E9	 21F9
A	 219A	 21AA	 21BA	 21CA	 21DA	 21EA	 21FA
B	 219B	 21AB	 21BB	 21CB	 21DB	 21EB	 21FB
C	 219C	 21AC	 21BC	 21CC	 21DC	 21EC	 21FC
D	 219D	 21AD	 21BD	 21CD	 21DD	 21ED	 21FD
E	 219E	 21AE	 21BE	 21CE	 21DE	 21EE	 21FE
F	 219F	 21AF	 21BF	 21CF	 21DF	 21EF	 21FF

G = 00
P = 00

Table 68 - Row 21: Arrows

HEX	NAME	HEX	NAME
2190	LEFTWARDS ARROW	21ED	UPWARDS WHITE ARROW ON PEDESTAL WITH VERTICAL BAR
2191	UPWARDS ARROW	21EE	UPWARDS WHITE DOUBLE ARROW
2192	RIGHTWARDS ARROW	21EF	UPWARDS WHITE DOUBLE ARROW ON PEDESTAL
2193	DOWNWARDS ARROW	21F0	RIGHTWARDS WHITE ARROW FROM WALL
2194	LEFT RIGHT ARROW	21F1	NORTH WEST ARROW TO CORNER
2195	UP DOWN ARROW	21F2	SOUTH EAST ARROW TO CORNER
2196	NORTH WEST ARROW	21F3	UP DOWN WHITE ARROW
2197	NORTH EAST ARROW	21F4	RIGHT ARROW WITH SMALL CIRCLE
2198	SOUTH EAST ARROW	21F5	DOWNWARDS ARROW LEFTWARDS OF UPWARDS ARROW
2199	SOUTH WEST ARROW	21F6	THREE RIGHTWARDS ARROWS
219A	LEFTWARDS ARROW WITH STROKE	21F7	LEFTWARDS ARROW WITH VERTICAL STROKE
219B	RIGHTWARDS ARROW WITH STROKE	21F8	RIGHTWARDS ARROW WITH VERTICAL STROKE
219C	LEFTWARDS WAVE ARROW	21F9	LEFT RIGHT ARROW WITH VERTICAL STROKE
219D	RIGHTWARDS WAVE ARROW	21FA	LEFTWARDS ARROW WITH DOUBLE VERTICAL STROKE
219E	LEFTWARDS TWO HEADED ARROW	21FB	RIGHTWARDS ARROW WITH DOUBLE VERTICAL STROKE
219F	UPWARDS TWO HEADED ARROW	21FC	LEFT RIGHT ARROW WITH DOUBLE VERTICAL STROKE
21A0	RIGHTWARDS TWO HEADED ARROW	21FD	LEFTWARDS OPEN-HEADED ARROW
21A1	DOWNWARDS TWO HEADED ARROW	21FE	RIGHTWARDS OPEN-HEADED ARROW
21A2	LEFTWARDS ARROW WITH TAIL	21FF	LEFT RIGHT OPEN-HEADED ARROW
21A3	RIGHTWARDS ARROW WITH TAIL		
21A4	LEFTWARDS ARROW FROM BAR		
21A5	UPWARDS ARROW FROM BAR		
21A6	RIGHTWARDS ARROW FROM BAR		
21A7	DOWNWARDS ARROW FROM BAR		
21A8	UP DOWN ARROW WITH BASE		
21A9	LEFTWARDS ARROW WITH HOOK		
21AA	RIGHTWARDS ARROW WITH HOOK		
21AB	LEFTWARDS ARROW WITH LOOP		
21AC	RIGHTWARDS ARROW WITH LOOP		
21AD	LEFT RIGHT WAVE ARROW		
21AE	LEFT RIGHT ARROW WITH STROKE		
21AF	DOWNWARDS ZIGZAG ARROW		
21B0	UPWARDS ARROW WITH TIP LEFTWARDS		
21B1	UPWARDS ARROW WITH TIP RIGHTWARDS		
21B2	DOWNWARDS ARROW WITH TIP LEFTWARDS		
21B3	DOWNWARDS ARROW WITH TIP RIGHTWARDS		
21B4	RIGHTWARDS ARROW WITH CORNER DOWNWARDS		
21B5	DOWNWARDS ARROW WITH CORNER LEFTWARDS		
21B6	ANTICLOCKWISE TOP SEMICIRCLE ARROW		
21B7	CLOCKWISE TOP SEMICIRCLE ARROW		
21B8	NORTH WEST ARROW TO LONG BAR		
21B9	LEFTWARDS ARROW TO BAR OVER RIGHTWARDS ARROW TO BAR		
21BA	ANTICLOCKWISE OPEN CIRCLE ARROW		
21BB	CLOCKWISE OPEN CIRCLE ARROW		
21BC	LEFTWARDS HARPOON WITH BARB UPWARDS		
21BD	LEFTWARDS HARPOON WITH BARB DOWNWARDS		
21BE	UPWARDS HARPOON WITH BARB RIGHTWARDS		
21BF	UPWARDS HARPOON WITH BARB LEFTWARDS		
21C0	RIGHTWARDS HARPOON WITH BARB UPWARDS		
21C1	RIGHTWARDS HARPOON WITH BARB DOWNWARDS		
21C2	DOWNWARDS HARPOON WITH BARB RIGHTWARDS		
21C3	DOWNWARDS HARPOON WITH BARB LEFTWARDS		
21C4	RIGHTWARDS ARROW OVER LEFTWARDS ARROW		
21C5	UPWARDS ARROW LEFTWARDS OF DOWNWARDS ARROW		
21C6	LEFTWARDS ARROW OVER RIGHTWARDS ARROW		
21C7	LEFTWARDS PAIRED ARROWS		
21C8	UPWARDS PAIRED ARROWS		
21C9	RIGHTWARDS PAIRED ARROWS		
21CA	DOWNWARDS PAIRED ARROWS		
21CB	LEFTWARDS HARPOON OVER RIGHTWARDS HARPOON		
21CC	RIGHTWARDS HARPOON OVER LEFTWARDS HARPOON		
21CD	LEFTWARDS DOUBLE ARROW WITH STROKE		
21CE	LEFT RIGHT DOUBLE ARROW WITH STROKE		
21CF	RIGHTWARDS DOUBLE ARROW WITH STROKE		
21D0	LEFTWARDS DOUBLE ARROW		
21D1	UPWARDS DOUBLE ARROW		
21D2	RIGHTWARDS DOUBLE ARROW		
21D3	DOWNWARDS DOUBLE ARROW		
21D4	LEFT RIGHT DOUBLE ARROW		
21D5	UP DOWN DOUBLE ARROW		
21D6	NORTH WEST DOUBLE ARROW		
21D7	NORTH EAST DOUBLE ARROW		
21D8	SOUTH EAST DOUBLE ARROW		
21D9	SOUTH WEST DOUBLE ARROW		
21DA	LEFTWARDS TRIPLE ARROW		
21DB	RIGHTWARDS TRIPLE ARROW		
21DC	LEFTWARDS SQUIGGLE ARROW		
21DD	RIGHTWARDS SQUIGGLE ARROW		
21DE	UPWARDS ARROW WITH DOUBLE STROKE		
21DF	DOWNWARDS ARROW WITH DOUBLE STROKE		
21E0	LEFTWARDS DASHED ARROW		
21E1	UPWARDS DASHED ARROW		
21E2	RIGHTWARDS DASHED ARROW		
21E3	DOWNWARDS DASHED ARROW		
21E4	LEFTWARDS ARROW TO BAR		
21E5	RIGHTWARDS ARROW TO BAR		
21E6	LEFTWARDS WHITE ARROW		
21E7	UPWARDS WHITE ARROW		
21E8	RIGHTWARDS WHITE ARROW		
21E9	DOWNWARDS WHITE ARROW		
21EA	UPWARDS WHITE ARROW FROM BAR		
21EB	UPWARDS WHITE ARROW ON PEDESTAL		
21EC	UPWARDS WHITE ARROW ON PEDESTAL WITH HORIZONTAL BAR		

Group 00

Plane 00

Row 21

Table 69 - Row 22: Mathematical Operators

	220	221	222	223	224	225	226	227
0	∇ 2200	\sqcup 2210	\angle 2220	\mathfrak{F} 2230	\wr 2240	\doteq 2250	\neq 2260	$\not\approx$ 2270
1	\complement 2201	Σ 2211	\triangleleft 2221	\mathfrak{f} 2231	\simeq 2241	\doteqdot 2251	\equiv 2261	$\not\equiv$ 2271
2	∂ 2202	$-$ 2212	\nlessgtr 2222	\mathfrak{F} 2232	\approx 2242	\doteq 2252	\neq 2262	\approx 2272
3	\exists 2203	\mp 2213	$ $ 2223	\mathfrak{F} 2233	\approx 2243	\doteq 2253	\equiv 2263	\approx 2273
4	\nexists 2204	\dagger 2214	\dagger 2224	\therefore 2234	\neq 2244	\doteq 2254	\leq 2264	\neq 2274
5	\emptyset 2205	$/$ 2215	\parallel 2225	\therefore 2235	\equiv 2245	\doteq 2255	\geq 2265	\neq 2275
6	\triangle 2206	\diagdown 2216	\nparallel 2226	\therefore 2236	\neq 2246	\mathbb{H} 2256	\equiv 2266	\approx 2276
7	∇ 2207	$*$ 2217	\wedge 2227	\therefore 2237	\neq 2247	\circ 2257	\equiv 2267	\approx 2277
8	\in 2208	\circ 2218	\vee 2228	$\dot{-}$ 2238	\approx 2248	\equiv 2258	\neq 2268	\neq 2278
9	\notin 2209	\cdot 2219	\cap 2229	$\dot{-}$ 2239	\neq 2249	\triangleq 2259	\neq 2269	\neq 2279
A	ϵ 220A	$\sqrt{\quad}$ 221A	\cup 222A	\therefore 223A	\approx 224A	\leq 225A	\ll 226A	\lessgtr 227A
B	\ni 220B	$\sqrt[3]{\quad}$ 221B	\int 222B	\div 223B	\approx 224B	\star 225B	\gg 226B	\gtrless 227B
C	$\not\in$ 220C	$\sqrt[4]{\quad}$ 221C	\iint 222C	\sim 223C	\equiv 224C	\triangleq 225C	\emptyset 226C	\approx 227C
D	\ni 220D	α 221D	\iiint 222D	\sim 223D	\subset 224D	$\stackrel{\text{def}}{=}$ 225D	\neq 226D	\approx 227D
E	\blacksquare 220E	∞ 221E	\mathfrak{F} 222E	\approx 223E	\subsetneq 224E	\equiv 225E	\neq 226E	\approx 227E
F	\prod 220F	\perp 221F	\mathfrak{F} 222F	\sim 223F	\supset 224F	$\stackrel{?}{=}$ 225F	\neq 226F	\approx 227F

G = 00
P = 00

Table 69 - Row 22: Mathematical Operators

































































































































HEX	NAME	HEX	NAME
2200	FOR ALL	225D	EQUAL TO BY DEFINITION
2201	COMPLEMENT	225E	MEASURED BY
2202	PARTIAL DIFFERENTIAL	225F	QUESTIONED EQUAL TO
2203	THERE EXISTS	2260	NOT EQUAL TO
2204	THERE DOES NOT EXIST	2261	IDENTICAL TO
2205	EMPTY SET	2262	NOT IDENTICAL TO
2206	INCREMENT	2263	STRICTLY EQUIVALENT TO
2207	NABLA	2264	LESS-THAN OR EQUAL TO
2208	ELEMENT OF	2265	GREATER-THAN OR EQUAL TO
2209	NOT AN ELEMENT OF	2266	LESS-THAN OVER EQUAL TO
220A	SMALL ELEMENT OF	2267	GREATER-THAN OVER EQUAL TO
220B	CONTAINS AS MEMBER	2268	LESS-THAN BUT NOT EQUAL TO
220C	DOES NOT CONTAIN AS MEMBER	2269	GREATER-THAN BUT NOT EQUAL TO
220D	SMALL CONTAINS AS MEMBER	226A	MUCH LESS-THAN
220E	END OF PROOF	226B	MUCH GREATER-THAN
220F	N-ARY PRODUCT	226C	BETWEEN
2210	N-ARY COPRODUCT	226D	NOT EQUIVALENT TO
2211	N-ARY SUMMATION	226E	NOT LESS-THAN
2212	MINUS SIGN	226F	NOT GREATER-THAN
2213	MINUS-OR-PLUS SIGN	2270	NEITHER LESS-THAN NOR EQUAL TO
2214	DOT PLUS	2271	NEITHER GREATER-THAN NOR EQUAL TO
2215	DIVISION SLASH	2272	LESS-THAN OR EQUIVALENT TO
2216	SET MINUS	2273	GREATER-THAN OR EQUIVALENT TO
2217	ASTERISK OPERATOR	2274	NEITHER LESS-THAN NOR EQUIVALENT TO
2218	RING OPERATOR	2275	NEITHER GREATER-THAN NOR EQUIVALENT TO
2219	BULLET OPERATOR	2276	LESS-THAN OR GREATER-THAN
221A	SQUARE ROOT	2277	GREATER-THAN OR LESS-THAN
221B	CUBE ROOT	2278	NEITHER LESS-THAN NOR GREATER-THAN
221C	FOURTH ROOT	2279	NEITHER GREATER-THAN NOR LESS-THAN
221D	PROPORTIONAL TO	227A	PRECEDES
221E	INFINITY	227B	SUCCEEDS
221F	RIGHT ANGLE	227C	PRECEDES OR EQUAL TO
2220	ANGLE	227D	SUCCEEDS OR EQUAL TO
2221	MEASURED ANGLE	227E	PRECEDES OR EQUIVALENT TO
2222	SPHERICAL ANGLE	227F	SUCCEEDS OR EQUIVALENT TO
2223	DIVIDES		
2224	DOES NOT DIVIDE		
2225	PARALLEL TO		
2226	NOT PARALLEL TO		
2227	LOGICAL AND		
2228	LOGICAL OR		
2229	INTERSECTION		
222A	UNION		
222B	INTEGRAL		
222C	DOUBLE INTEGRAL		
222D	TRIPLE INTEGRAL		
222E	CONTOUR INTEGRAL		
222F	SURFACE INTEGRAL		
2230	VOLUME INTEGRAL		
2231	CLOCKWISE INTEGRAL		
2232	CLOCKWISE CONTOUR INTEGRAL		
2233	ANTICLOCKWISE CONTOUR INTEGRAL		
2234	THEREFORE		
2235	BECAUSE		
2236	RATIO		
2237	PROPORTION		
2238	DOT MINUS		
2239	EXCESS		
223A	GEOMETRIC PROPORTION		
223B	HOMOTHETIC		
223C	TILDE OPERATOR		
223D	REVERSED TILDE (lazy S)		
223E	INVERTED LAZY S		
223F	SINE WAVE		
2240	WREATH PRODUCT		
2241	NOT TILDE		
2242	MINUS TILDE		
2243	ASYMPTOTICALLY EQUAL TO		
2244	NOT ASYMPTOTICALLY EQUAL TO		
2245	APPROXIMATELY EQUAL TO		
2246	APPROXIMATELY BUT NOT ACTUALLY EQUAL TO		
2247	NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO		
2248	ALMOST EQUAL TO		
2249	NOT ALMOST EQUAL TO		
224A	ALMOST EQUAL OR EQUAL TO		
224B	TRIPLE TILDE		
224C	ALL EQUAL TO		
224D	EQUIVALENT TO		
224E	GEOMETRICALLY EQUIVALENT TO		
224F	DIFFERENCE BETWEEN		
2250	APPROACHES THE LIMIT		
2251	GEOMETRICALLY EQUAL TO		
2252	APPROXIMATELY EQUAL TO OR THE IMAGE OF		
2253	IMAGE OF OR APPROXIMATELY EQUAL TO		
2254	COLON EQUALS		
2255	EQUALS COLON		
2256	RING IN EQUAL TO		
2257	RING EQUAL TO		
2258	CORRESPONDS TO		
2259	ESTIMATES		
225A	EQUIANGULAR TO		
225B	STAR EQUALS		
225C	DELTA EQUAL TO		

Group 00

Plane 00

Row 22

Table 70 - Row 22: Mathematical Operators

	228	229	22A	22B	22C	22D	22E	22F
0	 2280	 2290	 22A0	 22B0	 22C0	 22D0	 22E0	 22F0
1	 2281	 2291	 22A1	 22B1	 22C1	 22D1	 22E1	 22F1
2	 2282	 2292	 22A2	 22B2	 22C2	 22D2	 22E2	 22F2
3	 2283	 2293	 22A3	 22B3	 22C3	 22D3	 22E3	 22F3
4	 2284	 2294	 22A4	 22B4	 22C4	 22D4	 22E4	 22F4
5	 2285	 2295	 22A5	 22B5	 22C5	 22D5	 22E5	 22F5
6	 2286	 2296	 22A6	 22B6	 22C6	 22D6	 22E6	 22F6
7	 2287	 2297	 22A7	 22B7	 22C7	 22D7	 22E7	 22F7
8	 2288	 2298	 22A8	 22B8	 22C8	 22D8	 22E8	 22F8
9	 2289	 2299	 22A9	 22B9	 22C9	 22D9	 22E9	 22F9
A	 228A	 229A	 22AA	 22BA	 22CA	 22DA	 22EA	 22FA
B	 228B	 229B	 22AB	 22BB	 22CB	 22DB	 22EB	 22FB
C	 228C	 229C	 22AC	 22BC	 22CC	 22DC	 22EC	 22FC
D	 228D	 229D	 22AD	 22BD	 22CD	 22DD	 22ED	 22FD
E	 228E	 229E	 22AE	 22BE	 22CE	 22DE	 22EE	 22FE
F	 228F	 229F	 22AF	 22BF	 22CF	 22DF	 22EF	 22FF

G = 00
P = 00

Table 70 - Row 22: Mathematical Operators

































































































































HEX	NAME	HEX	NAME
2280	DOES NOT PRECEDE	22DD	EQUAL TO OR GREATER-THAN
2281	DOES NOT SUCCEED	22DE	EQUAL TO OR PRECEDES
2282	SUBSET OF	22DF	EQUAL TO OR SUCCEEDS
2283	SUPERSET OF	22E0	DOES NOT PRECEDE OR EQUAL
2284	NOT A SUBSET OF	22E1	DOES NOT SUCCEED OR EQUAL
2285	NOT A SUPERSET OF	22E2	NOT SQUARE IMAGE OF OR EQUAL TO
2286	SUBSET OF OR EQUAL TO	22E3	NOT SQUARE ORIGINAL OF OR EQUAL TO
2287	SUPERSET OF OR EQUAL TO	22E4	SQUARE IMAGE OF OR NOT EQUAL TO
2288	NEITHER A SUBSET OF NOR EQUAL TO	22E5	SQUARE ORIGINAL OF OR NOT EQUAL TO
2289	NEITHER A SUPERSET OF NOR EQUAL TO	22E6	LESS-THAN BUT NOT EQUIVALENT TO
228A	SUBSET OF WITH NOT EQUAL TO	22E7	GREATER-THAN BUT NOT EQUIVALENT TO
228B	SUPERSET OF WITH NOT EQUAL TO	22E8	PRECEDES BUT NOT EQUIVALENT TO
228C	MULTISET	22E9	SUCCEEDS BUT NOT EQUIVALENT TO
228D	MULTISET MULTIPLICATION	22EA	NOT NORMAL SUBGROUP OF
228E	MULTISET UNION	22EB	DOES NOT CONTAIN AS NORMAL SUBGROUP
228F	SQUARE IMAGE OF	22EC	NOT NORMAL SUBGROUP OF OR EQUAL TO
2290	SQUARE ORIGINAL OF	22ED	DOES NOT CONTAIN AS NORMAL SUBGROUP OR EQUAL
2291	SQUARE IMAGE OF OR EQUAL TO	22EE	VERTICAL ELLIPSIS
2292	SQUARE ORIGINAL OF OR EQUAL TO	22EF	MIDLINE HORIZONTAL ELLIPSIS
2293	SQUARE CAP	22F0	UP RIGHT DIAGONAL ELLIPSIS
2294	SQUARE CUP	22F1	DOWN RIGHT DIAGONAL ELLIPSIS
2295	CIRCLED PLUS	22F2	ELEMENT OF WITH LONG HORIZONTAL STROKE
2296	CIRCLED MINUS	22F3	ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
2297	CIRCLED TIMES	22F4	SMALL ELEMENT OF WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
2298	CIRCLED DIVISION SLASH	22F5	ELEMENT OF WITH DOT ABOVE
2299	CIRCLED DOT OPERATOR	22F6	ELEMENT OF WITH OVERBAR
229A	CIRCLED RING OPERATOR	22F7	SMALL ELEMENT OF WITH OVERBAR
229B	CIRCLED ASTERISK OPERATOR	22F8	ELEMENT OF WITH UNDERBAR
229C	CIRCLED EQUALS	22F9	ELEMENT OF WITH TWO HORIZONTAL STROKES
229D	CIRCLED DASH	22FA	CONTAINS WITH LONG HORIZONTAL STROKE
229E	SQUARED PLUS	22FB	CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
229F	SQUARED MINUS	22FC	SMALL CONTAINS WITH VERTICAL BAR AT END OF HORIZONTAL STROKE
22A0	SQUARED TIMES	22FD	CONTAINS WITH OVERBAR
22A1	SQUARED DOT OPERATOR	22FE	SMALL CONTAINS WITH OVERBAR
22A2	RIGHT TACK	22FF	Z NOTATION BAG MEMBERSHIP
22A3	LEFT TACK		
22A4	DOWN TACK		
22A5	UP TACK		
22A6	ASSERTION		
22A7	MODELS		
22A8	TRUE		
22A9	FORCES		
22AA	TRIPLE VERTICAL BAR RIGHT TURNSTILE		
22AB	DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE		
22AC	DOES NOT PROVE		
22AD	NOT TRUE		
22AE	DOES NOT FORCE		
22AF	NEGATED DOUBLE VERTICAL BAR DOUBLE RIGHT TURNSTILE		
22B0	PRECEDES UNDER RELATION		
22B1	SUCCEEDS UNDER RELATION		
22B2	NORMAL SUBGROUP OF		
22B3	CONTAINS AS NORMAL SUBGROUP		
22B4	NORMAL SUBGROUP OF OR EQUAL TO		
22B5	CONTAINS AS NORMAL SUBGROUP OR EQUAL TO		
22B6	ORIGINAL OF		
22B7	IMAGE OF		
22B8	MULTIMAP		
22B9	HERMITIAN CONJUGATE MATRIX		
22BA	INTERCALATE		
22BB	XOR		
22BC	NAND		
22BD	NOR		
22BE	RIGHT ANGLE WITH ARC		
22BF	RIGHT TRIANGLE		
22C0	N-ARY LOGICAL AND		
22C1	N-ARY LOGICAL OR		
22C2	N-ARY INTERSECTION		
22C3	N-ARY UNION		
22C4	DIAMOND OPERATOR		
22C5	DOT OPERATOR		
22C6	STAR OPERATOR		
22C7	DIVISION TIMES		
22C8	BOWTIE		
22C9	LEFT NORMAL FACTOR SEMIDIRECT PRODUCT		
22CA	RIGHT NORMAL FACTOR SEMIDIRECT PRODUCT		
22CB	LEFT SEMIDIRECT PRODUCT		
22CC	RIGHT SEMIDIRECT PRODUCT		
22CD	REVERSED TILDE EQUALS		
22CE	CURLY LOGICAL OR		
22CF	CURLY LOGICAL AND		
22D0	DOUBLE SUBSET		
22D1	DOUBLE SUPERSET		
22D2	DOUBLE INTERSECTION		
22D3	DOUBLE UNION		
22D4	PITCHFORK		
22D5	EQUAL AND PARALLEL TO		
22D6	LESS-THAN WITH DOT		
22D7	GREATER-THAN WITH DOT		
22D8	VERY MUCH LESS-THAN		
22D9	VERY MUCH GREATER-THAN		
22DA	LESS-THAN EQUAL TO OR GREATER-THAN		
22DB	GREATER-THAN EQUAL TO OR LESS-THAN		
22DC	EQUAL TO OR LESS-THAN		

Group 00

Plane 00

Row 22

Table 71 - Row 23: Miscellaneous Technical

	230	231	232	233	234	235	236	237
0	 2300	 2310	 2320	 2330	 2340	 2350	 2360	 2370
1	 2301	 2311	 2321	 2331	 2341	 2351	 2361	 2371
2	 2302	 2312	 2322	 2332	 2342	 2352	 2362	 2372
3	 2303	 2313	 2323	 2333	 2343	 2353	 2363	 2373
4	 2304	 2314	 2324	 2334	 2344	 2354	 2364	 2374
5	 2305	 2315	 2325	 2335	 2345	 2355	 2365	 2375
6	 2306	 2316	 2326	 2336	 2346	 2356	 2366	 2376
7	 2307	 2317	 2327	 2337	 2347	 2357	 2367	 2377
8	 2308	 2318	 2328	 2338	 2348	 2358	 2368	 2378
9	 2309	 2319	 2329	 2339	 2349	 2359	 2369	 2379
A	 230A	 231A	 232A	 233A	 234A	 235A	 236A	 237A
B	 230B	 231B	 232B	 233B	 234B	 235B	 236B	 237B
C	 230C	 231C	 232C	 233C	 234C	 235C	 236C	 237C
D	 230D	 231D	 232D	 233D	 234D	 235D	 236D	 237D
E	 230E	 231E	 232E	 233E	 234E	 235E	 236E	 237E
F	 230F	 231F	 232F	 233F	 234F	 235F	 236F	 237F

G = 00
P = 00

Table 71 - Row 23: Miscellaneous Technical


















































































HEX	NAME	HEX	NAME
2300	DIAMETER SIGN	235D	APL FUNCTIONAL SYMBOL UP SHOE JOT
2301	ELECTRIC ARROW	235E	APL FUNCTIONAL SYMBOL QUOTE QUAD
2302	HOUSE	235F	APL FUNCTIONAL SYMBOL CIRCLE STAR
2303	UP ARROWHEAD	2360	APL FUNCTIONAL SYMBOL QUAD COLON
2304	DOWN ARROWHEAD	2361	APL FUNCTIONAL SYMBOL UP TACK DIAERESIS *
2305	PROJECTIVE	2362	APL FUNCTIONAL SYMBOL DEL DIAERESIS
2306	PERSPECTIVE	2363	APL FUNCTIONAL SYMBOL STAR DIAERESIS
2307	WAVY LINE	2364	APL FUNCTIONAL SYMBOL JOT DIAERESIS
2308	LEFT CEILING	2365	APL FUNCTIONAL SYMBOL CIRCLE DIAERESIS
2309	RIGHT CEILING	2366	APL FUNCTIONAL SYMBOL DOWN SHOE STILE
230A	LEFT FLOOR	2367	APL FUNCTIONAL SYMBOL LEFT SHOE STILE
230B	RIGHT FLOOR	2368	APL FUNCTIONAL SYMBOL TILDE DIAERESIS
230C	BOTTOM RIGHT CROP	2369	APL FUNCTIONAL SYMBOL GREATER-THAN DIAERESIS
230D	BOTTOM LEFT CROP	236A	APL FUNCTIONAL SYMBOL COMMA BAR
230E	TOP RIGHT CROP	236B	APL FUNCTIONAL SYMBOL DEL TILDE
230F	TOP LEFT CROP	236C	APL FUNCTIONAL SYMBOL ZILDE
2310	REVERSED NOT SIGN	236D	APL FUNCTIONAL SYMBOL STILE TILDE
2311	SQUARE LOZENGE	236E	APL FUNCTIONAL SYMBOL SEMICOLON UNDERBAR
2312	ARC	236F	APL FUNCTIONAL SYMBOL QUAD NOT EQUAL
2313	SEGMENT	2370	APL FUNCTIONAL SYMBOL QUAD QUESTION
2314	SECTOR	2371	APL FUNCTIONAL SYMBOL DOWN CARET TILDE
2315	TELEPHONE RECORDER	2372	APL FUNCTIONAL SYMBOL UP CARET TILDE
2316	POSITION INDICATOR	2373	APL FUNCTIONAL SYMBOL IOTA
2317	VIEWDATA SQUARE	2374	APL FUNCTIONAL SYMBOL RHO
2318	PLACE OF INTEREST SIGN	2375	APL FUNCTIONAL SYMBOL OMEGA
2319	TURNED NOT SIGN	2376	APL FUNCTIONAL SYMBOL ALPHA UNDERBAR
231A	WATCH	2377	APL FUNCTIONAL SYMBOL EPSILON UNDERBAR
231B	HOURLASS	2378	APL FUNCTIONAL SYMBOL IOTA UNDERBAR
231C	TOP LEFT CORNER	2379	APL FUNCTIONAL SYMBOL OMEGA UNDERBAR
231D	TOP RIGHT CORNER	237A	APL FUNCTIONAL SYMBOL ALPHA
231E	BOTTOM LEFT CORNER	237B	NOT CHECK MARK
231F	BOTTOM RIGHT CORNER	237C	RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW
2320	TOP HALF INTEGRAL	237D	SHOULDERED OPEN BOX
2321	BOTTOM HALF INTEGRAL	237E	BELL SYMBOL
2322	FROWN	237F	VERTICAL LINE WITH MIDDLE DOT
2323	SMILE		
2324	UP ARROWHEAD BETWEEN TWO HORIZONTAL BARS		
2325	OPTION KEY		
2326	ERASE TO THE RIGHT		
2327	X IN A RECTANGLE BOX		
2328	KEYBOARD		
2329	LEFT-POINTING ANGLE BRACKET		
232A	RIGHT-POINTING ANGLE BRACKET		
232B	ERASE TO THE LEFT		
232C	BENZENE RING		
232D	CYLINDRICITY		
232E	ALL AROUND-PROFILE		
232F	SYMMETRY		
2330	TOTAL RUNOUT		
2331	DIMENSION ORIGIN		
2332	CONICAL TAPER		
2333	SLOPE		
2334	COUNTERBORE		
2335	COUNTERSINK		
2336	APL FUNCTIONAL SYMBOL I-BEAM		
2337	APL FUNCTIONAL SYMBOL SQUISH QUAD		
2338	APL FUNCTIONAL SYMBOL QUAD EQUAL		
2339	APL FUNCTIONAL SYMBOL QUAD DIVIDE		
233A	APL FUNCTIONAL SYMBOL QUAD DIAMOND		
233B	APL FUNCTIONAL SYMBOL QUAD JOT		
233C	APL FUNCTIONAL SYMBOL QUAD CIRCLE		
233D	APL FUNCTIONAL SYMBOL CIRCLE STILE		
233E	APL FUNCTIONAL SYMBOL CIRCLE JOT		
233F	APL FUNCTIONAL SYMBOL SLASH BAR		
2340	APL FUNCTIONAL SYMBOL BACKSLASH BAR		
2341	APL FUNCTIONAL SYMBOL QUAD SLASH		
2342	APL FUNCTIONAL SYMBOL QUAD BACKSLASH		
2343	APL FUNCTIONAL SYMBOL QUAD LESS-THAN		
2344	APL FUNCTIONAL SYMBOL QUAD GREATER-THAN		
2345	APL FUNCTIONAL SYMBOL LEFTWARDS VANE		
2346	APL FUNCTIONAL SYMBOL RIGHTWARDS VANE		
2347	APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW		
2348	APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW		
2349	APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH		
234A	APL FUNCTIONAL SYMBOL DOWN TACK UNDERBAR *		
234B	APL FUNCTIONAL SYMBOL DELTA STILE		
234C	APL FUNCTIONAL SYMBOL QUAD DOWN CARET		
234D	APL FUNCTIONAL SYMBOL QUAD DELTA		
234E	APL FUNCTIONAL SYMBOL DOWN TACK JOT *		
234F	APL FUNCTIONAL SYMBOL UPWARDS VANE		
2350	APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW		
2351	APL FUNCTIONAL SYMBOL UP TACK OVERBAR *		
2352	APL FUNCTIONAL SYMBOL DEL STILE		
2353	APL FUNCTIONAL SYMBOL QUAD UP CARET		
2354	APL FUNCTIONAL SYMBOL QUAD DEL		
2355	APL FUNCTIONAL SYMBOL UP TACK JOT *		
2356	APL FUNCTIONAL SYMBOL DOWNWARDS VANE		
2357	APL FUNCTIONAL SYMBOL QUAD DOWNWARDS ARROW		
2358	APL FUNCTIONAL SYMBOL QUOTE UNDERBAR		
2359	APL FUNCTIONAL SYMBOL DELTA UNDERBAR		
235A	APL FUNCTIONAL SYMBOL DIAMOND UNDERBAR		
235B	APL FUNCTIONAL SYMBOL JOT UNDERBAR		
235C	APL FUNCTIONAL SYMBOL CIRCLE UNDERBAR		

Group 00

Plane 00

Row 23

Table 72 - Row 23: Miscellaneous Technical

	238	239	23A	23B	23C	23D	23E	23F
0	 2380	 2390	 23A0	 23B0	 23C0	 23D0		
1	 2381	 2391	 23A1	 23B1	 23C1			
2	 2382	 2392	 23A2	 23B2	 23C2			
3	 2383	 2393	 23A3	 23B3	 23C3			
4	 2384	 2394	 23A4	 23B4	 23C4			
5	 2385	 2395	 23A5	 23B5	 23C5			
6	 2386	 2396	 23A6	 23B6	 23C6			
7	 2387	 2397	 23A7	 23B7	 23C7			
8	 2388	 2398	 23A8	 23B8	 23C8			
9	 2389	 2399	 23A9	 23B9	 23C9			
A	 238A	 239A	 23AA	 23BA	 23CA			
B	 238B	 239B	 23AB	 23BB	 23CB			
C	 238C	 239C	 23AC	 23BC	 23CC			
D	 238D	 239D	 23AD	 23BD	 23CD			
E	 238E	 239E	 23AE	 23BE	 23CE			
F	 238F	 239F	 23AF	 23BF	 23CF			

G = 00
P = 00

Table 72 - Row 23: Miscellaneous Technical

HEX	NAME	HEX	NAME
2380	INSERTION SYMBOL	23DD	(This position shall not be used)
2381	CONTINUOUS UNDERLINE SYMBOL	23DE	(This position shall not be used)
2382	DISCONTINUOUS UNDERLINE SYMBOL	23DF	(This position shall not be used)
2383	EMPHASIS SYMBOL	23E0	(This position shall not be used)
2384	COMPOSITION SYMBOL	23E1	(This position shall not be used)
2385	WHITE SQUARE WITH CENTRE VERTICAL LINE	23E2	(This position shall not be used)
2386	ENTER SYMBOL	23E3	(This position shall not be used)
2387	ALTERNATIVE KEY SYMBOL	23E4	(This position shall not be used)
2388	HELM SYMBOL	23E5	(This position shall not be used)
2389	CIRCLED HORIZONTAL BAR WITH NOTCH (pause)	23E6	(This position shall not be used)
238A	CIRCLED TRIANGLE DOWN (break)	23E7	(This position shall not be used)
238B	BROKEN CIRCLE WITH NORTHWEST ARROW (escape)	23E8	(This position shall not be used)
238C	UNDO SYMBOL	23E9	(This position shall not be used)
238D	MONOSTABLE SYMBOL	23EA	(This position shall not be used)
238E	HYSTERESIS SYMBOL	23EB	(This position shall not be used)
238F	OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL	23EC	(This position shall not be used)
2390	OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL	23ED	(This position shall not be used)
2391	PASSIVE-PULL-DOWN-OUTPUT SYMBOL	23EE	(This position shall not be used)
2392	PASSIVE-PULL-UP-OUTPUT SYMBOL	23EF	(This position shall not be used)
2393	DIRECT CURRENT SYMBOL FORM TWO	23F0	(This position shall not be used)
2394	SOFTWARE-FUNCTION SYMBOL	23F1	(This position shall not be used)
2395	APL FUNCTIONAL SYMBOL QUAD	23F2	(This position shall not be used)
2396	DECIMAL SEPARATOR KEY SYMBOL	23F3	(This position shall not be used)
2397	PREVIOUS PAGE	23F4	(This position shall not be used)
2398	NEXT PAGE	23F5	(This position shall not be used)
2399	PRINT SCREEN SYMBOL	23F6	(This position shall not be used)
239A	CLEAR SCREEN SYMBOL	23F7	(This position shall not be used)
239B	LEFT PARENTHESIS UPPER HOOK	23F8	(This position shall not be used)
239C	LEFT PARENTHESIS EXTENSION	23F9	(This position shall not be used)
239D	LEFT PARENTHESIS LOWER HOOK	23FA	(This position shall not be used)
239E	RIGHT PARENTHESIS UPPER HOOK	23FB	(This position shall not be used)
239F	RIGHT PARENTHESIS EXTENSION	23FC	(This position shall not be used)
23A0	RIGHT PARENTHESIS LOWER HOOK	23FD	(This position shall not be used)
23A1	LEFT SQUARE BRACKET UPPER CORNER	23FE	(This position shall not be used)
23A2	LEFT SQUARE BRACKET EXTENSION	23FF	(This position shall not be used)
23A3	LEFT SQUARE BRACKET LOWER CORNER		
23A4	RIGHT SQUARE BRACKET UPPER CORNER		
23A5	RIGHT SQUARE BRACKET EXTENSION		
23A6	RIGHT SQUARE BRACKET LOWER CORNER		
23A7	LEFT CURLY BRACKET UPPER HOOK		
23A8	LEFT CURLY BRACKET MIDDLE PIECE		
23A9	LEFT CURLY BRACKET LOWER HOOK		
23AA	CURLY BRACKET EXTENSION		
23AB	RIGHT CURLY BRACKET UPPER HOOK		
23AC	RIGHT CURLY BRACKET MIDDLE PIECE		
23AD	RIGHT CURLY BRACKET LOWER HOOK		
23AE	INTEGRAL EXTENSION		
23AF	HORIZONTAL LINE EXTENSION		
23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION		
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION		
23B2	SUMMATION TOP		
23B3	SUMMATION BOTTOM		
23B4	TOP SQUARE BRACKET		
23B5	BOTTOM SQUARE BRACKET		
23B6	BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET		
23B7	RADICAL SYMBOL BOTTOM		
23B8	LEFT VERTICAL BOX LINE		
23B9	RIGHT VERTICAL BOX LINE		
23BA	HORIZONTAL SCAN LINE-1		
23BB	HORIZONTAL SCAN LINE-3		
23BC	HORIZONTAL SCAN LINE-7		
23BD	HORIZONTAL SCAN LINE-9		
23BE	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT		
23BF	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT		
23C0	DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE		
23C1	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE		
23C2	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE		
23C3	DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE		
23C4	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE		
23C5	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE		
23C6	DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE		
23C7	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE		
23C8	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE		
23C9	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL		
23CA	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL		
23CB	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT		
23CC	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT		
23CD	SQUARE FOOT		
23CE	RETURN SYMBOL		
23CF	EJECT SYMBOL		
23D0	VERTICAL LINE EXTENSION		
23D1	(This position shall not be used)		
23D2	(This position shall not be used)		
23D3	(This position shall not be used)		
23D4	(This position shall not be used)		
23D5	(This position shall not be used)		
23D6	(This position shall not be used)		
23D7	(This position shall not be used)		
23D8	(This position shall not be used)		
23D9	(This position shall not be used)		
23DA	(This position shall not be used)		
23DB	(This position shall not be used)		
23DC	(This position shall not be used)		

Group 00

Plane 00

Row 23

Table 73 - Row 24: Control Pictures

	240	241	242	243
0	N _U L 2400	D _L E 2410	S _P 2420	
1	S _O H 2401	D _C ₁ 2411	D _E L 2421	
2	S _T X 2402	D _C ₂ 2412	b 2422	
3	E _T X 2403	D _C ₃ 2413	└ 2423	
4	E _O T 2404	D _C ₄ 2414	N _L 2424	
5	E _N Q 2405	N _A K 2415	/// 2425	
6	A _C K 2406	S _Y N 2416	? 2426	
7	B _E L 2407	E _T B 2417		
8	B _S 2408	C _A N 2418		
9	H _T 2409	E _M 2419		
A	L _F 240A	S _U B 241A		
B	V _T 240B	E _S C 241B		
C	F _F 240C	F _S 241C		
D	C _R 240D	G _S 241D		
E	S _S 240E	R _S 241E		
F	S _I 240F	U _S 241F		

G = 00
P = 00

Table 73 - Row 24: Control Pictures


















HEX	NAME	HEX	NAME
2400	SYMBOL FOR NULL		
2401	SYMBOL FOR START OF HEADING		
2402	SYMBOL FOR START OF TEXT		
2403	SYMBOL FOR END OF TEXT		
2404	SYMBOL FOR END OF TRANSMISSION		
2405	SYMBOL FOR ENQUIRY		
2406	SYMBOL FOR ACKNOWLEDGE		
2407	SYMBOL FOR BELL		
2408	SYMBOL FOR BACKSPACE		
2409	SYMBOL FOR HORIZONTAL TABULATION		
240A	SYMBOL FOR LINE FEED		
240B	SYMBOL FOR VERTICAL TABULATION		
240C	SYMBOL FOR FORM FEED		
240D	SYMBOL FOR CARRIAGE RETURN		
240E	SYMBOL FOR SHIFT OUT		
240F	SYMBOL FOR SHIFT IN		
2410	SYMBOL FOR DATA LINK ESCAPE		
2411	SYMBOL FOR DEVICE CONTROL ONE		
2412	SYMBOL FOR DEVICE CONTROL TWO		
2413	SYMBOL FOR DEVICE CONTROL THREE		
2414	SYMBOL FOR DEVICE CONTROL FOUR		
2415	SYMBOL FOR NEGATIVE ACKNOWLEDGE		
2416	SYMBOL FOR SYNCHRONOUS IDLE		
2417	SYMBOL FOR END OF TRANSMISSION BLOCK		
2418	SYMBOL FOR CANCEL		
2419	SYMBOL FOR END OF MEDIUM		
241A	SYMBOL FOR SUBSTITUTE		
241B	SYMBOL FOR ESCAPE		
241C	SYMBOL FOR FILE SEPARATOR		
241D	SYMBOL FOR GROUP SEPARATOR		
241E	SYMBOL FOR RECORD SEPARATOR		
241F	SYMBOL FOR UNIT SEPARATOR		
2420	SYMBOL FOR SPACE		
2421	SYMBOL FOR DELETE		
2422	BLANK SYMBOL		
2423	OPEN BOX		
2424	SYMBOL FOR NEWLINE		
2425	SYMBOL FOR DELETE FORM TWO		
2426	SYMBOL FOR SUBSTITUTE FORM TWO		
2427	(This position shall not be used)		
2428	(This position shall not be used)		
2429	(This position shall not be used)		
242A	(This position shall not be used)		
242B	(This position shall not be used)		
242C	(This position shall not be used)		
242D	(This position shall not be used)		
242E	(This position shall not be used)		
242F	(This position shall not be used)		
2430	(This position shall not be used)		
2431	(This position shall not be used)		
2432	(This position shall not be used)		
2433	(This position shall not be used)		
2434	(This position shall not be used)		
2435	(This position shall not be used)		
2436	(This position shall not be used)		
2437	(This position shall not be used)		
2438	(This position shall not be used)		
2439	(This position shall not be used)		
243A	(This position shall not be used)		
243B	(This position shall not be used)		
243C	(This position shall not be used)		
243D	(This position shall not be used)		
243E	(This position shall not be used)		
243F	(This position shall not be used)		

Group 00

Plane 00

Row 24

Table 74 - Row 24: Optical Character Recognition

	244	245
0	 2440	
1	 2441	
2	 2442	
3	 2443	
4	 2444	
5	 2445	
6	 2446	
7	 2447	
8	 2448	
9	 2449	
A	 244A	
B		
C		
D		
E		
F		

G = 00
P = 00

Table 74 - Row 24: Optical Character Recognition

HEX	NAME	HEX	NAME
2440	OCR HOOK		
2441	OCR CHAIR		
2442	OCR FORK		
2443	OCR INVERTED FORK		
2444	OCR BELT BUCKLE		
2445	OCR BOW TIE		
2446	OCR BRANCH BANK IDENTIFICATION		
2447	OCR AMOUNT OF CHECK		
2448	OCR DASH		
2449	OCR CUSTOMER ACCOUNT NUMBER		
244A	OCR DOUBLE BACKSLASH		
244B	(This position shall not be used)		
244C	(This position shall not be used)		
244D	(This position shall not be used)		
244E	(This position shall not be used)		
244F	(This position shall not be used)		
2450	(This position shall not be used)		
2451	(This position shall not be used)		
2452	(This position shall not be used)		
2453	(This position shall not be used)		
2454	(This position shall not be used)		
2455	(This position shall not be used)		
2456	(This position shall not be used)		
2457	(This position shall not be used)		
2458	(This position shall not be used)		
2459	(This position shall not be used)		
245A	(This position shall not be used)		
245B	(This position shall not be used)		
245C	(This position shall not be used)		
245D	(This position shall not be used)		
245E	(This position shall not be used)		
245F	(This position shall not be used)		

Group 00

Plane 00

Row 24

Table 75 - Row 24: Enclosed Alphanumerics

	246	247	248	249	24A	24B	24C	24D	24E	24F
0	① 2460	⑰ 2470	(13) 2480	9. 2490	(e) 24A0	(u) 24B0	Ⓚ 24C0	ⓐ 24D0	Ⓠ 24E0	⑯ 24F0
1	② 2461	⑱ 2471	(14) 2481	10. 2491	(f) 24A1	(v) 24B1	Ⓛ 24C1	ⓑ 24D1	Ⓡ 24E1	⑰ 24F1
2	③ 2462	⑲ 2472	(15) 2482	11. 2492	(g) 24A2	(w) 24B2	Ⓜ 24C2	ⓒ 24D2	Ⓢ 24E2	⑱ 24F2
3	④ 2463	⑳ 2473	(16) 2483	12. 2493	(h) 24A3	(x) 24B3	Ⓝ 24C3	ⓓ 24D3	Ⓣ 24E3	⑲ 24F3
4	⑤ 2464	(1) 2474	(17) 2484	13. 2494	(i) 24A4	(y) 24B4	Ⓞ 24C4	ⓔ 24D4	Ⓤ 24E4	⑳ 24F4
5	⑥ 2465	(2) 2475	(18) 2485	14. 2495	(j) 24A5	(z) 24B5	Ⓟ 24C5	ⓕ 24D5	Ⓡ 24E5	① 24F5
6	⑦ 2466	(3) 2476	(19) 2486	15. 2496	(k) 24A6	Ⓐ 24B6	Ⓠ 24C6	ⓖ 24D6	Ⓦ 24E6	② 24F6
7	⑧ 2467	(4) 2477	(20) 2487	16. 2497	(l) 24A7	Ⓑ 24B7	Ⓡ 24C7	ⓗ 24D7	Ⓧ 24E7	③ 24F7
8	⑨ 2468	(5) 2478	1. 2488	17. 2498	(m) 24A8	Ⓒ 24B8	Ⓢ 24C8	Ⓣ 24D8	Ⓨ 24E8	④ 24F8
9	⑩ 2469	(6) 2479	2. 2489	18. 2499	(n) 24A9	Ⓓ 24B9	Ⓣ 24C9	Ⓤ 24D9	Ⓩ 24E9	⑤ 24F9
A	⑪ 246A	(7) 247A	3. 248A	19. 249A	(o) 24AA	Ⓔ 24BA	Ⓤ 24CA	Ⓚ 24DA	ⓐ 24EA	⑥ 24FA
B	⑫ 246B	(8) 247B	4. 248B	20. 249B	(p) 24AB	Ⓕ 24BB	Ⓡ 24CB	Ⓛ 24DB	⑪ 24EB	⑦ 24FB
C	⑬ 246C	(9) 247C	5. 248C	(a) 249C	(q) 24AC	Ⓖ 24BC	Ⓦ 24CC	Ⓜ 24DC	⑫ 24EC	⑧ 24FC
D	⑭ 246D	(10) 247D	6. 248D	(b) 249D	(r) 24AD	Ⓖ 24BD	Ⓧ 24CD	Ⓝ 24DD	⑬ 24ED	⑨ 24FD
E	⑮ 246E	(11) 247E	7. 248E	(c) 249E	(s) 24AE	Ⓘ 24BE	Ⓨ 24CE	Ⓞ 24DE	⑭ 24EE	⑩ 24FE
F	⑯ 246F	(12) 247F	8. 248F	(d) 249F	(t) 24AF	Ⓡ 24BF	Ⓩ 24CF	Ⓟ 24DF	⑮ 24EF	⑪ 24FF

G = 00
P = 00

Table 75 - Row 24: Enclosed Alphanumerics

HEX	NAME	HEX	NAME
2460	CIRCLED DIGIT ONE	24BD	CIRCLED LATIN CAPITAL LETTER H
2461	CIRCLED DIGIT TWO	24BE	CIRCLED LATIN CAPITAL LETTER I
2462	CIRCLED DIGIT THREE	24BF	CIRCLED LATIN CAPITAL LETTER J
2463	CIRCLED DIGIT FOUR	24C0	CIRCLED LATIN CAPITAL LETTER K
2464	CIRCLED DIGIT FIVE	24C1	CIRCLED LATIN CAPITAL LETTER L
2465	CIRCLED DIGIT SIX	24C2	CIRCLED LATIN CAPITAL LETTER M
2466	CIRCLED DIGIT SEVEN	24C3	CIRCLED LATIN CAPITAL LETTER N
2467	CIRCLED DIGIT EIGHT	24C4	CIRCLED LATIN CAPITAL LETTER O
2468	CIRCLED DIGIT NINE	24C5	CIRCLED LATIN CAPITAL LETTER P
2469	CIRCLED NUMBER TEN	24C6	CIRCLED LATIN CAPITAL LETTER Q
246A	CIRCLED NUMBER ELEVEN	24C7	CIRCLED LATIN CAPITAL LETTER R
246B	CIRCLED NUMBER TWELVE	24C8	CIRCLED LATIN CAPITAL LETTER S
246C	CIRCLED NUMBER THIRTEEN	24C9	CIRCLED LATIN CAPITAL LETTER T
246D	CIRCLED NUMBER FOURTEEN	24CA	CIRCLED LATIN CAPITAL LETTER U
246E	CIRCLED NUMBER FIFTEEN	24CB	CIRCLED LATIN CAPITAL LETTER V
246F	CIRCLED NUMBER SIXTEEN	24CC	CIRCLED LATIN CAPITAL LETTER W
2470	CIRCLED NUMBER SEVENTEEN	24CD	CIRCLED LATIN CAPITAL LETTER X
2471	CIRCLED NUMBER EIGHTEEN	24CE	CIRCLED LATIN CAPITAL LETTER Y
2472	CIRCLED NUMBER NINETEEN	24CF	CIRCLED LATIN CAPITAL LETTER Z
2473	CIRCLED NUMBER TWENTY	24D0	CIRCLED LATIN SMALL LETTER A
2474	PARENTHESIZED DIGIT ONE	24D1	CIRCLED LATIN SMALL LETTER B
2475	PARENTHESIZED DIGIT TWO	24D2	CIRCLED LATIN SMALL LETTER C
2476	PARENTHESIZED DIGIT THREE	24D3	CIRCLED LATIN SMALL LETTER D
2477	PARENTHESIZED DIGIT FOUR	24D4	CIRCLED LATIN SMALL LETTER E
2478	PARENTHESIZED DIGIT FIVE	24D5	CIRCLED LATIN SMALL LETTER F
2479	PARENTHESIZED DIGIT SIX	24D6	CIRCLED LATIN SMALL LETTER G
247A	PARENTHESIZED DIGIT SEVEN	24D7	CIRCLED LATIN SMALL LETTER H
247B	PARENTHESIZED DIGIT EIGHT	24D8	CIRCLED LATIN SMALL LETTER I
247C	PARENTHESIZED DIGIT NINE	24D9	CIRCLED LATIN SMALL LETTER J
247D	PARENTHESIZED NUMBER TEN	24DA	CIRCLED LATIN SMALL LETTER K
247E	PARENTHESIZED NUMBER ELEVEN	24DB	CIRCLED LATIN SMALL LETTER L
247F	PARENTHESIZED NUMBER TWELVE	24DC	CIRCLED LATIN SMALL LETTER M
2480	PARENTHESIZED NUMBER THIRTEEN	24DD	CIRCLED LATIN SMALL LETTER N
2481	PARENTHESIZED NUMBER FOURTEEN	24DE	CIRCLED LATIN SMALL LETTER O
2482	PARENTHESIZED NUMBER FIFTEEN	24DF	CIRCLED LATIN SMALL LETTER P
2483	PARENTHESIZED NUMBER SIXTEEN	24E0	CIRCLED LATIN SMALL LETTER Q
2484	PARENTHESIZED NUMBER SEVENTEEN	24E1	CIRCLED LATIN SMALL LETTER R
2485	PARENTHESIZED NUMBER EIGHTEEN	24E2	CIRCLED LATIN SMALL LETTER S
2486	PARENTHESIZED NUMBER NINETEEN	24E3	CIRCLED LATIN SMALL LETTER T
2487	PARENTHESIZED NUMBER TWENTY	24E4	CIRCLED LATIN SMALL LETTER U
2488	DIGIT ONE FULL STOP	24E5	CIRCLED LATIN SMALL LETTER V
2489	DIGIT TWO FULL STOP	24E6	CIRCLED LATIN SMALL LETTER W
248A	DIGIT THREE FULL STOP	24E7	CIRCLED LATIN SMALL LETTER X
248B	DIGIT FOUR FULL STOP	24E8	CIRCLED LATIN SMALL LETTER Y
248C	DIGIT FIVE FULL STOP	24E9	CIRCLED LATIN SMALL LETTER Z
248D	DIGIT SIX FULL STOP	24EA	CIRCLED DIGIT ZERO
248E	DIGIT SEVEN FULL STOP	24EB	NEGATIVE CIRCLED NUMBER ELEVEN
248F	DIGIT EIGHT FULL STOP	24EC	NEGATIVE CIRCLED NUMBER TWELVE
2490	DIGIT NINE FULL STOP	24ED	NEGATIVE CIRCLED NUMBER THIRTEEN
2491	NUMBER TEN FULL STOP	24EE	NEGATIVE CIRCLED NUMBER FOURTEEN
2492	NUMBER ELEVEN FULL STOP	24EF	NEGATIVE CIRCLED NUMBER FIFTEEN
2493	NUMBER TWELVE FULL STOP	24F0	NEGATIVE CIRCLED NUMBER SIXTEEN
2494	NUMBER THIRTEEN FULL STOP	24F1	NEGATIVE CIRCLED NUMBER SEVENTEEN
2495	NUMBER FOURTEEN FULL STOP	24F2	NEGATIVE CIRCLED NUMBER EIGHTEEN
2496	NUMBER FIFTEEN FULL STOP	24F3	NEGATIVE CIRCLED NUMBER NINETEEN
2497	NUMBER SIXTEEN FULL STOP	24F4	NEGATIVE CIRCLED NUMBER TWENTY
2498	NUMBER SEVENTEEN FULL STOP	24F5	DOUBLE CIRCLED DIGIT ONE
2499	NUMBER EIGHTEEN FULL STOP	24F6	DOUBLE CIRCLED DIGIT TWO
249A	NUMBER NINETEEN FULL STOP	24F7	DOUBLE CIRCLED DIGIT THREE
249B	NUMBER TWENTY FULL STOP	24F8	DOUBLE CIRCLED DIGIT FOUR
249C	PARENTHESIZED LATIN SMALL LETTER A	24F9	DOUBLE CIRCLED DIGIT FIVE
249D	PARENTHESIZED LATIN SMALL LETTER B	24FA	DOUBLE CIRCLED DIGIT SIX
249E	PARENTHESIZED LATIN SMALL LETTER C	24FB	DOUBLE CIRCLED DIGIT SEVEN
249F	PARENTHESIZED LATIN SMALL LETTER D	24FC	DOUBLE CIRCLED DIGIT EIGHT
24A0	PARENTHESIZED LATIN SMALL LETTER E	24FD	DOUBLE CIRCLED DIGIT NINE
24A1	PARENTHESIZED LATIN SMALL LETTER F	24FE	DOUBLE CIRCLED NUMBER TEN
24A2	PARENTHESIZED LATIN SMALL LETTER G	24FF	NEGATIVE CIRCLED DIGIT ZERO
24A3	PARENTHESIZED LATIN SMALL LETTER H		
24A4	PARENTHESIZED LATIN SMALL LETTER I		
24A5	PARENTHESIZED LATIN SMALL LETTER J		
24A6	PARENTHESIZED LATIN SMALL LETTER K		
24A7	PARENTHESIZED LATIN SMALL LETTER L		
24A8	PARENTHESIZED LATIN SMALL LETTER M		
24A9	PARENTHESIZED LATIN SMALL LETTER N		
24AA	PARENTHESIZED LATIN SMALL LETTER O		
24AB	PARENTHESIZED LATIN SMALL LETTER P		
24AC	PARENTHESIZED LATIN SMALL LETTER Q		
24AD	PARENTHESIZED LATIN SMALL LETTER R		
24AE	PARENTHESIZED LATIN SMALL LETTER S		
24AF	PARENTHESIZED LATIN SMALL LETTER T		
24B0	PARENTHESIZED LATIN SMALL LETTER U		
24B1	PARENTHESIZED LATIN SMALL LETTER V		
24B2	PARENTHESIZED LATIN SMALL LETTER W		
24B3	PARENTHESIZED LATIN SMALL LETTER X		
24B4	PARENTHESIZED LATIN SMALL LETTER Y		
24B5	PARENTHESIZED LATIN SMALL LETTER Z		
24B6	CIRCLED LATIN CAPITAL LETTER A		
24B7	CIRCLED LATIN CAPITAL LETTER B		
24B8	CIRCLED LATIN CAPITAL LETTER C		
24B9	CIRCLED LATIN CAPITAL LETTER D		
24BA	CIRCLED LATIN CAPITAL LETTER E		
24BB	CIRCLED LATIN CAPITAL LETTER F		
24BC	CIRCLED LATIN CAPITAL LETTER G		

Group 00

Plane 00

Row 24

Table 76 - Row 25: Box Drawing

	250	251	252	253	254	255	256	257
0	2500	2510	2520	2530	2540	2550	2560	2570
1	2501	2511	2521	2531	2541	2551	2561	2571
2	2502	2512	2522	2532	2542	2552	2562	2572
3	2503	2513	2523	2533	2543	2553	2563	2573
4	2504	2514	2524	2534	2544	2554	2564	2574
5	2505	2515	2525	2535	2545	2555	2565	2575
6	2506	2516	2526	2536	2546	2556	2566	2576
7	2507	2517	2527	2537	2547	2557	2567	2577
8	2508	2518	2528	2538	2548	2558	2568	2578
9	2509	2519	2529	2539	2549	2559	2569	2579
A	250A	251A	252A	253A	254A	255A	256A	257A
B	250B	251B	252B	253B	254B	255B	256B	257B
C	250C	251C	252C	253C	254C	255C	256C	257C
D	250D	251D	252D	253D	254D	255D	256D	257D
E	250E	251E	252E	253E	254E	255E	256E	257E
F	250F	251F	252F	253F	254F	255F	256F	257F

G = 00
P = 00

Table 76 - Row 25: Box Drawing


























HEX	NAME	HEX	NAME
2500	BOX DRAWINGS LIGHT HORIZONTAL	255D	BOX DRAWINGS DOUBLE UP AND LEFT
2501	BOX DRAWINGS HEAVY HORIZONTAL	255E	BOX DRAWINGS VERTICAL SINGLE AND RIGHT DOUBLE
2502	BOX DRAWINGS LIGHT VERTICAL	255F	BOX DRAWINGS VERTICAL DOUBLE AND RIGHT SINGLE
2503	BOX DRAWINGS HEAVY VERTICAL	2560	BOX DRAWINGS DOUBLE VERTICAL AND RIGHT
2504	BOX DRAWINGS LIGHT TRIPLE DASH HORIZONTAL	2561	BOX DRAWINGS VERTICAL SINGLE AND LEFT DOUBLE
2505	BOX DRAWINGS HEAVY TRIPLE DASH HORIZONTAL	2562	BOX DRAWINGS VERTICAL DOUBLE AND LEFT SINGLE
2506	BOX DRAWINGS LIGHT TRIPLE DASH VERTICAL	2563	BOX DRAWINGS DOUBLE VERTICAL AND LEFT
2507	BOX DRAWINGS HEAVY TRIPLE DASH VERTICAL	2564	BOX DRAWINGS DOWN SINGLE AND HORIZONTAL DOUBLE
2508	BOX DRAWINGS LIGHT QUADRUPLE DASH HORIZONTAL	2565	BOX DRAWINGS DOWN DOUBLE AND HORIZONTAL SINGLE
2509	BOX DRAWINGS HEAVY QUADRUPLE DASH HORIZONTAL	2566	BOX DRAWINGS DOUBLE DOWN AND HORIZONTAL
250A	BOX DRAWINGS LIGHT QUADRUPLE DASH VERTICAL	2567	BOX DRAWINGS UP SINGLE AND HORIZONTAL DOUBLE
250B	BOX DRAWINGS HEAVY QUADRUPLE DASH VERTICAL	2568	BOX DRAWINGS UP DOUBLE AND HORIZONTAL SINGLE
250C	BOX DRAWINGS LIGHT DOWN AND RIGHT	2569	BOX DRAWINGS DOUBLE UP AND HORIZONTAL
250D	BOX DRAWINGS DOWN LIGHT AND RIGHT HEAVY	256A	BOX DRAWINGS VERTICAL SINGLE AND HORIZONTAL DOUBLE
250E	BOX DRAWINGS DOWN HEAVY AND RIGHT LIGHT	256B	BOX DRAWINGS VERTICAL DOUBLE AND HORIZONTAL SINGLE
250F	BOX DRAWINGS HEAVY DOWN AND RIGHT	256C	BOX DRAWINGS DOUBLE VERTICAL AND HORIZONTAL
2510	BOX DRAWINGS LIGHT DOWN AND LEFT	256D	BOX DRAWINGS LIGHT ARC DOWN AND RIGHT
2511	BOX DRAWINGS DOWN LIGHT AND LEFT HEAVY	256E	BOX DRAWINGS LIGHT ARC DOWN AND LEFT
2512	BOX DRAWINGS DOWN HEAVY AND LEFT LIGHT	256F	BOX DRAWINGS LIGHT ARC UP AND LEFT
2513	BOX DRAWINGS HEAVY DOWN AND LEFT	2570	BOX DRAWINGS LIGHT ARC UP AND RIGHT
2514	BOX DRAWINGS LIGHT UP AND RIGHT	2571	BOX DRAWINGS LIGHT DIAGONAL UPPER RIGHT TO LOWER LEFT
2515	BOX DRAWINGS UP LIGHT AND RIGHT HEAVY	2572	BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO LOWER RIGHT
2516	BOX DRAWINGS UP HEAVY AND RIGHT LIGHT	2573	BOX DRAWINGS LIGHT DIAGONAL CROSS
2517	BOX DRAWINGS HEAVY UP AND RIGHT	2574	BOX DRAWINGS LIGHT LEFT
2518	BOX DRAWINGS LIGHT UP AND LEFT	2575	BOX DRAWINGS LIGHT UP
2519	BOX DRAWINGS UP LIGHT AND LEFT HEAVY	2576	BOX DRAWINGS LIGHT RIGHT
251A	BOX DRAWINGS UP HEAVY AND LEFT LIGHT	2577	BOX DRAWINGS LIGHT DOWN
251B	BOX DRAWINGS HEAVY UP AND LEFT	2578	BOX DRAWINGS HEAVY LEFT
251C	BOX DRAWINGS LIGHT VERTICAL AND RIGHT	2579	BOX DRAWINGS HEAVY UP
251D	BOX DRAWINGS VERTICAL LIGHT AND RIGHT HEAVY	257A	BOX DRAWINGS HEAVY RIGHT
251E	BOX DRAWINGS UP HEAVY AND RIGHT DOWN LIGHT	257B	BOX DRAWINGS HEAVY DOWN
251F	BOX DRAWINGS DOWN HEAVY AND RIGHT UP LIGHT	257C	BOX DRAWINGS LIGHT LEFT AND HEAVY RIGHT
2520	BOX DRAWINGS VERTICAL HEAVY AND RIGHT LIGHT	257D	BOX DRAWINGS LIGHT UP AND HEAVY DOWN
2521	BOX DRAWINGS DOWN LIGHT AND RIGHT UP HEAVY	257E	BOX DRAWINGS HEAVY LEFT AND LIGHT RIGHT
2522	BOX DRAWINGS UP LIGHT AND RIGHT DOWN HEAVY	257F	BOX DRAWINGS HEAVY UP AND LIGHT DOWN
2523	BOX DRAWINGS HEAVY VERTICAL AND RIGHT		
2524	BOX DRAWINGS LIGHT VERTICAL AND LEFT		
2525	BOX DRAWINGS VERTICAL LIGHT AND LEFT HEAVY		
2526	BOX DRAWINGS UP HEAVY AND LEFT DOWN LIGHT		
2527	BOX DRAWINGS DOWN HEAVY AND LEFT UP LIGHT		
2528	BOX DRAWINGS VERTICAL HEAVY AND LEFT LIGHT		
2529	BOX DRAWINGS DOWN LIGHT AND LEFT UP HEAVY		
252A	BOX DRAWINGS UP LIGHT AND LEFT DOWN HEAVY		
252B	BOX DRAWINGS HEAVY VERTICAL AND LEFT		
252C	BOX DRAWINGS LIGHT DOWN AND HORIZONTAL		
252D	BOX DRAWINGS LEFT HEAVY AND RIGHT DOWN LIGHT		
252E	BOX DRAWINGS RIGHT HEAVY AND LEFT DOWN LIGHT		
252F	BOX DRAWINGS DOWN LIGHT AND HORIZONTAL HEAVY		
2530	BOX DRAWINGS DOWN HEAVY AND HORIZONTAL LIGHT		
2531	BOX DRAWINGS RIGHT LIGHT AND LEFT DOWN HEAVY		
2532	BOX DRAWINGS LEFT LIGHT AND RIGHT DOWN HEAVY		
2533	BOX DRAWINGS HEAVY DOWN AND HORIZONTAL		
2534	BOX DRAWINGS LIGHT UP AND HORIZONTAL		
2535	BOX DRAWINGS LEFT HEAVY AND RIGHT UP LIGHT		
2536	BOX DRAWINGS RIGHT HEAVY AND LEFT UP LIGHT		
2537	BOX DRAWINGS UP LIGHT AND HORIZONTAL HEAVY		
2538	BOX DRAWINGS UP HEAVY AND HORIZONTAL LIGHT		
2539	BOX DRAWINGS RIGHT LIGHT AND LEFT UP HEAVY		
253A	BOX DRAWINGS LEFT LIGHT AND RIGHT UP HEAVY		
253B	BOX DRAWINGS HEAVY UP AND HORIZONTAL		
253C	BOX DRAWINGS LIGHT VERTICAL AND HORIZONTAL		
253D	BOX DRAWINGS LEFT HEAVY AND RIGHT VERTICAL LIGHT		
253E	BOX DRAWINGS RIGHT HEAVY AND LEFT VERTICAL LIGHT		
253F	BOX DRAWINGS VERTICAL LIGHT AND HORIZONTAL HEAVY		
2540	BOX DRAWINGS UP HEAVY AND DOWN HORIZONTAL LIGHT		
2541	BOX DRAWINGS DOWN HEAVY AND UP HORIZONTAL LIGHT		
2542	BOX DRAWINGS VERTICAL HEAVY AND HORIZONTAL LIGHT		
2543	BOX DRAWINGS LEFT UP HEAVY AND RIGHT DOWN LIGHT		
2544	BOX DRAWINGS RIGHT UP HEAVY AND LEFT DOWN LIGHT		
2545	BOX DRAWINGS LEFT DOWN HEAVY AND RIGHT UP LIGHT		
2546	BOX DRAWINGS RIGHT DOWN HEAVY AND LEFT UP LIGHT		
2547	BOX DRAWINGS DOWN LIGHT AND UP HORIZONTAL HEAVY		
2548	BOX DRAWINGS UP LIGHT AND DOWN HORIZONTAL HEAVY		
2549	BOX DRAWINGS RIGHT LIGHT AND LEFT VERTICAL HEAVY		
254A	BOX DRAWINGS LEFT LIGHT AND RIGHT VERTICAL HEAVY		
254B	BOX DRAWINGS HEAVY VERTICAL AND HORIZONTAL		
254C	BOX DRAWINGS LIGHT DOUBLE DASH HORIZONTAL		
254D	BOX DRAWINGS HEAVY DOUBLE DASH HORIZONTAL		
254E	BOX DRAWINGS LIGHT DOUBLE DASH VERTICAL		
254F	BOX DRAWINGS HEAVY DOUBLE DASH VERTICAL		
2550	BOX DRAWINGS DOUBLE HORIZONTAL		
2551	BOX DRAWINGS DOUBLE VERTICAL		
2552	BOX DRAWINGS DOWN SINGLE AND RIGHT DOUBLE		
2553	BOX DRAWINGS DOWN DOUBLE AND RIGHT SINGLE		
2554	BOX DRAWINGS DOUBLE DOWN AND RIGHT		
2555	BOX DRAWINGS DOWN SINGLE AND LEFT DOUBLE		
2556	BOX DRAWINGS DOWN DOUBLE AND LEFT SINGLE		
2557	BOX DRAWINGS DOUBLE DOWN AND LEFT		
2558	BOX DRAWINGS UP SINGLE AND RIGHT DOUBLE		
2559	BOX DRAWINGS UP DOUBLE AND RIGHT SINGLE		
255A	BOX DRAWINGS DOUBLE UP AND RIGHT		
255B	BOX DRAWINGS UP SINGLE AND LEFT DOUBLE		
255C	BOX DRAWINGS UP DOUBLE AND LEFT SINGLE		

Group 00

Plane 00

Row 25

Table 77 - Row 25: Block Elements

	258	259
0	 2580	 2590
1	 2581	 2591
2	 2582	 2592
3	 2583	 2593
4	 2584	 2594
5	 2585	 2595
6	 2586	 2596
7	 2587	 2597
8	 2588	 2598
9	 2589	 2599
A	 258A	 259A
B	 258B	 259B
C	 258C	 259C
D	 258D	 259D
E	 258E	 259E
F	 258F	 259F

G = 00
P = 00

Table 77 - Row 25: Block Elements

































































































HEX	NAME	HEX	NAME
2580	UPPER HALF BLOCK		
2581	LOWER ONE EIGHTH BLOCK		
2582	LOWER ONE QUARTER BLOCK		
2583	LOWER THREE EIGHTHS BLOCK		
2584	LOWER HALF BLOCK		
2585	LOWER FIVE EIGHTHS BLOCK		
2586	LOWER THREE QUARTERS BLOCK		
2587	LOWER SEVEN EIGHTHS BLOCK		
2588	FULL BLOCK		
2589	LEFT SEVEN EIGHTHS BLOCK		
258A	LEFT THREE QUARTERS BLOCK		
258B	LEFT FIVE EIGHTHS BLOCK		
258C	LEFT HALF BLOCK		
258D	LEFT THREE EIGHTHS BLOCK		
258E	LEFT ONE QUARTER BLOCK		
258F	LEFT ONE EIGHTH BLOCK		
2590	RIGHT HALF BLOCK		
2591	LIGHT SHADE		
2592	MEDIUM SHADE		
2593	DARK SHADE		
2594	UPPER ONE EIGHTH BLOCK		
2595	RIGHT ONE EIGHTH BLOCK		
2596	QUADRANT LOWER LEFT		
2597	QUADRANT LOWER RIGHT		
2598	QUADRANT UPPER LEFT		
2599	QUADRANT UPPER LEFT AND LOWER LEFT AND LOWER RIGHT		
259A	QUADRANT UPPER LEFT AND LOWER RIGHT		
259B	QUADRANT UPPER LEFT AND UPPER RIGHT AND LOWER LEFT		
259C	QUADRANT UPPER LEFT AND UPPER RIGHT AND LOWER RIGHT		
259D	QUADRANT UPPER RIGHT		
259E	QUADRANT UPPER RIGHT AND LOWER LEFT		
259F	QUADRANT UPPER RIGHT AND LOWER LEFT AND LOWER RIGHT		

Group 00

Plane 00

Row 25

Table 78 - Row 25: Geometric Shapes

	25A	25B	25C	25D	25E	25F
0	 25A0	 25B0	 25C0	 25D0	 25E0	 25F0
1	 25A1	 25B1	 25C1	 25D1	 25E1	 25F1
2	 25A2	 25B2	 25C2	 25D2	 25E2	 25F2
3	 25A3	 25B3	 25C3	 25D3	 25E3	 25F3
4	 25A4	 25B4	 25C4	 25D4	 25E4	 25F4
5	 25A5	 25B5	 25C5	 25D5	 25E5	 25F5
6	 25A6	 25B6	 25C6	 25D6	 25E6	 25F6
7	 25A7	 25B7	 25C7	 25D7	 25E7	 25F7
8	 25A8	 25B8	 25C8	 25D8	 25E8	 25F8
9	 25A9	 25B9	 25C9	 25D9	 25E9	 25F9
A	 25AA	 25BA	 25CA	 25DA	 25EA	 25FA
B	 25AB	 25BB	 25CB	 25DB	 25EB	 25FB
C	 25AC	 25BC	 25CC	 25DC	 25EC	 25FC
D	 25AD	 25BD	 25CD	 25DD	 25ED	 25FD
E	 25AE	 25BE	 25CE	 25DE	 25EE	 25FE
F	 25AF	 25BF	 25CF	 25DF	 25EF	 25FF

G = 00
P = 00

Table 78 - Row 25: Geometric Shapes

































































































































HEX	NAME	HEX	NAME
25A0	BLACK SQUARE	25FD	WHITE MEDIUM SMALL SQUARE
25A1	WHITE SQUARE	25FE	BLACK MEDIUM SMALL SQUARE
25A2	WHITE SQUARE WITH ROUNDED CORNERS	25FF	LOWER RIGHT TRIANGLE
25A3	WHITE SQUARE CONTAINING BLACK SMALL SQUARE		
25A4	SQUARE WITH HORIZONTAL FILL		
25A5	SQUARE WITH VERTICAL FILL		
25A6	SQUARE WITH ORTHOGONAL CROSSHATCH FILL		
25A7	SQUARE WITH UPPER LEFT TO LOWER RIGHT FILL		
25A8	SQUARE WITH UPPER RIGHT TO LOWER LEFT FILL		
25A9	SQUARE WITH DIAGONAL CROSSHATCH FILL		
25AA	BLACK SMALL SQUARE		
25AB	WHITE SMALL SQUARE		
25AC	BLACK RECTANGLE		
25AD	WHITE RECTANGLE		
25AE	BLACK VERTICAL RECTANGLE		
25AF	WHITE VERTICAL RECTANGLE		
25B0	BLACK PARALLELOGRAM		
25B1	WHITE PARALLELOGRAM		
25B2	BLACK UP-POINTING TRIANGLE		
25B3	WHITE UP-POINTING TRIANGLE		
25B4	BLACK UP-POINTING SMALL TRIANGLE		
25B5	WHITE UP-POINTING SMALL TRIANGLE		
25B6	BLACK RIGHT-POINTING TRIANGLE		
25B7	WHITE RIGHT-POINTING TRIANGLE		
25B8	BLACK RIGHT-POINTING SMALL TRIANGLE		
25B9	WHITE RIGHT-POINTING SMALL TRIANGLE		
25BA	BLACK RIGHT-POINTING POINTER		
25BB	WHITE RIGHT-POINTING POINTER		
25BC	BLACK DOWN-POINTING TRIANGLE		
25BD	WHITE DOWN-POINTING TRIANGLE		
25BE	BLACK DOWN-POINTING SMALL TRIANGLE		
25BF	WHITE DOWN-POINTING SMALL TRIANGLE		
25C0	BLACK LEFT-POINTING TRIANGLE		
25C1	WHITE LEFT-POINTING TRIANGLE		
25C2	BLACK LEFT-POINTING SMALL TRIANGLE		
25C3	WHITE LEFT-POINTING SMALL TRIANGLE		
25C4	BLACK LEFT-POINTING POINTER		
25C5	WHITE LEFT-POINTING POINTER		
25C6	BLACK DIAMOND		
25C7	WHITE DIAMOND		
25C8	WHITE DIAMOND CONTAINING BLACK SMALL DIAMOND		
25C9	FISHEYE		
25CA	LOZENGE		
25CB	WHITE CIRCLE		
25CC	DOTTED CIRCLE		
25CD	CIRCLE WITH VERTICAL FILL		
25CE	BULLSEYE		
25CF	BLACK CIRCLE		
25D0	CIRCLE WITH LEFT HALF BLACK		
25D1	CIRCLE WITH RIGHT HALF BLACK		
25D2	CIRCLE WITH LOWER HALF BLACK		
25D3	CIRCLE WITH UPPER HALF BLACK		
25D4	CIRCLE WITH UPPER RIGHT QUADRANT BLACK		
25D5	CIRCLE WITH ALL BUT UPPER LEFT QUADRANT BLACK		
25D6	LEFT HALF BLACK CIRCLE		
25D7	RIGHT HALF BLACK CIRCLE		
25D8	INVERSE BULLET		
25D9	INVERSE WHITE CIRCLE		
25DA	UPPER HALF INVERSE WHITE CIRCLE		
25DB	LOWER HALF INVERSE WHITE CIRCLE		
25DC	UPPER LEFT QUADRANT CIRCULAR ARC		
25DD	UPPER RIGHT QUADRANT CIRCULAR ARC		
25DE	LOWER RIGHT QUADRANT CIRCULAR ARC		
25DF	LOWER LEFT QUADRANT CIRCULAR ARC		
25E0	UPPER HALF CIRCLE		
25E1	LOWER HALF CIRCLE		
25E2	BLACK LOWER RIGHT TRIANGLE		
25E3	BLACK LOWER LEFT TRIANGLE		
25E4	BLACK UPPER LEFT TRIANGLE		
25E5	BLACK UPPER RIGHT TRIANGLE		
25E6	WHITE BULLET		
25E7	SQUARE WITH LEFT HALF BLACK		
25E8	SQUARE WITH RIGHT HALF BLACK		
25E9	SQUARE WITH UPPER LEFT DIAGONAL HALF BLACK		
25EA	SQUARE WITH LOWER RIGHT DIAGONAL HALF BLACK		
25EB	WHITE SQUARE WITH VERTICAL BISECTING LINE		
25EC	WHITE UP-POINTING TRIANGLE WITH DOT		
25ED	UP-POINTING TRIANGLE WITH LEFT HALF BLACK		
25EE	UP-POINTING TRIANGLE WITH RIGHT HALF BLACK		
25EF	LARGE CIRCLE		
25F0	WHITE SQUARE WITH UPPER LEFT QUADRANT		
25F1	WHITE SQUARE WITH LOWER LEFT QUADRANT		
25F2	WHITE SQUARE WITH LOWER RIGHT QUADRANT		
25F3	WHITE SQUARE WITH UPPER RIGHT QUADRANT		
25F4	WHITE CIRCLE WITH UPPER LEFT QUADRANT		
25F5	WHITE CIRCLE WITH LOWER LEFT QUADRANT		
25F6	WHITE CIRCLE WITH LOWER RIGHT QUADRANT		
25F7	WHITE CIRCLE WITH UPPER RIGHT QUADRANT		
25F8	UPPER LEFT TRIANGLE		
25F9	UPPER RIGHT TRIANGLE		
25FA	LOWER LEFT TRIANGLE		
25FB	WHITE MEDIUM SQUARE		
25FC	BLACK MEDIUM SQUARE		

Group 00

Plane 00

Row 25

Table 79 - Row 26: Miscellaneous Symbols

	260	261	262	263	264	265	266	267
0	 2600	 2610	 2620	 2630	 2640	 2650	 2660	 2670
1	 2601	 2611	 2621	 2631	 2641	 2651	 2661	 2671
2	 2602	 2612	 2622	 2632	 2642	 2652	 2662	 2672
3	 2603	 2613	 2623	 2633	 2643	 2653	 2663	 2673
4	 2604	 2614	 2624	 2634	 2644	 2654	 2664	 2674
5	 2605	 2615	 2625	 2635	 2645	 2655	 2665	 2675
6	 2606	 2616	 2626	 2636	 2646	 2656	 2666	 2676
7	 2607	 2617	 2627	 2637	 2647	 2657	 2667	 2677
8	 2608	 2617	 2628	 2638	 2648	 2658	 2668	 2678
9	 2609	 2619	 2629	 2639	 2649	 2659	 2669	 2679
A	 260A	 261A	 262A	 263A	 264A	 265A	 266A	 267A
B	 260B	 261B	 262B	 263B	 264B	 265B	 266B	 267B
C	 260C	 261C	 262C	 263C	 264C	 265C	 266C	 267C
D	 260D	 261D	 262D	 263D	 264D	 265D	 266D	 267D
E	 260E	 261E	 262E	 263E	 264E	 265E	 266E	
F	 260F	 261F	 262F	 263F	 264F	 265F	 266F	

G = 00
P = 00

Table 79 - Row 26: Miscellaneous Symbols





















HEX	NAME	HEX	NAME
2600	BLACK SUN WITH RAYS	265D	BLACK CHESS BISHOP
2601	CLOUD	265E	BLACK CHESS KNIGHT
2602	UMBRELLA	265F	BLACK CHESS PAWN
2603	SNOWMAN	2660	BLACK SPADE SUIT
2604	COMET	2661	WHITE HEART SUIT
2605	BLACK STAR	2662	WHITE DIAMOND SUIT
2606	WHITE STAR	2663	BLACK CLUB SUIT
2607	LIGHTNING	2664	WHITE SPADE SUIT
2608	THUNDERSTORM	2665	BLACK HEART SUIT
2609	SUN	2666	BLACK DIAMOND SUIT
260A	ASCENDING NODE	2667	WHITE CLUB SUIT
260B	DESCENDING NODE	2668	HOT SPRINGS
260C	CONJUNCTION	2669	QUARTER NOTE
260D	OPPOSITION	266A	EIGHTH NOTE
260E	BLACK TELEPHONE	266B	BEAMED EIGHTH NOTES
260F	WHITE TELEPHONE	266C	BEAMED SIXTEENTH NOTES
2610	BALLOT BOX	266D	MUSIC FLAT SIGN
2611	BALLOT BOX WITH CHECK	266E	MUSIC NATURAL SIGN
2612	BALLOT BOX WITH X	266F	MUSIC SHARP SIGN
2613	SALTIRE	2670	WEST SYRIAC CROSS
2614	UMBRELLA WITH RAIN DROPS	2671	EAST SYRIAC CROSS
2615	HOT BEVERAGE	2672	UNIVERSAL RECYCLING SYMBOL
2616	WHITE SHOJI PIECE	2673	RECYCLING SYMBOL FOR TYPE-1 PLASTICS (pete)
2617	BLACK SHOJI PIECE	2674	RECYCLING SYMBOL FOR TYPE-2 PLASTICS (hdpe)
2618	(This position shall not be used)	2675	RECYCLING SYMBOL FOR TYPE-3 PLASTICS (pvc)
2619	REVERSED ROTATED FLORAL HEART BULLET	2676	RECYCLING SYMBOL FOR TYPE-4 PLASTICS (ldpe)
261A	BLACK LEFT POINTING INDEX	2677	RECYCLING SYMBOL FOR TYPE-5 PLASTICS (pp)
261B	BLACK RIGHT POINTING INDEX	2678	RECYCLING SYMBOL FOR TYPE-6 PLASTICS (ps)
261C	WHITE LEFT POINTING INDEX	2679	RECYCLING SYMBOL FOR TYPE-7 PLASTICS (other)
261D	WHITE UP POINTING INDEX	267A	RECYCLING SYMBOL FOR GENERIC MATERIALS
261E	WHITE RIGHT POINTING INDEX	267B	BLACK UNIVERSAL RECYCLING SYMBOL
261F	WHITE DOWN POINTING INDEX	267C	RECYCLED PAPER SYMBOL
2620	SKULL AND CROSSBONES	267D	PARTIALLY-RECYCLED PAPER SYMBOL
2621	CAUTION SIGN	267E	(This position shall not be used)
2622	RADIOACTIVE SIGN	267F	(This position shall not be used)
2623	BIOHAZARD SIGN		
2624	CADUCEUS		
2625	ANKH		
2626	ORTHODOX CROSS		
2627	CHI RHO		
2628	CROSS OF LORRAINE		
2629	CROSS OF JERUSALEM		
262A	STAR AND CRESCENT		
262B	FARSI SYMBOL		
262C	ADI SHAKTI		
262D	HAMMER AND SICKLE		
262E	PEACE SYMBOL		
262F	YIN YANG		
2630	TRIGRAM FOR HEAVEN		
2631	TRIGRAM FOR LAKE		
2632	TRIGRAM FOR FIRE		
2633	TRIGRAM FOR THUNDER		
2634	TRIGRAM FOR WIND		
2635	TRIGRAM FOR WATER		
2636	TRIGRAM FOR MOUNTAIN		
2637	TRIGRAM FOR EARTH		
2638	WHEEL OF DHARMA		
2639	WHITE FROWNING FACE		
263A	WHITE SMILING FACE		
263B	BLACK SMILING FACE		
263C	WHITE SUN WITH RAYS		
263D	FIRST QUARTER MOON		
263E	LAST QUARTER MOON		
263F	MERCURY		
2640	FEMALE SIGN		
2641	EARTH		
2642	MALE SIGN		
2643	JUPITER		
2644	SATURN		
2645	URANUS		
2646	NEPTUNE		
2647	PLUTO		
2648	ARIES		
2649	TAURUS		
264A	GEMINI		
264B	CANCER		
264C	LEO		
264D	VIRGO		
264E	LIBRA		
264F	SCORPIUS		
2650	SAGITTARIUS		
2651	CAPRICORN		
2652	AQUARIUS		
2653	PISCES		
2654	WHITE CHESS KING		
2655	WHITE CHESS QUEEN		
2656	WHITE CHESS ROOK		
2657	WHITE CHESS BISHOP		
2658	WHITE CHESS KNIGHT		
2659	WHITE CHESS PAWN		
265A	BLACK CHESS KING		
265B	BLACK CHESS QUEEN		
265C	BLACK CHESS ROOK		

Group 00

Plane 00

Row 26

Table 80 - Row 26: Miscellaneous Symbols

	268	269	26A	26B	26C	26D	26E	26F
0	 2680	 2690	 26A0					
1	 2681	 2691	 26A1					
2	 2682							
3	 2683							
4	 2684							
5	 2685							
6	 2686							
7	 2687							
8	 2688							
9	 2689							
A	 268A							
B	 268B							
C	 268C							
D	 268D							
E	 268E							
F	 268F							

G = 00
P = 00

Table 80 - Row 26: Miscellaneous Symbols

































































































HEX	NAME	HEX	NAME
2680	DIE FACE-1	26DD	(This position shall not be used)
2681	DIE FACE-2	26DE	(This position shall not be used)
2682	DIE FACE-3	26DF	(This position shall not be used)
2683	DIE FACE-4	26E0	(This position shall not be used)
2684	DIE FACE-5	26E1	(This position shall not be used)
2685	DIE FACE-6	26E2	(This position shall not be used)
2686	WHITE CIRCLE WITH DOT RIGHT	26E3	(This position shall not be used)
2687	WHITE CIRCLE WITH TWO DOTS	26E4	(This position shall not be used)
2688	BLACK CIRCLE WITH WHITE DOT RIGHT	26E5	(This position shall not be used)
2689	BLACK CIRCLE WITH TWO WHITE DOTS	26E6	(This position shall not be used)
268A	MONOGRAM FOR YANG	26E7	(This position shall not be used)
268B	MONOGRAM FOR YIN	26E8	(This position shall not be used)
268C	DIGRAM FOR GREATER YANG	26E9	(This position shall not be used)
268D	DIGRAM FOR LESSER YIN	26EA	(This position shall not be used)
268E	DIGRAM FOR LESSER YANG	26EB	(This position shall not be used)
268F	DIGRAM FOR GREATER YIN	26EC	(This position shall not be used)
2690	WHITE FLAG	26ED	(This position shall not be used)
2691	BLACK FLAG	26EE	(This position shall not be used)
2692	(This position shall not be used)	26EF	(This position shall not be used)
2693	(This position shall not be used)	26F0	(This position shall not be used)
2694	(This position shall not be used)	26F1	(This position shall not be used)
2695	(This position shall not be used)	26F2	(This position shall not be used)
2696	(This position shall not be used)	26F3	(This position shall not be used)
2697	(This position shall not be used)	26F4	(This position shall not be used)
2698	(This position shall not be used)	26F5	(This position shall not be used)
2699	(This position shall not be used)	26F6	(This position shall not be used)
269A	(This position shall not be used)	26F7	(This position shall not be used)
269B	(This position shall not be used)	26F8	(This position shall not be used)
269C	(This position shall not be used)	26F9	(This position shall not be used)
269D	(This position shall not be used)	26FA	(This position shall not be used)
269E	(This position shall not be used)	26FB	(This position shall not be used)
269F	(This position shall not be used)	26FC	(This position shall not be used)
26A0	WARNING SIGN	26FD	(This position shall not be used)
26A1	HIGH VOLTAGE SIGN	26FE	(This position shall not be used)
26A2	(This position shall not be used)	26FF	(This position shall not be used)
26A3	(This position shall not be used)		
26A4	(This position shall not be used)		
26A5	(This position shall not be used)		
26A6	(This position shall not be used)		
26A7	(This position shall not be used)		
26A8	(This position shall not be used)		
26A9	(This position shall not be used)		
26AA	(This position shall not be used)		
26AB	(This position shall not be used)		
26AC	(This position shall not be used)		
26AD	(This position shall not be used)		
26AE	(This position shall not be used)		
26AF	(This position shall not be used)		
26B0	(This position shall not be used)		
26B1	(This position shall not be used)		
26B2	(This position shall not be used)		
26B3	(This position shall not be used)		
26B4	(This position shall not be used)		
26B5	(This position shall not be used)		
26B6	(This position shall not be used)		
26B7	(This position shall not be used)		
26B8	(This position shall not be used)		
26B9	(This position shall not be used)		
26BA	(This position shall not be used)		
26BB	(This position shall not be used)		
26BC	(This position shall not be used)		
26BD	(This position shall not be used)		
26BE	(This position shall not be used)		
26BF	(This position shall not be used)		
26C0	(This position shall not be used)		
26C1	(This position shall not be used)		
26C2	(This position shall not be used)		
26C3	(This position shall not be used)		
26C4	(This position shall not be used)		
26C5	(This position shall not be used)		
26C6	(This position shall not be used)		
26C7	(This position shall not be used)		
26C8	(This position shall not be used)		
26C9	(This position shall not be used)		
26CA	(This position shall not be used)		
26CB	(This position shall not be used)		
26CC	(This position shall not be used)		
26CD	(This position shall not be used)		
26CE	(This position shall not be used)		
26CF	(This position shall not be used)		
26D0	(This position shall not be used)		
26D1	(This position shall not be used)		
26D2	(This position shall not be used)		
26D3	(This position shall not be used)		
26D4	(This position shall not be used)		
26D5	(This position shall not be used)		
26D6	(This position shall not be used)		
26D7	(This position shall not be used)		
26D8	(This position shall not be used)		
26D9	(This position shall not be used)		
26DA	(This position shall not be used)		
26DB	(This position shall not be used)		
26DC	(This position shall not be used)		

Group 00

Plane 00

Row 26

Table 81 - Row 27: Dingbats

	270	271	272	273	274	275
0		 2710	 2720	 2730	 2740	 2750
1	 2701	 2711	 2721	 2731	 2741	 2751
2	 2702	 2712	 2722	 2732	 2742	 2752
3	 2703	 2713	 2723	 2733	 2743	
4	 2704	 2714	 2724	 2734	 2744	
5		 2715	 2725	 2735	 2745	
6	 2706	 2716	 2726	 2736	 2746	 2756
7	 2707	 2717	 2727	 2737	 2747	
8	 2708	 2718		 2738	 2748	 2758
9	 2709	 2719	 2729	 2739	 2749	 2759
A		 271A	 272A	 273A	 274A	 275A
B		 271B	 272B	 273B	 274B	 275B
C	 270C	 271C	 272C	 273C		 275C
D	 270D	 271D	 272D	 273D	 274D	 275D
E	 270E	 271E	 272E	 273E		 275E
F	 270F	 271F	 272F	 273F	 274F	

G = 00
P = 00

Table 81 - Row 27: Dingbats

































































































HEX	NAME	HEX	NAME
2700	(This position shall not be used)	275D	HEAVY DOUBLE TURNED COMMA QUOTATION MARK ORNAMENT
2701	UPPER BLADE SCISSORS	275E	HEAVY DOUBLE COMMA QUOTATION MARK ORNAMENT
2702	BLACK SCISSORS	275F	(This position shall not be used)
2703	LOWER BLADE SCISSORS		
2704	WHITE SCISSORS		
2705	(This position shall not be used)		
2706	TELEPHONE LOCATION SIGN		
2707	TAPE DRIVE		
2708	AIRPLANE		
2709	ENVELOPE		
270A	(This position shall not be used)		
270B	(This position shall not be used)		
270C	VICTORY HAND		
270D	WRITING HAND		
270E	LOWER RIGHT PENCIL		
270F	PENCIL		
2710	UPPER RIGHT PENCIL		
2711	WHITE NIB		
2712	BLACK NIB		
2713	CHECK MARK		
2714	HEAVY CHECK MARK		
2715	MULTIPLICATION X		
2716	HEAVY MULTIPLICATION X		
2717	BALLOT X		
2718	HEAVY BALLOT X		
2719	OUTLINED GREEK CROSS		
271A	HEAVY GREEK CROSS		
271B	OPEN CENTRE CROSS		
271C	HEAVY OPEN CENTRE CROSS		
271D	LATIN CROSS		
271E	SHADOWED WHITE LATIN CROSS		
271F	OUTLINED LATIN CROSS		
2720	MALTESE CROSS		
2721	STAR OF DAVID		
2722	FOUR TEARDROP-SPOKED ASTERISK		
2723	FOUR BALLOON-SPOKED ASTERISK		
2724	HEAVY FOUR BALLOON-SPOKED ASTERISK		
2725	FOUR CLUB-SPOKED ASTERISK		
2726	BLACK FOUR POINTED STAR		
2727	WHITE FOUR POINTED STAR		
2728	(This position shall not be used)		
2729	STRESS OUTLINED WHITE STAR		
272A	CIRCLED WHITE STAR		
272B	OPEN CENTRE BLACK STAR		
272C	BLACK CENTRE WHITE STAR		
272D	OUTLINED BLACK STAR		
272E	HEAVY OUTLINED BLACK STAR		
272F	PINWHEEL STAR		
2730	SHADOWED WHITE STAR		
2731	HEAVY ASTERISK		
2732	OPEN CENTRE ASTERISK		
2733	EIGHT SPOKED ASTERISK		
2734	EIGHT POINTED BLACK STAR		
2735	EIGHT POINTED PINWHEEL STAR		
2736	SIX POINTED BLACK STAR		
2737	EIGHT POINTED RECTILINEAR BLACK STAR		
2738	HEAVY EIGHT POINTED RECTILINEAR BLACK STAR		
2739	TWELVE POINTED BLACK STAR		
273A	SIXTEEN POINTED ASTERISK		
273B	TEARDROP-SPOKED ASTERISK		
273C	OPEN CENTRE TEARDROP-SPOKED ASTERISK		
273D	HEAVY TEARDROP-SPOKED ASTERISK		
273E	SIX PETALLED BLACK AND WHITE FLORETTE		
273F	BLACK FLORETTE		
2740	WHITE FLORETTE		
2741	EIGHT PETALLED OUTLINED BLACK FLORETTE		
2742	CIRCLED OPEN CENTRE EIGHT POINTED STAR		
2743	HEAVY TEARDROP-SPOKED PINWHEEL ASTERISK		
2744	SNOWFLAKE		
2745	TIGHT TRIFOLIATE SNOWFLAKE		
2746	HEAVY CHEVRON SNOWFLAKE		
2747	SPARKLE		
2748	HEAVY SPARKLE		
2749	BALLOON-SPOKED ASTERISK		
274A	EIGHT TEARDROP-SPOKED PROPELLER ASTERISK		
274B	HEAVY EIGHT TEARDROP-SPOKED PROPELLER ASTERISK		
274C	(This position shall not be used)		
274D	SHADOWED WHITE CIRCLE		
274E	(This position shall not be used)		
274F	LOWER RIGHT DROP-SHADOWED WHITE SQUARE		
2750	UPPER RIGHT DROP-SHADOWED WHITE SQUARE		
2751	LOWER RIGHT SHADOWED WHITE SQUARE		
2752	UPPER RIGHT SHADOWED WHITE SQUARE		
2753	(This position shall not be used)		
2754	(This position shall not be used)		
2755	(This position shall not be used)		
2756	BLACK DIAMOND MINUS WHITE X		
2757	(This position shall not be used)		
2758	LIGHT VERTICAL BAR		
2759	MEDIUM VERTICAL BAR		
275A	HEAVY VERTICAL BAR		
275B	HEAVY SINGLE TURNED COMMA QUOTATION MARK ORNAMENT		
275C	HEAVY SINGLE COMMA QUOTATION MARK ORNAMENT		

Group 00

Plane 00

Row 27

Table 82 - Row 27: Dingbats

	276	277	278	279	27A	27B
0		 2770	 2780	 2790	 27A0	
1	 2761	 2771	 2781	 2791	 27A1	 27B1
2	 2762	 2772	 2782	 2792	 27A2	 27B2
3	 2763	 2773	 2783	 2793	 27A3	 27B3
4	 2764	 2774	 2784	 2794	 27A4	 27B4
5	 2765	 2775	 2785		 27A5	 27B5
6	 2766	 2776	 2786		 27A6	 27B6
7	 2767	 2777	 2787		 27A7	 27B7
8	 2768	 2778	 2788	 2798	 27A8	 27B8
9	 2769	 2779	 2789	 2799	 27A9	 27B9
A	 276A	 277A	 278A	 279A	 27AA	 27BA
B	 276B	 277B	 278B	 279B	 27AB	 27BB
C	 276C	 277C	 278C	 279C	 27AC	 27BC
D	 276D	 277D	 278D	 279D	 27AD	 27BD
E	 276E	 277E	 278E	 279E	 27AE	 27BE
F	 276F	 277F	 278F	 279F	 27AF	

G = 00
P = 00

Table 82 - Row 27: Dingbats





























HEX	NAME	HEX	NAME
2760	(This position shall not be used)	27BD	HEAVY WEDGE-TAILED RIGHTWARDS ARROW
2761	CURVED STEM PARAGRAPH SIGN ORNAMENT	27BE	OPEN-OUTLINED RIGHTWARDS ARROW
2762	HEAVY EXCLAMATION MARK ORNAMENT	27BF	(This position shall not be used)
2763	HEAVY HEART EXCLAMATION MARK ORNAMENT		
2764	HEAVY BLACK HEART		
2765	ROTATED HEAVY BLACK HEART BULLET		
2766	FLORAL HEART		
2767	ROTATED FLORAL HEART BULLET		
2768	MEDIUM LEFT PARENTHESIS ORNAMENT		
2769	MEDIUM RIGHT PARENTHESIS ORNAMENT		
276A	MEDIUM FLATTENED LEFT PARENTHESIS ORNAMENT		
276B	MEDIUM FLATTENED RIGHT PARENTHESIS ORNAMENT		
276C	MEDIUM LEFT-POINTING ANGLE BRACKET ORNAMENT		
276D	MEDIUM RIGHT-POINTING ANGLE BRACKET ORNAMENT		
276E	HEAVY LEFT-POINTING ANGLE QUOTATION MARK ORNAMENT		
276F	HEAVY RIGHT-POINTING ANGLE QUOTATION MARK ORNAMENT		
2770	HEAVY LEFT-POINTING ANGLE BRACKET ORNAMENT		
2771	HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT		
2772	LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT		
2773	LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT		
2774	MEDIUM LEFT CURLY BRACKET ORNAMENT		
2775	MEDIUM RIGHT CURLY BRACKET ORNAMENT		
2776	DINGBAT NEGATIVE CIRCLED DIGIT ONE		
2777	DINGBAT NEGATIVE CIRCLED DIGIT TWO		
2778	DINGBAT NEGATIVE CIRCLED DIGIT THREE		
2779	DINGBAT NEGATIVE CIRCLED DIGIT FOUR		
277A	DINGBAT NEGATIVE CIRCLED DIGIT FIVE		
277B	DINGBAT NEGATIVE CIRCLED DIGIT SIX		
277C	DINGBAT NEGATIVE CIRCLED DIGIT SEVEN		
277D	DINGBAT NEGATIVE CIRCLED DIGIT EIGHT		
277E	DINGBAT NEGATIVE CIRCLED DIGIT NINE		
277F	DINGBAT NEGATIVE CIRCLED NUMBER TEN		
2780	DINGBAT CIRCLED SANS-SERIF DIGIT ONE		
2781	DINGBAT CIRCLED SANS-SERIF DIGIT TWO		
2782	DINGBAT CIRCLED SANS-SERIF DIGIT THREE		
2783	DINGBAT CIRCLED SANS-SERIF DIGIT FOUR		
2784	DINGBAT CIRCLED SANS-SERIF DIGIT FIVE		
2785	DINGBAT CIRCLED SANS-SERIF DIGIT SIX		
2786	DINGBAT CIRCLED SANS-SERIF DIGIT SEVEN		
2787	DINGBAT CIRCLED SANS-SERIF DIGIT EIGHT		
2788	DINGBAT CIRCLED SANS-SERIF DIGIT NINE		
2789	DINGBAT CIRCLED SANS-SERIF NUMBER TEN		
278A	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ONE		
278B	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT TWO		
278C	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT THREE		
278D	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FOUR		
278E	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FIVE		
278F	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SIX		
2790	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SEVEN		
2791	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT EIGHT		
2792	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT NINE		
2793	DINGBAT NEGATIVE CIRCLED SANS-SERIF NUMBER TEN		
2794	HEAVY WIDE-HEADED RIGHTWARDS ARROW		
2795	(This position shall not be used)		
2796	(This position shall not be used)		
2797	(This position shall not be used)		
2798	HEAVY SOUTH EAST ARROW		
2799	HEAVY RIGHTWARDS ARROW		
279A	HEAVY NORTH EAST ARROW		
279B	DRAFTING POINT RIGHTWARDS ARROW		
279C	HEAVY ROUND-TIPPED RIGHTWARDS ARROW		
279D	TRIANGLE-HEADED RIGHTWARDS ARROW		
279E	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW		
279F	DASHED TRIANGLE-HEADED RIGHTWARDS ARROW		
27A0	HEAVY DASHED TRIANGLE-HEADED RIGHTWARDS ARROW		
27A1	BLACK RIGHTWARDS ARROW		
27A2	THREE-D TOP-LIGHTED RIGHTWARDS ARROWHEAD		
27A3	THREE-D BOTTOM-LIGHTED RIGHTWARDS ARROWHEAD		
27A4	BLACK RIGHTWARDS ARROWHEAD		
27A5	HEAVY BLACK CURVED DOWNWARDS AND RIGHTWARDS ARROW		
27A6	HEAVY BLACK CURVED UPWARDS AND RIGHTWARDS ARROW		
27A7	SQUAT BLACK RIGHTWARDS ARROW		
27A8	HEAVY CONCAVE-POINTED BLACK RIGHTWARDS ARROW		
27A9	RIGHT-SHADED WHITE RIGHTWARDS ARROW		
27AA	LEFT-SHADED WHITE RIGHTWARDS ARROW		
27AB	BACK-TILTED SHADOWED WHITE RIGHTWARDS ARROW		
27AC	FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW		
27AD	HEAVY LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW		
27AE	HEAVY UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW		
27AF	NOTCHED LOWER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW		
27B0	(This position shall not be used)		
27B1	NOTCHED UPPER RIGHT-SHADOWED WHITE RIGHTWARDS ARROW		
27B2	CIRCLED HEAVY WHITE RIGHTWARDS ARROW		
27B3	WHITE-FEATHERED RIGHTWARDS ARROW		
27B4	BLACK-FEATHERED SOUTH EAST ARROW		
27B5	BLACK-FEATHERED RIGHTWARDS ARROW		
27B6	BLACK-FEATHERED NORTH EAST ARROW		
27B7	HEAVY BLACK-FEATHERED SOUTH EAST ARROW		
27B8	HEAVY BLACK-FEATHERED RIGHTWARDS ARROW		
27B9	HEAVY BLACK-FEATHERED NORTH EAST ARROW		
27BA	TEARDROP-BARBED RIGHTWARDS ARROW		
27BB	HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW		
27BC	WEDGE-TAILED RIGHTWARDS ARROW		

Group 00

Plane 00

Row 27

Table 83 - Row 27: Miscellaneous Mathematical Symbols-A

	27C	27D	27E
0		 27D0	 27E0
1		 27D1	 27E1
2		 27D2	 27E2
3		 27D3	 27E3
4		 27D4	 27E4
5		 27D5	 27E5
6		 27D6	 27E6
7		 27D7	 27E7
8		 27D8	 27E8
9		 27D9	 27E9
A		 27DA	 27EA
B		 27DB	 27EB
C		 27DC	
D		 27DD	
E		 27DE	
F		 27DF	

G = 00
P = 00

Table 83 - Row 27: Miscellaneous Mathematical Symbols-A

















HEX	NAME	HEX	NAME
27C0	(This position shall not be used)		
27C1	(This position shall not be used)		
27C2	(This position shall not be used)		
27C3	(This position shall not be used)		
27C4	(This position shall not be used)		
27C5	(This position shall not be used)		
27C6	(This position shall not be used)		
27C7	(This position shall not be used)		
27C8	(This position shall not be used)		
27C9	(This position shall not be used)		
27CA	(This position shall not be used)		
27CB	(This position shall not be used)		
27CC	(This position shall not be used)		
27CD	(This position shall not be used)		
27CE	(This position shall not be used)		
27CF	(This position shall not be used)		
27D0	WHITE DIAMOND WITH CENTRED DOT		
27D1	AND WITH DOT		
27D2	ELEMENT OF OPENING UPWARDS		
27D3	LOWER RIGHT CORNER WITH DOT		
27D4	UPPER LEFT CORNER WITH DOT		
27D5	LEFT OUTER JOIN		
27D6	RIGHT OUTER JOIN		
27D7	FULL OUTER JOIN		
27D8	LARGE UP TACK		
27D9	LARGE DOWN TACK		
27DA	LEFT AND RIGHT DOUBLE TURNSTILE		
27DB	LEFT AND RIGHT TACK		
27DC	LEFT MULTIMAP		
27DD	LONG RIGHT TACK		
27DE	LONG LEFT TACK		
27DF	UP TACK WITH CIRCLE ABOVE		
27E0	LOZENGE DIVIDED BY HORIZONTAL RULE		
27E1	WHITE CONCAVE-SIDED DIAMOND		
27E2	WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK		
27E3	WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK		
27E4	WHITE SQUARE WITH LEFTWARDS TICK		
27E5	WHITE SQUARE WITH RIGHTWARDS TICK		
27E6	MATHEMATICAL LEFT WHITE SQUARE BRACKET		
27E7	MATHEMATICAL RIGHT WHITE SQUARE BRACKET		
27E8	MATHEMATICAL LEFT ANGLE BRACKET		
27E9	MATHEMATICAL RIGHT ANGLE BRACKET		
27EA	MATHEMATICAL LEFT DOUBLE ANGLE BRACKET		
27EB	MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET		
27EC	(This position shall not be used)		
27ED	(This position shall not be used)		
27EE	(This position shall not be used)		
27EF	(This position shall not be used)		

Group 00

Plane 00

Row 27

Table 84 - Row 27: Supplemental Arrows-A

27F	
0	 27F0
1	 27F1
2	 27F2
3	 27F3
4	 27F4
5	 27F5
6	 27F6
7	 27F7
8	 27F8
9	 27F9
A	 27FA
B	 27FB
C	 27FC
D	 27FD
E	 27FE
F	 27FF

G = 00
P = 00

Table 84 - Row 27: Supplemental Arrows-A

HEX	NAME	HEX	NAME
27F0	UPWARDS QUADRUPLE ARROW		
27F1	DOWNWARDS QUADRUPLE ARROW		
27F2	ANTICLOCKWISE GAPPED CIRCLE ARROW		
27F3	CLOCKWISE GAPPED CIRCLE ARROW		
27F4	RIGHT ARROW WITH CIRCLED PLUS		
27F5	LONG LEFTWARDS ARROW		
27F6	LONG RIGHTWARDS ARROW		
27F7	LONG LEFT RIGHT ARROW		
27F8	LONG LEFTWARDS DOUBLE ARROW		
27F9	LONG RIGHTWARDS DOUBLE ARROW		
27FA	LONG LEFT RIGHT DOUBLE ARROW		
27FB	LONG LEFTWARDS ARROW FROM BAR		
27FC	LONG RIGHTWARDS ARROW FROM BAR		
27FD	LONG LEFTWARDS DOUBLE ARROW FROM BAR		
27FE	LONG RIGHTWARDS DOUBLE ARROW FROM BAR		
27FF	LONG RIGHTWARDS SQUIGGLE ARROW		

Group 00

Plane 00

Row 27

Table 85 - Row 28: Braille Patterns

	280	281	282	283	284	285	286	287
0								
1								
2								
3								
4								
5								
6								
7								
8								
9								
A								
B								
C								
D								
E								
F								

G = 00
P = 00

Table 85 - Row 28: Braille Patterns

HEX	NAME	HEX	NAME
2800	BRAILLE PATTERN BLANK	285D	BRAILLE PATTERN DOTS-13457
2801	BRAILLE PATTERN DOTS-1	285E	BRAILLE PATTERN DOTS-23457
2802	BRAILLE PATTERN DOTS-2	285F	BRAILLE PATTERN DOTS-123457
2803	BRAILLE PATTERN DOTS-12	2860	BRAILLE PATTERN DOTS-67
2804	BRAILLE PATTERN DOTS-3	2861	BRAILLE PATTERN DOTS-167
2805	BRAILLE PATTERN DOTS-13	2862	BRAILLE PATTERN DOTS-267
2806	BRAILLE PATTERN DOTS-23	2863	BRAILLE PATTERN DOTS-1267
2807	BRAILLE PATTERN DOTS-123	2864	BRAILLE PATTERN DOTS-367
2808	BRAILLE PATTERN DOTS-4	2865	BRAILLE PATTERN DOTS-1367
2809	BRAILLE PATTERN DOTS-14	2866	BRAILLE PATTERN DOTS-2367
280A	BRAILLE PATTERN DOTS-24	2867	BRAILLE PATTERN DOTS-12367
280B	BRAILLE PATTERN DOTS-124	2868	BRAILLE PATTERN DOTS-467
280C	BRAILLE PATTERN DOTS-34	2869	BRAILLE PATTERN DOTS-1467
280D	BRAILLE PATTERN DOTS-134	286A	BRAILLE PATTERN DOTS-2467
280E	BRAILLE PATTERN DOTS-234	286B	BRAILLE PATTERN DOTS-12467
280F	BRAILLE PATTERN DOTS-1234	286C	BRAILLE PATTERN DOTS-3467
2810	BRAILLE PATTERN DOTS-5	286D	BRAILLE PATTERN DOTS-13467
2811	BRAILLE PATTERN DOTS-15	286E	BRAILLE PATTERN DOTS-23467
2812	BRAILLE PATTERN DOTS-25	286F	BRAILLE PATTERN DOTS-123467
2813	BRAILLE PATTERN DOTS-125	2870	BRAILLE PATTERN DOTS-567
2814	BRAILLE PATTERN DOTS-35	2871	BRAILLE PATTERN DOTS-1567
2815	BRAILLE PATTERN DOTS-135	2872	BRAILLE PATTERN DOTS-2567
2816	BRAILLE PATTERN DOTS-235	2873	BRAILLE PATTERN DOTS-12567
2817	BRAILLE PATTERN DOTS-1235	2874	BRAILLE PATTERN DOTS-3567
2818	BRAILLE PATTERN DOTS-45	2875	BRAILLE PATTERN DOTS-13567
2819	BRAILLE PATTERN DOTS-145	2876	BRAILLE PATTERN DOTS-23567
281A	BRAILLE PATTERN DOTS-245	2877	BRAILLE PATTERN DOTS-123567
281B	BRAILLE PATTERN DOTS-1245	2878	BRAILLE PATTERN DOTS-4567
281C	BRAILLE PATTERN DOTS-345	2879	BRAILLE PATTERN DOTS-14567
281D	BRAILLE PATTERN DOTS-1345	287A	BRAILLE PATTERN DOTS-24567
281E	BRAILLE PATTERN DOTS-2345	287B	BRAILLE PATTERN DOTS-124567
281F	BRAILLE PATTERN DOTS-12345	287C	BRAILLE PATTERN DOTS-34567
2820	BRAILLE PATTERN DOTS-6	287D	BRAILLE PATTERN DOTS-134567
2821	BRAILLE PATTERN DOTS-16	287E	BRAILLE PATTERN DOTS-234567
2822	BRAILLE PATTERN DOTS-26	287F	BRAILLE PATTERN DOTS-1234567
2823	BRAILLE PATTERN DOTS-126		
2824	BRAILLE PATTERN DOTS-36		
2825	BRAILLE PATTERN DOTS-136		
2826	BRAILLE PATTERN DOTS-236		
2827	BRAILLE PATTERN DOTS-1236		
2828	BRAILLE PATTERN DOTS-46		
2829	BRAILLE PATTERN DOTS-146		
282A	BRAILLE PATTERN DOTS-246		
282B	BRAILLE PATTERN DOTS-1246		
282C	BRAILLE PATTERN DOTS-346		
282D	BRAILLE PATTERN DOTS-1346		
282E	BRAILLE PATTERN DOTS-2346		
282F	BRAILLE PATTERN DOTS-12346		
2830	BRAILLE PATTERN DOTS-56		
2831	BRAILLE PATTERN DOTS-156		
2832	BRAILLE PATTERN DOTS-256		
2833	BRAILLE PATTERN DOTS-1256		
2834	BRAILLE PATTERN DOTS-356		
2835	BRAILLE PATTERN DOTS-1356		
2836	BRAILLE PATTERN DOTS-2356		
2837	BRAILLE PATTERN DOTS-12356		
2838	BRAILLE PATTERN DOTS-456		
2839	BRAILLE PATTERN DOTS-1456		
283A	BRAILLE PATTERN DOTS-2456		
283B	BRAILLE PATTERN DOTS-12456		
283C	BRAILLE PATTERN DOTS-3456		
283D	BRAILLE PATTERN DOTS-13456		
283E	BRAILLE PATTERN DOTS-23456		
283F	BRAILLE PATTERN DOTS-123456		
2840	BRAILLE PATTERN DOTS-7		
2841	BRAILLE PATTERN DOTS-17		
2842	BRAILLE PATTERN DOTS-27		
2843	BRAILLE PATTERN DOTS-127		
2844	BRAILLE PATTERN DOTS-37		
2845	BRAILLE PATTERN DOTS-137		
2846	BRAILLE PATTERN DOTS-237		
2847	BRAILLE PATTERN DOTS-1237		
2848	BRAILLE PATTERN DOTS-47		
2849	BRAILLE PATTERN DOTS-147		
284A	BRAILLE PATTERN DOTS-247		
284B	BRAILLE PATTERN DOTS-1247		
284C	BRAILLE PATTERN DOTS-347		
284D	BRAILLE PATTERN DOTS-1347		
284E	BRAILLE PATTERN DOTS-2347		
284F	BRAILLE PATTERN DOTS-12347		
2850	BRAILLE PATTERN DOTS-57		
2851	BRAILLE PATTERN DOTS-157		
2852	BRAILLE PATTERN DOTS-257		
2853	BRAILLE PATTERN DOTS-1257		
2854	BRAILLE PATTERN DOTS-357		
2855	BRAILLE PATTERN DOTS-1357		
2856	BRAILLE PATTERN DOTS-2357		
2857	BRAILLE PATTERN DOTS-12357		
2858	BRAILLE PATTERN DOTS-457		
2859	BRAILLE PATTERN DOTS-1457		
285A	BRAILLE PATTERN DOTS-2457		
285B	BRAILLE PATTERN DOTS-12457		
285C	BRAILLE PATTERN DOTS-3457		

Group 00

Plane 00

Row 28

Table 86 - Row 28: Braille Patterns

	288	289	28A	28B	28C	28D	28E	28F
0	2880	2890	28A0	28B0	28C0	28D0	28E0	28F0
1	2881	2891	28A1	28B1	28C1	28D1	28E1	28F1
2	2882	2892	28A2	28B2	28C2	28D2	28E2	28F2
3	2883	2893	28A3	28B3	28C3	28D3	28E3	28F3
4	2884	2894	28A4	28B4	28C4	28D4	28E4	28F4
5	2885	2895	28A5	28B5	28C5	28D5	28E5	28F5
6	2886	2896	28A6	28B6	28C6	28D6	28E6	28F6
7	2887	2897	28A7	28B7	28C7	28D7	28E7	28F7
8	2888	2898	28A8	28B8	28C8	28D8	28E8	28F8
9	2889	2899	28A9	28B9	28C9	28D9	28E9	28F9
A	288A	289A	28AA	28BA	28CA	28DA	28EA	28FA
B	288B	289B	28AB	28BB	28CB	28DB	28EB	28FB
C	288C	289C	28AC	28BC	28CC	28DC	28EC	28FC
D	288D	289D	28AD	28BD	28CD	28DD	28ED	28FD
E	288E	289E	28AE	28BE	28CE	28DE	28EE	28FE
F	288F	289F	28AF	28BF	28CF	28DF	28EF	28FF

G = 00
P = 00

Table 86 - Row 28: Braille Patterns

































































































































HEX	NAME	HEX	NAME
2880	BRAILLE PATTERN DOTS-8	28DD	BRAILLE PATTERN DOTS-134578
2881	BRAILLE PATTERN DOTS-18	28DE	BRAILLE PATTERN DOTS-234578
2882	BRAILLE PATTERN DOTS-28	28DF	BRAILLE PATTERN DOTS-1234578
2883	BRAILLE PATTERN DOTS-128	28E0	BRAILLE PATTERN DOTS-678
2884	BRAILLE PATTERN DOTS-38	28E1	BRAILLE PATTERN DOTS-1678
2885	BRAILLE PATTERN DOTS-138	28E2	BRAILLE PATTERN DOTS-2678
2886	BRAILLE PATTERN DOTS-238	28E3	BRAILLE PATTERN DOTS-12678
2887	BRAILLE PATTERN DOTS-1238	28E4	BRAILLE PATTERN DOTS-3678
2888	BRAILLE PATTERN DOTS-48	28E5	BRAILLE PATTERN DOTS-13678
2889	BRAILLE PATTERN DOTS-148	28E6	BRAILLE PATTERN DOTS-23678
288A	BRAILLE PATTERN DOTS-248	28E7	BRAILLE PATTERN DOTS-123678
288B	BRAILLE PATTERN DOTS-1248	28E8	BRAILLE PATTERN DOTS-4678
288C	BRAILLE PATTERN DOTS-348	28E9	BRAILLE PATTERN DOTS-14678
288D	BRAILLE PATTERN DOTS-1348	28EA	BRAILLE PATTERN DOTS-24678
288E	BRAILLE PATTERN DOTS-2348	28EB	BRAILLE PATTERN DOTS-124678
288F	BRAILLE PATTERN DOTS-12348	28EC	BRAILLE PATTERN DOTS-34678
2890	BRAILLE PATTERN DOTS-58	28ED	BRAILLE PATTERN DOTS-134678
2891	BRAILLE PATTERN DOTS-158	28EE	BRAILLE PATTERN DOTS-234678
2892	BRAILLE PATTERN DOTS-258	28EF	BRAILLE PATTERN DOTS-1234678
2893	BRAILLE PATTERN DOTS-1258	28F0	BRAILLE PATTERN DOTS-5678
2894	BRAILLE PATTERN DOTS-358	28F1	BRAILLE PATTERN DOTS-15678
2895	BRAILLE PATTERN DOTS-1358	28F2	BRAILLE PATTERN DOTS-25678
2896	BRAILLE PATTERN DOTS-2358	28F3	BRAILLE PATTERN DOTS-125678
2897	BRAILLE PATTERN DOTS-12358	28F4	BRAILLE PATTERN DOTS-35678
2898	BRAILLE PATTERN DOTS-458	28F5	BRAILLE PATTERN DOTS-135678
2899	BRAILLE PATTERN DOTS-1458	28F6	BRAILLE PATTERN DOTS-235678
289A	BRAILLE PATTERN DOTS-2458	28F7	BRAILLE PATTERN DOTS-1235678
289B	BRAILLE PATTERN DOTS-12458	28F8	BRAILLE PATTERN DOTS-45678
289C	BRAILLE PATTERN DOTS-3458	28F9	BRAILLE PATTERN DOTS-145678
289D	BRAILLE PATTERN DOTS-13458	28FA	BRAILLE PATTERN DOTS-245678
289E	BRAILLE PATTERN DOTS-23458	28FB	BRAILLE PATTERN DOTS-1245678
289F	BRAILLE PATTERN DOTS-123458	28FC	BRAILLE PATTERN DOTS-345678
28A0	BRAILLE PATTERN DOTS-68	28FD	BRAILLE PATTERN DOTS-1345678
28A1	BRAILLE PATTERN DOTS-168	28FE	BRAILLE PATTERN DOTS-2345678
28A2	BRAILLE PATTERN DOTS-268	28FF	BRAILLE PATTERN DOTS-12345678
28A3	BRAILLE PATTERN DOTS-1268		
28A4	BRAILLE PATTERN DOTS-368		
28A5	BRAILLE PATTERN DOTS-1368		
28A6	BRAILLE PATTERN DOTS-2368		
28A7	BRAILLE PATTERN DOTS-12368		
28A8	BRAILLE PATTERN DOTS-468		
28A9	BRAILLE PATTERN DOTS-1468		
28AA	BRAILLE PATTERN DOTS-2468		
28AB	BRAILLE PATTERN DOTS-12468		
28AC	BRAILLE PATTERN DOTS-3468		
28AD	BRAILLE PATTERN DOTS-13468		
28AE	BRAILLE PATTERN DOTS-23468		
28AF	BRAILLE PATTERN DOTS-123468		
28B0	BRAILLE PATTERN DOTS-568		
28B1	BRAILLE PATTERN DOTS-1568		
28B2	BRAILLE PATTERN DOTS-2568		
28B3	BRAILLE PATTERN DOTS-12568		
28B4	BRAILLE PATTERN DOTS-3568		
28B5	BRAILLE PATTERN DOTS-13568		
28B6	BRAILLE PATTERN DOTS-23568		
28B7	BRAILLE PATTERN DOTS-123568		
28B8	BRAILLE PATTERN DOTS-4568		
28B9	BRAILLE PATTERN DOTS-14568		
28BA	BRAILLE PATTERN DOTS-24568		
28BB	BRAILLE PATTERN DOTS-124568		
28BC	BRAILLE PATTERN DOTS-34568		
28BD	BRAILLE PATTERN DOTS-134568		
28BE	BRAILLE PATTERN DOTS-234568		
28BF	BRAILLE PATTERN DOTS-1234568		
28C0	BRAILLE PATTERN DOTS-78		
28C1	BRAILLE PATTERN DOTS-178		
28C2	BRAILLE PATTERN DOTS-278		
28C3	BRAILLE PATTERN DOTS-1278		
28C4	BRAILLE PATTERN DOTS-378		
28C5	BRAILLE PATTERN DOTS-1378		
28C6	BRAILLE PATTERN DOTS-2378		
28C7	BRAILLE PATTERN DOTS-12378		
28C8	BRAILLE PATTERN DOTS-478		
28C9	BRAILLE PATTERN DOTS-1478		
28CA	BRAILLE PATTERN DOTS-2478		
28CB	BRAILLE PATTERN DOTS-12478		
28CC	BRAILLE PATTERN DOTS-3478		
28CD	BRAILLE PATTERN DOTS-13478		
28CE	BRAILLE PATTERN DOTS-23478		
28CF	BRAILLE PATTERN DOTS-123478		
28D0	BRAILLE PATTERN DOTS-578		
28D1	BRAILLE PATTERN DOTS-1578		
28D2	BRAILLE PATTERN DOTS-2578		
28D3	BRAILLE PATTERN DOTS-12578		
28D4	BRAILLE PATTERN DOTS-3578		
28D5	BRAILLE PATTERN DOTS-13578		
28D6	BRAILLE PATTERN DOTS-23578		
28D7	BRAILLE PATTERN DOTS-123578		
28D8	BRAILLE PATTERN DOTS-4578		
28D9	BRAILLE PATTERN DOTS-14578		
28DA	BRAILLE PATTERN DOTS-24578		
28DB	BRAILLE PATTERN DOTS-124578		
28DC	BRAILLE PATTERN DOTS-34578		

Group 00

Plane 00

Row 28

Table 87 - Row 29: Supplemental Arrows-B

	290	291	292	293	294	295	296	297
0	 2900	 2910	 2920	 2930	 2940	 2950	 2960	 2970
1	 2901	 2911	 2921	 2931	 2941	 2951	 2961	 2971
2	 2902	 2912	 2922	 2932	 2942	 2952	 2962	 2972
3	 2903	 2913	 2923	 2933	 2943	 2953	 2963	 2973
4	 2904	 2914	 2924	 2934	 2944	 2954	 2964	 2974
5	 2905	 2915	 2925	 2935	 2945	 2955	 2965	 2975
6	 2906	 2916	 2926	 2936	 2946	 2956	 2966	 2976
7	 2907	 2917	 2927	 2937	 2947	 2957	 2967	 2977
8	 2908	 2918	 2928	 2938	 2948	 2958	 2968	 2978
9	 2909	 2919	 2929	 2939	 2949	 2959	 2969	 2979
A	 290A	 291A	 292A	 293A	 294A	 295A	 296A	 297A
B	 290B	 291B	 292B	 293B	 294B	 295B	 296B	 297B
C	 290C	 291C	 292C	 293C	 294C	 295C	 296C	 297C
D	 290D	 291D	 292D	 293D	 294D	 295D	 296D	 297D
E	 290E	 291E	 292E	 293E	 294E	 295E	 296E	 297E
F	 290F	 291F	 292F	 293F	 294F	 295F	 296F	 297F

G = 00
P = 00

Table 87 - Row 29: Supplemental Arrows-B

































































































































HEX	NAME	HEX	NAME
2900	RIGHTWARDS TWO-HEADED ARROW WITH VERTICAL STROKE	295D	DOWNWARDS HARPOON WITH BARB RIGHT FROM BAR
2901	RIGHTWARDS TWO-HEADED ARROW WITH DOUBLE VERTICAL STROKE	295E	LEFTWARDS HARPOON WITH BARB DOWN FROM BAR
2902	LEFTWARDS DOUBLE ARROW WITH VERTICAL STROKE	295F	RIGHTWARDS HARPOON WITH BARB DOWN FROM BAR
2903	RIGHTWARDS DOUBLE ARROW WITH VERTICAL STROKE	2960	UPWARDS HARPOON WITH BARB LEFT FROM BAR
2904	LEFT RIGHT DOUBLE ARROW WITH VERTICAL STROKE	2961	DOWNWARDS HARPOON WITH BARB LEFT FROM BAR
2905	RIGHTWARDS TWO-HEADED ARROW FROM BAR	2962	LEFTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS HARPOON WITH BARB DOWN
2906	LEFTWARDS DOUBLE ARROW FROM BAR	2963	UPWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT
2907	RIGHTWARDS DOUBLE ARROW FROM BAR	2964	RIGHTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS HARPOON WITH BARB DOWN
2908	DOWNWARDS ARROW WITH HORIZONTAL STROKE	2965	DOWNWARDS HARPOON WITH BARB LEFT BESIDE DOWNWARDS HARPOON WITH BARB RIGHT
2909	UPWARDS ARROW WITH HORIZONTAL STROKE	2966	LEFTWARDS HARPOON WITH BARB UP ABOVE RIGHTWARDS HARPOON WITH BARB UP
290A	UPWARDS TRIPLE ARROW	2967	LEFTWARDS HARPOON WITH BARB DOWN ABOVE RIGHTWARDS HARPOON WITH BARB DOWN
290B	DOWNWARDS TRIPLE ARROW	2968	RIGHTWARDS HARPOON WITH BARB UP ABOVE LEFTWARDS HARPOON WITH BARB UP
290C	LEFTWARDS DOUBLE DASH ARROW	2969	RIGHTWARDS HARPOON WITH BARB DOWN ABOVE LEFTWARDS HARPOON WITH BARB DOWN
290D	RIGHTWARDS DOUBLE DASH ARROW	296A	LEFTWARDS HARPOON WITH BARB UP ABOVE LONG DASH
290E	LEFTWARDS TRIPLE DASH ARROW	296B	LEFTWARDS HARPOON WITH BARB DOWN BELOW LONG DASH
290F	RIGHTWARDS TRIPLE DASH ARROW	296C	RIGHTWARDS HARPOON WITH BARB UP ABOVE LONG DASH
2910	RIGHTWARDS TWO-HEADED TRIPLE DASH ARROW	296D	RIGHTWARDS HARPOON WITH BARB DOWN BELOW LONG DASH
2911	RIGHTWARDS ARROW WITH DOTTED STEM	296E	UPWARDS HARPOON WITH BARB LEFT BESIDE DOWNWARDS HARPOON WITH BARB RIGHT
2912	UPWARDS ARROW TO BAR	296F	DOWNWARDS HARPOON WITH BARB LEFT BESIDE UPWARDS HARPOON WITH BARB RIGHT
2913	DOWNWARDS ARROW TO BAR	2970	RIGHT DOUBLE ARROW WITH ROUNDED HEAD
2914	RIGHTWARDS ARROW WITH TAIL WITH VERTICAL STROKE	2971	EQUALS SIGN ABOVE RIGHTWARDS ARROW
2915	RIGHTWARDS ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	2972	TILDE OPERATOR ABOVE RIGHTWARDS ARROW
2916	RIGHTWARDS TWO-HEADED ARROW WITH TAIL	2973	LEFTWARDS ARROW ABOVE TILDE OPERATOR
2917	RIGHTWARDS TWO-HEADED ARROW WITH TAIL WITH VERTICAL STROKE	2974	RIGHTWARDS ARROW ABOVE TILDE OPERATOR
2918	RIGHTWARDS TWO-HEADED ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE	2975	RIGHTWARDS ARROW ABOVE ALMOST EQUAL TO
2919	LEFTWARDS ARROW-TAIL	2976	LESS-THAN ABOVE LEFTWARDS ARROW
291A	RIGHTWARDS ARROW-TAIL	2977	LEFTWARDS ARROW THROUGH LESS-THAN
291B	LEFTWARDS DOUBLE ARROW-TAIL	2978	GREATER-THAN ABOVE RIGHTWARDS ARROW
291C	RIGHTWARDS DOUBLE ARROW-TAIL	2979	SUBSET ABOVE RIGHTWARDS ARROW
291D	LEFTWARDS ARROW TO BLACK DIAMOND	297A	LEFTWARDS ARROW THROUGH SUBSET
291E	RIGHTWARDS ARROW TO BLACK DIAMOND	297B	SUPERSET ABOVE LEFTWARDS ARROW
291F	LEFTWARDS ARROW FROM BAR TO BLACK DIAMOND	297C	LEFT FISH TAIL
2920	RIGHTWARDS ARROW FROM BAR TO BLACK DIAMOND	297D	RIGHT FISH TAIL
2921	NORTH WEST AND SOUTH EAST ARROW	297E	UP FISH TAIL
2922	NORTH EAST AND SOUTH WEST ARROW	297F	DOWN FISH TAIL
2923	NORTH WEST ARROW WITH HOOK		
2924	NORTH EAST ARROW WITH HOOK		
2925	SOUTH EAST ARROW WITH HOOK		
2926	SOUTH WEST ARROW WITH HOOK		
2927	NORTH WEST ARROW AND NORTH EAST ARROW		
2928	NORTH EAST ARROW AND SOUTH EAST ARROW		
2929	SOUTH EAST ARROW AND SOUTH WEST ARROW		
292A	SOUTH WEST ARROW AND NORTH WEST ARROW		
292B	RISING DIAGONAL CROSSING FALLING DIAGONAL		
292C	FALLING DIAGONAL CROSSING RISING DIAGONAL		
292D	SOUTH EAST ARROW CROSSING NORTH EAST ARROW		
292E	NORTH EAST ARROW CROSSING SOUTH EAST ARROW		
292F	FALLING DIAGONAL CROSSING NORTH EAST ARROW		
2930	RISING DIAGONAL CROSSING SOUTH EAST ARROW		
2931	NORTH EAST ARROW CROSSING NORTH WEST ARROW		
2932	NORTH WEST ARROW CROSSING NORTH EAST ARROW		
2933	WAVE ARROW POINTING DIRECTLY RIGHT		
2934	ARROW POINTING RIGHTWARDS THEN CURVING UPWARDS		
2935	ARROW POINTING RIGHTWARDS THEN CURVING DOWNWARDS		
2936	ARROW POINTING DOWNWARDS THEN CURVING LEFTWARDS		
2937	ARROW POINTING DOWNWARDS THEN CURVING RIGHTWARDS		
2938	RIGHT-SIDE ARC CLOCKWISE ARROW		
2939	LEFT-SIDE ARC ANTICLOCKWISE ARROW		
293A	TOP ARC ANTICLOCKWISE ARROW		
293B	BOTTOM ARC ANTICLOCKWISE ARROW		
293C	TOP ARC CLOCKWISE ARROW WITH MINUS		
293D	TOP ARC ANTICLOCKWISE ARROW WITH PLUS		
293E	LOWER RIGHT SEMICIRCULAR CLOCKWISE ARROW		
293F	LOWER LEFT SEMICIRCULAR ANTICLOCKWISE ARROW		
2940	ANTICLOCKWISE CLOSED CIRCLE ARROW		
2941	CLOCKWISE CLOSED CIRCLE ARROW		
2942	RIGHTWARDS ARROW ABOVE SHORT LEFTWARDS ARROW		
2943	LEFTWARDS ARROW ABOVE SHORT RIGHTWARDS ARROW		
2944	SHORT RIGHTWARDS ARROW ABOVE LEFTWARDS ARROW		
2945	RIGHTWARDS ARROW WITH PLUS BELOW		
2946	LEFTWARDS ARROW WITH PLUS BELOW		
2947	RIGHTWARDS ARROW THROUGH X		
2948	LEFT RIGHT ARROW THROUGH SMALL CIRCLE		
2949	UPWARDS TWO-HEADED ARROW FROM SMALL CIRCLE		
294A	LEFT BARB UP RIGHT BARB DOWN HARPOON		
294B	LEFT BARB DOWN RIGHT BARB UP HARPOON		
294C	UP BARB RIGHT DOWN BARB LEFT HARPOON		
294D	UP BARB LEFT DOWN BARB RIGHT HARPOON		
294E	LEFT BARB UP RIGHT BARB UP HARPOON		
294F	UP BARB RIGHT DOWN BARB RIGHT HARPOON		
2950	LEFT BARB DOWN RIGHT BARB DOWN HARPOON		
2951	UP BARB LEFT DOWN BARB LEFT HARPOON		
2952	LEFTWARDS HARPOON WITH BARB UP TO BAR		
2953	RIGHTWARDS HARPOON WITH BARB UP TO BAR		
2954	UPWARDS HARPOON WITH BARB RIGHT TO BAR		
2955	DOWNWARDS HARPOON WITH BARB RIGHT TO BAR		
2956	LEFTWARDS HARPOON WITH BARB DOWN TO BAR		
2957	RIGHTWARDS HARPOON WITH BARB DOWN TO BAR		
2958	UPWARDS HARPOON WITH BARB LEFT TO BAR		
2959	DOWNWARDS HARPOON WITH BARB LEFT TO BAR		
295A	LEFTWARDS HARPOON WITH BARB UP FROM BAR		
295B	RIGHTWARDS HARPOON WITH BARB UP FROM BAR		
295C	UPWARDS HARPOON WITH BARB RIGHT FROM BAR		

Group 00

Plane 00

Row 29

Table 88 - Row 29: Miscellaneous Mathematical Symbols-B

	298	299	29A	29B	29C	29D	29E	29F
0	 2980	 2990	 29A0	 29B0	 29C0	 29D0	 29E0	 29F0
1	 2981	 2991	 29A1	 29B1	 29C1	 29D1	 29E1	 29F1
2	 2982	 2992	 29A2	 29B2	 29C2	 29D2	 29E2	 29F2
3	 2983	 2993	 29A3	 29B3	 29C3	 29D3	 29E3	 29F3
4	 2984	 2994	 29A4	 29B4	 29C4	 29D4	 29E4	 29F4
5	 2985	 2995	 29A5	 29B5	 29C5	 29D5	 29E5	 29F5
6	 2986	 2996	 29A6	 29B6	 29C6	 29D6	 29E6	 29F6
7	 2987	 2997	 29A7	 29B7	 29C7	 29D7	 29E7	 29F7
8	 2988	 2998	 29A8	 29B8	 29C8	 29D8	 29E8	 29F8
9	 2989	 2999	 29A9	 29B9	 29C9	 29D9	 29E9	 29F9
A	 298A	 299A	 29AA	 29BA	 29CA	 29DA	 29EA	 29FA
B	 298B	 299B	 29AB	 29BB	 29CB	 29DB	 29EB	 29FB
C	 298C	 299C	 29AC	 29BC	 29CC	 29DC	 29EC	 29FC
D	 298D	 299D	 29AD	 29BD	 29CD	 29DD	 29ED	 29FD
E	 298E	 299E	 29AE	 29BE	 29CE	 29DE	 29EE	 29FE
F	 298F	 299F	 29AF	 29BF	 29CF	 29DF	 29EF	 29FF

G = 00
P = 00

Table 88 - Row 29: Miscellaneous Mathematical Symbols-B

































































































































HEX	NAME	HEX	NAME
2980	TRIPLE VERTICAL BAR DELIMITER	29DD	TIE OVER INFINITY
2981	Z NOTATION SPOT	29DE	INFINITY NEGATED WITH VERTICAL BAR
2982	Z NOTATION TYPE COLON	29DF	DOUBLE-ENDED MULTIMAP
2983	LEFT WHITE CURLY BRACKET	29E0	SQUARE WITH CONTOURED OUTLINE
2984	RIGHT WHITE CURLY BRACKET	29E1	INCREASES AS
2985	LEFT WHITE PARENTHESIS	29E2	SHUFFLE PRODUCT
2986	RIGHT WHITE PARENTHESIS	29E3	EQUALS SIGN AND SLANTED PARALLEL
2987	Z NOTATION LEFT IMAGE BRACKET	29E4	EQUALS SIGN AND SLANTED PARALLEL WITH TILDE ABOVE
2988	Z NOTATION RIGHT IMAGE BRACKET	29E5	IDENTICAL TO AND SLANTED PARALLEL
2989	Z NOTATION LEFT BINDING BRACKET	29E6	GLEICH STARK
298A	Z NOTATION RIGHT BINDING BRACKET	29E7	THERMODYNAMIC
298B	LEFT SQUARE BRACKET WITH UNDERBAR	29E8	DOWN-POINTING TRIANGLE WITH LEFT HALF BLACK
298C	RIGHT SQUARE BRACKET WITH UNDERBAR	29E9	DOWN-POINTING TRIANGLE WITH RIGHT HALF BLACK
298D	LEFT SQUARE BRACKET WITH TICK IN TOP CORNER	29EA	BLACK DIAMOND WITH DOWN ARROW
298E	RIGHT SQUARE BRACKET WITH TICK IN BOTTOM CORNER	29EB	BLACK LOZENGE
298F	LEFT SQUARE BRACKET WITH TICK IN BOTTOM CORNER	29EC	WHITE CIRCLE WITH DOWN ARROW
2990	RIGHT SQUARE BRACKET WITH TICK IN TOP CORNER	29ED	BLACK CIRCLE WITH DOWN ARROW
2991	LEFT ANGLE BRACKET WITH DOT	29EE	ERROR-BARRED WHITE SQUARE
2992	RIGHT ANGLE BRACKET WITH DOT	29EF	ERROR-BARRED BLACK SQUARE
2993	LEFT ARC LESS-THAN BRACKET	29F0	ERROR-BARRED WHITE DIAMOND
2994	RIGHT ARC GREATER-THAN BRACKET	29F1	ERROR-BARRED BLACK DIAMOND
2995	DOUBLE LEFT ARC GREATER-THAN BRACKET	29F2	ERROR-BARRED WHITE CIRCLE
2996	DOUBLE RIGHT ARC LESS-THAN BRACKET	29F3	ERROR-BARRED BLACK CIRCLE
2997	LEFT BLACK TORTOISE SHELL BRACKET	29F4	RULE-DELAYED
2998	RIGHT BLACK TORTOISE SHELL BRACKET	29F5	REVERSE SOLIDUS OPERATOR
2999	DOTTED FENCE	29F6	SOLIDUS WITH OVERBAR
299A	VERTICAL ZIGZAG LINE	29F7	REVERSE SOLIDUS WITH HORIZONTAL STROKE
299B	MEASURED ANGLE OPENING LEFT	29F8	BIG SOLIDUS
299C	RIGHT ANGLE VARIANT WITH SQUARE	29F9	BIG REVERSE SOLIDUS
299D	MEASURED RIGHT ANGLE WITH DOT	29FA	DOUBLE PLUS
299E	ANGLE WITH S INSIDE	29FB	TRIPLE PLUS
299F	ACUTE ANGLE	29FC	LEFT-POINTING CURVED ANGLE BRACKET
29A0	SPHERICAL ANGLE OPENING LEFT	29FD	RIGHT-POINTING CURVED ANGLE BRACKET
29A1	SPHERICAL ANGLE OPENING UP	29FE	TINY
29A2	TURNUED ANGLE	29FF	MINY
29A3	REVERSED ANGLE		
29A4	ANGLE WITH UNDERBAR		
29A5	REVERSED ANGLE WITH UNDERBAR		
29A6	OBLIQUE ANGLE OPENING UP		
29A7	OBLIQUE ANGLE OPENING DOWN		
29A8	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND RIGHT		
29A9	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING UP AND LEFT		
29AA	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND RIGHT		
29AB	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING DOWN AND LEFT		
29AC	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND UP		
29AD	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND UP		
29AE	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING RIGHT AND DOWN		
29AF	MEASURED ANGLE WITH OPEN ARM ENDING IN ARROW POINTING LEFT AND DOWN		
29B0	REVERSED EMPTY SET		
29B1	EMPTY SET WITH OVERBAR		
29B2	EMPTY SET WITH SMALL CIRCLE ABOVE		
29B3	EMPTY SET WITH RIGHT ARROW ABOVE		
29B4	EMPTY SET WITH LEFT ARROW ABOVE		
29B5	CIRCLE WITH HORIZONTAL BAR		
29B6	CIRCLED VERTICAL BAR		
29B7	CIRCLED PARALLEL		
29B8	CIRCLED REVERSE SOLIDUS		
29B9	CIRCLED PERPENDICULAR		
29BA	CIRCLE DIVIDED BY HORIZONTAL BAR AND TOP HALF DIVIDED BY VERTICAL BAR		
29BB	CIRCLE WITH SUPERIMPOSED X		
29BC	CIRCLED ANTICLOCKWISE-ROTATED DIVISION SIGN		
29BD	UP ARROW THROUGH CIRCLE		
29BE	CIRCLED WHITE BULLET		
29BF	CIRCLED BULLET		
29C0	CIRCLED LESS-THAN		
29C1	CIRCLED GREATER-THAN		
29C2	CIRCLE WITH SMALL CIRCLE TO THE RIGHT		
29C3	CIRCLE WITH TWO HORIZONTAL STROKES TO THE RIGHT		
29C4	SQUARED RISING DIAGONAL SLASH		
29C5	SQUARED FALLING DIAGONAL SLASH		
29C6	SQUARED ASTERISK		
29C7	SQUARED SMALL CIRCLE		
29C8	SQUARED SQUARE		
29C9	TWO JOINED SQUARES		
29CA	TRIANGLE WITH DOT ABOVE		
29CB	TRIANGLE WITH UNDERBAR		
29CC	S IN TRIANGLE		
29CD	TRIANGLE WITH SERIFS AT BOTTOM		
29CE	RIGHT TRIANGLE ABOVE LEFT TRIANGLE		
29CF	LEFT TRIANGLE BESIDE VERTICAL BAR		
29D0	VERTICAL BAR BESIDE RIGHT TRIANGLE		
29D1	BOWTIE WITH LEFT HALF BLACK		
29D2	BOWTIE WITH RIGHT HALF BLACK		
29D3	BLACK BOWTIE		
29D4	TIMES WITH LEFT HALF BLACK		
29D5	TIMES WITH RIGHT HALF BLACK		
29D6	WHITE HOURGLASS		
29D7	BLACK HOURGLASS		
29D8	LEFT WIGGLY FENCE		
29D9	RIGHT WIGGLY FENCE		
29DA	LEFT DOUBLE WIGGLY FENCE		
29DB	RIGHT DOUBLE WIGGLY FENCE		
29DC	INCOMPLETE INFINITY		

Group 00

Plane 00

Row 29

Table 89 - Row 2A: Supplemental Mathematical Operators

	2A0	2A1	2A2	2A3	2A4	2A5	2A6	2A7
0	 2A00	 2A10	 2A20	 2A30	 2A40	 2A50	 2A60	 2A70
1	 2A01	 2A11	 2A21	 2A31	 2A41	 2A51	 2A61	 2A71
2	 2A02	 2A12	 2A22	 2A32	 2A42	 2A52	 2A62	 2A72
3	 2A03	 2A13	 2A23	 2A33	 2A43	 2A53	 2A63	 2A73
4	 2A04	 2A14	 2A24	 2A34	 2A44	 2A54	 2A64	 2A74
5	 2A05	 2A15	 2A25	 2A35	 2A45	 2A55	 2A65	 2A75
6	 2A06	 2A16	 2A26	 2A36	 2A46	 2A56	 2A66	 2A76
7	 2A07	 2A17	 2A27	 2A37	 2A47	 2A57	 2A67	 2A77
8	 2A08	 2A18	 2A28	 2A38	 2A48	 2A58	 2A68	 2A78
9	 2A09	 2A19	 2A29	 2A39	 2A49	 2A59	 2A69	 2A79
A	 2A0A	 2A1A	 2A2A	 2A3A	 2A4A	 2A5A	 2A6A	 2A7A
B	 2A0B	 2A1B	 2A2B	 2A3B	 2A4B	 2A5B	 2A6B	 2A7B
C	 2A0C	 2A1C	 2A2C	 2A3C	 2A4C	 2A5C	 2A6C	 2A7C
D	 2A0D	 2A1D	 2A2D	 2A3D	 2A4D	 2A5D	 2A6D	 2A7D
E	 2A0E	 2A1E	 2A2E	 2A3E	 2A4E	 2A5E	 2A6E	 2A7E
F	 2A0F	 2A1F	 2A2F	 2A3F	 2A4F	 2A5F	 2A6F	 2A7F

G = 00
P = 00

Table 89 - Row 2A: Supplemental Mathematical Operators

































































































































HEX	NAME	HEX	NAME
2A00	N-ARY CIRCLED DOT OPERATOR	2A5D	LOGICAL OR WITH HORIZONTAL DASH
2A01	N-ARY CIRCLED PLUS OPERATOR	2A5E	LOGICAL AND WITH DOUBLE OVERBAR
2A02	N-ARY CIRCLED TIMES OPERATOR	2A5F	LOGICAL AND WITH UNDERBAR
2A03	N-ARY UNION OPERATOR WITH DOT	2A60	LOGICAL AND WITH DOUBLE UNDERBAR
2A04	N-ARY UNION OPERATOR WITH PLUS	2A61	SMALL VEE WITH UNDERBAR
2A05	N-ARY SQUARE INTERSECTION OPERATOR	2A62	LOGICAL OR WITH DOUBLE OVERBAR
2A06	N-ARY SQUARE UNION OPERATOR	2A63	LOGICAL OR WITH DOUBLE UNDERBAR
2A07	TWO LOGICAL AND OPERATOR	2A64	Z NOTATION DOMAIN ANTIRESTRICTION
2A08	TWO LOGICAL OR OPERATOR	2A65	Z NOTATION RANGE ANTIRESTRICTION
2A09	N-ARY TIMES OPERATOR	2A66	EQUALS SIGN WITH DOT BELOW
2A0A	MODULO TWO SUM	2A67	IDENTICAL WITH DOT ABOVE
2A0B	SUMMATION WITH INTEGRAL	2A68	TRIPLE HORIZONTAL BAR WITH DOUBLE VERTICAL STROKE
2A0C	QUADRUPLE INTEGRAL OPERATOR	2A69	TRIPLE HORIZONTAL BAR WITH TRIPLE VERTICAL STROKE
2A0D	FINITE PART INTEGRAL	2A6A	TILDE OPERATOR WITH DOT ABOVE
2A0E	INTEGRAL WITH DOUBLE STROKE	2A6B	TILDE OPERATOR WITH RISING DOTS
2A0F	INTEGRAL AVERAGE WITH SLASH	2A6C	SIMILAR MINUS SIMILAR
2A10	CIRCULATION FUNCTION	2A6D	CONGRUENT WITH DOT ABOVE
2A11	ANTICLOCKWISE INTEGRATION	2A6E	EQUALS WITH ASTERISK
2A12	LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE	2A6F	ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT
2A13	LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE	2A70	APPROXIMATELY EQUAL OR EQUAL TO
2A14	LINE INTEGRATION NOT INCLUDING THE POLE	2A71	EQUALS SIGN ABOVE PLUS SIGN
2A15	INTEGRAL AROUND A POINT OPERATOR	2A72	PLUS SIGN ABOVE EQUALS SIGN
2A16	QUATERNION INTEGRAL OPERATOR	2A73	EQUALS SIGN ABOVE TILDE OPERATOR
2A17	INTEGRAL WITH LEFTWARDS ARROW WITH HOOK	2A74	DOUBLE COLON EQUAL
2A18	INTEGRAL WITH TIMES SIGN	2A75	TWO CONSECUTIVE EQUALS SIGNS
2A19	INTEGRAL WITH INTERSECTION	2A76	THREE CONSECUTIVE EQUALS SIGNS
2A1A	INTEGRAL WITH UNION	2A77	EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW
2A1B	INTEGRAL WITH OVERBAR	2A78	EQUIVALENT WITH FOUR DOTS ABOVE
2A1C	INTEGRAL WITH UNDERBAR	2A79	LESS-THAN WITH CIRCLE INSIDE
2A1D	JOIN	2A7A	GREATER-THAN WITH CIRCLE INSIDE
2A1E	LARGE LEFT TRIANGLE OPERATOR	2A7B	LESS-THAN WITH QUESTION MARK ABOVE
2A1F	Z NOTATION SCHEMA COMPOSITION	2A7C	GREATER-THAN WITH QUESTION MARK ABOVE
2A20	Z NOTATION SCHEMA PIPING	2A7D	LESS-THAN OR SLANTED EQUAL TO
2A21	Z NOTATION SCHEMA PROJECTION	2A7E	GREATER-THAN OR SLANTED EQUAL TO
2A22	PLUS SIGN WITH SMALL CIRCLE ABOVE	2A7F	LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A23	PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE		
2A24	PLUS SIGN WITH TILDE ABOVE		
2A25	PLUS SIGN WITH DOT BELOW		
2A26	PLUS SIGN WITH TILDE BELOW		
2A27	PLUS SIGN WITH SUBSCRIPT TWO		
2A28	PLUS SIGN WITH BLACK TRIANGLE		
2A29	MINUS SIGN WITH COMMA ABOVE		
2A2A	MINUS SIGN WITH DOT BELOW		
2A2B	MINUS SIGN WITH FALLING DOTS		
2A2C	MINUS SIGN WITH RISING DOTS		
2A2D	PLUS SIGN IN LEFT HALF CIRCLE		
2A2E	PLUS SIGN IN RIGHT HALF CIRCLE		
2A2F	VECTOR OR CROSS PRODUCT		
2A30	MULTIPLICATION SIGN WITH DOT ABOVE		
2A31	MULTIPLICATION SIGN WITH UNDERBAR		
2A32	SEMIDIRECT PRODUCT WITH BOTTOM CLOSED		
2A33	SMASH PRODUCT		
2A34	MULTIPLICATION SIGN IN LEFT HALF CIRCLE		
2A35	MULTIPLICATION SIGN IN RIGHT HALF CIRCLE		
2A36	CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX ACCENT		
2A37	MULTIPLICATION SIGN IN DOUBLE CIRCLE		
2A38	CIRCLED DIVISION SIGN		
2A39	PLUS SIGN IN TRIANGLE		
2A3A	MINUS SIGN IN TRIANGLE		
2A3B	MULTIPLICATION SIGN IN TRIANGLE		
2A3C	INTERIOR PRODUCT		
2A3D	RIGHTHAND INTERIOR PRODUCT		
2A3E	Z NOTATION RELATIONAL COMPOSITION		
2A3F	AMALGAMATION OR COPRODUCT		
2A40	INTERSECTION WITH DOT		
2A41	UNION WITH MINUS SIGN		
2A42	UNION WITH OVERBAR		
2A43	INTERSECTION WITH OVERBAR		
2A44	INTERSECTION WITH LOGICAL AND		
2A45	UNION WITH LOGICAL OR		
2A46	UNION ABOVE INTERSECTION		
2A47	INTERSECTION ABOVE UNION		
2A48	UNION ABOVE BAR ABOVE INTERSECTION		
2A49	INTERSECTION ABOVE BAR ABOVE UNION		
2A4A	UNION BESIDE AND JOINED WITH UNION		
2A4B	INTERSECTION BESIDE AND JOINED WITH INTERSECTION		
2A4C	CLOSED UNION WITH SERIFS		
2A4D	CLOSED INTERSECTION WITH SERIFS		
2A4E	DOUBLE SQUARE INTERSECTION		
2A4F	DOUBLE SQUARE UNION		
2A50	CLOSED UNION WITH SERIFS AND SMASH PRODUCT		
2A51	LOGICAL AND WITH DOT ABOVE		
2A52	LOGICAL OR WITH DOT ABOVE		
2A53	DOUBLE LOGICAL AND		
2A54	DOUBLE LOGICAL OR		
2A55	TWO INTERSECTING LOGICAL AND		
2A56	TWO INTERSECTING LOGICAL OR		
2A57	SLOPING LARGE OR		
2A58	SLOPING LARGE AND		
2A59	LOGICAL OR OVERLAPPING LOGICAL AND		
2A5A	LOGICAL AND WITH MIDDLE STEM		
2A5B	LOGICAL OR WITH MIDDLE STEM		
2A5C	LOGICAL AND WITH HORIZONTAL DASH		

Group 00

Plane 00

Row 2A

Table 90 - Row 2A: Supplemental Mathematical Operators

	2A8	2A9	2AA	2AB	2AC	2AD	2AE	2AF
0	 2A80	 2A90	 2AA0	 2AB0	 2AC0	 2AD0	 2AE0	 2AF0
1	 2A81	 2A91	 2AA1	 2AB1	 2AC1	 2AD1	 2AE1	 2AF1
2	 2A82	 2A92	 2AA2	 2AB2	 2AC2	 2AD2	 2AE2	 2AF2
3	 2A83	 2A93	 2AA3	 2AB3	 2AC3	 2AD3	 2AE3	 2AF3
4	 2A84	 2A94	 2AA4	 2AB4	 2AC4	 2AD4	 2AE4	 2AF4
5	 2A85	 2A95	 2AA5	 2AB5	 2AC5	 2AD5	 2AE5	 2AF5
6	 2A86	 2A96	 2AA6	 2AB6	 2AC6	 2AD6	 2AE6	 2AF6
7	 2A87	 2A97	 2AA7	 2AB7	 2AC7	 2AD7	 2AE7	 2AF7
8	 2A88	 2A98	 2AA8	 2AB8	 2AC8	 2AD8	 2AE8	 2AF8
9	 2A89	 2A99	 2AA9	 2AB9	 2AC9	 2AD9	 2AE9	 2AF9
A	 2A8A	 2A9A	 2AAA	 2ABA	 2ACA	 2ADA	 2AEA	 2AFA
B	 2A8B	 2A9B	 2AAB	 2ABB	 2ACB	 2ADB	 2AEB	 2AFB
C	 2A8C	 2A9C	 2AAC	 2ABC	 2ACC	 2ADC	 2AEC	 2AFC
D	 2A8D	 2A9D	 2AAD	 2ABD	 2ACD	 2ADD	 2AED	 2AFD
E	 2A8E	 2A9E	 2AAE	 2ABE	 2ACE	 2ADE	 2AEE	 2AFE
F	 2A8F	 2A9F	 2AAF	 2ABF	 2ACF	 2ADF	 2AEF	 2AFF

G = 00
P = 00

Table 90 - Row 2A: Supplemental Mathematical Operators















HEX	NAME	HEX	NAME
2A80	GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE	2ADD	NONFORKING (independent)
2A81	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE	2ADE	SHORT LEFT TACK
2A82	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE	2ADF	SHORT DOWN TACK
2A83	LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE RIGHT	2AE0	SHORT UP TACK
2A84	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT	2AE1	PERPENDICULAR WITH S
2A85	LESS-THAN OR APPROXIMATE	2AE2	VERTICAL BAR TRIPLE RIGHT TURNSTILE
2A86	GREATER-THAN OR APPROXIMATE	2AE3	DOUBLE VERTICAL BAR LEFT TURNSTILE
2A87	LESS-THAN AND SINGLE-LINE NOT EQUAL TO	2AE4	VERTICAL BAR DOUBLE LEFT TURNSTILE
2A88	GREATER-THAN AND SINGLE-LINE NOT EQUAL TO	2AE5	DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTILE
2A89	LESS-THAN AND NOT APPROXIMATE	2AE6	LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL
2A8A	GREATER-THAN AND NOT APPROXIMATE	2AE7	SHORT DOWN TACK WITH OVERBAR
2A8B	LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN	2AE8	SHORT UP TACK WITH UNDERBAR
2A8C	GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN	2AE9	SHORT UP TACK ABOVE SHORT DOWN TACK
2A8D	LESS-THAN ABOVE SIMILAR OR EQUAL	2AEA	DOUBLE DOWN TACK
2A8E	GREATER-THAN ABOVE SIMILAR OR EQUAL	2AEB	DOUBLE UP TACK
2A8F	LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN	2AEC	DOUBLE STROKE NOT SIGN
2A90	GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN	2AED	REVERSED DOUBLE STROKE NOT SIGN
2A91	LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL	2AEE	DOES NOT DIVIDE WITH REVERSED NEGATION SLASH
2A92	GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE EQUAL	2AEF	VERTICAL LINE WITH CIRCLE ABOVE
2A93	LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER-THAN ABOVE SLANTED EQUAL	2AF0	VERTICAL LINE WITH CIRCLE BELOW
2A94	GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL	2AF1	DOWN TACK WITH CIRCLE BELOW
2A95	SLANTED EQUAL TO OR LESS-THAN	2AF2	PARALLEL WITH HORIZONTAL STROKE
2A96	SLANTED EQUAL TO OR GREATER-THAN	2AF3	PARALLEL WITH TILDE OPERATOR
2A97	SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE	2AF4	TRIPLE VERTICAL BAR BINARY RELATION
2A98	SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE	2AF5	TRIPLE VERTICAL BAR WITH HORIZONTAL STROKE
2A99	DOUBLE-LINE EQUAL TO OR LESS-THAN	2AF6	TRIPLE COLON OPERATOR
2A9A	DOUBLE-LINE EQUAL TO OR GREATER-THAN	2AF7	TRIPLE NESTED LESS-THAN
2A9B	DOUBLE-LINE SLANTED EQUAL TO OR LESS-THAN	2AF8	TRIPLE NESTED GREATER-THAN
2A9C	DOUBLE-LINE SLANTED EQUAL TO OR GREATER-THAN	2AF9	DOUBLE-LINE SLANTED LESS-THAN OR EQUAL TO
2A9D	SIMILAR OR LESS-THAN	2AFA	DOUBLE-LINE SLANTED GREATER-THAN OR EQUAL TO
2A9E	SIMILAR OR GREATER-THAN	2AFB	TRIPLE SOLIDUS BINARY RELATION
2A9F	SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN	2AFC	LARGE TRIPLE VERTICAL BAR OPERATOR
2AA0	SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN	2AFD	DOUBLE SOLIDUS OPERATOR
2AA1	DOUBLE NESTED LESS-THAN	2AFE	WHITE VERTICAL BAR
2AA2	DOUBLE NESTED GREATER-THAN	2AFF	N-ARY WHITE VERTICAL BAR
2AA3	DOUBLE NESTED LESS-THAN WITH UNDERBAR		
2AA4	GREATER-THAN OVERLAPPING LESS-THAN		
2AA5	GREATER-THAN BESIDE LESS-THAN		
2AA6	LESS-THAN CLOSED BY CURVE		
2AA7	GREATER-THAN CLOSED BY CURVE		
2AA8	LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL		
2AA9	GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL		
2AAA	SMALLER THAN		
2AAB	LARGER THAN		
2AAC	SMALLER THAN OR EQUAL TO		
2AAD	LARGER THAN OR EQUAL TO		
2AAE	EQUALS SIGN WITH BUMPY ABOVE		
2AAF	PRECEDES ABOVE SINGLE-LINE EQUALS SIGN		
2AB0	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN		
2AB1	PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO		
2AB2	SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO		
2AB3	PRECEDES ABOVE EQUALS SIGN		
2AB4	SUCCEEDS ABOVE EQUALS SIGN		
2AB5	PRECEDES ABOVE NOT EQUAL TO		
2AB6	SUCCEEDS ABOVE NOT EQUAL TO		
2AB7	PRECEDES ABOVE ALMOST EQUAL TO		
2AB8	SUCCEEDS ABOVE ALMOST EQUAL TO		
2AB9	PRECEDES ABOVE NOT ALMOST EQUAL TO		
2ABA	SUCCEEDS ABOVE NOT ALMOST EQUAL TO		
2ABB	DOUBLE PRECEDES		
2ABC	DOUBLE SUCCEEDS		
2ABD	SUBSET WITH DOT		
2ABE	SUPERSET WITH DOT		
2ABF	SUBSET WITH PLUS SIGN BELOW		
2AC0	SUPERSET WITH PLUS SIGN BELOW		
2AC1	SUBSET WITH MULTIPLICATION SIGN BELOW		
2AC2	SUPERSET WITH MULTIPLICATION SIGN BELOW		
2AC3	SUBSET OF OR EQUAL TO WITH DOT ABOVE		
2AC4	SUPERSET OF OR EQUAL TO WITH DOT ABOVE		
2AC5	SUBSET OF ABOVE EQUALS SIGN		
2AC6	SUPERSET OF ABOVE EQUALS SIGN		
2AC7	SUBSET OF ABOVE TILDE OPERATOR		
2AC8	SUPERSET OF ABOVE TILDE OPERATOR		
2AC9	SUBSET OF ABOVE ALMOST EQUAL TO		
2ACA	SUPERSET OF ABOVE ALMOST EQUAL TO		
2ACB	SUBSET OF ABOVE NOT EQUAL TO		
2ACC	SUPERSET OF ABOVE NOT EQUAL TO		
2ACD	SQUARE LEFT OPEN BOX OPERATOR		
2ACE	SQUARE RIGHT OPEN BOX OPERATOR		
2ACF	CLOSED SUBSET		
2AD0	CLOSED SUPERSET		
2AD1	CLOSED SUBSET OR EQUAL TO		
2AD2	CLOSED SUPERSET OR EQUAL TO		
2AD3	SUBSET ABOVE SUPERSET		
2AD4	SUPERSET ABOVE SUBSET		
2AD5	SUBSET ABOVE SUBSET		
2AD6	SUPERSET ABOVE SUPERSET		
2AD7	SUPERSET BESIDE SUBSET		
2AD8	SUPERSET BESIDE AND JOINED BY DASH WITH SUBSET		
2AD9	ELEMENT OF OPENING DOWNWARDS		
2ADA	PITCHFORK WITH TEE TOP		
2ADB	TRANSVERSAL INTERSECTION		
2ADC	FORKING (not independent)		

Group 00

Plane 00

Row 2A

Table 91 - Row 2B: Miscellaneous Symbols and Arrows

	2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7
0	 2B00							
1	 2B01							
2	 2B02							
3	 2B03							
4	 2B04							
5	 2B05							
6	 2B06							
7	 2B07							
8	 2B08							
9	 2B09							
A	 2B0A							
B	 2B0B							
C	 2B0C							
D	 2B0D							
E								
F								

G = 00
P = 00

Table 91 - Row 2B: Miscellaneous Symbols and Arrows

HEX	NAME	HEX	NAME
2B00	NORTH EAST WHITE ARROW	2B5D	(This position shall not be used)
2B01	NORTH WEST WHITE ARROW	2B5E	(This position shall not be used)
2B02	SOUTH EAST WHITE ARROW	2B5F	(This position shall not be used)
2B03	SOUTH WEST WHITE ARROW	2B60	(This position shall not be used)
2B04	LEFT RIGHT WHITE ARROW	2B61	(This position shall not be used)
2B05	LEFTWARDS BLACK ARROW	2B62	(This position shall not be used)
2B06	UPWARDS BLACK ARROW	2B63	(This position shall not be used)
2B07	DOWNWARDS BLACK ARROW	2B64	(This position shall not be used)
2B08	NORTH EAST BLACK ARROW	2B65	(This position shall not be used)
2B09	NORTH WEST BLACK ARROW	2B66	(This position shall not be used)
2B0A	SOUTH EAST BLACK ARROW	2B67	(This position shall not be used)
2B0B	SOUTH WEST BLACK ARROW	2B68	(This position shall not be used)
2B0C	LEFT RIGHT BLACK ARROW	2B69	(This position shall not be used)
2B0D	UP DOWN BLACK ARROW	2B6A	(This position shall not be used)
2B0E	(This position shall not be used)	2B6B	(This position shall not be used)
2B0F	(This position shall not be used)	2B6C	(This position shall not be used)
2B10	(This position shall not be used)	2B6D	(This position shall not be used)
2B11	(This position shall not be used)	2B6E	(This position shall not be used)
2B12	(This position shall not be used)	2B6F	(This position shall not be used)
2B13	(This position shall not be used)	2B70	(This position shall not be used)
2B14	(This position shall not be used)	2B71	(This position shall not be used)
2B15	(This position shall not be used)	2B72	(This position shall not be used)
2B16	(This position shall not be used)	2B73	(This position shall not be used)
2B17	(This position shall not be used)	2B74	(This position shall not be used)
2B18	(This position shall not be used)	2B75	(This position shall not be used)
2B19	(This position shall not be used)	2B76	(This position shall not be used)
2B1A	(This position shall not be used)	2B77	(This position shall not be used)
2B1B	(This position shall not be used)	2B78	(This position shall not be used)
2B1C	(This position shall not be used)	2B79	(This position shall not be used)
2B1D	(This position shall not be used)	2B7A	(This position shall not be used)
2B1E	(This position shall not be used)	2B7B	(This position shall not be used)
2B1F	(This position shall not be used)	2B7C	(This position shall not be used)
2B20	(This position shall not be used)	2B7D	(This position shall not be used)
2B21	(This position shall not be used)	2B7E	(This position shall not be used)
2B22	(This position shall not be used)	2B7F	(This position shall not be used)
2B23	(This position shall not be used)		
2B24	(This position shall not be used)		
2B25	(This position shall not be used)		
2B26	(This position shall not be used)		
2B27	(This position shall not be used)		
2B28	(This position shall not be used)		
2B29	(This position shall not be used)		
2B2A	(This position shall not be used)		
2B2B	(This position shall not be used)		
2B2C	(This position shall not be used)		
2B2D	(This position shall not be used)		
2B2E	(This position shall not be used)		
2B2F	(This position shall not be used)		
2B30	(This position shall not be used)		
2B31	(This position shall not be used)		
2B32	(This position shall not be used)		
2B33	(This position shall not be used)		
2B34	(This position shall not be used)		
2B35	(This position shall not be used)		
2B36	(This position shall not be used)		
2B37	(This position shall not be used)		
2B38	(This position shall not be used)		
2B39	(This position shall not be used)		
2B3A	(This position shall not be used)		
2B3B	(This position shall not be used)		
2B3C	(This position shall not be used)		
2B3D	(This position shall not be used)		
2B3E	(This position shall not be used)		
2B3F	(This position shall not be used)		
2B40	(This position shall not be used)		
2B41	(This position shall not be used)		
2B42	(This position shall not be used)		
2B43	(This position shall not be used)		
2B44	(This position shall not be used)		
2B45	(This position shall not be used)		
2B46	(This position shall not be used)		
2B47	(This position shall not be used)		
2B48	(This position shall not be used)		
2B49	(This position shall not be used)		
2B4A	(This position shall not be used)		
2B4B	(This position shall not be used)		
2B4C	(This position shall not be used)		
2B4D	(This position shall not be used)		
2B4E	(This position shall not be used)		
2B4F	(This position shall not be used)		
2B50	(This position shall not be used)		
2B51	(This position shall not be used)		
2B52	(This position shall not be used)		
2B53	(This position shall not be used)		
2B54	(This position shall not be used)		
2B55	(This position shall not be used)		
2B56	(This position shall not be used)		
2B57	(This position shall not be used)		
2B58	(This position shall not be used)		
2B59	(This position shall not be used)		
2B5A	(This position shall not be used)		
2B5B	(This position shall not be used)		
2B5C	(This position shall not be used)		

Group 00

Plane 00

Row 2B

Table 92 - Row 2E: CJK Radicals Supplement

	2E8	2E9	2EA	2EB	2EC	2ED	2EE	2EF
0	㇀ 2E80	尢 2E90	民 2EA0	彡 2EB0	卅 2EC0	𠂇 2ED0	彳 2EE0	龙 2EF0
1	厂 2E81	允 2E91	彳 2EA1	𠂇 2EB1	虎 2EC1	長 2ED1	晉 2EE1	龜 2EF1
2	冫 2E82	巳 2E92	氷 2EA2	𠂇 2EB2	衤 2EC2	𠂇 2ED2	馬 2EE2	龜 2EF2
3	乚 2E83	么 2E93	灬 2EA3	宀 2EB3	西 2EC3	长 2ED3	骨 2EE3	龟 2EF3
4	乚 2E84	互 2E94	𠂇 2EA4	宀 2EB4	西 2EC4	门 2ED4	鬼 2EE4	
5	亻 2E85	𠂇 2E95	𠂇 2EA5	𠂇 2EB5	见 2EC5	𠂇 2ED5	鱼 2EE5	
6	冫 2E86	亻 2E96	斗 2EA6	𠂇 2EB6	角 2EC6	冫 2ED6	鸟 2EE6	
7	几 2E87	小 2E97	𠂇 2EA7	𠂇 2EB7	角 2EC7	𠂇 2ED7	𠂇 2EE7	
8	𠂇 2E88	扌 2E98	𠂇 2EA8	𠂇 2EB8	讠 2EC8	青 2ED8	麦 2EE8	
9	冫 2E89	女 2E99	王 2EA9	𠂇 2EB9	贝 2EC9	韦 2ED9	黄 2EE9	
A	卜 2E8A		正 2EAA	𠂇 2EBA	𠂇 2ECA	页 2EDA	𠂇 2EEA	
B	巳 2E8B	𠂇 2E9B	𠂇 2EAB	𠂇 2EBB	车 2ECB	风 2EDB	齐 2EEB	
C	𠂇 2E8C	𠂇 2E9C	示 2EAC	月 2EBC	辶 2ECC	飞 2EDC	齐 2EEC	
D	𠂇 2E8D	月 2E9D	衤 2EAD	白 2EBD	辶 2ECD	食 2EDD	齒 2EED	
E	兀 2E8E	步 2E9E	𠂇 2EAE	𠂇 2EBE	辶 2ECE	𠂇 2EDE	齿 2EEE	
F	允 2E8F	母 2E9F	糸 2EAF	𠂇 2EBF	冫 2ECF	食 2EDF	竜 2EEF	

G = 00
P = 00

Table 92 - Row 2E: CJK Radicals Supplement

HEX	NAME	HEX	NAME
2E80	CJK RADICAL REPEAT	2EDD	CJK RADICAL EAT ONE
2E81	CJK RADICAL CLIFF	2EDE	CJK RADICAL EAT TWO
2E82	CJK RADICAL SECOND ONE	2EDF	CJK RADICAL EAT THREE
2E83	CJK RADICAL SECOND TWO	2EE0	CJK RADICAL C-SIMPLIFIED EAT
2E84	CJK RADICAL SECOND THREE	2EE1	CJK RADICAL HEAD
2E85	CJK RADICAL PERSON	2EE2	CJK RADICAL C-SIMPLIFIED HORSE
2E86	CJK RADICAL BOX	2EE3	CJK RADICAL BONE
2E87	CJK RADICAL TABLE	2EE4	CJK RADICAL GHOST
2E88	CJK RADICAL KNIFE ONE	2EE5	CJK RADICAL C-SIMPLIFIED FISH
2E89	CJK RADICAL KNIFE TWO	2EE6	CJK RADICAL C-SIMPLIFIED BIRD
2E8A	CJK RADICAL DIVINATION	2EE7	CJK RADICAL C-SIMPLIFIED SALT
2E8B	CJK RADICAL SEAL	2EE8	CJK RADICAL SIMPLIFIED WHEAT
2E8C	CJK RADICAL SMALL ONE	2EE9	CJK RADICAL SIMPLIFIED YELLOW
2E8D	CJK RADICAL SMALL TWO	2EEA	CJK RADICAL C-SIMPLIFIED FROG
2E8E	CJK RADICAL LAME ONE	2EEB	CJK RADICAL J-SIMPLIFIED EVEN
2E8F	CJK RADICAL LAME TWO	2EEC	CJK RADICAL C-SIMPLIFIED EVEN
2E90	CJK RADICAL LAME THREE	2EED	CJK RADICAL J-SIMPLIFIED TOOTH
2E91	CJK RADICAL LAME FOUR	2EEE	CJK RADICAL C-SIMPLIFIED TOOTH
2E92	CJK RADICAL SNAKE	2EEF	CJK RADICAL J-SIMPLIFIED DRAGON
2E93	CJK RADICAL THREAD	2EF0	CJK RADICAL C-SIMPLIFIED DRAGON
2E94	CJK RADICAL SNOUT ONE	2EF1	CJK RADICAL TURTLE
2E95	CJK RADICAL SNOUT TWO	2EF2	CJK RADICAL J-SIMPLIFIED TURTLE
2E96	CJK RADICAL HEART ONE	2EF3	CJK RADICAL C-SIMPLIFIED TURTLE
2E97	CJK RADICAL HEART TWO	2EF4	(This position shall not be used)
2E98	CJK RADICAL HAND	2EF5	(This position shall not be used)
2E99	CJK RADICAL RAP	2EF6	(This position shall not be used)
2E9A	(This position shall not be used)	2EF7	(This position shall not be used)
2E9B	CJK RADICAL CHOKE	2EF8	(This position shall not be used)
2E9C	CJK RADICAL SUN	2EF9	(This position shall not be used)
2E9D	CJK RADICAL MOON	2EFA	(This position shall not be used)
2E9E	CJK RADICAL DEATH	2EFB	(This position shall not be used)
2E9F	CJK RADICAL MOTHER	2EFC	(This position shall not be used)
2EA0	CJK RADICAL CIVILIAN	2EFD	(This position shall not be used)
2EA1	CJK RADICAL WATER ONE	2EFE	(This position shall not be used)
2EA2	CJK RADICAL WATER TWO	2EFF	(This position shall not be used)
2EA3	CJK RADICAL FIRE		
2EA4	CJK RADICAL PAW ONE		
2EA5	CJK RADICAL PAW TWO		
2EA6	CJK RADICAL SIMPLIFIED HALF TREE TRUNK		
2EA7	CJK RADICAL COW		
2EA8	CJK RADICAL DOG		
2EA9	CJK RADICAL JADE		
2EAA	CJK RADICAL BOLT OF CLOTH		
2EAB	CJK RADICAL EYE		
2EAC	CJK RADICAL SPIRIT ONE		
2EAD	CJK RADICAL SPIRIT TWO		
2EAE	CJK RADICAL BAMBOO		
2EAF	CJK RADICAL SILK		
2EB0	CJK RADICAL C-SIMPLIFIED SILK		
2EB1	CJK RADICAL NET ONE		
2EB2	CJK RADICAL NET TWO		
2EB3	CJK RADICAL NET THREE		
2EB4	CJK RADICAL NET FOUR		
2EB5	CJK RADICAL MESH		
2EB6	CJK RADICAL SHEEP		
2EB7	CJK RADICAL RAM		
2EB8	CJK RADICAL EWE		
2EB9	CJK RADICAL OLD		
2EBA	CJK RADICAL BRUSH ONE		
2EBB	CJK RADICAL BRUSH TWO		
2EBC	CJK RADICAL MEAT		
2EBD	CJK RADICAL MORTAR		
2EBE	CJK RADICAL GRASS ONE		
2EBF	CJK RADICAL GRASS TWO		
2EC0	CJK RADICAL GRASS THREE		
2EC1	CJK RADICAL TIGER		
2EC2	CJK RADICAL CLOTHES		
2EC3	CJK RADICAL WEST ONE		
2EC4	CJK RADICAL WEST TWO		
2EC5	CJK RADICAL C-SIMPLIFIED SEE		
2EC6	CJK RADICAL SIMPLIFIED HORN		
2EC7	CJK RADICAL HORN		
2EC8	CJK RADICAL C-SIMPLIFIED SPEECH		
2EC9	CJK RADICAL C-SIMPLIFIED SHELL		
2ECA	CJK RADICAL FOOT		
2ECB	CJK RADICAL C-SIMPLIFIED CART		
2ECC	CJK RADICAL SIMPLIFIED WALK		
2ECD	CJK RADICAL WALK ONE		
2ECE	CJK RADICAL WALK TWO		
2ECF	CJK RADICAL CITY		
2ED0	CJK RADICAL C-SIMPLIFIED GOLD		
2ED1	CJK RADICAL LONG ONE		
2ED2	CJK RADICAL LONG TWO		
2ED3	CJK RADICAL C-SIMPLIFIED LONG		
2ED4	CJK RADICAL C-SIMPLIFIED GATE		
2ED5	CJK RADICAL MOUND ONE		
2ED6	CJK RADICAL MOUND TWO		
2ED7	CJK RADICAL RAIN		
2ED8	CJK RADICAL BLUE		
2ED9	CJK RADICAL C-SIMPLIFIED TANNED LEATHER		
2EDA	CJK RADICAL C-SIMPLIFIED LEAF		
2EDB	CJK RADICAL C-SIMPLIFIED WIND		
2EDC	CJK RADICAL C-SIMPLIFIED FLY		

Group 00

Plane 00

Row 2E

Table 93 - Row 2F: Kangxi Radicals

	2F0	2F1	2F2	2F3	2F4	2F5	2F6
0	一 2F00	凵 2F10	士 2F20	己 2F30	支 2F40	比 2F50	瓜 2F60
1	丨 2F01	刀 2F11	夕 2F21	巾 2F31	支 2F41	毛 2F51	瓦 2F61
2	丶 2F02	力 2F12	夕 2F22	干 2F32	文 2F42	氏 2F52	甘 2F62
3	丿 2F03	勹 2F13	夕 2F23	幺 2F33	斗 2F43	气 2F53	生 2F63
4	乙 2F04	匕 2F14	大 2F24	广 2F34	斤 2F44	水 2F54	用 2F64
5	丿 2F05	匚 2F15	女 2F25	廴 2F35	方 2F45	火 2F55	田 2F65
6	二 2F06	匚 2F16	子 2F26	廴 2F36	无 2F46	爪 2F56	疋 2F66
7	宀 2F07	十 2F17	宀 2F27	弋 2F37	日 2F47	父 2F57	疒 2F67
8	人 2F08	卜 2F18	寸 2F28	弓 2F38	曰 2F48	爻 2F58	夂 2F68
9	儿 2F09	卩 2F19	小 2F29	彡 2F39	月 2F49	冫 2F59	白 2F69
A	入 2F0A	厂 2F1A	尢 2F2A	彡 2F3A	木 2F4A	片 2F5A	皮 2F6A
B	八 2F0B	厶 2F1B	尸 2F2B	彳 2F3B	欠 2F4B	牙 2F5B	皿 2F6B
C	冂 2F0C	又 2F1C	中 2F2C	心 2F3C	止 2F4C	牛 2F5C	目 2F6C
D	一 2F0D	口 2F1D	山 2F2D	戈 2F3D	歹 2F4D	犬 2F5D	彳 2F6D
E	彳 2F0E	口 2F1E	彡 2F2E	戶 2F3E	殳 2F4E	玄 2F5E	矢 2F6E
F	几 2F0F	土 2F1F	工 2F2F	手 2F3F	母 2F4F	玉 2F5F	石 2F6F

G = 00
P = 00

Table 93 - Row 2F: Kangxi Radicals

HEX	NAME	HEX	NAME
2F00	KANGXI RADICAL ONE	2F5D	KANGXI RADICAL DOG
2F01	KANGXI RADICAL LINE	2F5E	KANGXI RADICAL PROFOUND
2F02	KANGXI RADICAL DOT	2F5F	KANGXI RADICAL JADE
2F03	KANGXI RADICAL SLASH	2F60	KANGXI RADICAL MELON
2F04	KANGXI RADICAL SECOND	2F61	KANGXI RADICAL TILE
2F05	KANGXI RADICAL HOOK	2F62	KANGXI RADICAL SWEET
2F06	KANGXI RADICAL TWO	2F63	KANGXI RADICAL LIFE
2F07	KANGXI RADICAL LID	2F64	KANGXI RADICAL USE
2F08	KANGXI RADICAL MAN	2F65	KANGXI RADICAL FIELD
2F09	KANGXI RADICAL LEGS	2F66	KANGXI RADICAL BOLT OF CLOTH
2F0A	KANGXI RADICAL ENTER	2F67	KANGXI RADICAL SICKNESS
2F0B	KANGXI RADICAL EIGHT	2F68	KANGXI RADICAL DOTTED TENT
2F0C	KANGXI RADICAL DOWN BOX	2F69	KANGXI RADICAL WHITE
2F0D	KANGXI RADICAL COVER	2F6A	KANGXI RADICAL SKIN
2F0E	KANGXI RADICAL ICE	2F6B	KANGXI RADICAL DISH
2F0F	KANGXI RADICAL TABLE	2F6C	KANGXI RADICAL EYE
2F10	KANGXI RADICAL OPEN BOX	2F6D	KANGXI RADICAL SPEAR
2F11	KANGXI RADICAL KNIFE	2F6E	KANGXI RADICAL ARROW
2F12	KANGXI RADICAL POWER	2F6F	KANGXI RADICAL STONE
2F13	KANGXI RADICAL WRAP		
2F14	KANGXI RADICAL SPOON		
2F15	KANGXI RADICAL RIGHT OPEN BOX		
2F16	KANGXI RADICAL HIDING ENCLOSURE		
2F17	KANGXI RADICAL TEN		
2F18	KANGXI RADICAL DIVINATION		
2F19	KANGXI RADICAL SEAL		
2F1A	KANGXI RADICAL CLIFF		
2F1B	KANGXI RADICAL PRIVATE		
2F1C	KANGXI RADICAL AGAIN		
2F1D	KANGXI RADICAL MOUTH		
2F1E	KANGXI RADICAL ENCLOSURE		
2F1F	KANGXI RADICAL EARTH		
2F20	KANGXI RADICAL SCHOLAR		
2F21	KANGXI RADICAL GO		
2F22	KANGXI RADICAL GO SLOWLY		
2F23	KANGXI RADICAL EVENING		
2F24	KANGXI RADICAL BIG		
2F25	KANGXI RADICAL WOMAN		
2F26	KANGXI RADICAL CHILD		
2F27	KANGXI RADICAL ROOF		
2F28	KANGXI RADICAL INCH		
2F29	KANGXI RADICAL SMALL		
2F2A	KANGXI RADICAL LAME		
2F2B	KANGXI RADICAL CORPSE		
2F2C	KANGXI RADICAL SPROUT		
2F2D	KANGXI RADICAL MOUNTAIN		
2F2E	KANGXI RADICAL RIVER		
2F2F	KANGXI RADICAL WORK		
2F30	KANGXI RADICAL ONESELF		
2F31	KANGXI RADICAL TURBAN		
2F32	KANGXI RADICAL DRY		
2F33	KANGXI RADICAL SHORT THREAD		
2F34	KANGXI RADICAL DOTTED CLIFF		
2F35	KANGXI RADICAL LONG STRIDE		
2F36	KANGXI RADICAL TWO HANDS		
2F37	KANGXI RADICAL SHOOT		
2F38	KANGXI RADICAL BOW		
2F39	KANGXI RADICAL SNOUT		
2F3A	KANGXI RADICAL BRISTLE		
2F3B	KANGXI RADICAL STEP		
2F3C	KANGXI RADICAL HEART		
2F3D	KANGXI RADICAL HALBERD		
2F3E	KANGXI RADICAL DOOR		
2F3F	KANGXI RADICAL HAND		
2F40	KANGXI RADICAL BRANCH		
2F41	KANGXI RADICAL RAP		
2F42	KANGXI RADICAL SCRIPT		
2F43	KANGXI RADICAL DIPPER		
2F44	KANGXI RADICAL AXE		
2F45	KANGXI RADICAL SQUARE		
2F46	KANGXI RADICAL NOT		
2F47	KANGXI RADICAL SUN		
2F48	KANGXI RADICAL SAY		
2F49	KANGXI RADICAL MOON		
2F4A	KANGXI RADICAL TREE		
2F4B	KANGXI RADICAL LACK		
2F4C	KANGXI RADICAL STOP		
2F4D	KANGXI RADICAL DEATH		
2F4E	KANGXI RADICAL WEAPON		
2F4F	KANGXI RADICAL DO NOT		
2F50	KANGXI RADICAL COMPARE		
2F51	KANGXI RADICAL FUR		
2F52	KANGXI RADICAL CLAN		
2F53	KANGXI RADICAL STEAM		
2F54	KANGXI RADICAL WATER		
2F55	KANGXI RADICAL FIRE		
2F56	KANGXI RADICAL CLAW		
2F57	KANGXI RADICAL FATHER		
2F58	KANGXI RADICAL DOUBLE X		
2F59	KANGXI RADICAL HALF TREE TRUNK		
2F5A	KANGXI RADICAL SLICE		
2F5B	KANGXI RADICAL FANG		
2F5C	KANGXI RADICAL COW		

Group 00

Plane 00

Row 2F

Table 94 - Row 2F: Kangxi Radicals

	2F7	2F8	2F9	2FA	2FB	2FC	2FD
0	示 2F70	聿 2F80	衣 2F90	辰 2FA0	革 2FB0	鬲 2FC0	鼻 2FD0
1	宀 2F71	肉 2F81	𠂔 2F91	辵 2FA1	韋 2FB1	鬼 2FC1	齊 2FD1
2	禾 2F72	臣 2F82	見 2F92	邑 2FA2	韭 2FB2	魚 2FC2	齒 2FD2
3	穴 2F73	自 2F83	角 2F93	酉 2FA3	音 2FB3	鳥 2FC3	龍 2FD3
4	立 2F74	至 2F84	言 2F94	采 2FA4	頁 2FB4	鹵 2FC4	龜 2FD4
5	竹 2F75	白 2F85	谷 2F95	里 2FA5	風 2FB5	鹿 2FC5	龠 2FD5
6	米 2F76	舌 2F86	豆 2F96	金 2FA6	飛 2FB6	麥 2FC6	
7	糸 2F77	舛 2F87	豕 2F97	長 2FA7	食 2FB7	麻 2FC7	
8	缶 2F78	舟 2F88	豸 2F98	門 2FA8	首 2FB8	黃 2FC8	
9	网 2F79	艮 2F89	貝 2F99	阜 2FA9	香 2FB9	黍 2FC9	
A	羊 2F7A	色 2F8A	赤 2F9A	隶 2FAA	馬 2FBA	黑 2FCA	
B	羽 2F7B	艸 2F8B	走 2F9B	隹 2FAB	骨 2FBB	鬻 2FCB	
C	老 2F7C	虍 2F8C	足 2F9C	雨 2FAC	高 2FBC	黽 2FCC	
D	而 2F7D	虫 2F8D	身 2F9D	青 2FAD	髟 2FBD	鼎 2FCD	
E	耒 2F7E	血 2F8E	車 2F9E	非 2FAE	鬥 2FBE	鼓 2FCE	
F	耳 2F7F	行 2F8F	辛 2F9F	面 2FAF	鬯 2FBF	鼠 2FCF	

G = 00
P = 00

Table 94 - Row 2F: Kangxi Radicals

















HEX	NAME	HEX	NAME
2F70	KANGXI RADICAL SPIRIT	2FCD	KANGXI RADICAL TRIPOD
2F71	KANGXI RADICAL TRACK	2FCE	KANGXI RADICAL DRUM
2F72	KANGXI RADICAL GRAIN	2FCF	KANGXI RADICAL RAT
2F73	KANGXI RADICAL CAVE	2FD0	KANGXI RADICAL NOSE
2F74	KANGXI RADICAL STAND	2FD1	KANGXI RADICAL EVEN
2F75	KANGXI RADICAL BAMBOO	2FD2	KANGXI RADICAL TOOTH
2F76	KANGXI RADICAL RICE	2FD3	KANGXI RADICAL DRAGON
2F77	KANGXI RADICAL SILK	2FD4	KANGXI RADICAL TURTLE
2F78	KANGXI RADICAL JAR	2FD5	KANGXI RADICAL FLUTE
2F79	KANGXI RADICAL NET	2FD6	(This position shall not be used)
2F7A	KANGXI RADICAL SHEEP	2FD7	(This position shall not be used)
2F7B	KANGXI RADICAL FEATHER	2FD8	(This position shall not be used)
2F7C	KANGXI RADICAL OLD	2FD9	(This position shall not be used)
2F7D	KANGXI RADICAL AND	2FDA	(This position shall not be used)
2F7E	KANGXI RADICAL PLOW	2FDB	(This position shall not be used)
2F7F	KANGXI RADICAL EAR	2FDC	(This position shall not be used)
2F80	KANGXI RADICAL BRUSH	2FDD	(This position shall not be used)
2F81	KANGXI RADICAL MEAT	2FDE	(This position shall not be used)
2F82	KANGXI RADICAL MINISTER	2FDF	(This position shall not be used)
2F83	KANGXI RADICAL SELF		
2F84	KANGXI RADICAL ARRIVE		
2F85	KANGXI RADICAL MORTAR		
2F86	KANGXI RADICAL TONGUE		
2F87	KANGXI RADICAL OPPOSE		
2F88	KANGXI RADICAL BOAT		
2F89	KANGXI RADICAL STOPPING		
2F8A	KANGXI RADICAL COLOR		
2F8B	KANGXI RADICAL GRASS		
2F8C	KANGXI RADICAL TIGER		
2F8D	KANGXI RADICAL INSECT		
2F8E	KANGXI RADICAL BLOOD		
2F8F	KANGXI RADICAL WALK ENCLOSURE		
2F90	KANGXI RADICAL CLOTHES		
2F91	KANGXI RADICAL WEST		
2F92	KANGXI RADICAL SEE		
2F93	KANGXI RADICAL HORN		
2F94	KANGXI RADICAL SPEECH		
2F95	KANGXI RADICAL VALLEY		
2F96	KANGXI RADICAL BEAN		
2F97	KANGXI RADICAL PIG		
2F98	KANGXI RADICAL BADGER		
2F99	KANGXI RADICAL SHELL		
2F9A	KANGXI RADICAL RED		
2F9B	KANGXI RADICAL RUN		
2F9C	KANGXI RADICAL FOOT		
2F9D	KANGXI RADICAL BODY		
2F9E	KANGXI RADICAL CART		
2F9F	KANGXI RADICAL BITTER		
2FA0	KANGXI RADICAL MORNING		
2FA1	KANGXI RADICAL WALK		
2FA2	KANGXI RADICAL CITY		
2FA3	KANGXI RADICAL WINE		
2FA4	KANGXI RADICAL DISTINGUISH		
2FA5	KANGXI RADICAL VILLAGE		
2FA6	KANGXI RADICAL GOLD		
2FA7	KANGXI RADICAL LONG		
2FA8	KANGXI RADICAL GATE		
2FA9	KANGXI RADICAL MOUND		
2FAA	KANGXI RADICAL SLAVE		
2FAB	KANGXI RADICAL SHORT TAILED BIRD		
2FAC	KANGXI RADICAL RAIN		
2FAD	KANGXI RADICAL BLUE		
2FAE	KANGXI RADICAL WRONG		
2FAF	KANGXI RADICAL FACE		
2FB0	KANGXI RADICAL LEATHER		
2FB1	KANGXI RADICAL TANNED LEATHER		
2FB2	KANGXI RADICAL LEEK		
2FB3	KANGXI RADICAL SOUND		
2FB4	KANGXI RADICAL LEAF		
2FB5	KANGXI RADICAL WIND		
2FB6	KANGXI RADICAL FLY		
2FB7	KANGXI RADICAL EAT		
2FB8	KANGXI RADICAL HEAD		
2FB9	KANGXI RADICAL FRAGRANT		
2FBA	KANGXI RADICAL HORSE		
2FBB	KANGXI RADICAL BONE		
2FBC	KANGXI RADICAL TALL		
2FBD	KANGXI RADICAL HAIR		
2FBE	KANGXI RADICAL FIGHT		
2FBF	KANGXI RADICAL SACRIFICIAL WINE		
2FC0	KANGXI RADICAL CAULDRON		
2FC1	KANGXI RADICAL GHOST		
2FC2	KANGXI RADICAL FISH		
2FC3	KANGXI RADICAL BIRD		
2FC4	KANGXI RADICAL SALT		
2FC5	KANGXI RADICAL DEER		
2FC6	KANGXI RADICAL WHEAT		
2FC7	KANGXI RADICAL HEMP		
2FC8	KANGXI RADICAL YELLOW		
2FC9	KANGXI RADICAL MILLET		
2FCA	KANGXI RADICAL BLACK		
2FCB	KANGXI RADICAL EMBROIDERY		
2FCC	KANGXI RADICAL FROG		

Group 00

Plane 00

Row 2F

Table 95 - Row 2F: Ideographic Description Characters

2FF	
0	 2FF0
1	 2FF1
2	 2FF2
3	 2FF3
4	 2FF4
5	 2FF5
6	 2FF6
7	 2FF7
8	 2FF8
9	 2FF9
A	 2FFA
B	 2FFB
C	
D	
E	
F	

































































G = 00
P = 00

Table 95 - Row 2F: Ideographic Description Characters

HEX	NAME	HEX	NAME
2FF0	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO RIGHT		
2FF1	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO BELOW		
2FF2	IDEOGRAPHIC DESCRIPTION CHARACTER LEFT TO MIDDLE AND RIGHT		
2FF3	IDEOGRAPHIC DESCRIPTION CHARACTER ABOVE TO MIDDLE AND BELOW		
2FF4	IDEOGRAPHIC DESCRIPTION CHARACTER FULL SURROUND		
2FF5	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM ABOVE		
2FF6	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM BELOW		
2FF7	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LEFT		
2FF8	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER LEFT		
2FF9	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM UPPER RIGHT		
2FFA	IDEOGRAPHIC DESCRIPTION CHARACTER SURROUND FROM LOWER LEFT		
2FFB	IDEOGRAPHIC DESCRIPTION CHARACTER OVERLAID		
2FFC	(This position shall not be used)		
2FFD	(This position shall not be used)		
2FFE	(This position shall not be used)		
2FFF	(This position shall not be used)		

Group 00**Plane 00****Row 2F**

Table 96 - Row 30: CJK Symbols and Punctuation

	300	301	302	303
0	 3000	 3010	 3020	 3030
1	 3001	 3011	 3021	 3031
2	 3002	 3012	 3022	 3032
3	 3003	 3013	 3023	 3033
4	 3004	 3014	 3024	 3034
5	 3005	 3015	 3025	 3035
6	 3006	 3016	 3026	 3036
7	 3007	 3017	 3027	 3037
8	 3008	 3018	 3028	 3038
9	 3009	 3019	 3029	 3039
A	 300A	 301A	 302A	 303A
B	 300B	 301B	 302B	 303B
C	 300C	 301C	 302C	 303C
D	 300D	 301D	 302D	 303D
E	 300E	 301E	 302E	 303E
F	 300F	 301F	 302F	 303F

G = 00
P = 00

Table 96 - Row 30: CJK Symbols and Punctuation

HEX	NAME	HEX	NAME
3000	IDEOGRAPHIC SPACE		
3001	IDEOGRAPHIC COMMA		
3002	IDEOGRAPHIC FULL STOP		
3003	DITTO MARK		
3004	JAPANESE INDUSTRIAL STANDARD SYMBOL		
3005	IDEOGRAPHIC ITERATION MARK		
3006	IDEOGRAPHIC CLOSING MARK		
3007	IDEOGRAPHIC NUMBER ZERO		
3008	LEFT ANGLE BRACKET		
3009	RIGHT ANGLE BRACKET		
300A	LEFT DOUBLE ANGLE BRACKET		
300B	RIGHT DOUBLE ANGLE BRACKET		
300C	LEFT CORNER BRACKET		
300D	RIGHT CORNER BRACKET		
300E	LEFT WHITE CORNER BRACKET		
300F	RIGHT WHITE CORNER BRACKET		
3010	LEFT BLACK LENTICULAR BRACKET		
3011	RIGHT BLACK LENTICULAR BRACKET		
3012	POSTAL MARK		
3013	GETA MARK		
3014	LEFT TORTOISE SHELL BRACKET		
3015	RIGHT TORTOISE SHELL BRACKET		
3016	LEFT WHITE LENTICULAR BRACKET		
3017	RIGHT WHITE LENTICULAR BRACKET		
3018	LEFT WHITE TORTOISE SHELL BRACKET		
3019	RIGHT WHITE TORTOISE SHELL BRACKET		
301A	LEFT WHITE SQUARE BRACKET		
301B	RIGHT WHITE SQUARE BRACKET		
301C	WAVE DASH		
301D	REVERSED DOUBLE PRIME QUOTATION MARK		
301E	DOUBLE PRIME QUOTATION MARK		
301F	LOW DOUBLE PRIME QUOTATION MARK		
3020	POSTAL MARK FACE		
3021	HANGZHOU NUMERAL ONE		
3022	HANGZHOU NUMERAL TWO		
3023	HANGZHOU NUMERAL THREE		
3024	HANGZHOU NUMERAL FOUR		
3025	HANGZHOU NUMERAL FIVE		
3026	HANGZHOU NUMERAL SIX		
3027	HANGZHOU NUMERAL SEVEN		
3028	HANGZHOU NUMERAL EIGHT		
3029	HANGZHOU NUMERAL NINE		
302A	IDEOGRAPHIC LEVEL TONE MARK		
302B	IDEOGRAPHIC RISING TONE MARK		
302C	IDEOGRAPHIC DEPARTING TONE MARK		
302D	IDEOGRAPHIC ENTERING TONE MARK		
302E	HANGUL SINGLE DOT TONE MARK		
302F	HANGUL DOUBLE DOT TONE MARK		
3030	WAVY DASH		
3031	VERTICAL KANA REPEAT MARK		
3032	VERTICAL KANA REPEAT WITH VOICED SOUND MARK		
3033	VERTICAL KANA REPEAT MARK UPPER HALF		
3034	VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF		
3035	VERTICAL KANA REPEAT MARK LOWER HALF		
3036	CIRCLED POSTAL MARK		
3037	IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL		
3038	HANGZHOU NUMERAL TEN		
3039	HANGZHOU NUMERAL TWENTY		
303A	HANGZHOU NUMERAL THIRTY		
303B	VERTICAL IDEOGRAPHIC ITERATION MARK		
303C	MASU MARK		
303D	PART ALTERNATION MARK		
303E	IDEOGRAPHIC VARIATION INDICATOR		
303F	IDEOGRAPHIC HALF FILL SPACE		

Group 00

Plane 00

Row 30

Table 97 - Row 30: Hiragana

	304	305	306	307	308	309
0		ぐ 3050	だ 3060	ば 3070	む 3080	ゐ 3090
1	あ 3041	け 3051	ち 3061	ぱ 3071	め 3081	ゑ 3091
2	あ 3042	げ 3052	ぢ 3062	ひ 3072	も 3082	を 3092
3	い 3043	こ 3053	っ 3063	び 3073	ゃ 3083	ん 3093
4	い 3044	ご 3054	っ 3064	び 3074	ゃ 3084	う 3094
5	う 3045	さ 3055	づ 3065	ふ 3075	ゆ 3085	か 3095
6	う 3046	ざ 3056	て 3066	ぶ 3076	ゆ 3086	け 3096
7	え 3047	し 3057	で 3067	ふ 3077	よ 3087	
8	え 3048	じ 3058	と 3068	へ 3078	よ 3088	
9	お 3049	す 3059	ど 3069	べ 3079	ら 3089	ゝ 3099
A	お 304A	ず 305A	な 306A	ぺ 307A	り 308A	ゞ 309A
B	か 304B	せ 305B	に 306B	ほ 307B	る 308B	ゝ 309B
C	が 304C	ぜ 305C	ぬ 306C	ぼ 307C	れ 308C	ゝ 309C
D	き 304D	そ 305D	ね 306D	ぽ 307D	ろ 308D	ゝ 309D
E	ぎ 304E	ぞ 305E	の 306E	ま 307E	わ 308E	ゞ 309E
F	く 304F	た 305F	は 306F	み 307F	わ 308F	ら 309F

G = 00
P = 00

Table 97 - Row 30: Hiragana

HEX	NAME	HEX	NAME
3040	(This position shall not be used)	309D	HIRAGANA ITERATION MARK
3041	HIRAGANA LETTER SMALL A	309E	HIRAGANA VOICED ITERATION MARK
3042	HIRAGANA LETTER A	309F	HIRAGANA DIGRAPH YORI
3043	HIRAGANA LETTER SMALL I		
3044	HIRAGANA LETTER I		
3045	HIRAGANA LETTER SMALL U		
3046	HIRAGANA LETTER U		
3047	HIRAGANA LETTER SMALL E		
3048	HIRAGANA LETTER E		
3049	HIRAGANA LETTER SMALL O		
304A	HIRAGANA LETTER O		
304B	HIRAGANA LETTER KA		
304C	HIRAGANA LETTER GA		
304D	HIRAGANA LETTER KI		
304E	HIRAGANA LETTER GI		
304F	HIRAGANA LETTER KU		
3050	HIRAGANA LETTER GU		
3051	HIRAGANA LETTER KE		
3052	HIRAGANA LETTER GE		
3053	HIRAGANA LETTER KO		
3054	HIRAGANA LETTER GO		
3055	HIRAGANA LETTER SA		
3056	HIRAGANA LETTER ZA		
3057	HIRAGANA LETTER SI		
3058	HIRAGANA LETTER ZI		
3059	HIRAGANA LETTER SU		
305A	HIRAGANA LETTER ZU		
305B	HIRAGANA LETTER SE		
305C	HIRAGANA LETTER ZE		
305D	HIRAGANA LETTER SO		
305E	HIRAGANA LETTER ZO		
305F	HIRAGANA LETTER TA		
3060	HIRAGANA LETTER DA		
3061	HIRAGANA LETTER TI		
3062	HIRAGANA LETTER DI		
3063	HIRAGANA LETTER SMALL TU		
3064	HIRAGANA LETTER TU		
3065	HIRAGANA LETTER DU		
3066	HIRAGANA LETTER TE		
3067	HIRAGANA LETTER DE		
3068	HIRAGANA LETTER TO		
3069	HIRAGANA LETTER DO		
306A	HIRAGANA LETTER NA		
306B	HIRAGANA LETTER NI		
306C	HIRAGANA LETTER NU		
306D	HIRAGANA LETTER NE		
306E	HIRAGANA LETTER NO		
306F	HIRAGANA LETTER HA		
3070	HIRAGANA LETTER BA		
3071	HIRAGANA LETTER PA		
3072	HIRAGANA LETTER HI		
3073	HIRAGANA LETTER BI		
3074	HIRAGANA LETTER PI		
3075	HIRAGANA LETTER HU		
3076	HIRAGANA LETTER BU		
3077	HIRAGANA LETTER PU		
3078	HIRAGANA LETTER HE		
3079	HIRAGANA LETTER BE		
307A	HIRAGANA LETTER PE		
307B	HIRAGANA LETTER HO		
307C	HIRAGANA LETTER BO		
307D	HIRAGANA LETTER PO		
307E	HIRAGANA LETTER MA		
307F	HIRAGANA LETTER MI		
3080	HIRAGANA LETTER MU		
3081	HIRAGANA LETTER ME		
3082	HIRAGANA LETTER MO		
3083	HIRAGANA LETTER SMALL YA		
3084	HIRAGANA LETTER YA		
3085	HIRAGANA LETTER SMALL YU		
3086	HIRAGANA LETTER YU		
3087	HIRAGANA LETTER SMALL YO		
3088	HIRAGANA LETTER YO		
3089	HIRAGANA LETTER RA		
308A	HIRAGANA LETTER RI		
308B	HIRAGANA LETTER RU		
308C	HIRAGANA LETTER RE		
308D	HIRAGANA LETTER RO		
308E	HIRAGANA LETTER SMALL WA		
308F	HIRAGANA LETTER WA		
3090	HIRAGANA LETTER WI		
3091	HIRAGANA LETTER WE		
3092	HIRAGANA LETTER WO		
3093	HIRAGANA LETTER N		
3094	HIRAGANA LETTER VU		
3095	HIRAGANA LETTER SMALL KA		
3096	HIRAGANA LETTER SMALL KE		
3097	(This position shall not be used)		
3098	(This position shall not be used)		
3099	COMBINING KATAKANA-HIRAGANA VOICED SOUND MARK		
309A	COMBINING KATAKANA-HIRAGANA SEMI-VOICED SOUND MARK		
309B	KATAKANA-HIRAGANA VOICED SOUND MARK		
309C	KATAKANA-HIRAGANA SEMI-VOICED SOUND MARK		

Group 00

Plane 00

Row 30

Table 98 - Row 30: Katakana

	30A	30B	30C	30D	30E	30F
0	＝ 30A0	グ 30B0	ダ 30C0	バ 30D0	ム 30E0	ヰ 30F0
1	ア 30A1	ケ 30B1	チ 30C1	パ [◦] 30D1	メ 30E1	エ 30F1
2	ア 30A2	ゲ 30B2	ヂ 30C2	ヒ 30D2	モ 30E2	ヲ 30F2
3	イ 30A3	コ 30B3	ツ 30C3	ビ [◦] 30D3	ヤ 30E3	ン 30F3
4	イ 30A4	ゴ 30B4	ヅ 30C4	ピ [◦] 30D4	ヤ 30E4	ヴ [◦] 30F4
5	ウ 30A5	サ 30B5	ヅ 30C5	フ 30D5	ユ 30E5	カ 30F5
6	ウ 30A6	ザ 30B6	テ 30C6	ブ 30D6	ユ 30E6	ケ 30F6
7	エ 30A7	シ 30B7	デ [◦] 30C7	プ [◦] 30D7	ヨ 30E7	ヅ 30F7
8	エ 30A8	ジ 30B8	ト 30C8	ヘ 30D8	ヨ 30E8	ヰ [◦] 30F8
9	オ 30A9	ス 30B9	ド 30C9	ベ 30D9	ラ 30E9	ヱ [◦] 30F9
A	オ 30AA	ズ 30BA	ナ 30CA	ペ [◦] 30DA	リ 30EA	ヅ [◦] 30FA
B	カ 30AB	セ 30BB	ニ 30CB	ホ 30DB	ル 30EB	・ 30FB
C	ガ 30AC	ゼ 30BC	ヌ 30CC	ボ 30DC	レ 30EC	ー 30FC
D	キ 30AD	ソ 30BD	ネ 30CD	ポ [◦] 30DD	ロ 30ED	ヽ [◦] 30FD
E	ギ 30AE	ゾ 30BE	ノ 30CE	マ 30DE	ワ 30EE	ヾ [◦] 30FE
F	ク 30AF	タ 30BF	ハ 30CF	ミ 30DF	ワ 30EF	ヾ [◦] 30FF

G = 00
P = 00

Table 98 - Row 30: Katakana

HEX	NAME	HEX	NAME
30A0	KATAKANA-HIRAGANA DOUBLE HYPHEN	30FD	KATAKANA ITERATION MARK
30A1	KATAKANA LETTER SMALL A	30FE	KATAKANA VOICED ITERATION MARK
30A2	KATAKANA LETTER A	30FF	KATAKANA DIGRAPH KOTO
30A3	KATAKANA LETTER SMALL I		
30A4	KATAKANA LETTER I		
30A5	KATAKANA LETTER SMALL U		
30A6	KATAKANA LETTER U		
30A7	KATAKANA LETTER SMALL E		
30A8	KATAKANA LETTER E		
30A9	KATAKANA LETTER SMALL O		
30AA	KATAKANA LETTER O		
30AB	KATAKANA LETTER KA		
30AC	KATAKANA LETTER GA		
30AD	KATAKANA LETTER KI		
30AE	KATAKANA LETTER GI		
30AF	KATAKANA LETTER KU		
30B0	KATAKANA LETTER GU		
30B1	KATAKANA LETTER KE		
30B2	KATAKANA LETTER GE		
30B3	KATAKANA LETTER KO		
30B4	KATAKANA LETTER GO		
30B5	KATAKANA LETTER SA		
30B6	KATAKANA LETTER ZA		
30B7	KATAKANA LETTER SI		
30B8	KATAKANA LETTER ZI		
30B9	KATAKANA LETTER SU		
30BA	KATAKANA LETTER ZU		
30BB	KATAKANA LETTER SE		
30BC	KATAKANA LETTER ZE		
30BD	KATAKANA LETTER SO		
30BE	KATAKANA LETTER ZO		
30BF	KATAKANA LETTER TA		
30C0	KATAKANA LETTER DA		
30C1	KATAKANA LETTER TI		
30C2	KATAKANA LETTER DI		
30C3	KATAKANA LETTER SMALL TU		
30C4	KATAKANA LETTER TU		
30C5	KATAKANA LETTER DU		
30C6	KATAKANA LETTER TE		
30C7	KATAKANA LETTER DE		
30C8	KATAKANA LETTER TO		
30C9	KATAKANA LETTER DO		
30CA	KATAKANA LETTER NA		
30CB	KATAKANA LETTER NI		
30CC	KATAKANA LETTER NU		
30CD	KATAKANA LETTER NE		
30CE	KATAKANA LETTER NO		
30CF	KATAKANA LETTER HA		
30D0	KATAKANA LETTER BA		
30D1	KATAKANA LETTER PA		
30D2	KATAKANA LETTER HI		
30D3	KATAKANA LETTER BI		
30D4	KATAKANA LETTER PI		
30D5	KATAKANA LETTER HU		
30D6	KATAKANA LETTER BU		
30D7	KATAKANA LETTER PU		
30D8	KATAKANA LETTER HE		
30D9	KATAKANA LETTER BE		
30DA	KATAKANA LETTER PE		
30DB	KATAKANA LETTER HO		
30DC	KATAKANA LETTER BO		
30DD	KATAKANA LETTER PO		
30DE	KATAKANA LETTER MA		
30DF	KATAKANA LETTER MI		
30E0	KATAKANA LETTER MU		
30E1	KATAKANA LETTER ME		
30E2	KATAKANA LETTER MO		
30E3	KATAKANA LETTER SMALL YA		
30E4	KATAKANA LETTER YA		
30E5	KATAKANA LETTER SMALL YU		
30E6	KATAKANA LETTER YU		
30E7	KATAKANA LETTER SMALL YO		
30E8	KATAKANA LETTER YO		
30E9	KATAKANA LETTER RA		
30EA	KATAKANA LETTER RI		
30EB	KATAKANA LETTER RU		
30EC	KATAKANA LETTER RE		
30ED	KATAKANA LETTER RO		
30EE	KATAKANA LETTER SMALL WA		
30EF	KATAKANA LETTER WA		
30F0	KATAKANA LETTER WI		
30F1	KATAKANA LETTER WE		
30F2	KATAKANA LETTER WO		
30F3	KATAKANA LETTER N		
30F4	KATAKANA LETTER VU		
30F5	KATAKANA LETTER SMALL KA		
30F6	KATAKANA LETTER SMALL KE		
30F7	KATAKANA LETTER VA		
30F8	KATAKANA LETTER VI		
30F9	KATAKANA LETTER VE		
30FA	KATAKANA LETTER VO		
30FB	KATAKANA MIDDLE DOT		
30FC	KATAKANA-HIRAGANA PROLONGED SOUND MARK		

Group 00

Plane 00

Row 30

Table 99 - Row 31: Bopomofo

	310	311	312
0		ㄐ 3110	ㄍ 3120
1		ㄑ 3111	ㄏ 3121
2		ㄒ 3112	ㄇ 3122
3		ㄓ 3113	ㄏ 3123
4		ㄒ 3114	ㄍ 3124
5	ㄎ 3105	ㄑ 3115	ㄌ 3125
6	ㄎ 3106	ㄑ 3116	ㄌ 3126
7	ㄎ 3107	ㄑ 3117	ㄌ 3127
8	ㄎ 3108	ㄑ 3118	ㄌ 3128
9	ㄎ 3109	ㄑ 3119	ㄌ 3129
A	ㄎ 310A	ㄑ 311A	ㄌ 312A
B	ㄎ 310B	ㄑ 311B	ㄌ 312B
C	ㄎ 310C	ㄑ 311C	ㄌ 312C
D	ㄎ 310D	ㄑ 311D	
E	ㄎ 310E	ㄑ 311E	
F	ㄎ 310F	ㄑ 311F	

G = 00
P = 00

Table 99 - Row 31: Bopomofo

HEX	NAME	HEX	NAME
3100	(This position shall not be used)		
3101	(This position shall not be used)		
3102	(This position shall not be used)		
3103	(This position shall not be used)		
3104	(This position shall not be used)		
3105	BOPOMOFO LETTER B		
3106	BOPOMOFO LETTER P		
3107	BOPOMOFO LETTER M		
3108	BOPOMOFO LETTER F		
3109	BOPOMOFO LETTER D		
310A	BOPOMOFO LETTER T		
310B	BOPOMOFO LETTER N		
310C	BOPOMOFO LETTER L		
310D	BOPOMOFO LETTER G		
310E	BOPOMOFO LETTER K		
310F	BOPOMOFO LETTER H		
3110	BOPOMOFO LETTER J		
3111	BOPOMOFO LETTER Q		
3112	BOPOMOFO LETTER X		
3113	BOPOMOFO LETTER ZH		
3114	BOPOMOFO LETTER CH		
3115	BOPOMOFO LETTER SH		
3116	BOPOMOFO LETTER R		
3117	BOPOMOFO LETTER Z		
3118	BOPOMOFO LETTER C		
3119	BOPOMOFO LETTER S		
311A	BOPOMOFO LETTER A		
311B	BOPOMOFO LETTER O		
311C	BOPOMOFO LETTER E		
311D	BOPOMOFO LETTER EH		
311E	BOPOMOFO LETTER AI		
311F	BOPOMOFO LETTER EI		
3120	BOPOMOFO LETTER AU		
3121	BOPOMOFO LETTER OU		
3122	BOPOMOFO LETTER AN		
3123	BOPOMOFO LETTER EN		
3124	BOPOMOFO LETTER ANG		
3125	BOPOMOFO LETTER ENG		
3126	BOPOMOFO LETTER ER		
3127	BOPOMOFO LETTER I		
3128	BOPOMOFO LETTER U		
3129	BOPOMOFO LETTER IU		
312A	BOPOMOFO LETTER V		
312B	BOPOMOFO LETTER NG		
312C	BOPOMOFO LETTER GN		
312D	(This position shall not be used)		
312E	(This position shall not be used)		
312F	(This position shall not be used)		

Group 00

Plane 00

Row 31

Table 100 - Row 31: Hangul Compatibility Jamo

	313	314	315	316	317	318
0		ㄹㅎ 3140	ㅍ 3150	ㅍ 3160	ㅍ 3170	ㅇㅇ 3180
1	ㄱ 3131	ㅍ 3141	ㅍ 3151	ㅡ 3161	ㅍ 3171	ㅇ 3181
2	ㅍ 3132	ㅍ 3142	ㅍ 3152	ㅍ 3162	ㅍ 3172	ㅇㅏ 3182
3	ㅍ 3133	ㅍ 3143	ㅍ 3153	ㅍ 3163	ㅍ 3173	ㅇㅓ 3183
4	ㄴ 3134	ㅍ 3144	ㅍ 3154	 3164	ㅍ 3174	ㅍ 3184
5	ㅍ 3135	ㅍ 3145	ㅍ 3155	ㄴ 3165	ㅍ 3175	ㅎㅎ 3185
6	ㅎ 3136	ㅍ 3146	ㅍ 3156	ㄴ 3166	ㅍ 3176	ㅎ 3186
7	ㄷ 3137	ㅇ 3147	ㄴ 3157	ㅏ 3167	ㅍ 3177	ㅍ 3187
8	ㅍ 3138	ㅍ 3148	ㅍ 3158	ㅍ 3168	ㅍ 3178	ㅍ 3188
9	ㄷ 3139	ㅍ 3149	ㅍ 3159	ㅍ 3169	ㅍ 3179	ㅍ 3189
A	ㄹ 313A	ㅍ 314A	ㅍ 315A	ㅍ 316A	ㅍ 317A	ㅍ 318A
B	ㅍ 313B	ㅍ 314B	ㅍ 315B	ㅍ 316B	ㅍ 317B	ㅍ 318B
C	ㅍ 313C	ㅍ 314C	ㅍ 315C	ㅍ 316C	ㅍ 317C	ㅍ 318C
D	ㅍ 313D	ㅍ 314D	ㅍ 315D	ㅍ 316D	ㅍ 317D	• 318D
E	ㅍ 313E	ㅎ 314E	ㅍ 315E	ㅍ 316E	ㅍ 317E	ㅍ 318E
F	ㅍ 313F	ㅍ 314F	ㅍ 315F	ㅍ 316F	ㅍ 317F	

G = 00
P = 00

Table 100 - Row 31: Hangul Compatibility Jamo

HEX	NAME	HEX	NAME
3130	(This position shall not be used)	318D	HANGUL LETTER ARAEA
3131	HANGUL LETTER KIYEOK	318E	HANGUL LETTER ARAEAE
3132	HANGUL LETTER SSANGKIYEOK	318F	(This position shall not be used)
3133	HANGUL LETTER KIYEOK-SIOS		
3134	HANGUL LETTER NIEUN		
3135	HANGUL LETTER NIEUN-CIEUC		
3136	HANGUL LETTER NIEUN-HIEUH		
3137	HANGUL LETTER TIKEUT		
3138	HANGUL LETTER SSANGTKEUT		
3139	HANGUL LETTER RIEUL		
313A	HANGUL LETTER RIEUL-KIYEOK		
313B	HANGUL LETTER RIEUL-MIEUM		
313C	HANGUL LETTER RIEUL-PIEUP		
313D	HANGUL LETTER RIEUL-SIOS		
313E	HANGUL LETTER RIEUL-THIEUTH		
313F	HANGUL LETTER RIEUL-PHIEUPH		
3140	HANGUL LETTER RIEUL-HIEUH		
3141	HANGUL LETTER MIEUM		
3142	HANGUL LETTER PIEUP		
3143	HANGUL LETTER SSANGPIEUP		
3144	HANGUL LETTER PIEUP-SIOS		
3145	HANGUL LETTER SIOS		
3146	HANGUL LETTER SSANGSIOS		
3147	HANGUL LETTER IEUNG		
3148	HANGUL LETTER CIEUC		
3149	HANGUL LETTER SSANGCIEUC		
314A	HANGUL LETTER CHIEUCH		
314B	HANGUL LETTER KHIEUKH		
314C	HANGUL LETTER THIEUTH		
314D	HANGUL LETTER PHIEUPH		
314E	HANGUL LETTER HIEUH		
314F	HANGUL LETTER A		
3150	HANGUL LETTER AE		
3151	HANGUL LETTER YA		
3152	HANGUL LETTER YAE		
3153	HANGUL LETTER EO		
3154	HANGUL LETTER E		
3155	HANGUL LETTER YEO		
3156	HANGUL LETTER YE		
3157	HANGUL LETTER O		
3158	HANGUL LETTER WA		
3159	HANGUL LETTER WAE		
315A	HANGUL LETTER OE		
315B	HANGUL LETTER YO		
315C	HANGUL LETTER U		
315D	HANGUL LETTER WEO		
315E	HANGUL LETTER WE		
315F	HANGUL LETTER WI		
3160	HANGUL LETTER YU		
3161	HANGUL LETTER EU		
3162	HANGUL LETTER YI		
3163	HANGUL LETTER I		
3164	HANGUL FILLER		
3165	HANGUL LETTER SSANGNIEUN		
3166	HANGUL LETTER NIEUN-TIKEUT		
3167	HANGUL LETTER NIEUN-SIOS		
3168	HANGUL LETTER NIEUN-PANSIOS		
3169	HANGUL LETTER RIEUL-KIYEOK-SIOS		
316A	HANGUL LETTER RIEUL-TIKEUT		
316B	HANGUL LETTER RIEUL-PIEUP-SIOS		
316C	HANGUL LETTER RIEUL-PANSIOS		
316D	HANGUL LETTER RIEUL-YEORINHIEUH		
316E	HANGUL LETTER MIEUM-PIEUP		
316F	HANGUL LETTER MIEUM-SIOS		
3170	HANGUL LETTER MIEUM-PANSIOS		
3171	HANGUL LETTER KAPYEOUNMIEUM		
3172	HANGUL LETTER PIEUP-KIYEOK		
3173	HANGUL LETTER PIEUP-TIKEUT		
3174	HANGUL LETTER PIEUP-SIOS-KIYEOK		
3175	HANGUL LETTER PIEUP-SIOS-TIKEUT		
3176	HANGUL LETTER PIEUP-CIEUC		
3177	HANGUL LETTER PIEUP-THIEUTH		
3178	HANGUL LETTER KAPYEOUNPIEUP		
3179	HANGUL LETTER KAPYEOUNSSANGPIEUP		
317A	HANGUL LETTER SIOS-KIYEOK		
317B	HANGUL LETTER SIOS-NIEUN		
317C	HANGUL LETTER SIOS-TIKEUT		
317D	HANGUL LETTER SIOS-PIEUP		
317E	HANGUL LETTER SIOS-CIEUC		
317F	HANGUL LETTER PANSIOS		
3180	HANGUL LETTER SSANGIEUNG		
3181	HANGUL LETTER YESIEUNG		
3182	HANGUL LETTER YESIEUNG-SIOS		
3183	HANGUL LETTER YESIEUNG-PANSIOS		
3184	HANGUL LETTER KAPYEOUNPHIEUPH		
3185	HANGUL LETTER SSANGHIEUH		
3186	HANGUL LETTER YEORINHIEUH		
3187	HANGUL LETTER YO-YA		
3188	HANGUL LETTER YO-YAE		
3189	HANGUL LETTER YO-I		
318A	HANGUL LETTER YU-YEO		
318B	HANGUL LETTER YU-YE		
318C	HANGUL LETTER YU-I		

Group 00

Plane 00

Row 31

Table 101 - Row 31: Kanbun

	319
0	 3190
1	∨ 3191
2	一 3192
3	二 3193
4	三 3194
5	四 3195
6	上 3196
7	中 3197
8	下 3198
9	甲 3199
A	乙 319A
B	丙 319B
C	丁 319C
D	天 319D
E	地 319E
F	人 319F

G = 00
P = 00

Table 101 - Row 31: Kanbun

HEX	NAME	HEX	NAME
3190	IDEOGRAPHIC ANNOTATION LINKING MARK (Kanbun Tateten)		
3191	IDEOGRAPHIC ANNOTATION REVERSE MARK (Kaeriten)		
3192	IDEOGRAPHIC ANNOTATION ONE MARK (Kaeriten)		
3193	IDEOGRAPHIC ANNOTATION TWO MARK (Kaeriten)		
3194	IDEOGRAPHIC ANNOTATION THREE MARK (Kaeriten)		
3195	IDEOGRAPHIC ANNOTATION FOUR MARK (Kaeriten)		
3196	IDEOGRAPHIC ANNOTATION TOP MARK (Kaeriten)		
3197	IDEOGRAPHIC ANNOTATION MIDDLE MARK (Kaeriten)		
3198	IDEOGRAPHIC ANNOTATION BOTTOM MARK (Kaeriten)		
3199	IDEOGRAPHIC ANNOTATION FIRST MARK (Kaeriten)		
319A	IDEOGRAPHIC ANNOTATION SECOND MARK (Kaeriten)		
319B	IDEOGRAPHIC ANNOTATION THIRD MARK (Kaeriten)		
319C	IDEOGRAPHIC ANNOTATION FOURTH MARK (Kaeriten)		
319D	IDEOGRAPHIC ANNOTATION HEAVEN MARK (Kaeriten)		
319E	IDEOGRAPHIC ANNOTATION EARTH MARK (Kaeriten)		
319F	IDEOGRAPHIC ANNOTATION MAN MARK (Kaeriten)		

Group 00

Plane 00

Row 31

Table 102 - Row 31: Bopomofo Extended

	31A	31B
0	ㄅ 31A0	ㄆ 31B0
1	ㄇ 31A1	ㄏ 31B1
2	ㄏ 31A2	ㄨ 31B2
3	ㄨ 31A3	ㄩ 31B3
4	ㄩ 31A4	ㄚ 31B4
5	ㄚ 31A5	ㄛ 31B5
6	ㄛ 31A6	ㄜ 31B6
7	ㄜ 31A7	ㄝ 31B7
8	ㄝ 31A8	
9	ㄞ 31A9	
A	ㄟ 31AA	
B	ㄠ 31AB	
C	ㄡ 31AC	
D	ㄢ 31AD	
E	ㄣ 31AE	
F	ㄤ 31AF	

G = 00
P = 00

Table 102 - Row 31: Bopomofo Extended

HEX	NAME	HEX	NAME
31A0	BOPOMOFO LETTER BU		
31A1	BOPOMOFO LETTER ZI		
31A2	BOPOMOFO LETTER JI		
31A3	BOPOMOFO LETTER GU		
31A4	BOPOMOFO LETTER EE		
31A5	BOPOMOFO LETTER ENN		
31A6	BOPOMOFO LETTER OO		
31A7	BOPOMOFO LETTER ONN		
31A8	BOPOMOFO LETTER IR		
31A9	BOPOMOFO LETTER ANN		
31AA	BOPOMOFO LETTER INN		
31AB	BOPOMOFO LETTER UNN		
31AC	BOPOMOFO LETTER IM		
31AD	BOPOMOFO LETTER NGG		
31AE	BOPOMOFO LETTER AINN		
31AF	BOPOMOFO LETTER AUNN		
31B0	BOPOMOFO LETTER AM		
31B1	BOPOMOFO LETTER OM		
31B2	BOPOMOFO LETTER ONG		
31B3	BOPOMOFO LETTER INNN		
31B4	BOPOMOFO FINAL LETTER P		
31B5	BOPOMOFO FINAL LETTER T		
31B6	BOPOMOFO FINAL LETTER K		
31B7	BOPOMOFO FINAL LETTER H		
31B8	(This position shall not be used)		
31B9	(This position shall not be used)		
31BA	(This position shall not be used)		
31BB	(This position shall not be used)		
31BC	(This position shall not be used)		
31BD	(This position shall not be used)		
31BE	(This position shall not be used)		
31BF	(This position shall not be used)		

Group 00

Plane 00

Row 31

Table 103 - Row 31: Katakana Phonetic Extensions

31F	
0	ク 31F0
1	シ 31F1
2	ス 31F2
3	ト 31F3
4	ヌ 31F4
5	ハ 31F5
6	ヒ 31F6
7	フ 31F7
8	ヘ 31F8
9	ホ 31F9
A	ム 31FA
B	ラ 31FB
C	リ 31FC
D	ル 31FD
E	レ 31FE
F	ロ 31FF

G = 00
P = 00

Table 103 - Row 31: Katakana Phonetic Extensions

HEX	NAME	HEX	NAME
31F0	KATAKANA LETTER SMALL KU		
31F1	KATAKANA LETTER SMALL SI		
31F2	KATAKANA LETTER SMALL SU		
31F3	KATAKANA LETTER SMALL TO		
31F4	KATAKANA LETTER SMALL NU		
31F5	KATAKANA LETTER SMALL HA		
31F6	KATAKANA LETTER SMALL HI		
31F7	KATAKANA LETTER SMALL HU		
31F8	KATAKANA LETTER SMALL HE		
31F9	KATAKANA LETTER SMALL HO		
31FA	KATAKANA LETTER SMALL MU		
31FB	KATAKANA LETTER SMALL RA		
31FC	KATAKANA LETTER SMALL RI		
31FD	KATAKANA LETTER SMALL RU		
31FE	KATAKANA LETTER SMALL RE		
31FF	KATAKANA LETTER SMALL RO		

Group 00

Plane 00

Row 31

Table 104 - Row 32: Enclosed CJK Letters and Months

	320	321	322	323	324	325	326	327
0	(ㄱ) (다) (一) (日) (祭) PTE (ㄱ) (다) 3200 3210 3220 3230 3240 3250 3260 3270							
1	(ㄴ) (라) (二) (株) (休) ㉑ (ㄴ) (라) 3201 3211 3221 3231 3241 3251 3261 3271							
2	(ㄷ) (마) (三) (有) (自) ㉒ (ㄷ) (마) 3202 3212 3222 3232 3242 3252 3262 3272							
3	(ㄹ) (바) (四) (社) (至) ㉓ (ㄹ) (바) 3203 3213 3223 3233 3243 3253 3263 3273							
4	(ㅁ) (사) (五) (名) () ㉔ (ㅁ) (사) 3204 3214 3224 3234 3244 3254 3264 3274							
5	(ㅂ) (아) (六) (特) () ㉕ (ㅂ) (아) 3205 3215 3225 3235 3245 3255 3265 3275							
6	(ㅅ) (자) (七) (財) () ㉖ (ㅅ) (자) 3206 3216 3226 3236 3246 3256 3266 3276							
7	(ㅇ) (차) (八) (祝) () ㉗ (ㅇ) (차) 3207 3217 3227 3237 3247 3257 3267 3277							
8	(ㅈ) (카) (九) (勞) () ㉘ (ㅈ) (카) 3208 3218 3228 3238 3248 3258 3268 3278							
9	(ㅊ) (타) (十) (代) () ㉙ (ㅊ) (타) 3209 3219 3229 3239 3249 3259 3269 3279							
A	(ㅋ) (파) (月) (呼) () ㉚ (ㅋ) (파) 320A 321A 322A 323A 324A 325A 326A 327A							
B	(ㅌ) (하) (火) (学) () ㉛ (ㅌ) (하) 320B 321B 322B 323B 324B 325B 326B 327B							
C	(ㅍ) (주) (水) (監) () ㉜ (ㅍ) (주) 320C 321C 322C 323C 324C 325C 326C 327C							
D	(ㅎ) (오전) (木) (企) () ㉝ (ㅎ) (주) 320D 321D 322D 323D 324D 325D 326D 327D							
E	(가) (오후) (金) (資) () ㉞ (가) () 320E 321E 322E 323E 324E 325E 326E 327E							
F	(나) () (土) (協) () ㉟ (나) () 320F 321F 322F 323F 324F 325F 326F 327F							

G = 00
P = 00

Table 104 - Row 32: Enclosed CJK Letters and Months

HEX	NAME	HEX	NAME
3200	PARENTHESIZED HANGUL KIYEOK	325D	CIRCLED NUMBER THIRTY THREE
3201	PARENTHESIZED HANGUL NIEUN	325E	CIRCLED NUMBER THIRTY FOUR
3202	PARENTHESIZED HANGUL TKEUT	325F	CIRCLED NUMBER THIRTY FIVE
3203	PARENTHESIZED HANGUL RIEUL	3260	CIRCLED HANGUL KIYEOK
3204	PARENTHESIZED HANGUL MIEUM	3261	CIRCLED HANGUL NIEUN
3205	PARENTHESIZED HANGUL PIEUP	3262	CIRCLED HANGUL TKEUT
3206	PARENTHESIZED HANGUL SIOS	3263	CIRCLED HANGUL RIEUL
3207	PARENTHESIZED HANGUL IEUNG	3264	CIRCLED HANGUL MIEUM
3208	PARENTHESIZED HANGUL CIEUC	3265	CIRCLED HANGUL PIEUP
3209	PARENTHESIZED HANGUL CHIEUCH	3266	CIRCLED HANGUL SIOS
320A	PARENTHESIZED HANGUL KHIEUKH	3267	CIRCLED HANGUL IEUNG
320B	PARENTHESIZED HANGUL THIEUTH	3268	CIRCLED HANGUL CIEUC
320C	PARENTHESIZED HANGUL PHIEUPH	3269	CIRCLED HANGUL CHIEUCH
320D	PARENTHESIZED HANGUL HIEUH	326A	CIRCLED HANGUL KHIEUKH
320E	PARENTHESIZED HANGUL KIYEOK A	326B	CIRCLED HANGUL THIEUTH
320F	PARENTHESIZED HANGUL NIEUN A	326C	CIRCLED HANGUL PHIEUPH
3210	PARENTHESIZED HANGUL TKEUT A	326D	CIRCLED HANGUL HIEUH
3211	PARENTHESIZED HANGUL RIEUL A	326E	CIRCLED HANGUL KIYEOK A
3212	PARENTHESIZED HANGUL MIEUM A	326F	CIRCLED HANGUL NIEUN A
3213	PARENTHESIZED HANGUL PIEUP A	3270	CIRCLED HANGUL TKEUT A
3214	PARENTHESIZED HANGUL SIOS A	3271	CIRCLED HANGUL RIEUL A
3215	PARENTHESIZED HANGUL IEUNG A	3272	CIRCLED HANGUL MIEUM A
3216	PARENTHESIZED HANGUL CIEUC A	3273	CIRCLED HANGUL PIEUP A
3217	PARENTHESIZED HANGUL CHIEUCH A	3274	CIRCLED HANGUL SIOS A
3218	PARENTHESIZED HANGUL KHIEUKH A	3275	CIRCLED HANGUL IEUNG A
3219	PARENTHESIZED HANGUL THIEUTH A	3276	CIRCLED HANGUL CIEUC A
321A	PARENTHESIZED HANGUL PHIEUPH A	3277	CIRCLED HANGUL CHIEUCH A
321B	PARENTHESIZED HANGUL HIEUH A	3278	CIRCLED HANGUL KHIEUKH A
321C	PARENTHESIZED HANGUL CIEUC U	3279	CIRCLED HANGUL THIEUTH A
321D	PARENTHESIZED KOREAN CHARACTER OJEON	327A	CIRCLED HANGUL PHIEUPH A
321E	PARENTHESIZED KOREAN CHARACTER O HU	327B	CIRCLED HANGUL HIEUH A
321F	(This position shall not be used)	327C	CIRCLED KOREAN CHARACTER CHAMKO
3220	PARENTHESIZED IDEOGRAPH ONE	327D	CIRCLED KOREAN CHARACTER JUEUI
3221	PARENTHESIZED IDEOGRAPH TWO	327E	(This position shall not be used)
3222	PARENTHESIZED IDEOGRAPH THREE	327F	KOREAN STANDARD SYMBOL
3223	PARENTHESIZED IDEOGRAPH FOUR		
3224	PARENTHESIZED IDEOGRAPH FIVE		
3225	PARENTHESIZED IDEOGRAPH SIX		
3226	PARENTHESIZED IDEOGRAPH SEVEN		
3227	PARENTHESIZED IDEOGRAPH EIGHT		
3228	PARENTHESIZED IDEOGRAPH NINE		
3229	PARENTHESIZED IDEOGRAPH TEN		
322A	PARENTHESIZED IDEOGRAPH MOON		
322B	PARENTHESIZED IDEOGRAPH FIRE		
322C	PARENTHESIZED IDEOGRAPH WATER		
322D	PARENTHESIZED IDEOGRAPH WOOD		
322E	PARENTHESIZED IDEOGRAPH METAL		
322F	PARENTHESIZED IDEOGRAPH EARTH		
3230	PARENTHESIZED IDEOGRAPH SUN		
3231	PARENTHESIZED IDEOGRAPH STOCK		
3232	PARENTHESIZED IDEOGRAPH HAVE		
3233	PARENTHESIZED IDEOGRAPH SOCIETY		
3234	PARENTHESIZED IDEOGRAPH NAME		
3235	PARENTHESIZED IDEOGRAPH SPECIAL		
3236	PARENTHESIZED IDEOGRAPH FINANCIAL		
3237	PARENTHESIZED IDEOGRAPH CONGRATULATION		
3238	PARENTHESIZED IDEOGRAPH LABOR		
3239	PARENTHESIZED IDEOGRAPH REPRESENT		
323A	PARENTHESIZED IDEOGRAPH CALL		
323B	PARENTHESIZED IDEOGRAPH STUDY		
323C	PARENTHESIZED IDEOGRAPH SUPERVISE		
323D	PARENTHESIZED IDEOGRAPH ENTERPRISE		
323E	PARENTHESIZED IDEOGRAPH RESOURCE		
323F	PARENTHESIZED IDEOGRAPH ALLIANCE		
3240	PARENTHESIZED IDEOGRAPH FESTIVAL		
3241	PARENTHESIZED IDEOGRAPH REST		
3242	PARENTHESIZED IDEOGRAPH SELF		
3243	PARENTHESIZED IDEOGRAPH REACH		
3244	(This position shall not be used)		
3245	(This position shall not be used)		
3246	(This position shall not be used)		
3247	(This position shall not be used)		
3248	(This position shall not be used)		
3249	(This position shall not be used)		
324A	(This position shall not be used)		
324B	(This position shall not be used)		
324C	(This position shall not be used)		
324D	(This position shall not be used)		
324E	(This position shall not be used)		
324F	(This position shall not be used)		
3250	PARTNERSHIP SIGN		
3251	CIRCLED NUMBER TWENTY ONE		
3252	CIRCLED NUMBER TWENTY TWO		
3253	CIRCLED NUMBER TWENTY THREE		
3254	CIRCLED NUMBER TWENTY FOUR		
3255	CIRCLED NUMBER TWENTY FIVE		
3256	CIRCLED NUMBER TWENTY SIX		
3257	CIRCLED NUMBER TWENTY SEVEN		
3258	CIRCLED NUMBER TWENTY EIGHT		
3259	CIRCLED NUMBER TWENTY NINE		
325A	CIRCLED NUMBER THIRTY		
325B	CIRCLED NUMBER THIRTY ONE		
325C	CIRCLED NUMBER THIRTY TWO		

Group 00

Plane 00

Row 32

Table 105 - Row 32: Enclosed CJK Letters and Months

	328	329	32A	32B	32C	32D	32E	32F
0	一 3280	日 3290	項 32A0	夜 32B0	1月 32C0	ア 32D0	チ 32E0	ム 32F0
1	二 3281	株 3291	休 32A1	36 32B1	2月 32C1	イ 32D1	ツ 32E1	メ 32F1
2	三 3282	有 3292	写 32A2	37 32B2	3月 32C2	ウ 32D2	テ 32E2	モ 32F2
3	四 3283	社 3293	正 32A3	38 32B3	4月 32C3	エ 32D3	ト 32E3	ヤ 32F3
4	五 3284	名 3294	上 32A4	39 32B4	5月 32C4	オ 32D4	ナ 32E4	ユ 32F4
5	六 3285	特 3295	中 32A5	40 32B5	6月 32C5	カ 32D5	ニ 32E5	ヨ 32F5
6	七 3286	財 3296	下 32A6	41 32B6	7月 32C6	キ 32D6	ヌ 32E6	ラ 32F6
7	八 3287	祝 3297	左 32A7	42 32B7	8月 32C7	ク 32D7	ネ 32E7	リ 32F7
8	九 3288	労 3298	右 32A8	43 32B8	9月 32C8	ケ 32D8	ノ 32E8	ル 32F8
9	十 3289	秘 3299	医 32A9	44 32B9	10月 32C9	コ 32D9	ハ 32E9	レ 32F9
A	月 328A	男 329A	宗 32AA	45 32BA	11月 32CA	サ 32DA	ヒ 32EA	ロ 32FA
B	火 328B	女 329B	学 32AB	46 32BB	12月 32CB	シ 32DB	フ 32EB	ワ 32FB
C	水 328C	適 329C	監 32AC	47 32BC	Hg 32CC	ス 32DC	ヘ 32EC	キ 32FC
D	木 328D	優 329D	企 32AD	48 32BD	erg 32CD	セ 32DD	ホ 32ED	エ 32FD
E	金 328E	印 329E	資 32AE	49 32BE	eV 32CE	ソ 32DE	マ 32EE	ヲ 32FE
F	土 328F	注 329F	協 32AF	50 32BF	LTD 32CF	夕 32DF	ミ 32EF	

G = 00
P = 00

Table 105 - Row 32: Enclosed CJK Letters and Months

HEX	NAME	HEX	NAME
3280	CIRCLED IDEOGRAPH ONE	32DD	CIRCLED KATAKANA SE
3281	CIRCLED IDEOGRAPH TWO	32DE	CIRCLED KATAKANA SO
3282	CIRCLED IDEOGRAPH THREE	32DF	CIRCLED KATAKANA TA
3283	CIRCLED IDEOGRAPH FOUR	32E0	CIRCLED KATAKANA TI
3284	CIRCLED IDEOGRAPH FIVE	32E1	CIRCLED KATAKANA TU
3285	CIRCLED IDEOGRAPH SIX	32E2	CIRCLED KATAKANA TE
3286	CIRCLED IDEOGRAPH SEVEN	32E3	CIRCLED KATAKANA TO
3287	CIRCLED IDEOGRAPH EIGHT	32E4	CIRCLED KATAKANA NA
3288	CIRCLED IDEOGRAPH NINE	32E5	CIRCLED KATAKANA NI
3289	CIRCLED IDEOGRAPH TEN	32E6	CIRCLED KATAKANA NU
328A	CIRCLED IDEOGRAPH MOON	32E7	CIRCLED KATAKANA NE
328B	CIRCLED IDEOGRAPH FIRE	32E8	CIRCLED KATAKANA NO
328C	CIRCLED IDEOGRAPH WATER	32E9	CIRCLED KATAKANA HA
328D	CIRCLED IDEOGRAPH WOOD	32EA	CIRCLED KATAKANA HI
328E	CIRCLED IDEOGRAPH METAL	32EB	CIRCLED KATAKANA HU
328F	CIRCLED IDEOGRAPH EARTH	32EC	CIRCLED KATAKANA HE
3290	CIRCLED IDEOGRAPH SUN	32ED	CIRCLED KATAKANA HO
3291	CIRCLED IDEOGRAPH STOCK	32EE	CIRCLED KATAKANA MA
3292	CIRCLED IDEOGRAPH HAVE	32EF	CIRCLED KATAKANA MI
3293	CIRCLED IDEOGRAPH SOCIETY	32F0	CIRCLED KATAKANA MU
3294	CIRCLED IDEOGRAPH NAME	32F1	CIRCLED KATAKANA ME
3295	CIRCLED IDEOGRAPH SPECIAL	32F2	CIRCLED KATAKANA MO
3296	CIRCLED IDEOGRAPH FINANCIAL	32F3	CIRCLED KATAKANA YA
3297	CIRCLED IDEOGRAPH CONGRATULATION	32F4	CIRCLED KATAKANA YU
3298	CIRCLED IDEOGRAPH LABOR	32F5	CIRCLED KATAKANA YO
3299	CIRCLED IDEOGRAPH SECRET	32F6	CIRCLED KATAKANA RA
329A	CIRCLED IDEOGRAPH MALE	32F7	CIRCLED KATAKANA RI
329B	CIRCLED IDEOGRAPH FEMALE	32F8	CIRCLED KATAKANA RU
329C	CIRCLED IDEOGRAPH SUITABLE	32F9	CIRCLED KATAKANA RE
329D	CIRCLED IDEOGRAPH EXCELLENT	32FA	CIRCLED KATAKANA RO
329E	CIRCLED IDEOGRAPH PRINT	32FB	CIRCLED KATAKANA WA
329F	CIRCLED IDEOGRAPH ATTENTION	32FC	CIRCLED KATAKANA WI
32A0	CIRCLED IDEOGRAPH ITEM	32FD	CIRCLED KATAKANA WE
32A1	CIRCLED IDEOGRAPH REST	32FE	CIRCLED KATAKANA WO
32A2	CIRCLED IDEOGRAPH COPY	32FF	(This position shall not be used)
32A3	CIRCLED IDEOGRAPH CORRECT		
32A4	CIRCLED IDEOGRAPH HIGH		
32A5	CIRCLED IDEOGRAPH CENTRE		
32A6	CIRCLED IDEOGRAPH LOW		
32A7	CIRCLED IDEOGRAPH LEFT		
32A8	CIRCLED IDEOGRAPH RIGHT		
32A9	CIRCLED IDEOGRAPH MEDICINE		
32AA	CIRCLED IDEOGRAPH RELIGION		
32AB	CIRCLED IDEOGRAPH STUDY		
32AC	CIRCLED IDEOGRAPH SUPERVISE		
32AD	CIRCLED IDEOGRAPH ENTERPRISE		
32AE	CIRCLED IDEOGRAPH RESOURCE		
32AF	CIRCLED IDEOGRAPH ALLIANCE		
32B0	CIRCLED IDEOGRAPH NIGHT		
32B1	CIRCLED NUMBER THIRTY SIX		
32B2	CIRCLED NUMBER THIRTY SEVEN		
32B3	CIRCLED NUMBER THIRTY EIGHT		
32B4	CIRCLED NUMBER THIRTY NINE		
32B5	CIRCLED NUMBER FORTY		
32B6	CIRCLED NUMBER FORTY ONE		
32B7	CIRCLED NUMBER FORTY TWO		
32B8	CIRCLED NUMBER FORTY THREE		
32B9	CIRCLED NUMBER FORTY FOUR		
32BA	CIRCLED NUMBER FORTY FIVE		
32BB	CIRCLED NUMBER FORTY SIX		
32BC	CIRCLED NUMBER FORTY SEVEN		
32BD	CIRCLED NUMBER FORTY EIGHT		
32BE	CIRCLED NUMBER FORTY NINE		
32BF	CIRCLED NUMBER FIFTY		
32C0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JANUARY		
32C1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR FEBRUARY		
32C2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR MARCH		
32C3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR APRIL		
32C4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR MAY		
32C5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JUNE		
32C6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JULY		
32C7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR AUGUST		
32C8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR SEPTEMBER		
32C9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR OCTOBER		
32CA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR NOVEMBER		
32CB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DECEMBER		
32CC	SQUARE HG		
32CD	SQUARE ERG		
32CE	SQUARE EV		
32CF	LIMITED LIABILITY SIGN		
32D0	CIRCLED KATAKANA A		
32D1	CIRCLED KATAKANA I		
32D2	CIRCLED KATAKANA U		
32D3	CIRCLED KATAKANA E		
32D4	CIRCLED KATAKANA O		
32D5	CIRCLED KATAKANA KA		
32D6	CIRCLED KATAKANA KI		
32D7	CIRCLED KATAKANA KU		
32D8	CIRCLED KATAKANA KE		
32D9	CIRCLED KATAKANA KO		
32DA	CIRCLED KATAKANA SA		
32DB	CIRCLED KATAKANA SI		
32DC	CIRCLED KATAKANA SU		

Group 00

Plane 00

Row 32

Table 106 - Row 33: CJK Compatibility

	330	331	332	333	334	335	336	337
0	アパート 3300	ギガ 3310	サン チーム 3320	ピ コ 3330	ポン ド 3340	ユア ン 3350	8点 3360	24点 3370
1	アル ファ 3301	ギニ ー 3311	シリ ング 3321	ビル ル 3331	ホー ル 3341	リッ トル 3351	9点 3361	hPa 3371
2	アン ペア 3302	キュ リー 3312	セン チ 3322	ファ ラッド 3332	ホー ン 3342	リ ラ 3352	10点 3362	da 3372
3	アー ル 3303	ギル ダー 3313	セン ト 3323	フィ ート 3333	マイ クロ 3343	ルピ ー 3353	11点 3363	AU 3373
4	イニ ング 3304	キ ロ 3314	ダー ス 3324	ブッ シユル 3334	マイ ル 3344	ルー ブル 3354	12点 3364	bar 3374
5	イン チ 3305	キロ グラム 3315	デ シ 3325	フラ ン 3335	マッ ハ 3345	レ ム 3355	13点 3365	oV 3375
6	ウオ ン 3306	キロメ ートル 3316	ドル 3326	ヘク タール 3336	マル ク 3346	レン トゲン 3356	14点 3366	pc 3376
7	エス クード 3307	キロ ワット 3317	トン 3327	ペ ソ 3337	マン シヨ ン 3347	ワッ ト 3357	15点 3367	dm 3377
8	エー カー 3308	グラ ム 3318	ナ ノ 3328	ペニ ヒ 3338	ミク ロン 3348	0点 3358	16点 3368	dm ² 3378
9	オン ス 3309	グラ ムトン 3319	ノッ ト 3329	ヘル ツ 3339	ミ リ 3349	1点 3359	17点 3369	dm ³ 3379
A	オー ム 330A	クル ゼイロ 331A	ハイ ツ 332A	ペン ス 333A	ミリ バール 334A	2点 335A	18点 336A	IU 337A
B	カイ リ 330B	クロ ーネ 331B	パー セント 332B	ペー ジ 333B	メ ガ 334B	3点 335B	19点 336B	平成 337B
C	カラ ット 330C	ケー ス 331C	パー ツ 332C	ベー タ 333C	メガ トン 334C	4点 335C	20点 336C	昭和 337C
D	カロ リー 330D	コ ルナ 331D	バー レル 332D	ポイ ント 333D	メー トル 334D	5点 335D	21点 336D	大正 337D
E	ガ ロン 330E	コー ポ 331E	ピア ストル 332E	ボル ト 333E	ヤー ド 334E	6点 335E	22点 336E	明治 337E
F	ガン マ 330F	サイ クル 331F	ピク ル 332F	ホン 333F	ヤー ル 334F	7点 335F	23点 336F	株式 会社 337F

G = 00
P = 00

Table 106 - Row 33: CJK Compatibility

HEX	NAME	HEX	NAME
3300	SQUARE APAATO	335D	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FIVE
3301	SQUARE ARUHUA	335E	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SIX
3302	SQUARE ANPEA	335F	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SEVEN
3303	SQUARE AARU	3360	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR EIGHT
3304	SQUARE ININGU	3361	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR NINE
3305	SQUARE INTI	3362	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TEN
3306	SQUARE UON	3363	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ELEVEN
3307	SQUARE ESUKUUDO	3364	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWELVE
3308	SQUARE EEKAA	3365	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR THIRTEEN
3309	SQUARE ONSU	3366	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FOURTEEN
330A	SQUARE OOMU	3367	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FIFTEEN
330B	SQUARE KAIRI	3368	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SIXTEEN
330C	SQUARE KARATTO	3369	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SEVENTEEN
330D	SQUARE KARORII	336A	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR EIGHTEEN
330E	SQUARE GARON	336B	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR NINETEEN
330F	SQUARE GANMA	336C	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY
3310	SQUARE GIGA	336D	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-ONE
3311	SQUARE GINII	336E	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-TWO
3312	SQUARE KYURII	336F	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-THREE
3313	SQUARE GIRUDAA	3370	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-FOUR
3314	SQUARE KIRO	3371	SQUARE HPA
3315	SQUARE KIROGURAMU	3372	SQUARE DA
3316	SQUARE KIROMEETORU	3373	SQUARE AU
3317	SQUARE KIROWATTO	3374	SQUARE BAR
3318	SQUARE GURAMU	3375	SQUARE OV
3319	SQUARE GURAMUTON	3376	SQUARE PC
331A	SQUARE KURUZEIRO	3377	SQUARE DM
331B	SQUARE KUROONE	3378	SQUARE DM SQUARED
331C	SQUARE KEESU	3379	SQUARE DM CUBED
331D	SQUARE KORUNA	337A	SQUARE IU
331E	SQUARE KOOPO	337B	SQUARE ERA NAME HEISEI
331F	SQUARE SAIKURU	337C	SQUARE ERA NAME SYOUWA
3320	SQUARE SANTIMU	337D	SQUARE ERA NAME TAISYOU
3321	SQUARE SIRINGU	337E	SQUARE ERA NAME MEIZI
3322	SQUARE SENTI	337F	SQUARE CORPORATION
3323	SQUARE SENTO		
3324	SQUARE DAASU		
3325	SQUARE DESI		
3326	SQUARE DORU		
3327	SQUARE TON		
3328	SQUARE NANO		
3329	SQUARE NOTTO		
332A	SQUARE HAITU		
332B	SQUARE PAASENTO		
332C	SQUARE PAATU		
332D	SQUARE BAARERU		
332E	SQUARE PIASUTORU		
332F	SQUARE PIKURU		
3330	SQUARE PIKO		
3331	SQUARE BIRU		
3332	SQUARE HUARADDO		
3333	SQUARE HUITO		
3334	SQUARE BUSSYERU		
3335	SQUARE HURAN		
3336	SQUARE HEKUTAARU		
3337	SQUARE PESO		
3338	SQUARE PENIHI		
3339	SQUARE HERUTU		
333A	SQUARE PENSU		
333B	SQUARE PEEZI		
333C	SQUARE BEETA		
333D	SQUARE POINTO		
333E	SQUARE BORUTO		
333F	SQUARE HON		
3340	SQUARE PONDO		
3341	SQUARE HOORU		
3342	SQUARE HOON		
3343	SQUARE MAIKURO		
3344	SQUARE MAIRU		
3345	SQUARE MAHHA		
3346	SQUARE MARUKU		
3347	SQUARE MANSYON		
3348	SQUARE MIKURON		
3349	SQUARE MIRI		
334A	SQUARE MIRIBAARU		
334B	SQUARE MEGA		
334C	SQUARE MEGATON		
334D	SQUARE MEETORU		
334E	SQUARE YAADO		
334F	SQUARE YAARU		
3350	SQUARE YUAN		
3351	SQUARE RITTORU		
3352	SQUARE RIRA		
3353	SQUARE RUPII		
3354	SQUARE RUUBURU		
3355	SQUARE REMU		
3356	SQUARE RENTOGEN		
3357	SQUARE WATTO		
3358	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ZERO		
3359	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ONE		
335A	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWO		
335B	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR THREE		
335C	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FOUR		

Group 00

Plane 00

Row 33

Table 107 - Row 33: CJK Compatibility

	338	339	33A	33B	33C	33D	33E	33F
0	pA 3380	Hz 3390	cm ² 33A0	ps 33B0	kΩ 33C0	lm 33D0	1日 33E0	17日 33F0
1	nA 3381	kHz 3391	m ² 33A1	ns 33B1	MΩ 33C1	ln 33D1	2日 33E1	18日 33F1
2	μA 3382	MHz 3392	km ² 33A2	μs 33B2	a.m. 33C2	log 33D2	3日 33E2	19日 33F2
3	mA 3383	GHz 3393	mm ³ 33A3	ms 33B3	Bq 33C3	lx 33D3	4日 33E3	20日 33F3
4	kA 3384	THz 3394	cm ³ 33A4	pV 33B4	cc 33C4	mb 33D4	5日 33E4	21日 33F4
5	KB 3385	μl 3395	m ³ 33A5	nV 33B5	cd 33C5	mil 33D5	6日 33E5	22日 33F5
6	MB 3386	Me 3396	km ³ 33A6	μV 33B6	C/kg 33C6	mol 33D6	7日 33E6	23日 33F6
7	GB 3387	dl 3397	m/s 33A7	mV 33B7	Co. 33C7	pH 33D7	8日 33E7	24日 33F7
8	cal 3388	kl 3398	m/s ² 33A8	kV 33B8	dB 33C8	p.m. 33D8	9日 33E8	25日 33F8
9	kcal 3389	fm 3399	Pa 33A9	MV 33B9	Gy 33C9	PPM 33D9	10日 33E9	26日 33F9
A	pF 338A	nm 339A	kPa 33AA	pW 33BA	ha 33CA	PR 33DA	11日 33EA	27日 33FA
B	nF 338B	μm 339B	MPa 33AB	nW 33BB	HP 33CB	sr 33DB	12日 33EB	28日 33FB
C	μF 338C	mm 339C	GPA 33AC	μW 33BC	in 33CC	Sv 33DC	13日 33EC	29日 33FC
D	μg 338D	cm 339D	rad 33AD	mW 33BD	K.K. 33CD	Wb 33DD	14日 33ED	30日 33FD
E	mg 338E	km 339E	rad/s 33AE	kW 33BE	KM 33CE	V/m 33DE	15日 33EE	31日 33FE
F	kg 338F	mm ² 339F	rad/s ² 33AF	MW 33BF	kt 33CF	A/m 33DF	16日 33EF	gal 33FF

G = 00
P = 00

Table 107 - Row 33: CJK Compatibility

HEX	NAME	HEX	NAME
3380	SQUARE PA AMPS	33DD	SQUARE WB
3381	SQUARE NA	33DE	SQUARE V OVER M
3382	SQUARE MU A	33DF	SQUARE A OVER M
3383	SQUARE MA	33E0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ONE
3384	SQUARE KA	33E1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWO
3385	SQUARE KB	33E2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THREE
3386	SQUARE MB	33E3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOUR
3387	SQUARE GB	33E4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIVE
3388	SQUARE CAL	33E5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIX
3389	SQUARE KCAL	33E6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVEN
338A	SQUARE PF	33E7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHT
338B	SQUARE NF	33E8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINE
338C	SQUARE MU F	33E9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TEN
338D	SQUARE MU G	33EA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ELEVEN
338E	SQUARE MG	33EB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWELVE
338F	SQUARE KG	33EC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTEEN
3390	SQUARE HZ	33ED	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOURTEEN
3391	SQUARE KHZ	33EE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIFTEEN
3392	SQUARE MHZ	33EF	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIXTEEN
3393	SQUARE GHZ	33F0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVENTEEN
3394	SQUARE THZ	33F1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHTEEN
3395	SQUARE MU L	33F2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINETEEN
3396	SQUARE ML	33F3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY
3397	SQUARE DL	33F4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-ONE
3398	SQUARE KL	33F5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-TWO
3399	SQUARE FM	33F6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-THREE
339A	SQUARE NM	33F7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FOUR
339B	SQUARE MU M	33F8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FIVE
339C	SQUARE MM	33F9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SIX
339D	SQUARE CM	33FA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SEVEN
339E	SQUARE KM	33FB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-EIGHT
339F	SQUARE MM SQUARED	33FC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-NINE
33A0	SQUARE CM SQUARED	33FD	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY
33A1	SQUARE M SQUARED	33FE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY-ONE
33A2	SQUARE KM SQUARED	33FF	SQUARE GAL
33A3	SQUARE MM CUBED		
33A4	SQUARE CM CUBED		
33A5	SQUARE M CUBED		
33A6	SQUARE KM CUBED		
33A7	SQUARE M OVER S		
33A8	SQUARE M OVER S SQUARED		
33A9	SQUARE PA		
33AA	SQUARE KPA		
33AB	SQUARE MPA		
33AC	SQUARE GPA		
33AD	SQUARE RAD		
33AE	SQUARE RAD OVER S		
33AF	SQUARE RAD OVER S SQUARED		
33B0	SQUARE PS		
33B1	SQUARE NS		
33B2	SQUARE MU S		
33B3	SQUARE MS		
33B4	SQUARE PV		
33B5	SQUARE NV		
33B6	SQUARE MU V		
33B7	SQUARE MV		
33B8	SQUARE KV		
33B9	SQUARE MV MEGA		
33BA	SQUARE PW		
33BB	SQUARE NW		
33BC	SQUARE MU W		
33BD	SQUARE MW		
33BE	SQUARE KW		
33BF	SQUARE MW MEGA		
33C0	SQUARE K OHM		
33C1	SQUARE M OHM		
33C2	SQUARE AM		
33C3	SQUARE BQ		
33C4	SQUARE CC		
33C5	SQUARE CD		
33C6	SQUARE C OVER KG		
33C7	SQUARE CO		
33C8	SQUARE DB		
33C9	SQUARE GY		
33CA	SQUARE HA		
33CB	SQUARE HP		
33CC	SQUARE IN		
33CD	SQUARE KK		
33CE	SQUARE KM CAPITAL		
33CF	SQUARE KT		
33D0	SQUARE LM		
33D1	SQUARE LN		
33D2	SQUARE LOG		
33D3	SQUARE LX		
33D4	SQUARE MB SMALL		
33D5	SQUARE MIL		
33D6	SQUARE MOL		
33D7	SQUARE PH		
33D8	SQUARE PM		
33D9	SQUARE PPM		
33DA	SQUARE PR		
33DB	SQUARE SR		
33DC	SQUARE SV		

Group 00

Plane 00

Row 33