

Title: Additional repertoire for ISO/IEC 10646:2017 (5th ed.) Amendment 2.0

Date: 2017-06-05

L2/17-1xx WG2 N4825

Source: Michel Suignard, project editor

Status: Project Editor's summary of the character repertoire addition as of June 2017

Action: For review by WG2 and UTC experts

Distribution: WG2 and UTC

Replaces:

Status

This document presents a summary of all characters that constitute the tentative new repertoire for ISO/IEC 10646 5th edition Amd2, with code positions, representative glyphs and character names.

Manner of Presentation

The character names and code points shown are the same for Unicode and ISO/IEC 10646, including annotations.

Note to Reviewers

UTC reviewers, please use this document as a summary of UTC review of pending ballots and proposals.

WG2 Reviewers, please use this document as an aid during disposition of ballot comments.

Contents

This document lists 341 characters.

The following list shows all 8 blocks (existing or new) to which characters are proposed to be added, or which have been affected by other changes documented here.

1C90-1CBF Georgian Extended

See document: L2/16-081 WG2 N4712

1CD0-1CFF Vedic Extensions

See document: L2/16-117

A720-A7FF Latin Extended-D

See document L2/17-076R2 WG2 N4792R2

11B90-11BEF Nandinagari

See document L2/17-162

13430-1343F Egyptian Hieroglyphs Format Controls

See document L2/17-112

1E100-1E14F Nyiakeng Puachue Hmong

See document: L2/17-002R3 WG2 N4780R3

1F100-1F1FF Enclosed Alphanumeric Supplement

See document L2/17-066R

1FA00-1FA6F Chess Symbols

See document L2/17-034R3 WG2 N4784R

	1C9	1CA	1CB
0	ს 1C90	რ 1CA0	ჰ 1CB0
1	ბ 1C91	ლ 1CA1	ვ 1CB1
2	გ 1C92	ტ 1CA2	ძ 1CB2
3	დ 1C93	უ 1CA3	ზ 1CB3
4	ე 1C94	ფ 1CA4	ც 1CB4
5	ვ 1C95	ქ 1CA5	ძ 1CB5
6	ზ 1C96	ღ 1CA6	ყ 1CB6
7	თ 1C97	ყ 1CA7	შ 1CB7
8	ო 1C98	ზ 1CA8	ჩ 1CB8
9	კ 1C99	ხ 1CA9	ც 1CB9
A	ღ 1C9A	ც 1CAA	წ 1CBA
B	ძ 1C9B	ძ 1CAB	
C	წ 1C9C	წ 1CAC	
D	ჭ 1C9D	ჭ 1CAD	ს 1CBD
E	შ 1C9E	ბ 1CAE	თ 1CBE
F	ჩ 1C9F	ჯ 1CAF	ო 1CBF

Capital letters (Mtavruli)

This is the special uppercase of the modern secular alphabet. Modern Georgian orthography uses these letters to emphasize words and phrases analogously to Latin "all caps" style. See the Georgian block for lowercase Mkhedruli.

1C90	ს	GEORGIAN MTA VRULI CAPITAL LETTER AN X (georgian letter an - 10D0 ს)
1C91	ბ	GEORGIAN MTA VRULI CAPITAL LETTER BAN
1C92	გ	GEORGIAN MTA VRULI CAPITAL LETTER GAN
1C93	დ	GEORGIAN MTA VRULI CAPITAL LETTER DON
1C94	ე	GEORGIAN MTA VRULI CAPITAL LETTER EN
1C95	ვ	GEORGIAN MTA VRULI CAPITAL LETTER VIN
1C96	ზ	GEORGIAN MTA VRULI CAPITAL LETTER ZEN
1C97	თ	GEORGIAN MTA VRULI CAPITAL LETTER TAN
1C98	ო	GEORGIAN MTA VRULI CAPITAL LETTER IN
1C99	კ	GEORGIAN MTA VRULI CAPITAL LETTER KAN
1C9A	ღ	GEORGIAN MTA VRULI CAPITAL LETTER LAS
1C9B	ძ	GEORGIAN MTA VRULI CAPITAL LETTER MAN
1C9C	წ	GEORGIAN MTA VRULI CAPITAL LETTER NAR
1C9D	ჭ	GEORGIAN MTA VRULI CAPITAL LETTER ON
1C9E	შ	GEORGIAN MTA VRULI CAPITAL LETTER PAR
1C9F	ჩ	GEORGIAN MTA VRULI CAPITAL LETTER ZHAR
1CA0	რ	GEORGIAN MTA VRULI CAPITAL LETTER RAE
1CA1	ლ	GEORGIAN MTA VRULI CAPITAL LETTER SAN
1CA2	ტ	GEORGIAN MTA VRULI CAPITAL LETTER TAR
1CA3	უ	GEORGIAN MTA VRULI CAPITAL LETTER UN
1CA4	ფ	GEORGIAN MTA VRULI CAPITAL LETTER PHAR
1CA5	ქ	GEORGIAN MTA VRULI CAPITAL LETTER KHAR
1CA6	ღ	GEORGIAN MTA VRULI CAPITAL LETTER GHAN
1CA7	ყ	GEORGIAN MTA VRULI CAPITAL LETTER QAR
1CA8	შ	GEORGIAN MTA VRULI CAPITAL LETTER SHIN
1CA9	ჩ	GEORGIAN MTA VRULI CAPITAL LETTER CHIN
1CAA	ც	GEORGIAN MTA VRULI CAPITAL LETTER CAN
1CAB	ძ	GEORGIAN MTA VRULI CAPITAL LETTER JIL
1CAC	წ	GEORGIAN MTA VRULI CAPITAL LETTER CIL
1CAD	ჭ	GEORGIAN MTA VRULI CAPITAL LETTER CHAR
1CAE	ბ	GEORGIAN MTA VRULI CAPITAL LETTER XAN
1CAF	ჯ	GEORGIAN MTA VRULI CAPITAL LETTER JHAN
1CB0	ჰ	GEORGIAN MTA VRULI CAPITAL LETTER HAE
1CB1	ვ	GEORGIAN MTA VRULI CAPITAL LETTER HE
1CB2	ღ	GEORGIAN MTA VRULI CAPITAL LETTER HIE
1CB3	ზ	GEORGIAN MTA VRULI CAPITAL LETTER WE
1CB4	ს	GEORGIAN MTA VRULI CAPITAL LETTER HAR
1CB5	შ	GEORGIAN MTA VRULI CAPITAL LETTER HOE
1CB6	ფ	GEORGIAN MTA VRULI CAPITAL LETTER FI

Additional letters for Mingrelian and Svan

1CB7	ზ	GEORGIAN MTA VRULI CAPITAL LETTER YN
1CB8	ბ	GEORGIAN MTA VRULI CAPITAL LETTER ELIFI

Additional letters

1CB9	ღ	GEORGIAN MTA VRULI CAPITAL LETTER TURNED GAN
1CBA	წ	GEORGIAN MTA VRULI CAPITAL LETTER AIN

Additional letters for Ossetian and Abkhaz

1CBD	ს	GEORGIAN MTA VRULI CAPITAL LETTER AEN
1CBE	თ	GEORGIAN MTA VRULI CAPITAL LETTER HARD SIGN
1CBF	ო	GEORGIAN MTA VRULI CAPITAL LETTER LABIAL SIGN

	1CD	1CE	1CF
0	 1CD0	 1CE0	 1CF0
1	 1CD1	 1CE1	 1CF1
2	 1CD2	 1CE2	 1CF2
3	 1CD3	 1CE3	 1CF3
4	 1CD4	 1CE4	 1CF4
5	 1CD5	 1CE5	 1CF5
6	 1CD6	 1CE6	 1CF6
7	 1CD7	 1CE7	 1CF7
8	 1CD8	 1CE8	 1CF8
9	 1CD9	 1CE9	 1CF9
A	 1CDA	 1CEA	 1CFA
B	 1CDB	 1CEB	
C	 1CDC	 1CEC	
D	 1CDD	 1CED	
E	 1CDE	 1CEE	
F	 1CDF	 1CEF	

Tone marks for the Samaveda

- 1CD0  VEDIC TONE KARSHANA
= vaidika saamasvara karshanna
- 1CD1  VEDIC TONE SHARA
= vaidika svarita uurdhva shara
- 1CD2  VEDIC TONE PRENKHA
• indicates vibrato
= vaidika saamasvara prenkha

Breathing mark for the Samaveda

- 1CD3  VEDIC SIGN NIHSHVASA
= vaidika saamagaana yogakaala
• separates sections between which a pause is disallowed

Signs for Yajurvedic

- 1CD4  VEDIC SIGN YAJURVEDIC MIDLINE SVARITA
• used predominantly in the Maitrayani Samhita and in some manuscripts of the Vajasaneyi Madhyandina Samhita
- 1CD5  VEDIC TONE YAJURVEDIC AGGRAVATED INDEPENDENT SVARITA
= vaidika svarita adho nyubja
- 1CD6  VEDIC TONE YAJURVEDIC INDEPENDENT SVARITA
= vaidika svarita adhah konna
- 1CD7  VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA
= vaidika svarita adho vakra rekhaa
- 1CD8  VEDIC TONE CANDRA BELOW
= vaidika svarita adho'rdha vakra
- 1CD9  VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA SCHROEDER
= vaidika svarita adhah samyukta rekhaa
- 1CDA  VEDIC TONE DOUBLE SVARITA
= vaidika svarita uurdhva dvi rekhaa
→ 0951  devanagari stress sign udatta
- 1CDB  VEDIC TONE TRIPLE SVARITA
= vaidika svarita uurdhva tri rekhaa
- 1CDC  VEDIC TONE KATHAKA ANUDATTA
= vaidika svarita adho rekhaa
→ 0952  devanagari stress sign anudatta
- 1CDD  VEDIC TONE DOT BELOW
= vaidika svarita adho bindu

Tone marks for the Satapathabrahmana

- 1CDE  VEDIC TONE TWO DOTS BELOW
= vaidika svarita adho dvi bindu
- 1CDF  VEDIC TONE THREE DOTS BELOW
= vaidika svarita adhas tri bindu

Tone mark for the Rigveda

- 1CE0  VEDIC TONE RIGVEDIC KASHMIRI INDEPENDENT SVARITA
= vaidika uurdhva vakra rekhaa

Tone mark for the Atharvaveda

- 1CE1  VEDIC TONE ATHARVAVEDIC INDEPENDENT SVARITA
= vaidika svarita dvi vakra khaanda

Diacritics for visarga

- 1CE2  VEDIC SIGN VISARGA SVARITA
= vaidika madhyarekhaa
- 1CE3  VEDIC SIGN VISARGA UDATTA
= vaidika visarga dakshinnatah uurdhvaga
- 1CE4  VEDIC SIGN REVERSED VISARGA UDATTA
= vaidika visarga vaamatah uurdhvaga

- 1CE5  VEDIC SIGN VISARGA ANUDATTA
= vaidika visarga vaamatah adhoga
- 1CE6  VEDIC SIGN REVERSED VISARGA ANUDATTA
= vaidika visarga dakshinnatah adhoga
- 1CE7  VEDIC SIGN VISARGA UDATTA WITH TAIL
= vaidika visarga dakshinnatah uurdhva vakra
- 1CE8  VEDIC SIGN VISARGA ANUDATTA WITH TAIL
= vaidika visarga vaamatah adho vakra

Marks of nasalization

- 1CE9  VEDIC SIGN ANUSVARA ANTARGOMUKHA
= vaidika anusvaara antarmukha
- 1CEA  VEDIC SIGN ANUSVARA BAHIRGOMUKHA
= vaidika anusvaara naagaphanna
- 1CEB  VEDIC SIGN ANUSVARA VAMAGOMUKHA
= vaidika anusvaara vaamagomukha
- 1CEC  VEDIC SIGN ANUSVARA VAMAGOMUKHA WITH TAIL
= vaidika anusvaara vaamagomukha sa-vakra
- 1CED  VEDIC SIGN TIRYAK
= vaidika tiryak
- 1CEE  VEDIC SIGN HEXIFORM LONG ANUSVARA
= vaidika anusvaara anugaamii
- 1CEF  VEDIC SIGN LONG ANUSVARA
= vaidika anusvaara dakshinnamukha
- 1CF0  VEDIC SIGN RTHANG LONG ANUSVARA
= vaidika anusvaara ttha-sadrisha
- 1CF1  VEDIC SIGN ANUSVARA UBHAYATO MUKHA
= vaidika anusvaara ubhayato mukha

Ardhavisarga

Ardhavisarga denotes the sounds jihvamuliya and upadhmaniya (velar and bilabial voiceless fricatives) in Sanskrit. Its use is not limited to Vedic.

- 1CF2  VEDIC SIGN ARDHAVISARGA
= vaidika jihvaamuuliya upadhmaaniya
- 1CF3  VEDIC SIGN ROTATED ARDHAVISARGA

Sign for Yajurvedic

- 1CF4  VEDIC TONE CANDRA ABOVE

Signs

- 1CF5  VEDIC SIGN JIHVAMULIYA
• marks a velar fricative occurring only before unvoiced velar stops
→ 0CF1  kannada sign jihvamuliya
→ 0F88  tibetan sign lce tsa can
- 1CF6  VEDIC SIGN UPADHMANIYA
• marks a bilabial fricative occurring only before unvoiced labial stops
→ 0CF2  kannada sign upadhmaniya
→ 0F89  tibetan sign mchu can
- 1CF7  VEDIC SIGN ATIKRAMA
= vaidika saamagaana atikrama
• indicates skipping of a svara

Signs for Jaiminiya Sama Veda

- 1CF8  VEDIC TONE RING ABOVE
- 1CF9  VEDIC TONE DOUBLE RING ABOVE

Nasalization sign

- 1CFA  VEDIC SIGN DOUBLE ANUSVARA ANTARGOMUKHA
• used as a base for a combining nasal sign

	A72	A73	A74	A75	A76	A77	A78	A79	A7A	A7B	A7C	A7D	A7E	A7F
0	Ƒ A720	F A730	Ƒ A740	Ƒ A750	Ƒ A760	Ƒ A770	Ƒ A780	Ƒ A790	Ƒ A7A0	Ƒ A7B0				
1	Ƒ A721	s A731	Ƒ A741	Ƒ A751	Ƒ A761	Ƒ A771	Ƒ A781	Ƒ A791	Ƒ A7A1	Ƒ A7B1				
2	Ƒ A722	AA A732	Ƒ A742	Ƒ A752	Ƒ A762	Ƒ A772	Ƒ A782	Ƒ A792	Ƒ A7A2	Ƒ A7B2				
3	Ƒ A723	aa A733	Ƒ A743	Ƒ A753	Ƒ A763	Ƒ A773	Ƒ A783	Ƒ A793	Ƒ A7A3	Ƒ A7B3				
4	Ƒ A724	AO A734	Ƒ A744	Ƒ A754	Ƒ A764	Ƒ A774	Ƒ A784	Ƒ A794	Ƒ A7A4	Ƒ A7B4				
5	Ƒ A725	ao A735	Ƒ A745	Ƒ A755	Ƒ A765	Ƒ A775	Ƒ A785	Ƒ A795	Ƒ A7A5	Ƒ A7B5				
6	Ƒ A726	AU A736	Ƒ A746	Ƒ A756	Ƒ A766	Ƒ A776	Ƒ A786	Ƒ A796	Ƒ A7A6	Ƒ A7B6				
7	Ƒ A727	ai A737	Ƒ A747	Ƒ A757	Ƒ A767	Ƒ A777	Ƒ A787	Ƒ A797	Ƒ A7A7	Ƒ A7B7				Ƒ A7F7
8	Ƒ A728	AV A738	Ƒ A748	Ƒ A758	Ƒ A768	Ƒ A778	Ƒ A788	Ƒ A798	Ƒ A7A8	Ƒ A7B8				Ƒ A7F8
9	Ƒ A729	av A739	Ƒ A749	Ƒ A759	Ƒ A769	Ƒ A779	Ƒ A789	Ƒ A799	Ƒ A7A9	Ƒ A7B9				Ƒ A7F9
A	Ƒ A72A	AV A73A	Ƒ A74A	Ƒ A75A	Ƒ A76A	Ƒ A77A	Ƒ A78A	Ƒ A79A	Ƒ A7AA	Ƒ A7BA				Ƒ A7FA
B	Ƒ A72B	av A73B	Ƒ A74B	Ƒ A75B	Ƒ A76B	Ƒ A77B	Ƒ A78B	Ƒ A79B	Ƒ A7AB	Ƒ A7BB				Ƒ A7FB
C	Ƒ A72C	AV A73C	Ƒ A74C	Ƒ A75C	Ƒ A76C	Ƒ A77C	Ƒ A78C	Ƒ A79C	Ƒ A7AC	Ƒ A7BC				Ƒ A7FC
D	Ƒ A72D	av A73D	Ƒ A74D	Ƒ A75D	Ƒ A76D	Ƒ A77D	Ƒ A78D	Ƒ A79D	Ƒ A7AD	Ƒ A7BD				Ƒ A7FD
E	Ƒ A72E	AV A73E	Ƒ A74E	Ƒ A75E	Ƒ A76E	Ƒ A77E	Ƒ A78E	Ƒ A79E	Ƒ A7AE	Ƒ A7BE				Ƒ A7FE
F	Ƒ A72F	av A73F	Ƒ A74F	Ƒ A75F	Ƒ A76F	Ƒ A77F	Ƒ A78F	Ƒ A79F	Ƒ A7AF	Ƒ A7BF				Ƒ A7FF

Additions for UPA

A720  MODIFIER LETTER STRESS AND HIGH TONE
 A721  MODIFIER LETTER STRESS AND LOW TONE

Egyptological additions

A722  LATIN CAPITAL LETTER EGYPTOLOGICAL ALEF
 A723  LATIN SMALL LETTER EGYPTOLOGICAL ALEF
 A724  LATIN CAPITAL LETTER EGYPTOLOGICAL AIN
 A725  LATIN SMALL LETTER EGYPTOLOGICAL AIN
 • this is a case pair
 → 1D25  Latin letter ain
 → 1D5C  modifier letter small ain

Mayanist additions

A726  LATIN CAPITAL LETTER HENG
 A727  LATIN SMALL LETTER HENG
 A728  LATIN CAPITAL LETTER TZ
 A729  LATIN SMALL LETTER TZ
 A72A  LATIN CAPITAL LETTER TRESILLO
 A72B  LATIN SMALL LETTER TRESILLO
 → 218B  turned digit three
 A72C  LATIN CAPITAL LETTER CUATRILLO
 A72D  LATIN SMALL LETTER CUATRILLO
 A72E  LATIN CAPITAL LETTER CUATRILLO WITH COMMA
 A72F  LATIN SMALL LETTER CUATRILLO WITH COMMA

Medievalist additions

A730  LATIN LETTER SMALL CAPITAL F
 A731  LATIN LETTER SMALL CAPITAL S
 A732  LATIN CAPITAL LETTER AA
 A733  LATIN SMALL LETTER AA
 A734  LATIN CAPITAL LETTER AO
 A735  LATIN SMALL LETTER AO
 A736  LATIN CAPITAL LETTER AU
 A737  LATIN SMALL LETTER AU
 A738  LATIN CAPITAL LETTER AV
 A739  LATIN SMALL LETTER AV
 A73A  LATIN CAPITAL LETTER AV WITH HORIZONTAL BAR
 A73B  LATIN SMALL LETTER AV WITH HORIZONTAL BAR
 A73C  LATIN CAPITAL LETTER AY
 A73D  LATIN SMALL LETTER AY
 A73E  LATIN CAPITAL LETTER REVERSED C WITH DOT
 A73F  LATIN SMALL LETTER REVERSED C WITH DOT
 A740  LATIN CAPITAL LETTER K WITH STROKE
 A741  LATIN SMALL LETTER K WITH STROKE
 A742  LATIN CAPITAL LETTER K WITH DIAGONAL STROKE
 A743  LATIN SMALL LETTER K WITH DIAGONAL STROKE
 A744  LATIN CAPITAL LETTER K WITH STROKE AND DIAGONAL STROKE
 A745  LATIN SMALL LETTER K WITH STROKE AND DIAGONAL STROKE
 A746  LATIN CAPITAL LETTER BROKEN L
 A747  LATIN SMALL LETTER BROKEN L
 A748  LATIN CAPITAL LETTER L WITH HIGH STROKE
 A749  LATIN SMALL LETTER L WITH HIGH STROKE
 A74A  LATIN CAPITAL LETTER O WITH LONG STROKE OVERLAY

A74B  LATIN SMALL LETTER O WITH LONG STROKE OVERLAY
 A74C  LATIN CAPITAL LETTER O WITH LOOP
 A74D  LATIN SMALL LETTER O WITH LOOP
 A74E  LATIN CAPITAL LETTER OO
 A74F  LATIN SMALL LETTER OO
 A750  LATIN CAPITAL LETTER P WITH STROKE THROUGH DESCENDER
 A751  LATIN SMALL LETTER P WITH STROKE THROUGH DESCENDER
 A752  LATIN CAPITAL LETTER P WITH FLOURISH
 A753  LATIN SMALL LETTER P WITH FLOURISH
 A754  LATIN CAPITAL LETTER P WITH SQUIRREL TAIL
 A755  LATIN SMALL LETTER P WITH SQUIRREL TAIL
 A756  LATIN CAPITAL LETTER Q WITH STROKE THROUGH DESCENDER
 A757  LATIN SMALL LETTER Q WITH STROKE THROUGH DESCENDER
 A758  LATIN CAPITAL LETTER Q WITH DIAGONAL STROKE
 A759  LATIN SMALL LETTER Q WITH DIAGONAL STROKE
 A75A  LATIN CAPITAL LETTER R ROTUNDA
 A75B  LATIN SMALL LETTER R ROTUNDA
 A75C  LATIN CAPITAL LETTER RUM ROTUNDA
 A75D  LATIN SMALL LETTER RUM ROTUNDA
 A75E  LATIN CAPITAL LETTER V WITH DIAGONAL STROKE
 A75F  LATIN SMALL LETTER V WITH DIAGONAL STROKE
 A760  LATIN CAPITAL LETTER VY
 A761  LATIN SMALL LETTER VY
 A762  LATIN CAPITAL LETTER VISIGOTHIC Z
 A763  LATIN SMALL LETTER VISIGOTHIC Z
 A764  LATIN CAPITAL LETTER THORN WITH STROKE
 A765  LATIN SMALL LETTER THORN WITH STROKE
 A766  LATIN CAPITAL LETTER THORN WITH STROKE THROUGH DESCENDER
 A767  LATIN SMALL LETTER THORN WITH STROKE THROUGH DESCENDER
 A768  LATIN CAPITAL LETTER VEND
 A769  LATIN SMALL LETTER VEND
 A76A  LATIN CAPITAL LETTER ET
 A76B  LATIN SMALL LETTER ET
 A76C  LATIN CAPITAL LETTER IS
 A76D  LATIN SMALL LETTER IS
 A76E  LATIN CAPITAL LETTER CON
 A76F  LATIN SMALL LETTER CON
 A770  MODIFIER LETTER US
 ≈ <super> A76F  
 A771  LATIN SMALL LETTER DUM
 A772  LATIN SMALL LETTER LUM
 A773  LATIN SMALL LETTER MUM
 A774  LATIN SMALL LETTER NUM
 A775  LATIN SMALL LETTER RUM
 A776  LATIN LETTER SMALL CAPITAL RUM
 A777  LATIN SMALL LETTER TUM
 A778  LATIN SMALL LETTER UM

Insular and Celticist letters

A779  LATIN CAPITAL LETTER INSULAR D
 A77A  LATIN SMALL LETTER INSULAR D
 A77B  LATIN CAPITAL LETTER INSULAR F
 A77C  LATIN SMALL LETTER INSULAR F

A77D	Ɔ	LATIN CAPITAL LETTER INSULAR G
		• lowercase is 1D79 ɔ̣
A77E	Ɔ̣	LATIN CAPITAL LETTER TURNED INSULAR G
A77F	ɔ̣	LATIN SMALL LETTER TURNED INSULAR G
A780	Ƨ	LATIN CAPITAL LETTER TURNED L
A781	ɪ	LATIN SMALL LETTER TURNED L
A782	Ʀ	LATIN CAPITAL LETTER INSULAR R
A783	ɾ	LATIN SMALL LETTER INSULAR R
A784	Ƨ̣	LATIN CAPITAL LETTER INSULAR S
A785	ɿ	LATIN SMALL LETTER INSULAR S
A786	Ƨ̣	LATIN CAPITAL LETTER INSULAR T
A787	ɿ̣	LATIN SMALL LETTER INSULAR T

Modifier letters

A788	˘	MODIFIER LETTER LOW CIRCUMFLEX ACCENT
		→ 02C6 ˘ modifier letter circumflex accent
		→ 2038 ˘ caret
A789	:	MODIFIER LETTER COLON
		• used as a tone letter in some orthographies
		• Budu (Congo), Sabaot (Kenya), and several Papua New Guinea languages
		→ 003A : colon
A78A	=	MODIFIER LETTER SHORT EQUALS SIGN
		• used as a tone letter in some orthographies
		• Budu (Congo)
		→ 003D = equals sign

Orthographic letters for glottals

A78B	ʼ	LATIN CAPITAL LETTER SALTILLO
		• Me'phaa (Mexico)
A78C	ʽ	LATIN SMALL LETTER SALTILLO
		• saltillos are used as a casing pair for glottal stop in some orthographies
		• the lowercase is widely used in many languages in Mexico and other regions, including Izere in Nigeria
		→ 0027 ' apostrophe
		→ 0242 ʽ latin small letter glottal stop
		→ 0294 ʼ latin letter glottal stop
		→ 02BC ˆ modifier letter apostrophe
		→ 02C0 ˆ modifier letter glottal stop

Additional letter

A78D	Ƨ̣	LATIN CAPITAL LETTER TURNED H
		• used in the Dan/Gio orthography in Liberia
		• lowercase is 0265 ɥ

Phonetic symbol

A78E	ɬ	LATIN SMALL LETTER L WITH RETROFLEX HOOK AND BELT
		• voiceless lateral retroflex fricative
		• used to transcribe Toda

Transliteration letter

A78F	•	LATIN LETTER SINOLOGICAL DOT
		• used in transliteration of Phags-Pa and in phonetic transcription of Tangut
		→ 00B7 • middle dot

Additional letters

A790	Ɔ̣	LATIN CAPITAL LETTER N WITH DESCENDER
A791	ɳ̣	LATIN SMALL LETTER N WITH DESCENDER
		• Janalif
A792	Ɔ̣	LATIN CAPITAL LETTER C WITH BAR
		= Cambrian symbol

A793	Ɔ̣	LATIN SMALL LETTER C WITH BAR
		• Nanai

Additions for Lithuanian dialectology

A794	ɢ	LATIN SMALL LETTER C WITH PALATAL HOOK
A795	ɣ̣	LATIN SMALL LETTER H WITH PALATAL HOOK
		→ A727 ɣ̣ latin small letter heng

Letters for Middle Vietnamese

A796	Ɔ̣	LATIN CAPITAL LETTER B WITH FLOURISH
A797	ɓ̣	LATIN SMALL LETTER B WITH FLOURISH

Archaic letters for Ewe

A798	Ɔ̣	LATIN CAPITAL LETTER F WITH STROKE
		→ 0191 Ɔ̣ latin capital letter f with hook
A799	Ɔ̣	LATIN SMALL LETTER F WITH STROKE
		• old Ewe orthography
		• also used in German dialectology

Archaic letters for Volapük

A79A	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK AE
A79B	ɐ̣	LATIN SMALL LETTER VOLAPUK AE
A79C	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK OE
A79D	ɐ̣	LATIN SMALL LETTER VOLAPUK OE
A79E	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK UE
A79F	ɐ̣	LATIN SMALL LETTER VOLAPUK UE

Latvian letters for pre-1921 orthography

A7A0	Ɔ̣	LATIN CAPITAL LETTER G WITH OBLIQUE STROKE
A7A1	g̣	LATIN SMALL LETTER G WITH OBLIQUE STROKE
A7A2	Ɔ̣	LATIN CAPITAL LETTER K WITH OBLIQUE STROKE
A7A3	ḳ	LATIN SMALL LETTER K WITH OBLIQUE STROKE
A7A4	Ɔ̣	LATIN CAPITAL LETTER N WITH OBLIQUE STROKE
A7A5	ṇ	LATIN SMALL LETTER N WITH OBLIQUE STROKE
A7A6	Ɔ̣	LATIN CAPITAL LETTER R WITH OBLIQUE STROKE
A7A7	ṛ	LATIN SMALL LETTER R WITH OBLIQUE STROKE
A7A8	Ɔ̣	LATIN CAPITAL LETTER S WITH OBLIQUE STROKE
A7A9	ṣ	LATIN SMALL LETTER S WITH OBLIQUE STROKE
		• also used in pre-1950 Lower Sorbian orthography
		→ 1E9C Ɔ̣ latin small letter long s with diagonal stroke

Additional letters

A7AA	Ɔ̣	LATIN CAPITAL LETTER H WITH HOOK
		• lowercase is 0266 ɦ
		• used in Chad
A7AB	Ɔ̣	LATIN CAPITAL LETTER REVERSED OPEN E
		• lowercase is 025C ɐ̣
A7AC	Ɔ̣	LATIN CAPITAL LETTER SCRIPT G
		• lowercase is 0261 g̣
A7AD	Ɔ̣	LATIN CAPITAL LETTER L WITH BELT
		• lowercase is 026C ɭ

Letter for West African languages

A7AE	Ɔ̣	LATIN CAPITAL LETTER SMALL CAPITAL I
		• lowercase is 026A ɪ̣
		• also used in Unifon

Letter for representation of phoneme in Japanese

A7AF	q̣	LATIN LETTER SMALL CAPITAL Q
------	----	------------------------------

Letters for Americanist orthographies

- A7B0 Ꝁ LATIN CAPITAL LETTER TURNED K
• lowercase is 029E ꝁ
- A7B1 Ꝃ LATIN CAPITAL LETTER TURNED T
• lowercase is 0287 ꝃ
• also used in Unifon

Letter for African languages

- A7B2 Ꝅ LATIN CAPITAL LETTER J WITH CROSSED-TAIL
• lowercase is 029D ꝅ

Letter for German dialectology

- A7B3 Ꝇ LATIN CAPITAL LETTER CHI
• lowercase is AB53 ꝇ
→ 03A7 Ꝉ greek capital letter chi

Letters for African languages

- A7B4 ꝉ LATIN CAPITAL LETTER BETA
- A7B5 Ꝋ LATIN SMALL LETTER BETA
→ 03B2 ꝋ greek small letter beta
- A7B6 Ꝍ LATIN CAPITAL LETTER OMEGA
- A7B7 ꝍ LATIN SMALL LETTER OMEGA
→ 03C9 Ꝏ greek small letter omega

Letters for Mazahua (Mexico)

- A7B8 ꝏ LATIN CAPITAL LETTER U WITH STROKE
- A7B9 Ꝑ LATIN SMALL LETTER U WITH STROKE

Letters for Egyptological and Ugariticist use

- A7BA ꝑ LATIN CAPITAL LETTER A WITH SPIRITUS LENIS
- A7BB Ꝓ LATIN SMALL LETTER A WITH SPIRITUS LENIS
• used in transliteration of Ugaritic
- A7BC ꝓ LATIN CAPITAL LETTER I WITH SPIRITUS LENIS
- A7BD Ꝕ LATIN SMALL LETTER I WITH SPIRITUS LENIS
• used for Egyptological yod
- A7BE ꝕ LATIN CAPITAL LETTER U WITH SPIRITUS LENIS
- A7BF Ꝗ LATIN SMALL LETTER U WITH SPIRITUS LENIS
• used in transliteration of Ugaritic

Additional letter

- A7F7 ꝗ LATIN EPIGRAPHIC LETTER SIDEWAYS I
• Celtic inscriptions

Additions for Extended IPA

- A7F8 Ꝙ MODIFIER LETTER CAPITAL H WITH STROKE
• faucalized
≈ <super> 0126 ꝙ
- A7F9 Ꝛ MODIFIER LETTER SMALL LIGATURE OE
• labialized: open-rounded
≈ <super> 0153 ꝛ

Addition for UPA

- A7FA Ꝝ LATIN LETTER SMALL CAPITAL TURNED M

Ancient Roman epigraphic letters

- A7FB ꝝ LATIN EPIGRAPHIC LETTER REVERSED F
- A7FC Ꝟ LATIN EPIGRAPHIC LETTER REVERSED P
- A7FD ꝟ LATIN EPIGRAPHIC LETTER INVERTED M
- A7FE Ꝡ LATIN EPIGRAPHIC LETTER I LONGA
- A7FF ꝡ LATIN EPIGRAPHIC LETTER ARCHAIC M

	11B9	11BA	11BB	11BC	11BD	11BE
0	ॐ 11B90	ग 11BA0	ॐ 11BB0	ॐ 11BC0	ॐ 11BD0	
1	ॐ 11B91	ॐ 11BA1	ॐ 11BB1	ॐ 11BC1	ॐ 11BD1	
2	ॐ 11B92	ॐ 11BA2	ॐ 11BB2	ॐ 11BC2	ॐ 11BD2	
3	ॐ 11B93	ॐ 11BA3	ॐ 11BB3	ॐ 11BC3	ॐ 11BD3	
4	ॐ 11B94	ॐ 11BA4	ॐ 11BB4	ॐ 11BC4		
5	ॐ 11B95	ॐ 11BA5	ॐ 11BB5	ॐ 11BC5		
6	ॐ 11B96	ॐ 11BA6	ॐ 11BB6	ॐ 11BC6		
7	ॐ 11B97	ॐ 11BA7	ॐ 11BB7	ॐ 11BC7		
8		ॐ 11BA8	ॐ 11BB8			
9		ॐ 11BA9	ॐ 11BB9			
A	ॐ 11B9A	ॐ 11BAA	ॐ 11BBA	ॐ 11BCA		
B	ॐ 11B9B	ॐ 11BAB	ॐ 11BBB	ॐ 11BCB		
C	ॐ 11B9C	ॐ 11BAC	ॐ 11BBC	ॐ 11BCC		
D	ॐ 11B9D	ॐ 11BAD	ॐ 11BBD	ॐ 11BCD		
E	ॐ 11B9E	ॐ 11BAE	ॐ 11BBE	ॐ 11BCE		
F	ॐ 11B9F	ॐ 11BAF	ॐ 11BBF	ॐ 11BCF		

Independent vowels

11B90	अ	NANDINAGARI LETTER A
11B91	आ	NANDINAGARI LETTER AA
11B92	इ	NANDINAGARI LETTER I
11B93	ई	NANDINAGARI LETTER II
11B94	उ	NANDINAGARI LETTER U
11B95	ऊ	NANDINAGARI LETTER UU
11B96	ऋ	NANDINAGARI LETTER VOCALIC R
11B97	ॠ	NANDINAGARI LETTER VOCALIC RR
11B98	◻	<reserved>
11B99	◻	<reserved>
11B9A	ए	NANDINAGARI LETTER E
11B9B	ऐ	NANDINAGARI LETTER AI
11B9C	ओ	NANDINAGARI LETTER O
11B9D	औ	NANDINAGARI LETTER AU

Consonants

11B9E	क	NANDINAGARI LETTER KA
11B9F	ख	NANDINAGARI LETTER KHA
11BA0	ग	NANDINAGARI LETTER GA
11BA1	घ	NANDINAGARI LETTER GHA
11BA2	ङ	NANDINAGARI LETTER NGA
11BA3	च	NANDINAGARI LETTER CA
11BA4	छ	NANDINAGARI LETTER CHA
11BA5	ज	NANDINAGARI LETTER JA
11BA6	झ	NANDINAGARI LETTER JHA
11BA7	ञ	NANDINAGARI LETTER NYA
11BA8	ट	NANDINAGARI LETTER TTA
11BA9	ठ	NANDINAGARI LETTER TTHA
11BAA	ड	NANDINAGARI LETTER DDA
11BAB	ढ	NANDINAGARI LETTER DDHA
11BAC	ण	NANDINAGARI LETTER NNA
11BAD	त	NANDINAGARI LETTER TA
11BAE	थ	NANDINAGARI LETTER THA
11BAF	द	NANDINAGARI LETTER DA
11BB0	ध	NANDINAGARI LETTER DHA
11BB1	न	NANDINAGARI LETTER NA
11BB2	प	NANDINAGARI LETTER PA
11BB3	फ	NANDINAGARI LETTER PHA
11BB4	ब	NANDINAGARI LETTER BA
11BB5	भ	NANDINAGARI LETTER BHA
11BB6	म	NANDINAGARI LETTER MA
11BB7	य	NANDINAGARI LETTER YA
11BB8	र	NANDINAGARI LETTER RA
11BB9	ल	NANDINAGARI LETTER LA
11BBA	व	NANDINAGARI LETTER VA
11BBB	श	NANDINAGARI LETTER SHA
11BBC	ष	NANDINAGARI LETTER SSA
11BBD	स	NANDINAGARI LETTER SA
11BBE	ह	NANDINAGARI LETTER HA
11BBF	ळ	NANDINAGARI LETTER LLA
11BC0	ॠ	NANDINAGARI LETTER RRA

Dependent vowel signs

11BC1	◌ा	NANDINAGARI VOWEL SIGN AA
11BC2	◌ि	NANDINAGARI VOWEL SIGN I
11BC3	◌ी	NANDINAGARI VOWEL SIGN II
11BC4	◌ु	NANDINAGARI VOWEL SIGN U
11BC5	◌ू	NANDINAGARI VOWEL SIGN UU
11BC6	◌ृ	NANDINAGARI VOWEL SIGN VOCALIC R
11BC7	◌ॠ	NANDINAGARI VOWEL SIGN VOCALIC RR
11BC8	◻	<reserved>

11BC9 ◻ <reserved>

11BCA	◌े	NANDINAGARI VOWEL SIGN E
11BCB	◌ै	NANDINAGARI VOWEL SIGN AI
11BCC	◌ो	NANDINAGARI VOWEL SIGN O
11BCD	◌ौ	NANDINAGARI VOWEL SIGN AU

Various signs

11BCE	◌ं	NANDINAGARI SIGN ANUSVARA
11BCF	◌ः	NANDINAGARI SIGN VISARGA
11BD0	◌्	NANDINAGARI SIGN VIRAMA

Additional sign

11BD1	◌ः	NANDINAGARI SIGN AVAGRAHA
-------	----	---------------------------

Auspicious sign

11BD2	ॐ	NANDINAGARI SIGN SIDDHAM
-------	---	--------------------------

Punctuation

11BD3	—	NANDINAGARI HEADSTROKE • used as a spacing or filler mark
-------	---	--

	11FC	11FD	11FE	11FF
0	ஶ 11FC0	௪ 11FD0	ஶ 11FE0	௴ 11FF0
1	௴ 11FC1	௴ 11FD1	ஶ 11FE1	ஶ 11FF1
2	௴ 11FC2	௴ 11FD2	௴ 11FE2	
3	ஶ 11FC3	ஶ 11FD3	ஶ 11FE3	
4	ஶ 11FC4	ஶ 11FD4	ஶ 11FE4	
5	ஶ 11FC5	ஶ 11FD5	ஶ 11FE5	
6	ஶ 11FC6	ஶ 11FD6	ஶ 11FE6	
7	ஶ 11FC7	ஶ 11FD7	ஶ 11FE7	
8	ஶ 11FC8	ஶ 11FD8	ஶ 11FE8	
9	ஶ 11FC9	ஶ 11FD9	ஶ 11FE9	
A	ஶ 11FCA	ஶ 11FDA	ஶ 11FEA	
B	ஶ 11FCB	ஶ 11FDB	ஶ 11FEB	
C	ஶ 11FCC	ஶ 11FDC	ஶ 11FEC	
D	ஶ 11FCD	ஶ 11FDD	ஶ 11FED	
E	ஶ 11FCE	ஶ 11FDE	ஶ 11FEE	
F	ஶ 11FCF	ஶ 11FDF	ஶ 11FEF	ஶ 11FFF

Fractions

11FC0	ஒரு	TAMIL FRACTION ONE THREE-HUNDRED-AND-TWENTIETH = munthiri
11FC1	ஒரு	TAMIL FRACTION ONE ONE-HUNDRED-AND-SIXTIETH = araikkaani
11FC2	ஒரு	TAMIL FRACTION ONE EIGHTIETH = kaani
11FC3	ஒரு	TAMIL FRACTION ONE SIXTY-FOURTH = kaal viisam
11FC4	சு	TAMIL FRACTION ONE FORTIETH = arai maa
11FC5	சு	TAMIL FRACTION ONE THIRTY-SECOND = arai viisam
11FC6	நூறு	TAMIL FRACTION THREE EIGHTIETHS = mukkaani
11FC7	நூறு	TAMIL FRACTION THREE SIXTY-FOURTHS = mukkaal viisam
11FC8	ம	TAMIL FRACTION ONE TWENTIETH = maa
11FC9	ம	TAMIL FRACTION ONE SIXTEENTH-1 = viisam/maakaani
11FCA	ம	TAMIL FRACTION ONE SIXTEENTH-2 = viisam/maakaani • alternate representation
11FCB	இ	TAMIL FRACTION ONE TENTH = irumaa
11FCC	ஒரு	TAMIL FRACTION ONE EIGHTH = araikkaal
11FCD	நூறு	TAMIL FRACTION THREE TWENTIETHS = mummaa
11FCE	நூறு	TAMIL FRACTION THREE SIXTEENTHS = muuviisam/mummaamukkaani
11FCF	சு	TAMIL FRACTION ONE FIFTH = naangu maa
11FD0	ஒரு	TAMIL FRACTION ONE QUARTER = kaal
11FD1	ஒரு	TAMIL FRACTION ONE HALF-1 = arai
11FD2	ஒரு	TAMIL FRACTION ONE HALF-2 = arai • alternate representation
11FD3	ஒரு	TAMIL FRACTION THREE QUARTERS = mukkaal
11FD4	கீ	TAMIL FRACTION DOWNSCALING FACTOR KIIZH • when prefixed to a fraction, reduces its value by a factor of 1/320

Measures of grain

11FD5	நெ	TAMIL SIGN NEL • one grain of paddy
11FD6	செ	TAMIL SIGN CEVITU • equals 360 nel
11FD7	அ	TAMIL SIGN AAZHAAKKU • equals 5 cevitu
11FD8	அ	TAMIL SIGN UZHAAKKU • equals 2 aazhaakku • for the measure uri which equals 2 uzhakku, use the sequence 0B89 உ 0BB0 ர 0BBF டி

11FD9	நூறு	TAMIL SIGN MUUVUZHAKKU • equals 3 uzhakku • for the measure naazhi/padi which equals 2 uri, use 0BF3 உ → 0BF3 உ tamil day sign
11FDA	ம	TAMIL SIGN KURUNI = marakkaal • equals 8 naazhi/padi → 0B99 நூ tamil letter nga
11FDB	ஒரு	TAMIL SIGN PATHAKKU • equals 2 kuruni/marakkaal
11FDC	நூறு	TAMIL SIGN MUKKURUNI • equals 3 kuruni/marakkaal • for the measure thuuni which equals 2 pathakku, use 0BA4 த → 0BA4 த tamil letter ta • for the measure kalam which equals 3 thuuni, use 0BB3 ள → 0BB3 ள tamil letter lla

Old currency symbols

11FDD	சு	TAMIL SIGN KAACU • small currency unit
11FDE	ப	TAMIL SIGN PANAM
11FDF	ப	TAMIL SIGN PON • gold coin
11FE0	ப	TAMIL SIGN VARAAKAN • gold coin bearing boar insignia

Symbols of weight, length and area

11FE1	பு	TAMIL SIGN PAARAM • approximately equals 500 pounds (227 kg)
11FE2	கூ	TAMIL SIGN KUZHI • equals 1 square kol where 1 kol is approximately 11 feet
11FE3	வெ	TAMIL SIGN VELI • equals 2000 kuzhi

Agricultural symbols

11FE4	நூறு	TAMIL WET CULTIVATION SIGN = nansey
11FE5	பு	TAMIL DRY CULTIVATION SIGN = punsey
11FE6	நூறு	TAMIL LAND SIGN = nilam • not to be confused with the rupee sign → 0BF9 ரூ tamil rupee sign
11FE7	அ	TAMIL SALT PAN SIGN = uppalam

Clerical symbols

11FE8	வரு	TAMIL TRADITIONAL CREDIT SIGN = varavu → 0BF7 வரு tamil credit sign
11FE9	எ	TAMIL TRADITIONAL NUMBER SIGN = enn → 0BFA எ tamil number sign
11FEA	நூறு	TAMIL CURRENT SIGN = naalathu
11FEB	சில	TAMIL AND ODD SIGN = silvaanam/sillarai
11FEC	ப	TAMIL SPENT SIGN = poga
11FED	அ	TAMIL TOTAL SIGN = aaga

Other symbols and abbreviations

11FEE	வசம்	TAMIL IN POSSESSION SIGN = vasam
11FEF	மு	TAMIL STARTING FROM SIGN = muthal
11FF0	ம	TAMIL SIGN MUTHALIYA = et cetera • indicates items in a series
11FF1	வகை	TAMIL SIGN VAKAIYARAA = et cetera • indicates items of a family or kind

Punctuation

11FFF	௭௩	TAMIL PUNCTUATION END OF TEXT → 0DF4 කුඳ්දලියා sinhala punctuation kunddaliya
-------	----	--

1343
0
1
2
3
4
5
6
7
8
9
A
B
C
D
E
F

Joiners

Used to render Egyptian hieroglyphic quadrats

13430		EGYPTIAN HIEROGLYPH VERTICAL JOINER = sign separator: subordination (Manuel de Codage)
13431		EGYPTIAN HIEROGLYPH HORIZONTAL JOINER = sign separator: juxtaposition (Manuel de Codage)

Insertion controls

13432		EGYPTIAN HIEROGLYPH INSERT TOP START
13433		EGYPTIAN HIEROGLYPH INSERT BOTTOM START
13434		EGYPTIAN HIEROGLYPH INSERT TOP END
13435		EGYPTIAN HIEROGLYPH INSERT BOTTOM END

Segment delimiters

13437		EGYPTIAN HIEROGLYPH SEGMENT START
13438		EGYPTIAN HIEROGLYPH SEGMENT END

	1B13	1B14	1B15	1B16
0			み 1B150	
1			ゑ 1B151	
2	こ 1B132		を 1B152	
3				
4				キ 1B164
5			コ 1B155	エ 1B165
6				ヲ 1B166
7				ン 1B167
8				
9				
A				
B				
C				
D				
E				
F				

Historic small kanas

The annotation under the reserved code points will be removed before publication.

1B130		<reserved>	• for hiragana letter small ki
1B131		<reserved>	• for hiragana letter small ku
1B132		こ HIRAGANA LETTER SMALL KO	
1B133		<reserved>	• for hiragana letter small sa
1B134		<reserved>	• for hiragana letter small si
1B135		<reserved>	• for hiragana letter small su
1B136		<reserved>	• for hiragana letter small se
1B137		<reserved>	• for hiragana letter small so
1B138		<reserved>	• for hiragana letter small ta
1B139		<reserved>	• for hiragana letter small ti
1B13A		<reserved>	• for hiragana letter small te
1B13B		<reserved>	• for hiragana letter small to
1B13C		<reserved>	• for hiragana letter small na
1B13D		<reserved>	• for hiragana letter small ni
1B13E		<reserved>	• for hiragana letter small nu
1B13F		<reserved>	• for hiragana letter small ne
1B140		<reserved>	• for hiragana letter small no
1B141		<reserved>	• for hiragana letter small ha
1B142		<reserved>	• for hiragana letter small hi
1B143		<reserved>	• for hiragana letter small hu
1B144		<reserved>	• for hiragana letter small he
1B145		<reserved>	• for hiragana letter small ho
1B146		<reserved>	• for hiragana letter small ma
1B147		<reserved>	• for hiragana letter small mi
1B148		<reserved>	• for hiragana letter small mu
1B149		<reserved>	• for hiragana letter small me
1B14A		<reserved>	• for hiragana letter small mo
1B14B		<reserved>	• for hiragana letter small ra
1B14C		<reserved>	• for hiragana letter small ri
1B14D		<reserved>	• for hiragana letter small ru

1B14E		<reserved>	• for hiragana letter small re
1B14F		<reserved>	• for hiragana letter small ro

1B150	ゐ	HIRAGANA LETTER SMALL WI
-------	---	--------------------------

1B151	ゑ	HIRAGANA LETTER SMALL WE
-------	---	--------------------------

1B152	を	HIRAGANA LETTER SMALL WO
-------	---	--------------------------

1B153		<reserved>	• for hiragana letter small n
-------	---	------------	-------------------------------

1B154		<reserved>	• for katakana letter small ki
-------	---	------------	--------------------------------

1B155	コ	KATAKANA LETTER SMALL KO
-------	---	--------------------------

1B156		<reserved>	• for katakana letter small sa
-------	---	------------	--------------------------------

1B157		<reserved>	• for katakana letter small se
-------	---	------------	--------------------------------

1B158		<reserved>	• for katakana letter small so
-------	---	------------	--------------------------------

1B159		<reserved>	• for katakana letter small ta
-------	---	------------	--------------------------------

1B15A		<reserved>	• for katakana letter small ti
-------	---	------------	--------------------------------

1B15B		<reserved>	• for katakana letter small te
-------	---	------------	--------------------------------

1B15C		<reserved>	• for katakana letter small na
-------	---	------------	--------------------------------

1B15D		<reserved>	• for katakana letter small ni
-------	---	------------	--------------------------------

1B15E		<reserved>	• for katakana letter small ne
-------	--	------------	--------------------------------

1B15F		<reserved>	• for katakana letter small no
-------	---	------------	--------------------------------

1B160		<reserved>	• for katakana letter small ma
-------	---	------------	--------------------------------

1B161		<reserved>	• for katakana letter small mi
-------	---	------------	--------------------------------

1B162		<reserved>	• for katakana letter small me
-------	---	------------	--------------------------------

1B163		<reserved>	• for katakana letter small mo
-------	---	------------	--------------------------------

1B164	キ	KATAKANA LETTER SMALL WI
-------	---	--------------------------

1B165	エ	KATAKANA LETTER SMALL WE
-------	---	--------------------------

1B166	ヲ	KATAKANA LETTER SMALL WO
-------	---	--------------------------

1B167	ン	KATAKANA LETTER SMALL N
-------	---	-------------------------

	1E10	1E11	1E12	1E13	1E14
0	𐌸 1E100	𐌹 1E110	𐌺 1E120	𐌾 1E130	𐌿 1E140
1	𐌸̊ 1E101	𐌹̊ 1E111	𐌺̊ 1E121	𐌾̊ 1E131	𐌿̊ 1E141
2	𐌸̋ 1E102	𐌹̋ 1E112	𐌺̋ 1E122	𐌾̋ 1E132	𐌿̋ 1E142
3	𐌸̌ 1E103	𐌹̌ 1E113	𐌺̌ 1E123	𐌾̌ 1E133	𐌿̌ 1E143
4	𐌸̍ 1E104	𐌹̍ 1E114	𐌺̍ 1E124	𐌾̍ 1E134	𐌿̍ 1E144
5	𐌸̎ 1E105	𐌹̎ 1E115	𐌺̎ 1E125	𐌾̎ 1E135	𐌿̎ 1E145
6	𐌸̏ 1E106	𐌹̏ 1E116	𐌺̏ 1E126	𐌾̏ 1E136	𐌿̏ 1E146
7	𐌸̐ 1E107	𐌹̐ 1E117	𐌺̐ 1E127	𐌾̐ 1E137	𐌿̐ 1E147
8	𐌸̑ 1E108	𐌹̑ 1E118	𐌺̑ 1E128	𐌾̑ 1E138	𐌿̑ 1E148
9	𐌸̒ 1E109	𐌹̒ 1E119	𐌺̒ 1E129	𐌾̒ 1E139	𐌿̒ 1E149
A	𐌸̓ 1E10A	𐌹̓ 1E11A	𐌺̓ 1E12A	𐌾̓ 1E13A	
B	𐌸̔ 1E10B	𐌹̔ 1E11B	𐌺̔ 1E12B	𐌾̔ 1E13B	
C	𐌸̕ 1E10C	𐌹̕ 1E11C	𐌺̕ 1E12C	𐌾̕ 1E13C	
D	𐌸̖ 1E10D	𐌹̖ 1E11D		𐌾̖ 1E13D	
E	𐌸̗ 1E10E	𐌹̗ 1E11E			𐌿̗ 1E14E
F	𐌸̘ 1E10F	𐌹̘ 1E11F			𐌿̘ 1E14F

The Nyiakeng Puachue Hmong script (Nyiaj Keeb Puaj Txwm in RPA orthography) is also known as Pa Dao (Paj Ntaub) and Chervang script (Txawj Vaag).

Consonant onsets

1E100	𐄀	NYIAKENG PUACHUE HMONG LETTER MA → 05DE 𐄀 hebrew letter mem
1E101	𐄁	NYIAKENG PUACHUE HMONG LETTER TSA
1E102	𐄂	NYIAKENG PUACHUE HMONG LETTER NTA
1E103	𐄃	NYIAKENG PUACHUE HMONG LETTER TA → 05D8 𐄃 hebrew letter tet
1E104	𐄄	NYIAKENG PUACHUE HMONG LETTER HA
1E105	𐄅	NYIAKENG PUACHUE HMONG LETTER NA
1E106	𐄆	NYIAKENG PUACHUE HMONG LETTER XA
1E107	𐄇	NYIAKENG PUACHUE HMONG LETTER NKA
1E108	𐄈	NYIAKENG PUACHUE HMONG LETTER CA
1E109	𐄉	NYIAKENG PUACHUE HMONG LETTER LA
1E10A	𐄊	NYIAKENG PUACHUE HMONG LETTER SA → 05E9 𐄊 hebrew letter shin
1E10B	𐄋	NYIAKENG PUACHUE HMONG LETTER ZA
1E10C	𐄌	NYIAKENG PUACHUE HMONG LETTER NCA
1E10D	𐄍	NYIAKENG PUACHUE HMONG LETTER NTSA
1E10E	𐄎	NYIAKENG PUACHUE HMONG LETTER KA → 05DB 𐄎 hebrew letter kaf
1E10F	𐄏	NYIAKENG PUACHUE HMONG LETTER DA
1E110	𐄐	NYIAKENG PUACHUE HMONG LETTER NYA
1E111	𐄑	NYIAKENG PUACHUE HMONG LETTER NRA
1E112	𐄒	NYIAKENG PUACHUE HMONG LETTER VA
1E113	𐄓	NYIAKENG PUACHUE HMONG LETTER NTXA
1E114	𐄔	NYIAKENG PUACHUE HMONG LETTER TXA
1E115	𐄕	NYIAKENG PUACHUE HMONG LETTER FA
1E116	𐄖	NYIAKENG PUACHUE HMONG LETTER RA
1E117	𐄗	NYIAKENG PUACHUE HMONG LETTER QA → 05E7 𐄗 hebrew letter qof
1E118	𐄘	NYIAKENG PUACHUE HMONG LETTER YA
1E119	𐄙	NYIAKENG PUACHUE HMONG LETTER NQA
1E11A	𐄚	NYIAKENG PUACHUE HMONG LETTER PA → 05E4 𐄚 hebrew letter pe
1E11B	𐄛	NYIAKENG PUACHUE HMONG LETTER XYA
1E11C	𐄜	NYIAKENG PUACHUE HMONG LETTER NPA
1E11D	𐄝	NYIAKENG PUACHUE HMONG LETTER DLA
1E11E	𐄞	NYIAKENG PUACHUE HMONG LETTER NPLA
1E11F	𐄟	NYIAKENG PUACHUE HMONG LETTER HAH • also used for a vowel o
1E120	𐄠	NYIAKENG PUACHUE HMONG LETTER MLA
1E121	𐄡	NYIAKENG PUACHUE HMONG LETTER PLA
1E122	𐄢	NYIAKENG PUACHUE HMONG LETTER GA
1E123	𐄣	NYIAKENG PUACHUE HMONG LETTER RRA • also used for a diphthong ai

Vowel rimes

1E124	ᄢ	NYIAKENG PUACHUE HMONG LETTER A
1E125	ᄣ	NYIAKENG PUACHUE HMONG LETTER AA
1E126	ᄤ	NYIAKENG PUACHUE HMONG LETTER I
1E127	ᄥ	NYIAKENG PUACHUE HMONG LETTER U
1E128	ᄦ	NYIAKENG PUACHUE HMONG LETTER O
1E129	ᄧ	NYIAKENG PUACHUE HMONG LETTER OO
1E12A	ᄨ	NYIAKENG PUACHUE HMONG LETTER E
1E12B	ᄩ	NYIAKENG PUACHUE HMONG LETTER EE
1E12C	ᄪ	NYIAKENG PUACHUE HMONG LETTER W

Tone marks

1E130	○	NYIAKENG PUACHUE HMONG TONE-B = som thwb = RPA -b high-level tone
1E131	○	NYIAKENG PUACHUE HMONG TONE-M = som thwm = RPA -m low-glottalized tone
1E132	○	NYIAKENG PUACHUE HMONG TONE-J = som thwj = RPA -j high-falling tone
1E133	○	NYIAKENG PUACHUE HMONG TONE-V = som thwv = RPA -v mid-rising tone
1E134	○	NYIAKENG PUACHUE HMONG TONE-S = som thws = RPA -s low-level tone
1E135	○	NYIAKENG PUACHUE HMONG TONE-G = som thwg = RPA -g falling-breathy tone
1E136	○	NYIAKENG PUACHUE HMONG TONE-D = som thwd = RPA -d low-rising tone

Determinatives

Used as a determinative to indicate homophones referring to the corresponding categories

1E137	◌ ¹	NYIAKENG PUACHUE HMONG SIGN FOR PERSON = oov
1E138	◌ ⁴	NYIAKENG PUACHUE HMONG SIGN FOR THING = pes
1E139	◌ ⁷	NYIAKENG PUACHUE HMONG SIGN FOR LOCATION = khab thee b
1E13A	◌ ⁶	NYIAKENG PUACHUE HMONG SIGN FOR ANIMAL = khuam luas
1E13B	◌ ²	NYIAKENG PUACHUE HMONG SIGN FOR INVERTEBRATE = oos

Punctuation

1E13C	𑜋	NYIAKENG PUACHUE HMONG SIGN XW XW → 0E46 𑜋 thai character maiyamok → 0EC6 𑜋 lao ko la • indicates repetition of a short word or syllable • indicates repetition of a whole phrase or sentence when preceded by a space
1E13D	𑜌	NYIAKENG PUACHUE HMONG SYLLABLE LENGTHENER = khu saim

Digits

1E140	0	NYIAKENG PUACHUE HMONG DIGIT ZERO
1E141	1	NYIAKENG PUACHUE HMONG DIGIT ONE
1E142	2	NYIAKENG PUACHUE HMONG DIGIT TWO
1E143	3	NYIAKENG PUACHUE HMONG DIGIT THREE
1E144	4	NYIAKENG PUACHUE HMONG DIGIT FOUR
1E145	5	NYIAKENG PUACHUE HMONG DIGIT FIVE
1E146	6	NYIAKENG PUACHUE HMONG DIGIT SIX
1E147	7	NYIAKENG PUACHUE HMONG DIGIT SEVEN
1E148	8	NYIAKENG PUACHUE HMONG DIGIT EIGHT
1E149	9	NYIAKENG PUACHUE HMONG DIGIT NINE

Symbols

1E14E	𐌪	NYIAKENG PUACHUE HMONG LOGOGRAM NYAJ
		• used to represent the word for money or currency
1E14F	𐌪	NYIAKENG PUACHUE HMONG CIRCLED CA
		→ 1E108 𐌪 nyiakeng puachue hmong letter ca • used to indicate ownership

	1F10	1F11	1F12	1F13	1F14	1F15	1F16	1F17	1F18	1F19	1F1A	1F1B	1F1C	1F1D	1F1E	1F1F
0	0. 1F100	(A) 1F110	(Q) 1F120	A 1F130	Q 1F140	A 1F150	Q 1F160	A 1F170	Q 1F180	DJ 1F190	5.1 1F1A0					K 1F1F0
1	0, 1F101	(B) 1F111	(R) 1F121	B 1F131	R 1F141	B 1F151	R 1F161	B 1F171	R 1F181	CL 1F191	7.1 1F1A1					L 1F1F1
2	1, 1F102	(C) 1F112	(S) 1F122	C 1F132	S 1F142	C 1F152	S 1F162	C 1F172	S 1F182	COOL 1F192	22.2 1F1A2					M 1F1F2
3	2, 1F103	(D) 1F113	(T) 1F123	D 1F133	T 1F143	D 1F153	T 1F163	D 1F173	T 1F183	FREE 1F193	60P 1F1A3					N 1F1F3
4	3, 1F104	(E) 1F114	(U) 1F124	E 1F134	U 1F144	E 1F154	U 1F164	E 1F174	U 1F184	ID 1F194	120P 1F1A4					O 1F1F4
5	4, 1F105	(F) 1F115	(V) 1F125	F 1F135	V 1F145	F 1F155	V 1F165	F 1F175	V 1F185	NEW 1F195	d 1F1A5					P 1F1F5
6	5, 1F106	(G) 1F116	(W) 1F126	G 1F136	W 1F146	G 1F156	W 1F166	G 1F176	W 1F186	NG 1F196	HC 1F1A6				A 1F1E6	Q 1F1F6
7	6, 1F107	(H) 1F117	(X) 1F127	H 1F137	X 1F147	H 1F157	X 1F167	H 1F177	X 1F187	OK 1F197	HDR 1F1A7				B 1F1E7	R 1F1F7
8	7, 1F108	(I) 1F118	(Y) 1F128	I 1F138	Y 1F148	I 1F158	Y 1F168	I 1F178	Y 1F188	SOS 1F198	Hi-Res 1F1A8				C 1F1E8	S 1F1F8
9	8, 1F109	(J) 1F119	(Z) 1F129	J 1F139	Z 1F149	J 1F159	Z 1F169	J 1F179	Z 1F189	UP! 1F199	Loss less 1F1A9				D 1F1E9	T 1F1F9
A	9, 1F10A	(K) 1F11A	(S) 1F12A	K 1F13A	HV 1F14A	K 1F15A	MC 1F16A	K 1F17A	R 1F18A	VS 1F19A	SHV 1F1AA				E 1F1EA	U 1F1FA
B	⓪ 1F10B	(L) 1F11B	(C) 1F12B	L 1F13B	MV 1F14B	L 1F15B	MD 1F16B	L 1F17B	IC 1F18B	3D 1F19B	UHD 1F1AB				F 1F1EB	V 1F1FB
C	⓪ 1F10C	(M) 1F11C	(R) 1F12C	M 1F13C	SD 1F14C	M 1F15C	MR 1F16C	M 1F17C	PA 1F18C	2nd Scr 1F19C	VOD 1F1AC				G 1F1EC	W 1F1FC
D		(N) 1F11D	(CD) 1F12D	N 1F13D	SS 1F14D	N 1F15D		N 1F17D	SA 1F18D	2K 1F19D					H 1F1ED	X 1F1FD
E		(O) 1F11E	(Wz) 1F12E	O 1F13E	PPV 1F14E	O 1F15E		O 1F17E	AB 1F18E	4K 1F19E					I 1F1EE	Y 1F1FE
F		(P) 1F11F	(C) 1F12F	P 1F13F	WC 1F14F	P 1F15F		P 1F17F	WC 1F18F	8K 1F19F					J 1F1EF	Z 1F1FF

Number with full stop

This symbol completes the set of numbers with full stop starting at 2488.

1F100 **0.** DIGIT ZERO FULL STOP
 ≈ 0030 **0** 002E .

Numbers with comma

1F101 **0,** DIGIT ZERO COMMA
 ≈ 0030 **0** 002C ,
 1F102 **1,** DIGIT ONE COMMA
 ≈ 0031 **1** 002C ,
 1F103 **2,** DIGIT TWO COMMA
 ≈ 0032 **2** 002C ,
 1F104 **3,** DIGIT THREE COMMA
 ≈ 0033 **3** 002C ,
 1F105 **4,** DIGIT FOUR COMMA
 ≈ 0034 **4** 002C ,
 1F106 **5,** DIGIT FIVE COMMA
 ≈ 0035 **5** 002C ,
 1F107 **6,** DIGIT SIX COMMA
 ≈ 0036 **6** 002C ,
 1F108 **7,** DIGIT SEVEN COMMA
 ≈ 0037 **7** 002C ,
 1F109 **8,** DIGIT EIGHT COMMA
 ≈ 0038 **8** 002C ,
 1F10A **9,** DIGIT NINE COMMA
 ≈ 0039 **9** 002C ,

Circled sans-serif digits

These digits complement the sans-serif digit sets in the Dingbat block ranges 2780-2789 and 278A-2793.

1F10B **⓪** DINGBAT CIRCLED SANS-SERIF DIGIT ZERO
 1F10C **⓫** DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ZERO

Parenthesized Latin letters

This set provides uppercase versions of the set starting at 249C. Parenthesized Latin letters do not have case mappings.

1F110 **(A)** PARENTHESIZED LATIN CAPITAL LETTER A
 ≈ 0028 (0041 **A** 0029)
 1F111 **(B)** PARENTHESIZED LATIN CAPITAL LETTER B
 ≈ 0028 (0042 **B** 0029)
 1F112 **(C)** PARENTHESIZED LATIN CAPITAL LETTER C
 ≈ 0028 (0043 **C** 0029)
 1F113 **(D)** PARENTHESIZED LATIN CAPITAL LETTER D
 ≈ 0028 (0044 **D** 0029)
 1F114 **(E)** PARENTHESIZED LATIN CAPITAL LETTER E
 ≈ 0028 (0045 **E** 0029)
 1F115 **(F)** PARENTHESIZED LATIN CAPITAL LETTER F
 ≈ 0028 (0046 **F** 0029)
 1F116 **(G)** PARENTHESIZED LATIN CAPITAL LETTER G
 ≈ 0028 (0047 **G** 0029)
 1F117 **(H)** PARENTHESIZED LATIN CAPITAL LETTER H
 ≈ 0028 (0048 **H** 0029)
 1F118 **(I)** PARENTHESIZED LATIN CAPITAL LETTER I
 ≈ 0028 (0049 **I** 0029)
 1F119 **(J)** PARENTHESIZED LATIN CAPITAL LETTER J
 ≈ 0028 (004A **J** 0029)
 1F11A **(K)** PARENTHESIZED LATIN CAPITAL LETTER K
 ≈ 0028 (004B **K** 0029)
 1F11B **(L)** PARENTHESIZED LATIN CAPITAL LETTER L
 ≈ 0028 (004C **L** 0029)

1F11C **(M)** PARENTHESIZED LATIN CAPITAL LETTER M
 ≈ 0028 (004D **M** 0029)
 1F11D **(N)** PARENTHESIZED LATIN CAPITAL LETTER N
 ≈ 0028 (004E **N** 0029)
 1F11E **(O)** PARENTHESIZED LATIN CAPITAL LETTER O
 ≈ 0028 (004F **O** 0029)
 1F11F **(P)** PARENTHESIZED LATIN CAPITAL LETTER P
 ≈ 0028 (0050 **P** 0029)
 1F120 **(Q)** PARENTHESIZED LATIN CAPITAL LETTER Q
 ≈ 0028 (0051 **Q** 0029)
 1F121 **(R)** PARENTHESIZED LATIN CAPITAL LETTER R
 ≈ 0028 (0052 **R** 0029)
 1F122 **(S)** PARENTHESIZED LATIN CAPITAL LETTER S
 ≈ 0028 (0053 **S** 0029)
 1F123 **(T)** PARENTHESIZED LATIN CAPITAL LETTER T
 ≈ 0028 (0054 **T** 0029)
 1F124 **(U)** PARENTHESIZED LATIN CAPITAL LETTER U
 ≈ 0028 (0055 **U** 0029)
 1F125 **(V)** PARENTHESIZED LATIN CAPITAL LETTER V
 ≈ 0028 (0056 **V** 0029)
 1F126 **(W)** PARENTHESIZED LATIN CAPITAL LETTER W
 ≈ 0028 (0057 **W** 0029)
 1F127 **(X)** PARENTHESIZED LATIN CAPITAL LETTER X
 ≈ 0028 (0058 **X** 0029)
 1F128 **(Y)** PARENTHESIZED LATIN CAPITAL LETTER Y
 ≈ 0028 (0059 **Y** 0029)
 1F129 **(Z)** PARENTHESIZED LATIN CAPITAL LETTER Z
 ≈ 0028 (005A **Z** 0029)

Latin letter with tortoise shell brackets

1F12A **[S]** TORTOISE SHELL BRACKETED LATIN CAPITAL LETTER S
 • used in baseball scoring
 ≈ 3014 (0053 **S** 3015)

Circled italic Latin letters

1F12B **©** CIRCLED ITALIC LATIN CAPITAL LETTER C
 = compact disc, single disc record
 ≈ <circle> 0043 **C**
 1F12C **®** CIRCLED ITALIC LATIN CAPITAL LETTER R
 = disc record
 ≈ <circle> 0052 **R**

Circled Latin letter sequences

1F12D **Ⓒ** CIRCLED CD
 → 33C5 cd square cd
 ≈ <circle> 0043 **C** 0044 **D**
 1F12E **Ⓜ** CIRCLED WZ
 • from the German term “Warenzeichen”
 • indicate a trademarked term without making a legal claim of trademark status
 • decomposition is anomalous, as the usual glyph shows a capital W and a small z
 → 2122 **™** trade mark sign
 ≈ <circle> 0057 **W** 005A **Z**

Circled Latin letter

1F12F **©** COPYLEFT SYMBOL
 → 00A9 **©** copyright sign
 → 2183 **↯** roman numeral reversed one hundred

Squared Latin letters

1F130 **Ⓐ** SQUARED LATIN CAPITAL LETTER A
 = Anreisetag (day of arrival)
 ≈ <square> 0041 **A**

- 1F131 **B** SQUARED LATIN CAPITAL LETTER B
= bank
= b-mode stereo compression broadcasting service (ARIB STD B24)
≈ <square> 0042 **B**
- 1F132 **C** SQUARED LATIN CAPITAL LETTER C
≈ <square> 0043 **C**
- 1F133 **D** SQUARED LATIN CAPITAL LETTER D
≈ <square> 0044 **D**
- 1F134 **E** SQUARED LATIN CAPITAL LETTER E
≈ <square> 0045 **E**
- 1F135 **F** SQUARED LATIN CAPITAL LETTER F
≈ <square> 0046 **F**
- 1F136 **G** SQUARED LATIN CAPITAL LETTER G
≈ <square> 0047 **G**
- 1F137 **H** SQUARED LATIN CAPITAL LETTER H
≈ <square> 0048 **H**
- 1F138 **I** SQUARED LATIN CAPITAL LETTER I
≈ <square> 0049 **I**
- 1F139 **J** SQUARED LATIN CAPITAL LETTER J
≈ <square> 004A **J**
- 1F13A **K** SQUARED LATIN CAPITAL LETTER K
≈ <square> 004B **K**
- 1F13B **L** SQUARED LATIN CAPITAL LETTER L
≈ <square> 004C **L**
- 1F13C **M** SQUARED LATIN CAPITAL LETTER M
≈ <square> 004D **M**
- 1F13D **N** SQUARED LATIN CAPITAL LETTER N
= news (ARIB STD B24)
≈ <square> 004E **N**
- 1F13E **O** SQUARED LATIN CAPITAL LETTER O
≈ <square> 004F **O**
- 1F13F **P** SQUARED LATIN CAPITAL LETTER P
= progressive broadcasting (ARIB STD B24)
≈ <square> 0050 **P**
- 1F140 **Q** SQUARED LATIN CAPITAL LETTER Q
≈ <square> 0051 **Q**
- 1F141 **R** SQUARED LATIN CAPITAL LETTER R
≈ <square> 0052 **R**
- 1F142 **S** SQUARED LATIN CAPITAL LETTER S
= stereo broadcasting service (ARIB STD B24)
≈ <square> 0053 **S**
- 1F143 **T** SQUARED LATIN CAPITAL LETTER T
= tobacconist
≈ <square> 0054 **T**
- 1F144 **U** SQUARED LATIN CAPITAL LETTER U
≈ <square> 0055 **U**
- 1F145 **V** SQUARED LATIN CAPITAL LETTER V
≈ <square> 0056 **V**
- 1F146 **W** SQUARED LATIN CAPITAL LETTER W
= wide-format 16:9 broadcasting service (ARIB STD B24)
≈ <square> 0057 **W**
- 1F147 **X** SQUARED LATIN CAPITAL LETTER X
≈ <square> 0058 **X**
- 1F148 **Y** SQUARED LATIN CAPITAL LETTER Y
≈ <square> 0059 **Y**
- 1F149 **Z** SQUARED LATIN CAPITAL LETTER Z
≈ <square> 005A **Z**
- 1F14A **HV** SQUARED HV
= hdtv
≈ <square> 0048 **H** 0056 **V**

- 1F14B **MV** SQUARED MV
= multi-view television
≈ <square> 004D **M** 0056 **V**
- 1F14C **SD** SQUARED SD
= sdtv
≈ <square> 0053 **S** 0044 **D**
- 1F14D **SS** SQUARED SS
= surround stereo broadcasting service
≈ <square> 0053 **S** 0053 **S**
- 1F14E **PPV** SQUARED PPV
= pay-per-view
≈ <square> 0050 **P** 0050 **P** 0056 **V**
- 1F14F **WC** SQUARED WC
= water closet, public toilet
≈ <square> 0057 **W** 0043 **C**

White on black circled Latin letters

- 1F150 **A** NEGATIVE CIRCLED LATIN CAPITAL LETTER A
= airport
- 1F151 **B** NEGATIVE CIRCLED LATIN CAPITAL LETTER B
- 1F152 **C** NEGATIVE CIRCLED LATIN CAPITAL LETTER C
- 1F153 **D** NEGATIVE CIRCLED LATIN CAPITAL LETTER D
- 1F154 **E** NEGATIVE CIRCLED LATIN CAPITAL LETTER E
- 1F155 **F** NEGATIVE CIRCLED LATIN CAPITAL LETTER F
= ferry
- 1F156 **G** NEGATIVE CIRCLED LATIN CAPITAL LETTER G
- 1F157 **H** NEGATIVE CIRCLED LATIN CAPITAL LETTER H
= hotel (ARIB STD B24)
- 1F158 **I** NEGATIVE CIRCLED LATIN CAPITAL LETTER I
- 1F159 **J** NEGATIVE CIRCLED LATIN CAPITAL LETTER J
- 1F15A **K** NEGATIVE CIRCLED LATIN CAPITAL LETTER K
= Kurort (spa)
→ 2668  hot springs
- 1F15B **L** NEGATIVE CIRCLED LATIN CAPITAL LETTER L
= light rail
→ 1F688  light rail
- 1F15C **M** NEGATIVE CIRCLED LATIN CAPITAL LETTER M
= metro
→ 1F687  metro
- 1F15D **N** NEGATIVE CIRCLED LATIN CAPITAL LETTER N
- 1F15E **O** NEGATIVE CIRCLED LATIN CAPITAL LETTER O
- 1F15F **P** NEGATIVE CIRCLED LATIN CAPITAL LETTER P
= parking space (ARIB STD B24)
- 1F160 **Q** NEGATIVE CIRCLED LATIN CAPITAL LETTER Q
- 1F161 **R** NEGATIVE CIRCLED LATIN CAPITAL LETTER R
= Raststätte (rest stop)
- 1F162 **S** NEGATIVE CIRCLED LATIN CAPITAL LETTER S
= Stadtbahn (metropolitan railway)
- 1F163 **T** NEGATIVE CIRCLED LATIN CAPITAL LETTER T
= Tankstelle (petrol station)
→ 26FD  fuel pump
- 1F164 **U** NEGATIVE CIRCLED LATIN CAPITAL LETTER U
= underground rail
→ 1F687  metro
- 1F165 **V** NEGATIVE CIRCLED LATIN CAPITAL LETTER V
- 1F166 **W** NEGATIVE CIRCLED LATIN CAPITAL LETTER W
- 1F167 **X** NEGATIVE CIRCLED LATIN CAPITAL LETTER X
- 1F168 **Y** NEGATIVE CIRCLED LATIN CAPITAL LETTER Y
- 1F169 **Z** NEGATIVE CIRCLED LATIN CAPITAL LETTER Z

Raised squared Latin sequences

1F16A  **RAISED MC SIGN**
= marque de commerce
• used in Canada
→ 2122 TM trade mark sign
≈ <sup> 004D **M** 0043 **C**

1F16B  **RAISED MD SIGN**
= marque déposée
• used in Canada
→ 00AE [®] registered sign
≈ <sup> 004D **M** 0044 **D**

1F16C  **RAISED MR SIGN**
= marca registrada
• used primarily in Spanish and Portuguese speaking communities to indicate a registered trademark
≈ <sup> 004D **M** 0052 **R**

White on black squared Latin letters

The square edges may be slightly rounded.

1F170  **NEGATIVE SQUARED LATIN CAPITAL LETTER A**
= blood type A

1F171  **NEGATIVE SQUARED LATIN CAPITAL LETTER B**
= blood type B

1F172  **NEGATIVE SQUARED LATIN CAPITAL LETTER C**
= centre, city centre

1F173  **NEGATIVE SQUARED LATIN CAPITAL LETTER D**

1F174  **NEGATIVE SQUARED LATIN CAPITAL LETTER E**

1F175  **NEGATIVE SQUARED LATIN CAPITAL LETTER F**
= Feuerwache (fire department)

1F176  **NEGATIVE SQUARED LATIN CAPITAL LETTER G**

1F177  **NEGATIVE SQUARED LATIN CAPITAL LETTER H**
= Haltestelle (bus stop)
→ 1F68F  bus stop

1F178  **NEGATIVE SQUARED LATIN CAPITAL LETTER I**

1F179  **NEGATIVE SQUARED LATIN CAPITAL LETTER J**
= junction (ARIB STD B24)

1F17A  **NEGATIVE SQUARED LATIN CAPITAL LETTER K**

1F17B  **NEGATIVE SQUARED LATIN CAPITAL LETTER L**
= leisure center (ARIB STD B24)

1F17C  **NEGATIVE SQUARED LATIN CAPITAL LETTER M**
= museum, cultural center (ARIB STD B24)

1F17D  **NEGATIVE SQUARED LATIN CAPITAL LETTER N**

1F17E  **NEGATIVE SQUARED LATIN CAPITAL LETTER O**
= blood type O

1F17F  **NEGATIVE SQUARED LATIN CAPITAL LETTER P**
= parking space empty-full (ARIB STD B24)

1F180  **NEGATIVE SQUARED LATIN CAPITAL LETTER Q**

1F181  **NEGATIVE SQUARED LATIN CAPITAL LETTER R**

1F182  **NEGATIVE SQUARED LATIN CAPITAL LETTER S**

1F183  **NEGATIVE SQUARED LATIN CAPITAL LETTER T**

1F184  **NEGATIVE SQUARED LATIN CAPITAL LETTER U**

1F185  **NEGATIVE SQUARED LATIN CAPITAL LETTER V**

1F186  **NEGATIVE SQUARED LATIN CAPITAL LETTER W**

1F187  **NEGATIVE SQUARED LATIN CAPITAL LETTER X**

1F188  **NEGATIVE SQUARED LATIN CAPITAL LETTER Y**

1F189  **NEGATIVE SQUARED LATIN CAPITAL LETTER Z**

1F18A  **CROSSED NEGATIVE SQUARED LATIN CAPITAL LETTER P**
= parking space closed

1F18B  **NEGATIVE SQUARED IC**
= interchange, ramp

1F18C  **NEGATIVE SQUARED PA**
= parking area

1F18D  **NEGATIVE SQUARED SA**
= service area

1F18E  **NEGATIVE SQUARED AB**
= blood type AB

1F18F  **NEGATIVE SQUARED WC**
= water closet, public toilet

Squared Latin letter sequences

1F190  **SQUARED DJ**
= disc jockey
≈ <square> 0044 **D** 004A **J**

1F191  **SQUARED CL**
= clear

1F192  **SQUARED COOL**

1F193  **SQUARED FREE**
= free postage

1F194  **SQUARED ID**
= identification, ID

1F195  **SQUARED NEW**

1F196  **SQUARED NG**
= no good

1F197  **SQUARED OK**

1F198  **SQUARED SOS**
= search, hunt for missing person

1F199  **SQUARED UP WITH EXCLAMATION MARK**
= new information, update

1F19A  **SQUARED VS**
= versus

Squared Latin letter sequences from ARIB STD B62

1F19B  **SQUARED THREE D**

1F19C  **SQUARED SECOND SCREEN**

1F19D  **SQUARED TWO K**

1F19E  **SQUARED FOUR K**

1F19F  **SQUARED EIGHT K**

1F1A0  **SQUARED FIVE POINT ONE**
• denotes 5.1-channel surround sound

1F1A1  **SQUARED SEVEN POINT ONE**
• denotes 7.1-channel surround sound

1F1A2  **SQUARED TWENTY-TWO POINT TWO**
• denotes 22.2-channel surround sound

1F1A3  **SQUARED SIXTY P**
• denotes 60Hz frame rate with progressive scanning

1F1A4  **SQUARED ONE HUNDRED TWENTY P**
• denotes 120Hz frame rate with progressive scanning

1F1A5  **SQUARED LATIN SMALL LETTER D**
= data

1F1A6  **SQUARED HC**
= hybrid cast

1F1A7  **SQUARED HDR**
= high dynamic range

1F1A8  **SQUARED HI-RES**
= high resolution

1F1A9  **SQUARED LOSSLESS**

1F1AA  **SQUARED SHV**
= super high vision

1F1AB  **SQUARED UHD**
= ultra-high definition

1F1AC  **SQUARED VOD**
= video on demand

Regional indicator symbols

These characters can be used in pairs to represent regional codes. In some emoji implementations, certain pairs may be recognized and displayed by alternate means; for instance, an implementation might recognize F + R and display this combination with a symbol representing the flag of France.

1F1E6		REGIONAL INDICATOR SYMBOL LETTER A
1F1E7		REGIONAL INDICATOR SYMBOL LETTER B
1F1E8		REGIONAL INDICATOR SYMBOL LETTER C
1F1E9		REGIONAL INDICATOR SYMBOL LETTER D
1F1EA		REGIONAL INDICATOR SYMBOL LETTER E
1F1EB		REGIONAL INDICATOR SYMBOL LETTER F
1F1EC		REGIONAL INDICATOR SYMBOL LETTER G
1F1ED		REGIONAL INDICATOR SYMBOL LETTER H
1F1EE		REGIONAL INDICATOR SYMBOL LETTER I
1F1EF		REGIONAL INDICATOR SYMBOL LETTER J
1F1F0		REGIONAL INDICATOR SYMBOL LETTER K
1F1F1		REGIONAL INDICATOR SYMBOL LETTER L
1F1F2		REGIONAL INDICATOR SYMBOL LETTER M
1F1F3		REGIONAL INDICATOR SYMBOL LETTER N
1F1F4		REGIONAL INDICATOR SYMBOL LETTER O
1F1F5		REGIONAL INDICATOR SYMBOL LETTER P
1F1F6		REGIONAL INDICATOR SYMBOL LETTER Q
1F1F7		REGIONAL INDICATOR SYMBOL LETTER R
1F1F8		REGIONAL INDICATOR SYMBOL LETTER S
1F1F9		REGIONAL INDICATOR SYMBOL LETTER T
1F1FA		REGIONAL INDICATOR SYMBOL LETTER U
1F1FB		REGIONAL INDICATOR SYMBOL LETTER V
1F1FC		REGIONAL INDICATOR SYMBOL LETTER W
1F1FD		REGIONAL INDICATOR SYMBOL LETTER X
1F1FE		REGIONAL INDICATOR SYMBOL LETTER Y
1F1FF		REGIONAL INDICATOR SYMBOL LETTER Z

	1FA0	1FA1	1FA2	1FA3	1FA4	1FA5	1FA6
0	 1FA00	 1FA10	 1FA20	 1FA30	 1FA40	 1FA50	 1FA60
1	 1FA01	 1FA11	 1FA21	 1FA31	 1FA41	 1FA51	 1FA61
2	 1FA02	 1FA12	 1FA22	 1FA32	 1FA42	 1FA52	 1FA62
3	 1FA03	 1FA13	 1FA23	 1FA33	 1FA43	 1FA53	 1FA63
4	 1FA04	 1FA14	 1FA24	 1FA34	 1FA44		 1FA64
5	 1FA05	 1FA15	 1FA25	 1FA35	 1FA45		 1FA65
6	 1FA06	 1FA16	 1FA26	 1FA36	 1FA46		 1FA66
7	 1FA07	 1FA17	 1FA27	 1FA37	 1FA47		 1FA67
8	 1FA08	 1FA18	 1FA28	 1FA38	 1FA48		 1FA68
9	 1FA09	 1FA19	 1FA29	 1FA39	 1FA49		 1FA69
A	 1FA0A	 1FA1A	 1FA2A	 1FA3A	 1FA4A		 1FA6A
B	 1FA0B	 1FA1B	 1FA2B	 1FA3B	 1FA4B		 1FA6B
C	 1FA0C	 1FA1C	 1FA2C	 1FA3C	 1FA4C		 1FA6C
D	 1FA0D	 1FA1D	 1FA2D	 1FA3D	 1FA4D		 1FA6D
E	 1FA0E	 1FA1E	 1FA2E	 1FA3E	 1FA4E		
F	 1FA0F	 1FA1F	 1FA2F	 1FA3F	 1FA4F		

These characters are used to represent the pieces of a variety of heterodox chess games.

Vertical chess symbols

1FA00  NEUTRAL CHESS KING
→ 2654  white chess king

1FA01  NEUTRAL CHESS QUEEN

1FA02  NEUTRAL CHESS ROOK

1FA03  NEUTRAL CHESS BISHOP

1FA04  NEUTRAL CHESS KNIGHT

1FA05  NEUTRAL CHESS PAWN

Chess symbols rotated 45 degrees

1FA06  WHITE CHESS KNIGHT ROTATED FORTY-FIVE DEGREES

1FA07  BLACK CHESS KNIGHT ROTATED FORTY-FIVE DEGREES

1FA08  NEUTRAL CHESS KNIGHT ROTATED FORTYFIVE DEGREES

Chess symbols rotated 90 degrees

1FA09  WHITE CHESS KING ROTATED NINETY DEGREES

1FA0A  WHITE CHESS QUEEN ROTATED NINETY DEGREES

1FA0B  WHITE CHESS ROOK ROTATED NINETY DEGREES

1FA0C  WHITE CHESS BISHOP ROTATED NINETY DEGREES

1FA0D  WHITE CHESS KNIGHT ROTATED NINETY DEGREES

1FA0E  WHITE CHESS PAWN ROTATED NINETY DEGREES

1FA0F  BLACK CHESS KING ROTATED NINETY DEGREES

1FA10  BLACK CHESS QUEEN ROTATED NINETY DEGREES

1FA11  BLACK CHESS ROOK ROTATED NINETY DEGREES

1FA12  BLACK CHESS BISHOP ROTATED NINETY DEGREES

1FA13  BLACK CHESS KNIGHT ROTATED NINETY DEGREES

1FA14  BLACK CHESS PAWN ROTATED NINETY DEGREES

1FA15  NEUTRAL CHESS KING ROTATED NINETY DEGREES

1FA16  NEUTRAL CHESS QUEEN ROTATED NINETY DEGREES

1FA17  NEUTRAL CHESS ROOK ROTATED NINETY DEGREES

1FA18  NEUTRAL CHESS BISHOP ROTATED NINETY DEGREES

1FA19  NEUTRAL CHESS KNIGHT ROTATED NINETY DEGREES

1FA1A  NEUTRAL CHESS PAWN ROTATED NINETY DEGREES

Chess symbols rotated 135 degrees

1FA1B  WHITE CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES

1FA1C  BLACK CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES

1FA1D  NEUTRAL CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES

Chess symbols rotated 180 degrees

1FA1E  WHITE CHESS TURNED KING

1FA1F  WHITE CHESS TURNED QUEEN
= white grasshopper

1FA20  WHITE CHESS TURNED ROOK

1FA21  WHITE CHESS TURNED BISHOP

1FA22  WHITE CHESS TURNED KNIGHT
= white knightrider

1FA23  WHITE CHESS TURNED PAWN

1FA24  BLACK CHESS TURNED KING

1FA25  BLACK CHESS TURNED QUEEN
= black grasshopper

1FA26  BLACK CHESS TURNED ROOK

1FA27  BLACK CHESS TURNED BISHOP

1FA28  BLACK CHESS TURNED KNIGHT
= black knightrider

1FA29  BLACK CHESS TURNED PAWN

1FA2A  NEUTRAL CHESS TURNED KING

1FA2B  NEUTRAL CHESS TURNED QUEEN
= neutral grasshopper

1FA2C  NEUTRAL CHESS TURNED ROOK

1FA2D  NEUTRAL CHESS TURNED BISHOP

1FA2E  NEUTRAL CHESS TURNED KNIGHT
= neutral knightrider

1FA2F  NEUTRAL CHESS TURNED PAWN

Chess symbols rotated 225 degrees

1FA30  WHITE CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES

1FA31  BLACK CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES

1FA32  NEUTRAL CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES

Chess symbols rotated 270 degrees

1FA33  WHITE CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES

1FA34  WHITE CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES

1FA35  WHITE CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES

1FA36  WHITE CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES

1FA37  WHITE CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES

1FA38  WHITE CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES

1FA39  BLACK CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3A  BLACK CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3B  BLACK CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3C  BLACK CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3D  BLACK CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3E  BLACK CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES

1FA3F  NEUTRAL CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES

1FA40  NEUTRAL CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES

1FA41  NEUTRAL CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES

1FA42  NEUTRAL CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES

1FA43		NEUTRAL CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES
1FA44		NEUTRAL CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES

Chess symbols rotated 315 degrees

1FA45		WHITE CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES
1FA46		BLACK CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES
1FA47		NEUTRAL CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES

Chess equihoppers

1FA48		WHITE CHESS EQUIHOPPER
1FA49		BLACK CHESS EQUIHOPPER
1FA4A		NEUTRAL CHESS EQUIHOPPER

Chess equihoppers rotated 90 degrees

1FA4B		WHITE CHESS EQUIHOPPER ROTATED NINETY DEGREES → 231B  hourglass → 23F3 
1FA4C		BLACK CHESS EQUIHOPPER ROTATED NINETY DEGREES
1FA4D		NEUTRAL CHESS EQUIHOPPER ROTATED NINETY DEGREES

Hybrid chess symbols

1FA4E		WHITE CHESS KNIGHT-QUEEN = amazon, terror, omnipotent queen, superqueen
1FA4F		WHITE CHESS KNIGHT-ROOK = chancellor, marshall, empress
1FA50		WHITE CHESS KNIGHT-BISHOP = cardinal, princess • may have the form of a mitre or biretta
1FA51		BLACK CHESS KNIGHT-QUEEN
1FA52		BLACK CHESS KNIGHT-ROOK
1FA53		BLACK CHESS KNIGHT-BISHOP

Xiangqi symbols

1FA60		RED XIANGQI GENERAL = hóng shuài • design typically shows 5E25 帥 or 5E05 帅 • design sometimes shows 5C07 將 (Yuan dynasty)
1FA61		RED XIANGQI MANDARIN = hóng shì • design typically shows 4ED5 仕 • design sometimes shows 58EB 士
1FA62		RED XIANGQI ELEPHANT = hóng xiàng • design typically shows 76F8 相 • design sometimes shows 8C61 象 (Yuan dynasty)
1FA63		RED XIANGQI HORSE = hóng mǎ • design typically shows 99AC 馬 or 9A6C 马 • design sometimes shows 508C 偶
1FA64		RED XIANGQI CHARIOT = hóng jū • design typically shows 8ECA 車 or 8F66 车 • design sometimes shows 4FE5 俥

1FA65		RED XIANGQI CANNON = hóng pào • design typically shows 70AE 炮 or 792E 礮 • design sometimes shows 7832 砲 • design sometimes shows 5352 卒 (Ming dynasty)
1FA66		RED XIANGQI SOLDIER = hóng bīng • design typically shows 5175 兵 • design sometimes shows 5352 卒 (Yuan and Ming dynasties)
1FA67		BLACK XIANGQI GENERAL = hēi jiāng • design typically shows 5C07 將 or 5C06 将
1FA68		BLACK XIANGQI MANDARIN = hēi shì • design typically shows 58EB 士
1FA69		BLACK XIANGQI ELEPHANT = hēi xiàng • design typically shows 8C61 象
1FA6A		BLACK XIANGQI HORSE = hēi mǎ • design typically shows 99AC 馬 or 9A6C 马
1FA6B		BLACK XIANGQI CHARIOT = hēi jū • design typically shows 8ECA 車 or 8F66 车
1FA6C		BLACK XIANGQI CANNON = hēi pào • design typically shows 7832 砲 • design sometimes shows 70AE 炮
1FA6D		BLACK XIANGQI SOLDIER = hēi zú • design typically shows 5352 卒 • design sometimes shows 5175 兵 (Yuan and Ming dynasties)