

Title: Additional repertoire for ISO/IEC 10646:2017 (5th ed.) Amendment 2.3

Date: 2018-03-21

L2/18-xxx WG2 N4941

Source: Michel Suignard, project editor

Status: Project Editor's summary of the character repertoire addition as of March 2018

Action: For review by WG2 and UTC experts

Distribution: WG2 and UTC

Replaces:

Status

This document presents a summary of all characters that constitute the tentative new repertoire for ISO/IEC 10646 5th edition Amd2, with code positions, representative glyphs and character names.

Manner of Presentation

The character names and code points shown are the same for Unicode and ISO/IEC 10646, including annotations.

Note to Reviewers

UTC reviewers, please use this document as a summary of UTC review of pending ballots and proposals.

WG2 Reviewers, please use this document as an aid during disposition of ballot comments.

Contents

This document lists 605 characters.

The following list shows all 27 blocks (existing or new) to which characters are proposed to be added, or which have been affected by other changes documented here.

0C00-0C7F Telugu

See document L2/17-218R WG2 N4860

0E80-0EFF Lao

See document L2/17-106R WG2 N4861

1C90-1CBF Georgian Extended

See document: L2/16-081 WG2 N4712

1CD0-1CFF Vedic Extensions

See document: L2/16-117 WG2 N4820

2B00-2BFF Miscellaneous Symbols and Arrows

See document L2/17-191 L2/17-151 L2/17/242R WG2 N4863 N4864

2E00-2E7F Supplemental Punctuation

See document WG2 N4902

4E00-9FEF CJK Unified Ideographs

See document: N4830 N4831 N4832

A720-A7FF Latin Extended-D

See document L2/17-076R2 WG2 N4792R2

AB30-AB6F Latin Extended-E

See document WG2 N4842

10EC0-10EDF Elymaic

See document: L2/17-226R2 N4916

11400-1147F Newa

See document L2/17-093 WG2 N4865

11680-116CF Takri

See document L2/17-279 WG2 N4866

119A0-119FF Nandinagari

See document L2/17-162 WG2 N4819

11A50 -11AAF Soyombo

See document L2/17-235 WG2 N4867

11FC0-11FFF Tamil Supplement

See document: L2/17-069

13430-1343F Egyptian Hieroglyph Format Controls

See document L2/17-112 WG2 N4818

16F00-16F9F Miao

See document: N4845

16FE0-16FFF Ideographic Symbols and Punctuation

see document: N4803 N4915

17000-187FF Tangut

See document WG2 N4896

1B130-1B16F Small Kana Extension

See document: N4803

1E100-1E14F Nyiakeng Puachue Hmong

See document: L2/17-002R3 WG2 N4780R3

1E2C0-1E2FF Wancho

See document: L2/17-067R WG2 N4787

1ED00-1ED4F Ottoman Siyaq Numbers

See document: L2/17-348R N4917

1F100-1F1FF Enclosed Alphanumeric Supplement

See document L2/17-066R L2/17-242R WG2 N4821

1F680-1F6FF Transport and Map Symbols

See document: L2/17-284 WG2 N4846

1F900-1F9FF Supplemental Symbols and Pictographs

see document: WG2 N4846

1FA00-1FA6F Chess Symbols

See document L2/17-034R3 WG2 N4784R

	0C0	0C1	0C2	0C3	0C4	0C5	0C6	0C7
0	ా 0C00	బ 0C10	త 0C20	ర 0C30	్రి 0C40		ఋ 0C60	
1	ృ 0C01		డ 0C21	ణ 0C31	ృ 0C41		ౠ 0C61	
2	ం 0C02	ఓ 0C12	ఢ 0C22	ల 0C32	్రి 0C42		ౡ 0C62	
3	ం 0C03	ఓ 0C13	ణ 0C23	ళ 0C33	్రి 0C43		ౢ 0C63	
4	ం 0C04	ఞ 0C14	త 0C24	ణ 0C34	్రి 0C44			
5	ఱ 0C05	క 0C15	ఖ 0C25	వ 0C35		్రి 0C55		
6	ఱ 0C06	ఖ 0C16	ద 0C26	శ 0C36	్రి 0C46	్రి 0C56	ం 0C66	
7	ఱ 0C07	ద 0C17	ఖ 0C27	బ 0C37	్రి 0C47		ం 0C67	ం 0C77
8	్రి 0C08	్రి 0C18	్రి 0C28	్రి 0C38	్రి 0C48	్రి 0C58	ం 0C68	ం 0C78
9	్రి 0C09	్రి 0C19		్రి 0C39		్రి 0C59	ం 0C69	ం 0C79
A	్రి 0C0A	్రి 0C1A	్రి 0C2A		్రి 0C4A	్రి 0C5A	ం 0C6A	ం 0C7A
B	్రి 0C0B	్రి 0C1B	్రి 0C2B		్రి 0C4B		ం 0C6B	ం 0C7B
C	్రి 0C0C	్రి 0C1C	్రి 0C2C		్రి 0C4C		ం 0C6C	ం 0C7C
D		్రి 0C1D	్రి 0C2D	్రి 0C3D	్రి 0C4D		ం 0C6D	ం 0C7D
E	్రి 0C0E	్రి 0C1E	్రి 0C2E	్రి 0C3E			ం 0C6E	ం 0C7E
F	్రి 0C0F	్రి 0C1F	్రి 0C2F	్రి 0C3F			ం 0C6F	ం 0C7F

0C6C	౬	TELUGU DIGIT SIX
0C6D	౭	TELUGU DIGIT SEVEN
0C6E	౮	TELUGU DIGIT EIGHT
0C6F	౯	TELUGU DIGIT NINE

Sign

0C77	౧౦	TELUGU SIGN SIDDHAM = siddhirastu • used at the beginning of texts as an invocation
------	----	---

Telugu fractions and weights

0C78	౧౧	TELUGU FRACTION DIGIT ZERO FOR ODD POWERS OF FOUR
0C79	౧౨	TELUGU FRACTION DIGIT ONE FOR ODD POWERS OF FOUR
0C7A	౧౩	TELUGU FRACTION DIGIT TWO FOR ODD POWERS OF FOUR
0C7B	౧౪	TELUGU FRACTION DIGIT THREE FOR ODD POWERS OF FOUR
0C7C	౧౫	TELUGU FRACTION DIGIT ONE FOR EVEN POWERS OF FOUR
0C7D	౧౬	TELUGU FRACTION DIGIT TWO FOR EVEN POWERS OF FOUR
0C7E	౧౭	TELUGU FRACTION DIGIT THREE FOR EVEN POWERS OF FOUR
0C7F	౧౮	TELUGU SIGN TUUMU

	0E8	0E9	0EA	0EB	0EC	0ED	0EE	0EF
0		ກ 0E90	ກາ 0EA0	ຂ 0EB0	ເ 0EC0	ອ 0ED0		
1	ກ 0E81	ກາ 0E91	ມ 0EA1	ມ່ 0EB1	ແ 0EC1	ອ 0ED1		
2	ຂ 0E82	ເມ 0E92	ຢ 0EA2	າ 0EB2	ໄ 0EC2	໒ 0ED2		
3		ກ 0E93	ຮ 0EA3	ຈໍ 0EB3	ໃ 0EC3	ຊ 0ED3		
4	ຄ 0E84	ດ 0E94		ົ 0EB4	ໄ 0EC4	ຜ 0ED4		
5		ຕ 0E95	ລ 0EA5	ົ 0EB5		ຜ 0ED5		
6	ຮ 0E86	ຖ 0E96		ົ 0EB6	ງ 0EC6	ຜ 0ED6		
7	ງ 0E87	ທ 0E97	ວ 0EA7	ົ 0EB7		ກ 0ED7		
8	ຈ 0E88	ຜ 0E98	ຜ 0EA8	ົ 0EB8	ົ 0EC8	ຜ 0ED8		
9	ຟ 0E89	ນ 0E99	ຜ 0EA9	ົ 0EB9	ົ 0EC9	ລ 0ED9		
A	ຊ 0E8A	ບ 0E9A	ສ 0EAA	ົ 0EBA	ົ 0ECA			
B		ປ 0E9B	ຫ 0EAB	ົ 0EBB	ົ 0ECB			
C	ຊ 0E8C	ຜ 0E9C	ຮ 0EAC	ົ 0EBC	ົ 0ECC	ໜ 0EDC		
D	ຍ 0E8D	ຜ 0E9D	ອ 0EAD	ົ 0EBD	ົ 0ECD	ໜ 0EDD		
E	ເ 0E8E	ພ 0E9E	ຮ 0EAE			ກ 0EDE		
F	ຜ 0E8F	ພ 0E9F	ຮ 0EAF			ຜ 0EDF		

Consonants

0E81	ກ	LAO LETTER KO = ko kay
0E82	ຂ	LAO LETTER KHO SUNG = kho khay
0E83		<reserved>
0E84	ຄ	LAO LETTER KHO TAM = kho khuay
0E85		<reserved>
0E86	ຸ	LAO LETTER PALI GHA
0E87	ງ	LAO LETTER NGO = ngo ngu, ngo ngua
0E88	ຈ	LAO LETTER CO = co cok, co cua
0E89	ຊ	LAO LETTER PALI CHA
0E8A	ຊ	LAO LETTER SO TAM = so sang
0E8B		<reserved>
0E8C	ຊ	LAO LETTER PALI JHA
0E8D	ຍ	LAO LETTER NYO = nyo nyung
0E8E	ຮ	LAO LETTER PALI NYA
0E8F	ຮ	LAO LETTER PALI TTA
0E90	ຮ	LAO LETTER PALI TTHA
0E91	ຮ	LAO LETTER PALI DDA
0E92	ຮ	LAO LETTER PALI DDHA
0E93	ຮ	LAO LETTER PALI NNA
0E94	ດ	LAO LETTER DO = do dek
0E95	ຕ	LAO LETTER TO = to ta
0E96	ຖ	LAO LETTER THO SUNG = tho thong
0E97	ຖ	LAO LETTER THO TAM = tho thung
0E98	ຖ	LAO LETTER PALI DHA
0E99	ນ	LAO LETTER NO = no nok
0E9A	ບ	LAO LETTER BO = bo be, bo bet
0E9B	ປ	LAO LETTER PO = po pa
0E9C	ຜ	LAO LETTER PHO SUNG = pho pheng
0E9D	ຝ	LAO LETTER FO TAM × LAO LETTER FO FON = fo fa • name is a mistake for fo sung
0E9E	ຜ	LAO LETTER PHO TAM = pho phu
0E9F	ຜ	LAO LETTER FO SUNG × LAO LETTER FO FAY • name is a mistake for fo tam
0EA0	ກ	LAO LETTER PALI BHA
0EA1	ມ	LAO LETTER MO = mo mew, mo ma
0EA2	ຢ	LAO LETTER YO = yo ya
0EA3	ລ	LAO LETTER LO LING × LAO LETTER RO = ro rot • name is a mistake, lo ling is the mnemonic for 0EA5 ລ
0EA4		<reserved>

0EA5	ລ	LAO LETTER LO LOOT × LAO LETTER LO = lo ling • name is a mistake, lo loot is the mnemonic for 0EA3 ສ
0EA6		<reserved>
0EA7	ວ	LAO LETTER WO = wo wi
0EA8	ຣ	LAO LETTER SANSKRIT SHA
0EA9	ຣ	LAO LETTER SANSKRIT SSA
0EAA	ສ	LAO LETTER SO SUNG = so sya
0EAB	ຫ	LAO LETTER HO SUNG = ho hay, ho han
0EAC	ຣ	LAO LETTER PALI LLA
0EAD	ອ	LAO LETTER O = o o
0EAE	ຮ	LAO LETTER HO TAM = ho hya, ho hyan

Sign

0EAF	ຯ	LAO ELLIPSIS
------	---	--------------

Vowels

0EB0	ຸ	LAO VOWEL SIGN A
0EB1	◌◌	LAO VOWEL SIGN MAI KAN • vowel shortener
0EB2	◌◌	LAO VOWEL SIGN AA
0EB3	◌◌	LAO VOWEL SIGN AM ≈ OECD ◌◌ 0EB2 ◌◌
0EB4	◌◌	LAO VOWEL SIGN I
0EB5	◌◌	LAO VOWEL SIGN II
0EB6	◌◌	LAO VOWEL SIGN Y
0EB7	◌◌	LAO VOWEL SIGN YY
0EB8	◌◌	LAO VOWEL SIGN U
0EB9	◌◌	LAO VOWEL SIGN UU
0EBA	◌◌	LAO SIGN PALI VIRAMA
0EBB	◌◌	LAO VOWEL SIGN MAI KON = mai kong

Signs

0EBC	◌◌	LAO SEMIVOWEL SIGN LO
0EBD	◌◌	LAO SEMIVOWEL SIGN NYO = nyo fyang

Vowels

These vowels precede a consonant in visual order.

0EC0	◌◌	LAO VOWEL SIGN E
0EC1	◌◌	LAO VOWEL SIGN EI
0EC2	◌◌	LAO VOWEL SIGN O
0EC3	◌◌	LAO VOWEL SIGN AY = mai muan
0EC4	◌◌	LAO VOWEL SIGN AI = mai may

Repetition mark

0EC6	◌◌	LAO KO LA • repetition
------	----	---------------------------

Tone marks

0EC8	◌◌	LAO TONE MAI EK
0EC9	◌◌	LAO TONE MAI THO
0ECA	◌◌	LAO TONE MAI TI
0ECB	◌◌	LAO TONE MAI CATAWA

Signs

0ECC	◌̣	LAO CANCELLATION MARK
0ECD	◌̣◌̣	LAO NIGGAHITA

• final nasal or long o vowel

Digits

0ED0	◌	LAO DIGIT ZERO
0ED1	໑	LAO DIGIT ONE
0ED2	໒	LAO DIGIT TWO
0ED3	໓	LAO DIGIT THREE
0ED4	໔	LAO DIGIT FOUR
0ED5	໕	LAO DIGIT FIVE
0ED6	໖	LAO DIGIT SIX
0ED7	໗	LAO DIGIT SEVEN
0ED8	໘	LAO DIGIT EIGHT
0ED9	໙	LAO DIGIT NINE

Digraphs

0EDC	໙໐	LAO HO NO
		≈ 0EAB ທ໑ 0E99 ນ
0EDD	໙໑	LAO HO MO
		≈ 0EAB ທ໑ 0EA1 ມ

Consonants for Khmu

0EDE	ᨧ	LAO LETTER KHMU GO
0EDF	ᨨ	LAO LETTER KHMU NYO

	10A	10B	10C	10D	10E	10F
0	Ⴒ 10A0	Ⴓ 10B0	Ⴔ 10C0	Ⴕ 10D0	Ⴖ 10E0	Ⴗ 10F0
1	Ⴘ 10A1	Ⴙ 10B1	Ⴚ 10C1	Ⴛ 10D1	Ⴜ 10E1	Ⴝ 10F1
2	Ⴞ 10A2	Ⴟ 10B2	Ⴀ 10C2	Ⴁ 10D2	Ⴂ 10E2	Ⴃ 10F2
3	Ⴄ 10A3	Ⴅ 10B3	Ⴆ 10C3	Ⴇ 10D3	Ⴈ 10E3	Ⴉ 10F3
4	Ⴊ 10A4	Ⴋ 10B4	Ⴌ 10C4	Ⴍ 10D4	Ⴎ 10E4	Ⴏ 10F4
5	Ⴐ 10A5	Ⴑ 10B5	Ⴒ 10C5	Ⴓ 10D5	Ⴔ 10E5	Ⴕ 10F5
6	Ⴗ 10A6	Ⴘ 10B6		Ⴙ 10D6	Ⴚ 10E6	Ⴛ 10F6
7	Ⴜ 10A7	Ⴝ 10B7	Ⴞ 10C7	Ⴟ 10D7	Ⴀ 10E7	Ⴁ 10F7
8	Ⴂ 10A8	Ⴃ 10B8		Ⴅ 10D8	Ⴆ 10E8	Ⴇ 10F8
9	Ⴉ 10A9	Ⴊ 10B9		Ⴋ 10D9	Ⴌ 10E9	Ⴍ 10F9
A	Ⴏ 10AA	Ⴐ 10BA		Ⴑ 10DA	Ⴒ 10EA	Ⴓ 10FA
B	Ⴕ 10AB	Ⴖ 10BB		Ⴗ 10DB	Ⴘ 10EB	Ⴙ 10FB
C	Ⴚ 10AC	Ⴛ 10BC		Ⴜ 10DC	Ⴝ 10EC	Ⴞ 10FC
D	Ⴟ 10AD	Ⴀ 10BD	Ⴁ 10CD	Ⴂ 10DD	Ⴃ 10ED	Ⴄ 10FD
E	Ⴇ 10AE	Ⴈ 10BE		Ⴉ 10DE	Ⴊ 10EE	Ⴋ 10FE
F	Ⴍ 10AF	Ⴎ 10BF		Ⴏ 10DF	Ⴐ 10EF	Ⴑ 10FF

Capital letters (Khutsuri)

This is the uppercase of the old ecclesiastical alphabet. The style shown in the code charts is known as Asomtavruli. See the Georgian Supplement block for lowercase Nuskhuri.

10A0	Ⴀ	GEORGIAN CAPITAL LETTER AN → 2D00 Ⴀ georgian small letter an
10A1	Ⴁ	GEORGIAN CAPITAL LETTER BAN
10A2	Ⴂ	GEORGIAN CAPITAL LETTER GAN
10A3	Ⴃ	GEORGIAN CAPITAL LETTER DON
10A4	Ⴄ	GEORGIAN CAPITAL LETTER EN
10A5	Ⴅ	GEORGIAN CAPITAL LETTER VIN
10A6	Ⴆ	GEORGIAN CAPITAL LETTER ZEN
10A7	Ⴇ	GEORGIAN CAPITAL LETTER TAN
10A8	Ⴈ	GEORGIAN CAPITAL LETTER IN
10A9	Ⴉ	GEORGIAN CAPITAL LETTER KAN
10AA	Ⴊ	GEORGIAN CAPITAL LETTER LAS
10AB	Ⴋ	GEORGIAN CAPITAL LETTER MAN
10AC	Ⴌ	GEORGIAN CAPITAL LETTER NAR
10AD	Ⴍ	GEORGIAN CAPITAL LETTER ON
10AE	Ⴎ	GEORGIAN CAPITAL LETTER PAR
10AF	Ⴏ	GEORGIAN CAPITAL LETTER ZHAR
10B0	Ⴐ	GEORGIAN CAPITAL LETTER RAE
10B1	Ⴑ	GEORGIAN CAPITAL LETTER SAN
10B2	Ⴒ	GEORGIAN CAPITAL LETTER TAR
10B3	Ⴓ	GEORGIAN CAPITAL LETTER UN
10B4	Ⴔ	GEORGIAN CAPITAL LETTER PHAR
10B5	Ⴕ	GEORGIAN CAPITAL LETTER KHAR
10B6	Ⴖ	GEORGIAN CAPITAL LETTER GHAN
10B7	Ⴗ	GEORGIAN CAPITAL LETTER QAR
10B8	Ⴘ	GEORGIAN CAPITAL LETTER SHIN
10B9	Ⴙ	GEORGIAN CAPITAL LETTER CHIN
10BA	Ⴚ	GEORGIAN CAPITAL LETTER CAN
10BB	Ⴛ	GEORGIAN CAPITAL LETTER JIL
10BC	Ⴜ	GEORGIAN CAPITAL LETTER CIL
10BD	Ⴝ	GEORGIAN CAPITAL LETTER CHAR
10BE	Ⴞ	GEORGIAN CAPITAL LETTER XAN
10BF	Ⴟ	GEORGIAN CAPITAL LETTER JHAN
10C0	Ⴍ	GEORGIAN CAPITAL LETTER HAE
10C1	Ⴀ	GEORGIAN CAPITAL LETTER HE
10C2	Ⴁ	GEORGIAN CAPITAL LETTER HIE
10C3	Ⴂ	GEORGIAN CAPITAL LETTER WE
10C4	Ⴃ	GEORGIAN CAPITAL LETTER HAR
10C5	Ⴄ	GEORGIAN CAPITAL LETTER HOE

Additional letter

10C7 Ⴆ GEORGIAN CAPITAL LETTER YN

Additional letter for Ossetian

10CD Ⴇ GEORGIAN CAPITAL LETTER AEN

Mkhedruli

This is the lowercase of the modern secular alphabet. Modern Georgian orthography uses these letters for most text, including at the beginnings of sentences and names. See the Georgian Extended block for uppercase Mtavruli.

10D0	Ⴇ	GEORGIAN LETTER AN → 1C90 Ⴇ georgian mtavruli capital letter an
10D1	Ⴈ	GEORGIAN LETTER BAN
10D2	Ⴉ	GEORGIAN LETTER GAN
10D3	Ⴊ	GEORGIAN LETTER DON
10D4	Ⴋ	GEORGIAN LETTER EN
10D5	Ⴌ	GEORGIAN LETTER VIN
10D6	Ⴍ	GEORGIAN LETTER ZEN

10D7	Ⴎ	GEORGIAN LETTER TAN
10D8	Ⴏ	GEORGIAN LETTER IN
10D9	Ⴐ	GEORGIAN LETTER KAN
10DA	Ⴑ	GEORGIAN LETTER LAS
10DB	Ⴒ	GEORGIAN LETTER MAN
10DC	Ⴓ	GEORGIAN LETTER NAR
10DD	Ⴔ	GEORGIAN LETTER ON
10DE	Ⴕ	GEORGIAN LETTER PAR
10DF	Ⴖ	GEORGIAN LETTER ZHAR
10E0	Ⴗ	GEORGIAN LETTER RAE
10E1	Ⴘ	GEORGIAN LETTER SAN
10E2	Ⴙ	GEORGIAN LETTER TAR
10E3	Ⴚ	GEORGIAN LETTER UN
10E4	Ⴛ	GEORGIAN LETTER PHAR
10E5	Ⴜ	GEORGIAN LETTER KHAR
10E6	Ⴝ	GEORGIAN LETTER GHAN
10E7	Ⴞ	GEORGIAN LETTER QAR
10E8	Ⴟ	GEORGIAN LETTER SHIN
10E9	Ⴍ	GEORGIAN LETTER CHIN
10EA	Ⴀ	GEORGIAN LETTER CAN
10EB	Ⴁ	GEORGIAN LETTER JIL
10EC	Ⴂ	GEORGIAN LETTER CIL
10ED	Ⴃ	GEORGIAN LETTER CHAR
10EE	Ⴄ	GEORGIAN LETTER XAN
10EF	Ⴅ	GEORGIAN LETTER JHAN
10F0	Ⴆ	GEORGIAN LETTER HAE

Archaic letters

10F1	Ⴇ	GEORGIAN LETTER HE
10F2	Ⴈ	GEORGIAN LETTER HIE
10F3	Ⴉ	GEORGIAN LETTER WE
10F4	Ⴊ	GEORGIAN LETTER HAR
10F5	Ⴋ	GEORGIAN LETTER HOE
10F6	Ⴌ	GEORGIAN LETTER FI

Additional letters for Mingrelian and Svan

10F7	Ⴍ	GEORGIAN LETTER YN
10F8	Ⴎ	GEORGIAN LETTER ELIFI

Additional letters

10F9	Ⴏ	GEORGIAN LETTER TURNED GAN
10FA	Ⴐ	GEORGIAN LETTER AIN

Punctuation

10FB	Ⴑ	GEORGIAN PARAGRAPH SEPARATOR → 2056 Ⴑ: three dot punctuation
------	---	---

Modifier letter

10FC	Ⴒ	MODIFIER LETTER GEORGIAN NAR ≈ <sup> 10DC Ⴓ
------	---	--

Additional letters for Ossetian and Abkhaz

10FD	Ⴓ	GEORGIAN LETTER AEN
10FE	Ⴔ	GEORGIAN LETTER HARD SIGN
10FF	Ⴕ	GEORGIAN LETTER LABIAL SIGN

	1C9	1CA	1CB
0	ა 1C90	ბ 1CA0	გ 1CB0
1	დ 1C91	ე 1CA1	ვ 1CB1
2	ზ 1C92	თ 1CA2	ი 1CB2
3	კ 1C93	ქ 1CA3	ც 1CB3
4	ძ 1C94	წ 1CA4	ჭ 1CB4
5	ყ 1C95	ფ 1CA5	ჟ 1CB5
6	რ 1C96	ს 1CA6	შ 1CB6
7	ტ 1C97	ც 1CA7	ძ 1CB7
8	ო 1C98	პ 1CA8	ბ 1CB8
9	კ 1C99	ჩ 1CA9	ც 1CB9
A	წ 1C9A	ჭ 1CAA	ც 1CBA
B	ძ 1C9B	წ 1CAB	
C	ტ 1C9C	ჭ 1CAC	
D	მ 1C9D	ჟ 1CAD	ს 1CBD
E	ვ 1C9E	ბ 1CAE	ძ 1CBE
F	ქ 1C9F	ჯ 1CAF	ო 1CBF

Capital letters (Mtavruli)

This is the special uppercase of the modern secular alphabet. Modern Georgian orthography uses these letters to emphasize words and phrases analogously to Latin "all caps" style. See the Georgian block for lowercase Mkhedruli.

1C90	ა	GEORGIAN MTAVRULI CAPITAL LETTER AN
	→ 10D0	ა georgian letter an
1C91	ბ	GEORGIAN MTAVRULI CAPITAL LETTER BAN
1C92	გ	GEORGIAN MTAVRULI CAPITAL LETTER GAN
1C93	დ	GEORGIAN MTAVRULI CAPITAL LETTER DON
1C94	ე	GEORGIAN MTAVRULI CAPITAL LETTER EN
1C95	ვ	GEORGIAN MTAVRULI CAPITAL LETTER VIN
1C96	ზ	GEORGIAN MTAVRULI CAPITAL LETTER ZEN
1C97	თ	GEORGIAN MTAVRULI CAPITAL LETTER TAN
1C98	ი	GEORGIAN MTAVRULI CAPITAL LETTER IN
1C99	კ	GEORGIAN MTAVRULI CAPITAL LETTER KAN
1C9A	ქ	GEORGIAN MTAVRULI CAPITAL LETTER LAS
1C9B	ც	GEORGIAN MTAVRULI CAPITAL LETTER MAN
1C9C	წ	GEORGIAN MTAVRULI CAPITAL LETTER NAR
1C9D	ჭ	GEORGIAN MTAVRULI CAPITAL LETTER ON
1C9E	ძ	GEORGIAN MTAVRULI CAPITAL LETTER PAR
1C9F	ყ	GEORGIAN MTAVRULI CAPITAL LETTER ZHAR
1CA0	რ	GEORGIAN MTAVRULI CAPITAL LETTER RAE
1CA1	ს	GEORGIAN MTAVRULI CAPITAL LETTER SAN
1CA2	თ	GEORGIAN MTAVRULI CAPITAL LETTER TAR
1CA3	უ	GEORGIAN MTAVRULI CAPITAL LETTER UN
1CA4	ფ	GEORGIAN MTAVRULI CAPITAL LETTER PHAR
1CA5	ქ	GEORGIAN MTAVRULI CAPITAL LETTER KHAR
1CA6	ღ	GEORGIAN MTAVRULI CAPITAL LETTER GHAN
1CA7	ყ	GEORGIAN MTAVRULI CAPITAL LETTER QAR
1CA8	შ	GEORGIAN MTAVRULI CAPITAL LETTER SHIN
1CA9	ჩ	GEORGIAN MTAVRULI CAPITAL LETTER CHIN
1CAA	ც	GEORGIAN MTAVRULI CAPITAL LETTER CAN
1CAB	ძ	GEORGIAN MTAVRULI CAPITAL LETTER JIL
1CAC	წ	GEORGIAN MTAVRULI CAPITAL LETTER CIL
1CAD	ჟ	GEORGIAN MTAVRULI CAPITAL LETTER CHAR
1CAE	ბ	GEORGIAN MTAVRULI CAPITAL LETTER XAN
1CAF	ჯ	GEORGIAN MTAVRULI CAPITAL LETTER JHAN
1CB0	ჰ	GEORGIAN MTAVRULI CAPITAL LETTER HAE
1CB1	ჟ	GEORGIAN MTAVRULI CAPITAL LETTER HE
1CB2	ღ	GEORGIAN MTAVRULI CAPITAL LETTER HIE
1CB3	ჟ	GEORGIAN MTAVRULI CAPITAL LETTER WE
1CB4	ს	GEORGIAN MTAVRULI CAPITAL LETTER HAR
1CB5	ჟ	GEORGIAN MTAVRULI CAPITAL LETTER HOE
1CB6	ჟ	GEORGIAN MTAVRULI CAPITAL LETTER FI

Additional letters for Mingrelian and Svan

















































1CB7	ზ	GEORGIAN MTAVRULI CAPITAL LETTER YN
1CB8	ბ	GEORGIAN MTAVRULI CAPITAL LETTER ELIFI

Additional letters




1CB9	ღ	GEORGIAN MTAVRULI CAPITAL LETTER TURNED GAN
1CBA	ც	GEORGIAN MTAVRULI CAPITAL LETTER AIN

Additional letters for Ossetian and Abkhaz


1CBD	ს	GEORGIAN MTAVRULI CAPITAL LETTER AEN
1CBE	ძ	GEORGIAN MTAVRULI CAPITAL LETTER HARD SIGN
1CBF	ო	GEORGIAN MTAVRULI CAPITAL LETTER LABIAL SIGN

	1CD	1CE	1CF
0	 1CD0	 1CE0	 1CF0
1	 1CD1	 1CE1	 1CF1
2	 1CD2	 1CE2	 1CF2
3	 1CD3	 1CE3	 1CF3
4	 1CD4	 1CE4	 1CF4
5	 1CD5	 1CE5	 1CF5
6	 1CD6	 1CE6	 1CF6
7	 1CD7	 1CE7	 1CF7
8	 1CD8	 1CE8	 1CF8
9	 1CD9	 1CE9	 1CF9
A	 1CDA	 1CEA	 1CFA
B	 1CDB	 1CEB	
C	 1CDC	 1CEC	
D	 1CDD	 1CED	
E	 1CDE	 1CEE	
F	 1CDF	 1CEF	













Tone marks for the Samaveda

- 1CD0  VEDIC TONE KARSHANA
= vaidika saamasvara karshanna
- 1CD1  VEDIC TONE SHARA
= vaidika svarita uurdhva shara
- 1CD2  VEDIC TONE PRENKHA
• indicates vibrato
= vaidika saamasvara prenkha



Breathing mark for the Samaveda

- 1CD3  VEDIC SIGN NIHSHVASA
= vaidika saamagaana yogakaala
• separates sections between which a pause is disallowed

Signs for Yajurvedic

- 1CD4  VEDIC SIGN YAJURVEDIC MIDLINE SVARITA
• used predominantly in the Maitrayani Samhita and in some manuscripts of the Vajasaneyi Madhyandina Samhita
- 1CD5  VEDIC TONE YAJURVEDIC AGGRAVATED INDEPENDENT SVARITA
= vaidika svarita adho nyubja
- 1CD6  VEDIC TONE YAJURVEDIC INDEPENDENT SVARITA
= vaidika svarita adhah konna
- 1CD7  VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA
= vaidika svarita adho vakra rekhaa
- 1CD8  VEDIC TONE CANDRA BELOW
= vaidika svarita adho'rdha vakra
- 1CD9  VEDIC TONE YAJURVEDIC KATHAKA INDEPENDENT SVARITA SCHROEDER
= vaidika svarita adhah samyukta rekhaa
- 1CDA  VEDIC TONE DOUBLE SVARITA
= vaidika svarita uurdhva dvi rekhaa
→ 0951  devanagari stress sign udatta
- 1CDB  VEDIC TONE TRIPLE SVARITA
= vaidika svarita uurdhva tri rekhaa
- 1CDC  VEDIC TONE KATHAKA ANUDATTA
= vaidika svarita adho rekhaa
→ 0952  devanagari stress sign anudatta
- 1CDD  VEDIC TONE DOT BELOW
= vaidika svarita adho bindu


Tone marks for the Satapathabrahmana

- 1CDE  VEDIC TONE TWO DOTS BELOW
= vaidika svarita adho dvi bindu
- 1CDF  VEDIC TONE THREE DOTS BELOW
= vaidika svarita adhas tri bindu




Tone mark for the Rigveda





- 1CE0  VEDIC TONE RIGVEDIC KASHMIRI INDEPENDENT SVARITA
= vaidika uurdhva vakra rekhaa

Tone mark for the Atharvaveda

- 1CE1  VEDIC TONE ATHARVAVEDIC INDEPENDENT SVARITA
= vaidika svarita dvi vakra khaanda

Diacritics for visarga

- 1CE2  VEDIC SIGN VISARGA SVARITA
= vaidika madhyarekhaa
- 1CE3  VEDIC SIGN VISARGA UDATTA
= vaidika visarga dakshinnatah uurdhvaga
- 1CE4  VEDIC SIGN REVERSED VISARGA UDATTA
= vaidika visarga vaamatah uurdhvaga

- 1CE5  VEDIC SIGN VISARGA ANUDATTA
= vaidika visarga vaamatah adhoga
- 1CE6  VEDIC SIGN REVERSED VISARGA ANUDATTA
= vaidika visarga dakshinnatah adhoga
- 1CE7  VEDIC SIGN VISARGA UDATTA WITH TAIL
= vaidika visarga dakshinnatah uurdhva vakra
- 1CE8  VEDIC SIGN VISARGA ANUDATTA WITH TAIL
= vaidika visarga vaamatah adho vakra

Marks of nasalization


- 1CE9  VEDIC SIGN ANUSVARA ANTARGOMUKHA
= vaidika anusvaara antarmukha
- 1CEA  VEDIC SIGN ANUSVARA BAHIRGOMUKHA
= vaidika anusvaara naagaphanna
- 1CEB  VEDIC SIGN ANUSVARA VAMAGOMUKHA
= vaidika anusvaara vaamagomukha
- 1CEC  VEDIC SIGN ANUSVARA VAMAGOMUKHA WITH TAIL
= vaidika anusvaara vaamagomukha sa-vakra
- 1CED  VEDIC SIGN TIRYAK
= vaidika tiryak
- 1CEE  VEDIC SIGN HEXIFORM LONG ANUSVARA
= vaidika anusvaara anugaamii
- 1CEF  VEDIC SIGN LONG ANUSVARA
= vaidika anusvaara dakshinnamukha
- 1CF0  VEDIC SIGN RTHANG LONG ANUSVARA
= vaidika anusvaara ttha-sadrisha
- 1CF1  VEDIC SIGN ANUSVARA UBHAYATO MUKHA
= vaidika anusvaara ubhayato mukha

Ardhavisarga








Ardhavisarga denotes the sounds jihvamuliya and upadhmaniya (velar and bilabial voiceless fricatives) in Sanskrit. Its use is not limited to Vedic.

- 1CF2  VEDIC SIGN ARDHAVISARGA
= vaidika jihvaamuuliiya upadhmaaniya
- 1CF3  VEDIC SIGN ROTATED ARDHAVISARGA



Sign for Yajurvedic

- 1CF4  VEDIC TONE CANDRA ABOVE


Signs

































































































































































































































































- 1CF5  VEDIC SIGN JIHVAMULIYA
• marks a velar fricative occurring only before unvoiced velar stops
→ 0CF1  kannada sign jihvamuliya
→ 0F88  tibetan sign lce tsa can
- 1CF6  VEDIC SIGN UPADHMANIYA
• marks a bilabial fricative occurring only before unvoiced labial stops
→ 0CF2  kannada sign upadhmaniya
→ 0F89  tibetan sign mchu can
- 1CF7  VEDIC SIGN ATIKRAMA
= vaidika saamagaana atikrama
• indicates skipping of a svara

Signs for Jaiminiya Sama Veda

- 1CF8  VEDIC TONE RING ABOVE
- 1CF9  VEDIC TONE DOUBLE RING ABOVE

Nasalization sign

- 1CFA  VEDIC SIGN DOUBLE ANUSVARA ANTARGOMUKHA
• used as a base for a combining nasal sign

	2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7	2B8	2B9	2BA	2BB	2BC	2BD	2BE	2BF
0	 2B00	 2B10	 2B20	 2B30	 2B40	 2B50	 2B60	 2B70	 2B80	 2B90	 2BA0	 2BB0	 2BC0	 2BD0	 2BE0	 2BF0
1	 2B01	 2B11	 2B21	 2B31	 2B41	 2B51	 2B61	 2B71	 2B81	 2B91	 2BA1	 2BB1	 2BC1	 2BD1	 2BE1	 2BF1
2	 2B02	 2B12	 2B22	 2B32	 2B42	 2B52	 2B62	 2B72	 2B82	 2B92	 2BA2	 2BB2	 2BC2	 2BD2	 2BE2	 2BF2
3	 2B03	 2B13	 2B23	 2B33	 2B43	 2B53	 2B63	 2B73	 2B83	 2B93	 2BA3	 2BB3	 2BC3	 2BD3	 2BE3	 2BF3
4	 2B04	 2B14	 2B24	 2B34	 2B44	 2B54	 2B64	 2B74	 2B84	 2B94	 2BA4	 2BB4	 2BC4	 2BD4	 2BE4	 2BF4
5	 2B05	 2B15	 2B25	 2B35	 2B45	 2B55	 2B65	 2B75	 2B85	 2B95	 2BA5	 2BB5	 2BC5	 2BD5	 2BE5	 2BF5
6	 2B06	 2B16	 2B26	 2B36	 2B46	 2B56	 2B66	 2B76	 2B86	 2B96	 2BA6	 2BB6	 2BC6	 2BD6	 2BE6	 2BF6
7	 2B07	 2B17	 2B27	 2B37	 2B47	 2B57	 2B67	 2B77	 2B87	 2B97	 2BA7	 2BB7	 2BC7	 2BD7	 2BE7	 2BF7
8	 2B08	 2B18	 2B28	 2B38	 2B48	 2B58	 2B68	 2B78	 2B88	 2B98	 2BA8	 2BB8	 2BC8	 2BD8	 2BE8	 2BF8
9	 2B09	 2B19	 2B29	 2B39	 2B49	 2B59	 2B69	 2B79	 2B89	 2B99	 2BA9	 2BB9	 2BC9	 2BD9	 2BE9	 2BF9
A	 2B0A	 2B1A	 2B2A	 2B3A	 2B4A	 2B5A	 2B6A	 2B7A	 2B8A	 2B9A	 2BA A	 2BB A	 2BC A	 2BD A	 2BE A	 2BF A
B	 2B0B	 2B1B	 2B2B	 2B3B	 2B4B	 2B5B	 2B6B	 2B7B	 2B8B	 2B9B	 2BA B	 2BB B	 2BC B	 2BD B	 2BE B	 2BF B
C	 2B0C	 2B1C	 2B2C	 2B3C	 2B4C	 2B5C	 2B6C	 2B7C	 2B8C	 2B9C	 2BA C	 2BB C	 2BC C	 2BD C	 2BE C	 2BF C
D	 2B0D	 2B1D	 2B2D	 2B3D	 2B4D	 2B5D	 2B6D	 2B7D	 2B8D	 2B9D	 2BA D	 2BB D	 2BC D	 2BD D	 2BE D	 2BF D
E	 2B0E	 2B1E	 2B2E	 2B3E	 2B4E	 2B5E	 2B6E	 2B7E	 2B8E	 2B9E	 2BA E	 2BB E	 2BC E	 2BD E	 2BE E	 2BF E
F	 2B0F	 2B1F	 2B2F	 2B3F	 2B4F	 2B5F	 2B6F	 2B7F	 2B8F	 2B9F	 2BA F	 2BB F	 2BC F	 2BD F	 2BE F	 2BF F

White and black arrows

Other white and black arrows to complete this set can be found in the Arrows and Dingbats blocks.

2B00	↗	NORTH EAST WHITE ARROW
2B01	↖	NORTH WEST WHITE ARROW
2B02	↘	SOUTH EAST WHITE ARROW
2B03	↙	SOUTH WEST WHITE ARROW
2B04	↔	LEFT RIGHT WHITE ARROW → 21E6 ↔ leftwards white arrow → 21F3 ⇕ up down white arrow
2B05	←	LEFTWARDS BLACK ARROW → 27A1 → black rightwards arrow → 2B95 → rightwards black arrow
2B06	↑	UPWARDS BLACK ARROW
2B07	↓	DOWNWARDS BLACK ARROW
2B08	↗	NORTH EAST BLACK ARROW
2B09	↖	NORTH WEST BLACK ARROW
2B0A	↘	SOUTH EAST BLACK ARROW
2B0B	↙	SOUTH WEST BLACK ARROW
2B0C	↔	LEFT RIGHT BLACK ARROW
2B0D	⇕	UP DOWN BLACK ARROW

Arrows with bent tips

Other arrows with bent tips to complete this set can be found in the Arrows block.

2B0E	→	RIGHTWARDS ARROW WITH TIP DOWNWARDS
2B0F	↘	RIGHTWARDS ARROW WITH TIP UPWARDS
2B10	←	LEFTWARDS ARROW WITH TIP DOWNWARDS
2B11	↖	LEFTWARDS ARROW WITH TIP UPWARDS

Squares

2B12	◼	SQUARE WITH TOP HALF BLACK → 25E7 ◼ square with left half black
2B13	◼	SQUARE WITH BOTTOM HALF BLACK
2B14	◼	SQUARE WITH UPPER RIGHT DIAGONAL HALF BLACK
2B15	◼	SQUARE WITH LOWER LEFT DIAGONAL HALF BLACK

Diamonds

2B16	◊	DIAMOND WITH LEFT HALF BLACK
2B17	◊	DIAMOND WITH RIGHT HALF BLACK
2B18	◊	DIAMOND WITH TOP HALF BLACK
2B19	◊	DIAMOND WITH BOTTOM HALF BLACK

Squares

2B1A	◻	DOTTED SQUARE
2B1B	■	BLACK LARGE SQUARE → 25A0 ■ black square
2B1C	□	WHITE LARGE SQUARE → 25A1 □ white square
2B1D	▪	BLACK VERY SMALL SQUARE → 25AA ▪ black small square
2B1E	◻	WHITE VERY SMALL SQUARE → 25AB ◻ white small square

Pentagons

2B1F	⬠	BLACK PENTAGON
2B20	⬡	WHITE PENTAGON

Hexagons

2B21	⬢	WHITE HEXAGON
2B22	⬤	BLACK HEXAGON
2B23	⬥	HORIZONTAL BLACK HEXAGON

Circle

2B24	●	BLACK LARGE CIRCLE → 25CF ● black circle → 25EF ○ large circle → 1F534 ● large red circle
------	---	--

Diamonds and lozenges

2B25	◆	BLACK MEDIUM DIAMOND → 25C6 ◆ black diamond
2B26	◇	WHITE MEDIUM DIAMOND → 25C7 ◇ white diamond → 1F754 ◇ alchemical symbol for soap
2B27	◊	BLACK MEDIUM LOZENGE
2B28	◇	WHITE MEDIUM LOZENGE → 25CA ◇ lozenge
2B29	◆	BLACK SMALL DIAMOND → 22C4 ◆ diamond operator → 1F538 ◆ small orange diamond
2B2A	◊	BLACK SMALL LOZENGE
2B2B	◇	WHITE SMALL LOZENGE

Ellipses

2B2C	●	BLACK HORIZONTAL ELLIPSE
2B2D	○	WHITE HORIZONTAL ELLIPSE
2B2E	●	BLACK VERTICAL ELLIPSE
2B2F	○	WHITE VERTICAL ELLIPSE

Mathematical arrows

These provide the opposite direction complement for arrows for mathematical use not originally encoded in both a leftwards and rightwards direction.

2B30	↔	LEFT ARROW WITH SMALL CIRCLE → 21F4 ↔ right arrow with small circle
2B31	⇐	THREE LEFTWARDS ARROWS → 21F6 ⇐ three rightwards arrows
2B32	↔	LEFT ARROW WITH CIRCLED PLUS → 27F4 ↔ right arrow with circled plus
2B33	↔	LONG LEFTWARDS SQUIGGLE ARROW → 27FF ↔ long rightwards squiggle arrow → 21DC ↔ leftwards squiggle arrow
2B34	↔	LEFTWARDS TWO-HEADED ARROW WITH VERTICAL STROKE → 2900 ↔ rightwards two-headed arrow with vertical stroke
2B35	↔	LEFTWARDS TWO-HEADED ARROW WITH DOUBLE VERTICAL STROKE → 2901 ↔ rightwards two-headed arrow with double vertical stroke
2B36	↔	LEFTWARDS TWO-HEADED ARROW FROM BAR → 2905 ↔ rightwards two-headed arrow from bar
2B37	↔	LEFTWARDS TWO-HEADED TRIPLE DASH ARROW → 2910 ↔ rightwards two-headed triple dash arrow
2B38	↔	LEFTWARDS ARROW WITH DOTTED STEM → 2911 ↔ rightwards arrow with dotted stem
2B39	↔	LEFTWARDS ARROW WITH TAIL WITH VERTICAL STROKE → 2914 ↔ rightwards arrow with tail with vertical stroke
2B3A	↔	LEFTWARDS ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE → 2915 ↔ rightwards arrow with tail with double vertical stroke

- 2B3B ← LEFTWARDS TWO-HEADED ARROW WITH TAIL
→ 2916 ⇨ rightwards two-headed arrow with tail
- 2B3C ⇐ LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH VERTICAL STROKE
→ 2917 ⇨ rightwards two-headed arrow with tail with vertical stroke
- 2B3D ⇐⇐ LEFTWARDS TWO-HEADED ARROW WITH TAIL WITH DOUBLE VERTICAL STROKE
→ 2918 ⇨⇨ rightwards two-headed arrow with tail with double vertical stroke
- 2B3E ⇐⇐ LEFTWARDS ARROW THROUGH X
→ 2947 ⇨⇨ rightwards arrow through x
- 2B3F ↶ WAVE ARROW POINTING DIRECTLY LEFT
→ 2933 ↷ wave arrow pointing directly right
→ 219C ⇐ leftwards wave arrow
- 2B40 ⇐⇐ EQUALS SIGN ABOVE LEFTWARDS ARROW
→ 2971 ⇨⇨ equals sign above rightwards arrow
- 2B41 ⇐ REVERSE TILDE OPERATOR ABOVE LEFTWARDS ARROW
• mirror image of "⇨"
→ 2972 ⇨ tilde operator above rightwards arrow
- 2B42 ⇐⇐ LEFTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO
• mirror image of "⇨"
→ 2975 ⇨⇨ rightwards arrow above almost equal to
- 2B43 ⇨⇨ RIGHTWARDS ARROW THROUGH GREATER-THAN
• mirror image of "⇐"
→ 2977 ⇐⇐ leftwards arrow through less-than
- 2B44 ⇨⇨ RIGHTWARDS ARROW THROUGH SUPERSET
• mirror image of "⇐"
→ 297A ⇐⇐ leftwards arrow through subset
- 2B45 ⇐⇐⇐ LEFTWARDS QUADRUPLE ARROW
→ 27F0 ⇨⇨⇨ upwards quadruple arrow
- 2B46 ⇨⇨⇨ RIGHTWARDS QUADRUPLE ARROW
- 2B47 ⇨⇨ REVERSE TILDE OPERATOR ABOVE RIGHTWARDS ARROW
- 2B48 ⇨⇨ RIGHTWARDS ARROW ABOVE REVERSE ALMOST EQUAL TO
- 2B49 ⇐⇐ TILDE OPERATOR ABOVE LEFTWARDS ARROW
- 2B4A ⇐⇐ LEFTWARDS ARROW ABOVE ALMOST EQUAL TO
- 2B4B ⇐⇐ LEFTWARDS ARROW ABOVE REVERSE TILDE OPERATOR
• mirror image of "⇨"
→ 2974 ⇨⇨ rightwards arrow above tilde operator
- 2B4C ⇨⇨ RIGHTWARDS ARROW ABOVE REVERSE TILDE OPERATOR
• mirror image of "⇐"
→ 2973 ⇐⇐ leftwards arrow above tilde operator

Miscellaneous arrow

- 2B4D ↴ DOWNWARDS TRIANGLE-HEADED ZIGZAG ARROW
→ 21AF ↴ downwards zigzag arrow

Intonation marks for Lithuanian dialectology

- 2B4E ↗ SHORT SLANTED NORTH ARROW
• slight rise in tone

- 2B4F ↘ SHORT BACKSLANTED SOUTH ARROW
• slight fall or overall fall in tone when at the end of a word or at the beginning of a phrase, respectively

Stars

- 2B50 ☆ WHITE MEDIUM STAR
→ 2606 ☆ white star
- 2B51 ★ BLACK SMALL STAR
→ 066D ★ arabic five pointed star
→ 22C6 ★ star operator
→ 2605 ★ black star
- 2B52 ☆ WHITE SMALL STAR

Pentagons

- 2B53 ⬛ BLACK RIGHT-POINTING PENTAGON
- 2B54 ⬜ WHITE RIGHT-POINTING PENTAGON

Traffic sign from ARIB STD B24

- 2B55 ○ HEAVY LARGE CIRCLE
= basic symbol for speed limit
• forms a game tally pair with 274C ✕
→ 25EF ○ large circle

Dictionary and map symbols from ARIB STD B24

- 2B56 ◎ HEAVY OVAL WITH OVAL INSIDE
= prefectural office
- 2B57 ⊙ HEAVY CIRCLE WITH CIRCLE INSIDE
= municipal office
→ 25CE ⊙ bullseye
- 2B58 ○ HEAVY CIRCLE
= town or village office
= power off symbol
→ 23FD ⏻ power on symbol
→ 25CB ○ white circle
- 2B59 ⊗ HEAVY CIRCLED SALTIRE
= police station
→ 2A02 ⊗ n-ary circled times operator

Intonation marks for Lithuanian dialectology

- 2B5A ↗ SLANTED NORTH ARROW WITH HOOKED HEAD
• increasing tone with falling trend at the end
- 2B5B ↘ BACKSLANTED SOUTH ARROW WITH HOOKED TAIL
• sharp rise and fall in tone
- 2B5C ↗ SLANTED NORTH ARROW WITH HORIZONTAL TAIL
• continued rise in tone
- 2B5D ↘ BACKSLANTED SOUTH ARROW WITH HORIZONTAL TAIL
• continued fall in tone
- 2B5E ↘ BENT ARROW POINTING DOWNWARDS THEN NORTH EAST
• sharp fall in tone with rising trend at the end
- 2B5F ↘ SHORT BENT ARROW POINTING DOWNWARDS THEN NORTH EAST
• slight fall in tone with rising trend at the end

Triangle-headed arrows

- 2B60 ← LEFTWARDS TRIANGLE-HEADED ARROW
→ 2190 ← leftwards arrow
- 2B61 ↑ UPWARDS TRIANGLE-HEADED ARROW
→ 2191 ↑ upwards arrow
- 2B62 → RIGHTWARDS TRIANGLE-HEADED ARROW
→ 2192 → rightwards arrow
→ 279D → triangle-headed rightwards arrow

2B63	↓	DOWNWARDS TRIANGLE-HEADED ARROW → 2193 ↓ downwards arrow
2B64	↔	LEFT RIGHT TRIANGLE-HEADED ARROW → 2194 ↔ left right arrow
2B65	↕	UP DOWN TRIANGLE-HEADED ARROW → 2195 ↕ up down arrow
2B66	↖	NORTH WEST TRIANGLE-HEADED ARROW → 2196 ↖ north west arrow
2B67	↗	NORTH EAST TRIANGLE-HEADED ARROW → 2197 ↗ north east arrow
2B68	↘	SOUTH EAST TRIANGLE-HEADED ARROW → 2198 ↘ south east arrow
2B69	↙	SOUTH WEST TRIANGLE-HEADED ARROW → 2199 ↙ south west arrow
2B6A	↔	LEFTWARDS TRIANGLE-HEADED DASHED ARROW → 21E0 ↔ leftwards dashed arrow
2B6B	↕	UPWARDS TRIANGLE-HEADED DASHED ARROW → 21E1 ↕ upwards dashed arrow
2B6C	↔	RIGHTWARDS TRIANGLE-HEADED DASHED ARROW → 21E2 → rightwards dashed arrow
2B6D	↕	DOWNWARDS TRIANGLE-HEADED DASHED ARROW → 21E3 ↓ downwards dashed arrow
2B6E	↻	CLOCKWISE TRIANGLE-HEADED OPEN CIRCLE ARROW → 21BB ↻ clockwise open circle arrow
2B6F	↻	ANTICLOCKWISE TRIANGLE-HEADED OPEN CIRCLE ARROW → 21BA ↻ anticlockwise open circle arrow
2B70	←	LEFTWARDS TRIANGLE-HEADED ARROW TO BAR = left tab → 21E4 ← leftwards arrow to bar
2B71	↑	UPWARDS TRIANGLE-HEADED ARROW TO BAR = up tab → 2912 ↑ upwards arrow to bar
2B72	→	RIGHTWARDS TRIANGLE-HEADED ARROW TO BAR = right tab → 21E5 → rightwards arrow to bar
2B73	↓	DOWNWARDS TRIANGLE-HEADED ARROW TO BAR = down tab → 2913 ↓ downwards arrow to bar
2B74	▩	<reserved>
2B75	▩	<reserved>
2B76	↖	NORTH WEST TRIANGLE-HEADED ARROW TO BAR = home
2B77	↗	NORTH EAST TRIANGLE-HEADED ARROW TO BAR
2B78	↘	SOUTH EAST TRIANGLE-HEADED ARROW TO BAR = end
2B79	↙	SOUTH WEST TRIANGLE-HEADED ARROW TO BAR
2B7A	↔	LEFTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE × LEFTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE VERTICAL STROKE

2B7B	≡	UPWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE = page up
2B7C	↔	RIGHTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE × RIGHTWARDS TRIANGLE-HEADED ARROW WITH DOUBLE VERTICAL STROKE
2B7D	≡	DOWNWARDS TRIANGLE-HEADED ARROW WITH DOUBLE HORIZONTAL STROKE = page down

Keyboard symbols

2B7E	↵	HORIZONTAL TAB KEY → 21B9 ↵ leftwards arrow to bar over rightwards arrow to bar
2B7F	↵	VERTICAL TAB KEY

Paired triangle-headed arrows

2B80	↔	LEFTWARDS TRIANGLE-HEADED ARROW OVER RIGHTWARDS TRIANGLE-HEADED ARROW → 21C6 ↔ leftwards arrow over rightwards arrow
2B81	↕	UPWARDS TRIANGLE-HEADED ARROW LEFTWARDS OF DOWNWARDS TRIANGLE-HEADED ARROW
2B82	↔	RIGHTWARDS TRIANGLE-HEADED ARROW OVER LEFTWARDS TRIANGLE-HEADED ARROW
2B83	↕	DOWNWARDS TRIANGLE-HEADED ARROW LEFTWARDS OF UPWARDS TRIANGLE-HEADED ARROW → 21F5 ↕ downwards arrow leftwards of upwards arrow
2B84	↔	LEFTWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C7 ↔ leftwards paired arrows
2B85	↑	UPWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C8 ↑↑ upwards paired arrows
2B86	→	RIGHTWARDS TRIANGLE-HEADED PAIRED ARROWS → 21C9 ⇒ rightwards paired arrows
2B87	↓	DOWNWARDS TRIANGLE-HEADED PAIRED ARROWS → 21CA ↓↓ downwards paired arrows

Circled arrows

2B88	↶	LEFTWARDS BLACK CIRCLED WHITE ARROW
2B89	↷	UPWARDS BLACK CIRCLED WHITE ARROW
2B8A	↷	RIGHTWARDS BLACK CIRCLED WHITE ARROW → 27B2 ↷ circled heavy white rightwards arrow
2B8B	↶	DOWNWARDS BLACK CIRCLED WHITE ARROW

Triangle-headed u-shaped arrows

2B8C	↶	ANTICLOCKWISE TRIANGLE-HEADED RIGHT U-SHAPED ARROW
2B8D	↷	ANTICLOCKWISE TRIANGLE-HEADED BOTTOM U-SHAPED ARROW
2B8E	↶	ANTICLOCKWISE TRIANGLE-HEADED LEFT U-SHAPED ARROW
2B8F	↷	ANTICLOCKWISE TRIANGLE-HEADED TOP U-SHAPED ARROW → 21B6 ↷ anticlockwise top semicircle arrow

Keyboard symbols

2B90	↵	RETURN LEFT → 23CE ↵ return symbol
2B91	↵	RETURN RIGHT
2B92	↵	NEWLINE LEFT

2B93 ⇨ NEWLINE RIGHT

Miscellaneous arrow symbol

2B94 ◻ FOUR CORNER ARROWS CIRCLING
ANTICLOCKWISE
= loop

Black arrow

2B95 ➔ RIGHTWARDS BLACK ARROW
→ 27A1 ➔ black rightwards arrow
→ 2B05 ← leftwards black arrow

Arrowheads

These sets of arrowheads are narrower than the dingbats set.

2B98 ◀ THREE-D TOP-LIGHTED LEFTWARDS
EQUILATERAL ARROWHEAD

2B99 ▲ THREE-D RIGHT-LIGHTED UPWARDS
EQUILATERAL ARROWHEAD

2B9A ▶ THREE-D TOP-LIGHTED RIGHTWARDS
EQUILATERAL ARROWHEAD
→ 27A2 ➤ three-d top-lighted rightwards
arrowhead

2B9B ▼ THREE-D LEFT-LIGHTED DOWNWARDS
EQUILATERAL ARROWHEAD

2B9C ◀ BLACK LEFTWARDS EQUILATERAL
ARROWHEAD

2B9D ▲ BLACK UPWARDS EQUILATERAL ARROWHEAD

2B9E ▶ BLACK RIGHTWARDS EQUILATERAL
ARROWHEAD
→ 27A4 ➤ black rightwards arrowhead

2B9F ▼ BLACK DOWNWARDS EQUILATERAL
ARROWHEAD

Triangle-headed arrows with bent tips

2BA0 ↙ DOWNWARDS TRIANGLE-HEADED ARROW
WITH LONG TIP LEFTWARDS
→ 21B2 ↓ downwards arrow with tip leftwards

2BA1 ↘ DOWNWARDS TRIANGLE-HEADED ARROW
WITH LONG TIP RIGHTWARDS
→ 21B3 ↘ downwards arrow with tip rightwards

2BA2 ↙ UPWARDS TRIANGLE-HEADED ARROW WITH
LONG TIP LEFTWARDS
→ 21B0 ↖ upwards arrow with tip leftwards

2BA3 ↘ UPWARDS TRIANGLE-HEADED ARROW WITH
LONG TIP RIGHTWARDS
→ 21B1 ↗ upwards arrow with tip rightwards

2BA4 ↑ LEFTWARDS TRIANGLE-HEADED ARROW WITH
LONG TIP UPWARDS
→ 2B11 ← leftwards arrow with tip upwards

2BA5 ↓ RIGHTWARDS TRIANGLE-HEADED ARROW
WITH LONG TIP UPWARDS
→ 2B0F → rightwards arrow with tip upwards

2BA6 ↓ LEFTWARDS TRIANGLE-HEADED ARROW WITH
LONG TIP DOWNWARDS
→ 2B10 ↖ leftwards arrow with tip downwards

2BA7 ↘ RIGHTWARDS TRIANGLE-HEADED ARROW
WITH LONG TIP DOWNWARDS
→ 2B0E ↗ rightwards arrow with tip downwards

Black curved arrows

2BA8 ↶ BLACK CURVED DOWNWARDS AND
LEFTWARDS ARROW

2BA9 ↷ BLACK CURVED DOWNWARDS AND
RIGHTWARDS ARROW
→ 27A5 ➤ heavy black curved downwards and
rightwards arrow

2BAA ↶ BLACK CURVED UPWARDS AND LEFTWARDS
ARROW

2BAB ↷ BLACK CURVED UPWARDS AND RIGHTWARDS
ARROW
→ 27A6 ➤ heavy black curved upwards and
rightwards arrow

2BAC ↵ BLACK CURVED LEFTWARDS AND UPWARDS
ARROW

2BAD ↶ BLACK CURVED RIGHTWARDS AND UPWARDS
ARROW

2BAE ↷ BLACK CURVED LEFTWARDS AND
DOWNWARDS ARROW

2BAF ↵ BLACK CURVED RIGHTWARDS AND
DOWNWARDS ARROW

Ribbon arrows

2BB0 ↙ RIBBON ARROW DOWN LEFT

2BB1 ↘ RIBBON ARROW DOWN RIGHT

2BB2 ↖ RIBBON ARROW UP LEFT

2BB3 ↗ RIBBON ARROW UP RIGHT

2BB4 ↖ RIBBON ARROW LEFT UP

2BB5 ↗ RIBBON ARROW RIGHT UP

2BB6 ↙ RIBBON ARROW LEFT DOWN

2BB7 ↘ RIBBON ARROW RIGHT DOWN

Keyboard symbols

2BB8 ☷ UPWARDS WHITE ARROW FROM BAR WITH
HORIZONTAL BAR
= caps lock
→ 21EC ⤴ upwards white arrow on pedestal
with horizontal bar

2BB9 ☒ UP ARROWHEAD IN A RECTANGLE BOX
= escape
→ 2353 ☒ apl functional symbol quad up caret

Symbols used in chess notation

2BBA ◻ OVERLAPPING WHITE SQUARES
= pair of bishops
→ 29C9 ◻ two joined squares

2BBB ◻ OVERLAPPING WHITE AND BLACK SQUARES
= bishops of opposite colour

2BBC ◻ OVERLAPPING BLACK SQUARES
= bishops of the same colour

Geometric symbols

2BBD ☒ BALLOT BOX WITH LIGHT X
→ 2612 ☒ ballot box with x

2BBE ⊗ CIRCLED X
→ 2297 ⊗ circled times

2BBF ⊗ CIRCLED BOLD X

Centred geometric shapes

2BC0 ■ BLACK SQUARE CENTRED

2BC1 ◆ BLACK DIAMOND CENTRED

2BC2 ⬠ TURNED BLACK PENTAGON

2BC3 ● HORIZONTAL BLACK OCTAGON
→ 1F6D1 ● octagonal sign

2BC4 ● BLACK OCTAGON

2BC5 ▲ BLACK MEDIUM UP-POINTING TRIANGLE
CENTRED
→ 25B2 ▲ black up-pointing triangle

2BC6 ▼ BLACK MEDIUM DOWN-POINTING TRIANGLE
CENTRED
→ 25BC ▼ black down-pointing triangle

2BC7 ◀ BLACK MEDIUM LEFT-POINTING TRIANGLE
CENTRED
→ 25C0 ◀ black left-pointing triangle

- 2BC8 ► BLACK MEDIUM RIGHT-POINTING TRIANGLE CENTRED
→ 25B6 ► black right-pointing triangle

Astronomical symbol

- 2BC9 ♆ NEPTUNE FORM TWO
→ 2646 ♆ neptune

Half circles

- 2BCA ◐ TOP HALF BLACK CIRCLE
2BCB ◑ BOTTOM HALF BLACK CIRCLE

Cusp shapes

- 2BCC ✦ LIGHT FOUR POINTED BLACK CUSP
→ 2726 ✦ black four pointed star
- 2BCD ✧ ROTATED LIGHT FOUR POINTED BLACK CUSP
- 2BCE ✨ WHITE FOUR POINTED CUSP
→ 2727 ✨ white four pointed star
- 2BCF ✧ ROTATED WHITE FOUR POINTED CUSP
→ 2311 ◻ square lozenge

Miscellaneous symbols

- 2BD0 ◻ SQUARE POSITION INDICATOR
→ 2316 ◻ position indicator
- 2BD1 ◻ UNCERTAINTY SIGN
= query
→ 2370 ◻ apl functional symbol quad question
→ FFFD ◻ replacement character
- 2BD2 ‡ GROUP MARK
• formerly used as a separator character for I/O operations
→ 2021 ‡ double dagger
→ 29E7 ‡ thermodynamic
→ 2E4B ‡ triple dagger

Astrological symbols for Pluto

- 2BD3 ♇ PLUTO FORM TWO
→ 2647 ♇ pluto
- 2BD4 ♇ PLUTO FORM THREE
- 2BD5 ♇ PLUTO FORM FOUR
- 2BD6 ♇ PLUTO FORM FIVE

Miscellaneous astrological symbols

- 2BD7 ♁ TRANSPUTO
- 2BD8]-[PROSERPINA
- 2BD9 ♁ ASTRAEA
- 2BDA ♁ HYGIEA
- 2BDB ♁ PHOLUS
- 2BDC ♁ NESSUS
- 2BDD ♁ WHITE MOON SELENA
- 2BDE ♁ BLACK DIAMOND ON CROSS
= true black moon Lilith
- 2BDF ♁ TRUE LIGHT MOON ARTA

Uranian astrological symbols

- 2BE0 ♃ CUPIDO
- 2BE1 ♃ HADES
- 2BE2 ♃ ZEUS
- 2BE3 ♃ KRONOS
- 2BE4 ♃ APOLLON
- 2BE5 ♃ ADMETOS
- 2BE6 ♃ VULCANUS
- 2BE7 ♃ POSEIDON

Half star characters

Used together with 2605 in systems of ratings

- 2BE8 ★ LEFT HALF BLACK STAR
→ 2605 ★ black star
- 2BE9 ★ RIGHT HALF BLACK STAR
- 2BEA ★ STAR WITH LEFT HALF BLACK
- 2BEB ★ STAR WITH RIGHT HALF BLACK

Two-headed arrow symbols

The following four arrow symbols are the preferred representation for fast cursor direction for ISO 9995-7.

- 2BEC ⇐ LEFTWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor left
→ 219E ⇐ leftwards two headed arrow
- 2BED ↑ UPWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor up
- 2BEE → RIGHTWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor right
- 2BEF ↓ DOWNWARDS TWO-HEADED ARROW WITH TRIANGLE ARROWHEADS
= fast cursor down

Astrological symbols for Eris and Sedna

- 2BF0 ♁ ERIS FORM ONE
- 2BF1 ♁ ERIS FORM TWO
- 2BF2 ♁ SEDNA

Russian astrological aspects

- 2BF3 ♁ RUSSIAN ASTROLOGICAL SYMBOL VIGINTILE
• the vigintile aspect is usually represented by the letter V
- 2BF4 ♁ RUSSIAN ASTROLOGICAL SYMBOL NOVILE
• the novile aspect is usually represented by the letter N
- 2BF5 ♁ RUSSIAN ASTROLOGICAL SYMBOL QUINTILE
• the quintile aspect is usually represented by the letter Q
- 2BF6 ♁ RUSSIAN ASTROLOGICAL SYMBOL BINOVILE
• the binovile aspect is usually represented by the term N²
- 2BF7 ♁ RUSSIAN ASTROLOGICAL SYMBOL SENTAGON
• represents a 100-degree aspect
- 2BF8 ♁ RUSSIAN ASTROLOGICAL SYMBOL TREDECILE
• the tredecile aspect is usually represented by the term D³












































































Symbols used in chess notation

- 2BF9 ♁ EQUALS SIGN WITH INFINITY BELOW
= with compensation for the material
- 2BFA ♁ UNITED SYMBOL
= united pawns
→ 26AE ♁ divorce symbol
- 2BFB ♁ SEPARATED SYMBOL
= separated pawns
→ 26AF ♁ unmarried partnership symbol
→ 29DF ♁ double-ended multimap
→ 1F73A ♁ alchemical symbol for arsenic
- 2BFC ♁ DOUBLED SYMBOL
= doubled pawns
- 2BFD ♁ PASSED SYMBOL
= passed pawn
→ 2642 ♁ male sign

2BFE ◡ REVERSED RIGHT ANGLE
= without
→ 221F L right angle

Miscellaneous symbol

2BFF ⏏ HELLSCHREIBER PAUSE SYMBOL

	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	 2E00	 2E10	 2E20	 2E30	 2E40			
1	 2E01	 2E11	 2E21	 2E31	 2E41			
2	 2E02	 2E12	 2E22	 2E32	 2E42			
3	 2E03	 2E13	 2E23	 2E33	 2E43			
4	 2E04	 2E14	 2E24	 2E34	 2E44			
5	 2E05	 2E15	 2E25	 2E35	 2E45			
6	 2E06	 2E16	 2E26	 2E36	 2E46			
7	 2E07	 2E17	 2E27	 2E37	 2E47			
8	 2E08	 2E18	 2E28	 2E38	 2E48			
9	 2E09	 2E19	 2E29	 2E39	 2E49			
A	 2E0A	 2E1A	 2E2A	 2E3A	 2E4A			
B	 2E0B	 2E1B	 2E2B	 2E3B	 2E4B			
C	 2E0C	 2E1C	 2E2C	 2E3C	 2E4C			
D	 2E0D	 2E1D	 2E2D	 2E3D	 2E4D			
E	 2E0E	 2E1E	 2E2E	 2E3E	 2E4E			
F	 2E0F	 2E1F	 2E2F	 2E3F	 2E4F			

New Testament editorial symbols

- 2E00 ∟ RIGHT ANGLE SUBSTITUTION MARKER
→ 231C ∟ top left corner
- 2E01 ∟ RIGHT ANGLE DOTTED SUBSTITUTION MARKER
- 2E02 { LEFT SUBSTITUTION BRACKET
- 2E03 } RIGHT SUBSTITUTION BRACKET
- 2E04 { LEFT DOTTED SUBSTITUTION BRACKET
- 2E05 } RIGHT DOTTED SUBSTITUTION BRACKET
- 2E06 T RAISED INTERPOLATION MARKER
→ 22A4 T down tack
- 2E07 T RAISED DOTTED INTERPOLATION MARKER
- 2E08 S DOTTED TRANSPOSITION MARKER
- 2E09 S LEFT TRANSPOSITION BRACKET
- 2E0A S RIGHT TRANSPOSITION BRACKET
- 2E0B □ RAISED SQUARE
• used as an opening raised omission bracket
- 2E0C \ LEFT RAISED OMISSION BRACKET
• used as an opening or closing raised omission bracket
- 2E0D / RIGHT RAISED OMISSION BRACKET
• used as a closing or opening raised omission bracket

Ancient Greek textual symbols

- 2E0E ⚭ EDITORIAL CORONIS
→ 1FBD ⚭ greek koronis
- 2E0F — PARAGRAPHOS
- 2E10 ⚭ FORKED PARAGRAPHOS
- 2E11 ⚭ REVERSED FORKED PARAGRAPHOS
- 2E12 ∙ HYPODIASTOLE
= ypodiaستي
- 2E13 ∕ DOTTED OBELOS
• glyph variants may look like ‘∕’ or ‘∕’
→ 2052 ∕ commercial minus sign
- 2E14 ✓ DOWNWARDS ANCORA
• contrary to its formal name this symbol points upwards
- 2E15 ↗ UPWARDS ANCORA
• contrary to its formal name this symbol points downwards
- 2E16 ∷ DOTTED RIGHT-POINTING ANGLE
= dipole periestigmene

Ancient Near-Eastern linguistic symbol

- 2E17 ≍ DOUBLE OBLIQUE HYPHEN
• used in ancient Near-Eastern linguistics
• hyphen in Fraktur text uses 002D - or 2010 - , but with a ‘ſ’ glyph in Fraktur fonts
→ 002D - hyphen-minus
→ 003D = equals sign
→ 2010 - hyphen
→ 2E40 = double hyphen

General punctuation

- 2E18 ı INVERTED INTERROBANG
= gnaborretni
→ 203D ı interrobang
- 2E19 # PALM BRANCH
• used as a separator

Dictionary punctuation

These punctuation marks are used mostly in German dictionaries, to indicate umlaut or case changes with abbreviated stems.

- 2E1A ¨ HYPHEN WITH DIAERESIS
• indicates umlaut of the stem vowel of a plural form
- 2E1B ˜ TILDE WITH RING ABOVE
• indicates change in case for derived form

Brackets

- 2E1C \ LEFT LOW PARAPHRASE BRACKET
- 2E1D / RIGHT LOW PARAPHRASE BRACKET
• used in N’Ko

Dictionary punctuation

- 2E1E ˙ TILDE WITH DOT ABOVE
• indicates derived form changes to uppercase
- 2E1F ˘ TILDE WITH DOT BELOW
• indicates derived form changes to lowercase

Brackets

- 2E20 | LEFT VERTICAL BAR WITH QUILL
- 2E21 | RIGHT VERTICAL BAR WITH QUILL

Half brackets

These form a set of four corner brackets and are used editorially. They are distinguished from mathematical floor and ceiling characters. Occasionally quine corners are substituted for half brackets.

- 2E22 ∟ TOP LEFT HALF BRACKET
→ 2308 ∟ left ceiling
→ 231C ∟ top left corner
→ 300C ∟ left corner bracket
- 2E23 ∟ TOP RIGHT HALF BRACKET
- 2E24 ∟ BOTTOM LEFT HALF BRACKET
- 2E25 ∟ BOTTOM RIGHT HALF BRACKET

Brackets

- 2E26 ⊂ LEFT SIDEWAYS U BRACKET
→ 2282 ⊂ subset of
- 2E27 ⊃ RIGHT SIDEWAYS U BRACKET
→ 2283 ⊃ superset of
- 2E28 ((LEFT DOUBLE PARENTHESIS
→ 2985 ((left white parenthesis
→ FF5F ((fullwidth left white parenthesis
- 2E29)) RIGHT DOUBLE PARENTHESIS

Historic punctuation

- 2E2A ∴ TWO DOTS OVER ONE DOT PUNCTUATION
- 2E2B ∷ ONE DOT OVER TWO DOTS PUNCTUATION
- 2E2C ∴ SQUARED FOUR DOT PUNCTUATION
- 2E2D ∴ FIVE DOT MARK
- 2E2E † REVERSED QUESTION MARK
= punctus percontativus
→ 003F † question mark
→ 00BF † inverted question mark
→ 061F † arabic question mark
- 2E2F ˇ VERTICAL TILDE
• used for Cyrillic yerik
→ 033E ˇ combining vertical tilde
→ A67F ˇ cyrillic payerok

- 2E30 ◦ RING POINT
 • used in Avestan
 → 2218 ◦ ring operator
 → 25E6 ◦ white bullet
- 2E31 · WORD SEPARATOR MIDDLE DOT
 • used in Avestan, Samaritan, ...
 → 00B7 · middle dot

Palaeotype transliteration symbol

- 2E32 ˘ TURNED COMMA
 • indicates nasalization
 → 060C ˘ arabic comma



Historic punctuation

- 2E33 ˙ RAISED DOT
 • glyph position intermediate between 002E . and 00B7 ·
 → 002E ˙ full stop
 → 00B7 · middle dot
- 2E34 ˆ RAISED COMMA
 → 002C , comma

Palaeotype transliteration symbols

- 2E35 ː TURNED SEMICOLON
 • indicates sudden glottal closure
 → 061B ː arabic semicolon
- 2E36 † DAGGER WITH LEFT GUARD
 • indicates retracted pronunciation
- 2E37 ‡ DAGGER WITH RIGHT GUARD
 • indicates advanced pronunciation
- 2E38 ‡ TURNED DAGGER
 • indicates retroflex pronunciation
 → 2020 ‡ dagger
- 2E39 § TOP HALF SECTION SIGN
 • indicates pronunciation on one side of the mouth only
 → 00A7 § section sign

Dashes

- 2E3A  TWO-EM DASH
 = omission dash
 → 2014 — em dash
- 2E3B  THREE-EM DASH

Alternate forms of punctuation

- 2E3C × STENOGRAPHIC FULL STOP
 • used in shorthands and stenographies
 → 002E . full stop
 → 166E × canadian syllabics full stop
- 2E3D ⋮ VERTICAL SIX DOTS
 → 205E ⋮ vertical four dots
 → 2999 ⋮ dotted fence
- 2E3E  WIGGLY VERTICAL LINE
 → 2307 } wavy line
 → 299A † vertical zigzag line

Historic punctuation

- 2E3F ¶ CAPITULUM
 • ancestor of the pilcrow sign
 → 00B6 ¶ pilcrow sign

Double hyphen

The double hyphen is used in transcription of old German manuscripts, and occasionally as a non-standard punctuation mark. It is not intended for the representation of normal hyphens, whose doubled forms in Fraktur text are considered glyphic variants.

- 2E40 = DOUBLE HYPHEN
 → 003D = equals sign
 → 2010 - hyphen
 → 2E17 ≠ double oblique hyphen
 → 30A0 = katakana-hiragana double hyphen
 → A78A = modifier letter short equals sign


Reversed punctuation

- 2E41 ˘ REVERSED COMMA
 • also used in Sindhi
 → 002C , comma
 → 060C ˘ arabic comma
- 2E42 ‹‹ DOUBLE LOW-REVERSED-9 QUOTATION MARK
 → 201E ‹‹ double low-9 quotation mark

Miscellaneous punctuation

- 2E43 ‹ DASH WITH LEFT UPTURN
 • functions as a paragraphos in some Slavonic texts
 → 2E0F ‹ paragraphos
- 2E44 ˘ DOUBLE SUSPENSION MARK
 • indicates omission of letters in a word on some Byzantine Greek seals and coins
 → 0374 ˘ greek numeral sign

Typicon punctuation

- 2E45 ˘ INVERTED LOW KAVYKA
- 2E46 × INVERTED LOW KAVYKA WITH KAVYKA ABOVE
 → 2A46  union above intersection
 → AB5B × modifier breve with inverted breve
- 2E47 ˘ LOW KAVYKA
 → A67E ˘ cyrillic kavyka
- 2E48 ˘ LOW KAVYKA WITH DOT
- 2E49 ˘ DOUBLE STACKED COMMA

Historic punctuation

- 2E4A / DOTTED SOLIDUS
 = virgula suspensiva
 • indicates a medial disjunction less than solidus but more than punctus elevatus
- 2E4B † TRIPLE DAGGER
 → 2020 † dagger
 → 2021 † double dagger
- 2E4C ˘ MEDIEVAL COMMA
 • indicates a minor medial pause or disjunction of sense
- 2E4D ¶ PARAGRAPHUS MARK
 • indicates the beginning of a paragraph, section, stanza, or proposition
 → 00B6 ¶ pilcrow sign
 → 204B ¶ reversed pilcrow sign
 → 2E0F ‹ paragraphos
 → 2E3F ¶ capitulum
- 2E4E ˘ PUNCTUS ELEVATUS MARK
 • indicates a minor medial pause where the sense is complete but the meaning is not

Medieval punctuation

- 2E4F ≠ MEDIEVAL CORNISH VERSE SEPARATOR

HEX	C	J	K	V
9FE0 禾 115.16	利爾 UTC-01189			
9FE1 网 122.28	羅爾 UTC-01192			
9FE2 耳 128.8	耶哈 UTC-01195			
9FE3 耳 128.9	耶克 UTC-01182			
9FE4 耳 128.12	耶格 UTC-01180			
9FE5 艮 138.17	郎爾 UTC-01185			
9FE6 艸 140.18	英微 UTC-01179			
9FE7 阜 170.23	隆爾 UTC-01193			
9FE8 雨 173.19	雷爾 UTC-01188			
9FE9 魚 195.18	魯爾 UTC-01194			
9FEA 火 86.13			遂 K3-2A46	
9FEB 气 84.13	氮 GCE-118	氮 T5-7C54		
9FEC 石 112.15	砒 GCE-117	砒 T4-65ED		
9FED 钅 167.5	铈 GCE-113			铈 UTC-01119
9FEE 广 53.10			席 JMJ-057449	
9FEF 米 119.10			黎 JMJ-060040	

	A72	A73	A74	A75	A76	A77	A78	A79	A7A	A7B	A7C	A7D	A7E	A7F
0	Ƒ A720	F A730	Ƒ A740	Ƒ A750	Ƒ A760	Ƒ A770	Ƒ A780	Ƒ A790	Ƒ A7A0	Ƒ A7B0				
1	Ƒ A721	s A731	Ƒ A741	Ƒ A751	Ƒ A761	Ƒ A771	Ƒ A781	Ƒ A791	Ƒ A7A1	Ƒ A7B1				
2	Ƒ A722	AA A732	Ƒ A742	Ƒ A752	Ƒ A762	Ƒ A772	Ƒ A782	Ƒ A792	Ƒ A7A2	Ƒ A7B2	Ƒ A7C2			
3	Ƒ A723	aa A733	Ƒ A743	Ƒ A753	Ƒ A763	Ƒ A773	Ƒ A783	Ƒ A793	Ƒ A7A3	Ƒ A7B3	Ƒ A7C3			
4	Ƒ A724	AO A734	Ƒ A744	Ƒ A754	Ƒ A764	Ƒ A774	Ƒ A784	Ƒ A794	Ƒ A7A4	Ƒ A7B4	Ƒ A7C4			
5	Ƒ A725	ao A735	Ƒ A745	Ƒ A755	Ƒ A765	Ƒ A775	Ƒ A785	Ƒ A795	Ƒ A7A5	Ƒ A7B5	Ƒ A7C5			
6	Ƒ A726	AU A736	Ƒ A746	Ƒ A756	Ƒ A766	Ƒ A776	Ƒ A786	Ƒ A796	Ƒ A7A6	Ƒ A7B6	Ƒ A7C6			
7	Ƒ A727	ai A737	Ƒ A747	Ƒ A757	Ƒ A767	Ƒ A777	Ƒ A787	Ƒ A797	Ƒ A7A7	Ƒ A7B7				Ƒ A7F7
8	Ƒ A728	AV A738	Ƒ A748	Ƒ A758	Ƒ A768	Ƒ A778	Ƒ A788	Ƒ A798	Ƒ A7A8	Ƒ A7B8				Ƒ A7F8
9	Ƒ A729	av A739	Ƒ A749	Ƒ A759	Ƒ A769	Ƒ A779	Ƒ A789	Ƒ A799	Ƒ A7A9	Ƒ A7B9				Ƒ A7F9
A	Ƒ A72A	AV A73A	Ƒ A74A	Ƒ A75A	Ƒ A76A	Ƒ A77A	Ƒ A78A	Ƒ A79A	Ƒ A7AA	Ƒ A7BA				Ƒ A7FA
B	Ƒ A72B	av A73B	Ƒ A74B	Ƒ A75B	Ƒ A76B	Ƒ A77B	Ƒ A78B	Ƒ A79B	Ƒ A7AB	Ƒ A7BB				Ƒ A7FB
C	Ƒ A72C	AV A73C	Ƒ A74C	Ƒ A75C	Ƒ A76C	Ƒ A77C	Ƒ A78C	Ƒ A79C	Ƒ A7AC	Ƒ A7BC				Ƒ A7FC
D	Ƒ A72D	av A73D	Ƒ A74D	Ƒ A75D	Ƒ A76D	Ƒ A77D	Ƒ A78D	Ƒ A79D	Ƒ A7AD	Ƒ A7BD				Ƒ A7FD
E	Ƒ A72E	AV A73E	Ƒ A74E	Ƒ A75E	Ƒ A76E	Ƒ A77E	Ƒ A78E	Ƒ A79E	Ƒ A7AE	Ƒ A7BE				Ƒ A7FE
F	Ƒ A72F	av A73F	Ƒ A74F	Ƒ A75F	Ƒ A76F	Ƒ A77F	Ƒ A78F	Ƒ A79F	Ƒ A7AF	Ƒ A7BF				Ƒ A7FF

Additions for UPA

A720 ™ MODIFIER LETTER STRESS AND HIGH TONE
 A721 ℒ MODIFIER LETTER STRESS AND LOW TONE

Egyptological additions

A722 Ⲁ LATIN CAPITAL LETTER EGYPTOLOGICAL ALEF
 A723 ⲁ LATIN SMALL LETTER EGYPTOLOGICAL ALEF
 A724 Ⲃ LATIN CAPITAL LETTER EGYPTOLOGICAL AIN
 A725 ⲃ LATIN SMALL LETTER EGYPTOLOGICAL AIN
 • this is a case pair
 → 1D25 ⲃ latin letter ain
 → 1D5C ⲃ* modifier letter small ain

Mayanist additions

A726 Ɀ LATIN CAPITAL LETTER HENG
 A727 ⱸ LATIN SMALL LETTER HENG
 A728 Ɀ LATIN CAPITAL LETTER TZ
 A729 ⱸ LATIN SMALL LETTER TZ
 A72A Ɀ LATIN CAPITAL LETTER TRESILLO
 A72B ⱸ LATIN SMALL LETTER TRESILLO
 → 218B Ɀ turned digit three
 A72C Ɀ LATIN CAPITAL LETTER CUATRILLO
 A72D ⱸ LATIN SMALL LETTER CUATRILLO
 A72E Ɀ LATIN CAPITAL LETTER CUATRILLO WITH
 COMMA
 A72F ⱸ LATIN SMALL LETTER CUATRILLO WITH
 COMMA

Medievalist additions

A730 Ꝣ LATIN LETTER SMALL CAPITAL F
 A731 ꝣ LATIN LETTER SMALL CAPITAL S
 A732 Ꝥ LATIN CAPITAL LETTER AA
 A733 ꝥ LATIN SMALL LETTER AA
 A734 Ꝧ LATIN CAPITAL LETTER AO
 A735 ꝧ LATIN SMALL LETTER AO
 A736 Ꝩ LATIN CAPITAL LETTER AU
 A737 ꝩ LATIN SMALL LETTER AU
 A738 Ꝫ LATIN CAPITAL LETTER AV
 A739 ꝫ LATIN SMALL LETTER AV
 A73A Ꝭ LATIN CAPITAL LETTER AV WITH HORIZONTAL
 BAR
 A73B ꝭ LATIN SMALL LETTER AV WITH HORIZONTAL
 BAR
 A73C Ꝯ LATIN CAPITAL LETTER AY
 A73D ꝯ LATIN SMALL LETTER AY
 A73E ꝰ LATIN CAPITAL LETTER REVERSED C WITH DOT
 A73F ꝱ LATIN SMALL LETTER REVERSED C WITH DOT
 A740 ꝲ LATIN CAPITAL LETTER K WITH STROKE
 A741 ꝳ LATIN SMALL LETTER K WITH STROKE
 A742 ꝴ LATIN CAPITAL LETTER K WITH DIAGONAL
 STROKE
 A743 ꝵ LATIN SMALL LETTER K WITH DIAGONAL
 STROKE
 A744 ꝶ LATIN CAPITAL LETTER K WITH STROKE AND
 DIAGONAL STROKE
 A745 ꝷ LATIN SMALL LETTER K WITH STROKE AND
 DIAGONAL STROKE
 A746 ꝸ LATIN CAPITAL LETTER BROKEN L
 A747 Ꝺ LATIN SMALL LETTER BROKEN L
 A748 ꝺ LATIN CAPITAL LETTER L WITH HIGH STROKE
 A749 Ꝼ LATIN SMALL LETTER L WITH HIGH STROKE
 A74A ꝼ LATIN CAPITAL LETTER O WITH LONG STROKE
 OVERLAY

A74B Ᵹ LATIN SMALL LETTER O WITH LONG STROKE
 OVERLAY
 A74C Ꝿ LATIN CAPITAL LETTER O WITH LOOP
 A74D ꝿ LATIN SMALL LETTER O WITH LOOP
 A74E Ꝡ LATIN CAPITAL LETTER OO
 A74F ꝡ LATIN SMALL LETTER OO
 A750 Ꝣ LATIN CAPITAL LETTER P WITH STROKE
 THROUGH DESCENDER
 A751 ꝣ LATIN SMALL LETTER P WITH STROKE
 THROUGH DESCENDER
 A752 Ꝥ LATIN CAPITAL LETTER P WITH FLOURISH
 A753 ꝥ LATIN SMALL LETTER P WITH FLOURISH
 A754 Ꝧ LATIN CAPITAL LETTER P WITH SQUIRREL TAIL
 A755 ꝧ LATIN SMALL LETTER P WITH SQUIRREL TAIL
 A756 Ꝩ LATIN CAPITAL LETTER Q WITH STROKE
 THROUGH DESCENDER
 A757 ꝩ LATIN SMALL LETTER Q WITH STROKE
 THROUGH DESCENDER
 A758 Ꝫ LATIN CAPITAL LETTER Q WITH DIAGONAL
 STROKE
 A759 ꝫ LATIN SMALL LETTER Q WITH DIAGONAL
 STROKE
 A75A Ꝭ LATIN CAPITAL LETTER R ROTUNDA
 A75B ꝭ LATIN SMALL LETTER R ROTUNDA
 A75C Ꝯ LATIN CAPITAL LETTER RUM ROTUNDA
 A75D ꝯ LATIN SMALL LETTER RUM ROTUNDA
 A75E ꝰ LATIN CAPITAL LETTER V WITH DIAGONAL
 STROKE
 A75F ꝱ LATIN SMALL LETTER V WITH DIAGONAL
 STROKE
 A760 ꝲ LATIN CAPITAL LETTER VY
 A761 ꝳ LATIN SMALL LETTER VY
 A762 ꝴ LATIN CAPITAL LETTER VISIGOTHIC Z
 A763 ꝵ LATIN SMALL LETTER VISIGOTHIC Z
 A764 ꝶ LATIN CAPITAL LETTER THORN WITH STROKE
 A765 ꝷ LATIN SMALL LETTER THORN WITH STROKE
 A766 ꝸ LATIN CAPITAL LETTER THORN WITH STROKE
 THROUGH DESCENDER
 A767 Ꝺ LATIN SMALL LETTER THORN WITH STROKE
 THROUGH DESCENDER
 A768 ꝺ LATIN CAPITAL LETTER VEND
 A769 Ꝼ LATIN SMALL LETTER VEND
 A76A ꝼ LATIN CAPITAL LETTER ET
 A76B Ᵹ LATIN SMALL LETTER ET
 A76C Ꝿ LATIN CAPITAL LETTER IS
 A76D ꝿ LATIN SMALL LETTER IS
 A76E Ꝡ LATIN CAPITAL LETTER CON
 A76F ꝡ LATIN SMALL LETTER CON
 A770 Ꝣ MODIFIER LETTER US
 ≈ <super> A76F Ꝣ
 A771 ꝣ LATIN SMALL LETTER DUM
 A772 Ꝥ LATIN SMALL LETTER LUM
 A773 ꝥ LATIN SMALL LETTER MUM
 A774 Ꝧ LATIN SMALL LETTER NUM
 A775 ꝧ LATIN SMALL LETTER RUM
 A776 Ꝩ LATIN LETTER SMALL CAPITAL RUM
 A777 ꝩ LATIN SMALL LETTER TUM
 A778 Ꝫ LATIN SMALL LETTER UM

Insular and Celticist letters

A779 ꝫ LATIN CAPITAL LETTER INSULAR D
 A77A Ꝭ LATIN SMALL LETTER INSULAR D
 A77B ꝭ LATIN CAPITAL LETTER INSULAR F
 A77C Ꝯ LATIN SMALL LETTER INSULAR F

A77D	Ɔ	LATIN CAPITAL LETTER INSULAR G
		• lowercase is 1D79 ɔ̣
A77E	Ɔ̣	LATIN CAPITAL LETTER TURNED INSULAR G
A77F	ɔ̣	LATIN SMALL LETTER TURNED INSULAR G
A780	Ɔ̣	LATIN CAPITAL LETTER TURNED L
A781	ɪ	LATIN SMALL LETTER TURNED L
A782	Ɔ̣	LATIN CAPITAL LETTER INSULAR R
A783	ɪ	LATIN SMALL LETTER INSULAR R
A784	Ɔ̣	LATIN CAPITAL LETTER INSULAR S
A785	ɪ	LATIN SMALL LETTER INSULAR S
A786	Ɔ̣	LATIN CAPITAL LETTER INSULAR T
A787	ɪ	LATIN SMALL LETTER INSULAR T

Modifier letters

A788	˘	MODIFIER LETTER LOW CIRCUMFLEX ACCENT
		→ 02C6 ˘ modifier letter circumflex accent
		→ 2038 ˘ caret
A789	:	MODIFIER LETTER COLON
		• used as a tone letter in some orthographies
		• Budu (Congo), Sabaot (Kenya), and several Papua New Guinea languages
		→ 003A : colon
A78A	=	MODIFIER LETTER SHORT EQUALS SIGN
		• used as a tone letter in some orthographies
		• Budu (Congo)
		→ 003D = equals sign

Orthographic letters for glottals

A78B	ʼ	LATIN CAPITAL LETTER SALTILLO
		• Me'phaa (Mexico)
A78C	ʼ	LATIN SMALL LETTER SALTILLO
		• saltillos are used as a casing pair for glottal stop in some orthographies
		• the lowercase is widely used in many languages in Mexico and other regions, including Izere in Nigeria
		→ 0027 ʼ apostrophe
		→ 0242 ɀ latin small letter glottal stop
		→ 0294 ʔ latin letter glottal stop
		→ 02BC ˆ modifier letter apostrophe
		→ 02C0 ʔ modifier letter glottal stop

Additional letter

A78D	Ɔ̣	LATIN CAPITAL LETTER TURNED H
		• used in the Dan/Gio orthography in Liberia
		• lowercase is 0265 ɥ

Phonetic symbol

A78E	ɬ	LATIN SMALL LETTER L WITH RETROFLEX HOOK AND BELT
		• voiceless lateral retroflex fricative
		• used to transcribe Toda

Transliteration letter

A78F	•	LATIN LETTER SINOLOGICAL DOT
		• used in transliteration of Phags-Pa and in phonetic transcription of Tangut
		→ 00B7 • middle dot

Additional letters

A790	Ɔ̣	LATIN CAPITAL LETTER N WITH DESCENDER
A791	ɲ	LATIN SMALL LETTER N WITH DESCENDER
		• Janalif
A792	Ɔ̣	LATIN CAPITAL LETTER C WITH BAR
		= Cambrian symbol

A793	Ɔ̣	LATIN SMALL LETTER C WITH BAR
		• Nanai

Additions for Lithuanian dialectology

A794	ɟ	LATIN SMALL LETTER C WITH PALATAL HOOK
		• uppercase is A7C4 Ɔ̣
A795	ɥ	LATIN SMALL LETTER H WITH PALATAL HOOK
		→ A727 ɥ latin small letter heng

Letters for Middle Vietnamese

A796	Ɔ̣	LATIN CAPITAL LETTER B WITH FLOURISH
A797	ɔ̣	LATIN SMALL LETTER B WITH FLOURISH

Archaic letters for Ewe

A798	Ɔ̣	LATIN CAPITAL LETTER F WITH STROKE
		→ 0191 Ɔ̣ latin capital letter f with hook
A799	Ɔ̣	LATIN SMALL LETTER F WITH STROKE
		• old Ewe orthography
		• also used in German dialectology

Archaic letters for Volapük

A79A	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK AE
A79B	ɔ̣	LATIN SMALL LETTER VOLAPUK AE
A79C	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK OE
A79D	ɔ̣	LATIN SMALL LETTER VOLAPUK OE
A79E	Ɔ̣	LATIN CAPITAL LETTER VOLAPUK UE
A79F	ɔ̣	LATIN SMALL LETTER VOLAPUK UE

Latvian letters for pre-1921 orthography

A7A0	Ɔ̣	LATIN CAPITAL LETTER G WITH OBLIQUE STROKE
A7A1	g	LATIN SMALL LETTER G WITH OBLIQUE STROKE
A7A2	Ɔ̣	LATIN CAPITAL LETTER K WITH OBLIQUE STROKE
A7A3	k	LATIN SMALL LETTER K WITH OBLIQUE STROKE
A7A4	Ɔ̣	LATIN CAPITAL LETTER N WITH OBLIQUE STROKE
A7A5	n	LATIN SMALL LETTER N WITH OBLIQUE STROKE
A7A6	Ɔ̣	LATIN CAPITAL LETTER R WITH OBLIQUE STROKE
A7A7	r	LATIN SMALL LETTER R WITH OBLIQUE STROKE
A7A8	Ɔ̣	LATIN CAPITAL LETTER S WITH OBLIQUE STROKE
A7A9	s	LATIN SMALL LETTER S WITH OBLIQUE STROKE
		• also used in pre-1950 Lower Sorbian orthography
		→ 1E9C Ɔ̣ latin small letter long s with diagonal stroke

Additional letters

A7AA	Ɔ̣	LATIN CAPITAL LETTER H WITH HOOK
		• lowercase is 0266 ɦ
		• used in Chad
A7AB	Ɔ̣	LATIN CAPITAL LETTER REVERSED OPEN E
		• lowercase is 025C ɛ̣
A7AC	Ɔ̣	LATIN CAPITAL LETTER SCRIPT G
		• lowercase is 0261 g
A7AD	Ɔ̣	LATIN CAPITAL LETTER L WITH BELT
		• lowercase is 026C ɬ

Letter for West African languages

A7AE	Ɔ̣	LATIN CAPITAL LETTER SMALL CAPITAL I
		• lowercase is 026A ɪ
		• also used in Unifon

Letter for Japanese phonemic transcription

A7AF Q LATIN LETTER SMALL CAPITAL Q
 • used to represent gemination

Letters for Americanist orthographies

A7B0 X LATIN CAPITAL LETTER TURNED K
 • lowercase is 029E x

A7B1 J LATIN CAPITAL LETTER TURNED T
 • lowercase is 0287 j
 • also used in Unifon

Letter for African languages

A7B2 J LATIN CAPITAL LETTER J WITH CROSSED-TAIL
 • lowercase is 029D j

Letter for German dialectology

A7B3 X LATIN CAPITAL LETTER CHI
 • lowercase is AB53 x
 → 03A7 X greek capital letter chi

Letters for African languages

A7B4 B LATIN CAPITAL LETTER BETA

A7B5 β LATIN SMALL LETTER BETA
 → 03B2 β greek small letter beta

A7B6 Ω LATIN CAPITAL LETTER OMEGA

A7B7 ω LATIN SMALL LETTER OMEGA
 → 03C9 ω greek small letter omega

Letters for Mazahua (Mexico)

A7B8 U LATIN CAPITAL LETTER U WITH STROKE

A7B9 u LATIN SMALL LETTER U WITH STROKE

Letters for Ugaritic and Egyptological transliteration

A7BA A LATIN CAPITAL LETTER GLOTTAL A

A7BB a LATIN SMALL LETTER GLOTTAL A

A7BC I LATIN CAPITAL LETTER GLOTTAL I

A7BD i LATIN SMALL LETTER GLOTTAL I
 • also used in Egyptology as yod

A7BE U LATIN CAPITAL LETTER GLOTTAL U

A7BF u LATIN SMALL LETTER GLOTTAL U

Letters for medievalists

A7C2 W LATIN CAPITAL LETTER ANGLICANA W

A7C3 w LATIN SMALL LETTER ANGLICANA W
 • used in medieval English and Cornish

Letters used in early pinyin romanization

A7C4 C LATIN CAPITAL LETTER C WITH PALATAL HOOK
 • lowercase is A794 c

A7C5 S LATIN CAPITAL LETTER S WITH HOOK
 • lowercase is 0282 s

A7C6 Z LATIN CAPITAL LETTER Z WITH PALATAL HOOK
 • lowercase is 1D8E z

Additional letter

A7F7 I LATIN EPIGRAPHIC LETTER SIDEWAYS I
 • Celtic inscriptions

Additions for Extended IPA

A7F8 H MODIFIER LETTER CAPITAL H WITH STROKE
 • faucalized
 ≈ <super> 0126 H

A7F9 œ MODIFIER LETTER SMALL LIGATURE OE
 • labialized: open-rounded
 ≈ <super> 0153 œ

Addition for UPA

A7FA M LATIN LETTER SMALL CAPITAL TURNED M

Ancient Roman epigraphic letters

A7FB F LATIN EPIGRAPHIC LETTER REVERSED F

A7FC P LATIN EPIGRAPHIC LETTER REVERSED P

A7FD M LATIN EPIGRAPHIC LETTER INVERTED M

A7FE I LATIN EPIGRAPHIC LETTER I LONGA

A7FF M LATIN EPIGRAPHIC LETTER ARCHAIC M

	AB3	AB4	AB5	AB6
0	Ɔ AB30	ƆG AB40	ƆI AB50	ƆB AB60
1	ƆE AB31	ƆO AB41	ƆM AB51	ƆE AB61
2	ƆP AB32	ƆA AB42	ƆU AB52	ƆE AB62
3	ƆE AB33	ƆO AB43	ƆX AB53	ƆO AB63
4	ƆE AB34	ƆO AB44	ƆX AB54	ƆA AB64
5	ƆF AB35	ƆA AB45	ƆX AB55	ƆO AB65
6	ƆG AB36	ƆR AB46	ƆX AB56	ƆZ AB66
7	ƆP AB37	ƆR AB47	ƆX AB57	ƆS AB67
8	ƆP AB38	ƆR AB48	ƆX AB58	
9	ƆP AB39	ƆR AB49	ƆX AB59	
A	ƆM AB3A	ƆR AB4A	ƆY AB5A	
B	ƆD AB3B	ƆT AB4B	ƆZ AB5B	
C	ƆQ AB3C	ƆB AB4C	ƆH AB5C	
D	ƆO AB3D	ƆS AB4D	ƆP AB5D	
E	ƆO AB3E	ƆL AB4E	ƆP AB5E	
F	ƆO AB3F	ƆT AB4F	ƆU AB5F	

Letters for German dialectology

AB30	Ɑ	LATIN SMALL LETTER BARRED ALPHA
AB31	Ɱ	LATIN SMALL LETTER A REVERSED-SCHWA
AB32	Ɐ	LATIN SMALL LETTER BLACKLETTER E
AB33	Ɒ	LATIN SMALL LETTER BARRED E
AB34	ⱱ	LATIN SMALL LETTER E WITH FLOURISH
AB35	f	LATIN SMALL LETTER LENIS F → 0066 f latin small letter f
AB36	g	LATIN SMALL LETTER SCRIPT G WITH CROSSED-TAIL
AB37	‡	LATIN SMALL LETTER L WITH INVERTED LAZY S
AB38	‡	LATIN SMALL LETTER L WITH DOUBLE MIDDLE TILDE
AB39	‡	LATIN SMALL LETTER L WITH MIDDLE RING
AB3A	Ⱳ	LATIN SMALL LETTER M WITH CROSSED-TAIL
AB3B	ⱳ	LATIN SMALL LETTER N WITH CROSSED-TAIL
AB3C	ⱴ	LATIN SMALL LETTER ENG WITH CROSSED-TAIL
AB3D	o	LATIN SMALL LETTER BLACKLETTER O
AB3E	o	LATIN SMALL LETTER BLACKLETTER O WITH STROKE
AB3F	o	LATIN SMALL LETTER OPEN O WITH STROKE
AB40	ⱶ	LATIN SMALL LETTER INVERTED OE = latin small letter o reversed-schwa
AB41	ⱷ	LATIN SMALL LETTER TURNED OE WITH STROKE
AB42	ⱸ	LATIN SMALL LETTER TURNED OE WITH HORIZONTAL STROKE
AB43	ⱹ	LATIN SMALL LETTER TURNED O OPEN-O
AB44	ⱺ	LATIN SMALL LETTER TURNED O OPEN-O WITH STROKE
AB45	ʀ	LATIN SMALL LETTER STIRRUP R
AB46	ʀ	LATIN LETTER SMALL CAPITAL R WITH RIGHT LEG
AB47	r	LATIN SMALL LETTER R WITHOUT HANDLE
AB48	r	LATIN SMALL LETTER DOUBLE R
AB49	ʀ	LATIN SMALL LETTER R WITH CROSSED-TAIL
AB4A	ʀ	LATIN SMALL LETTER DOUBLE R WITH CROSSED-TAIL
AB4B	ʀ	LATIN SMALL LETTER SCRIPT R
AB4C	ʀ	LATIN SMALL LETTER SCRIPT R WITH RING
AB4D	ʀ	LATIN SMALL LETTER BASELINE ESH
AB4E	u	LATIN SMALL LETTER U WITH SHORT RIGHT LEG
AB4F	u	LATIN SMALL LETTER U BAR WITH SHORT RIGHT LEG
AB50	ui	LATIN SMALL LETTER UI
AB51	ui	LATIN SMALL LETTER TURNED UI
AB52	u	LATIN SMALL LETTER U WITH LEFT HOOK
AB53	χ	LATIN SMALL LETTER CHI • uppercase is A7B3 Χ → 03C7 χ greek small letter chi
AB54	χ	LATIN SMALL LETTER CHI WITH LOW RIGHT RING
AB55	χ	LATIN SMALL LETTER CHI WITH LOW LEFT SERIF
AB56	x	LATIN SMALL LETTER X WITH LOW RIGHT RING
AB57	x	LATIN SMALL LETTER X WITH LONG LEFT LEG
AB58	x	LATIN SMALL LETTER X WITH LONG LEFT LEG AND LOW RIGHT RING
AB59	x	LATIN SMALL LETTER X WITH LONG LEFT LEG WITH SERIF
AB5A	y	LATIN SMALL LETTER Y WITH SHORT RIGHT LEG

Modifier letters for German dialectology

AB5B	˘	MODIFIER BREVE WITH INVERTED BREVE → 02D8 ˘ breve → 2050 ˘ close up → 23D1 ˘ metrical breve → 2E46 ˘ inverted low kavyka with kavyka above
AB5C	h	MODIFIER LETTER SMALL HENG ≈ <super> A727 h̆
AB5D	‡	MODIFIER LETTER SMALL L WITH INVERTED LAZY S ≈ <super> AB37 ‡
AB5E	‡	MODIFIER LETTER SMALL L WITH MIDDLE TILDE ≈ <super> 026B ‡
AB5F	u	MODIFIER LETTER SMALL U WITH LEFT HOOK ≈ <super> AB52 u

Historic letters for Sakha (Yakut)

These letters were used from 1917 to 1927 in the official IPA-based Latin orthography of that era.
























AB60	ѳ	LATIN SMALL LETTER SAKHA YAT → 0463 ѳ cyrillic small letter yat
AB61	ѳ	LATIN SMALL LETTER IOTIFIED E → 0465 ѳ cyrillic small letter iotified e
AB62	œ	LATIN SMALL LETTER OPEN OE → 0254 œ latin small letter open o
AB63	uo	LATIN SMALL LETTER UO

Letters for Americanist orthographies























AB64	ɑ	LATIN SMALL LETTER INVERTED ALPHA → 0252 ɑ latin small letter turned alpha
AB65	Ω	GREEK LETTER SMALL CAPITAL OMEGA • obsolete for mid back rounded vowel → 0277 Ω latin small letter closed omega → 03C9 ω greek small letter omega

Letters for Sinological and Tibetanist phonetic transcription


AB66	ɕ	LATIN SMALL LETTER DZ DIGRAPH WITH RETROFLEX HOOK • used in Sinological transcription for a voiced retroflex affricate
AB67	ʈ	LATIN SMALL LETTER TS DIGRAPH WITH RETROFLEX HOOK • used in Sinological transcription for a voiceless retroflex affricate → 0282 ʈ latin small letter s with hook







	10EC	10ED
0	 10EC0	 10ED0
1	 10EC1	 10ED1
2	 10EC2	 10ED2
3	 10EC3	 10ED3
4	 10EC4	 10ED4
5	 10EC5	 10ED5
6	 10EC6	 10ED6
7	 10EC7	
8	 10EC8	
9	 10EC9	
A	 10ECA	
B	 10ECB	
C	 10ECC	
D	 10ECD	
E	 10ECE	
F	 10ECF	

Letters

10EC0		ELYMAIC LETTER ALEPH
10EC1		ELYMAIC LETTER BETH
10EC2		ELYMAIC LETTER GIMEL
10EC3		ELYMAIC LETTER DALETH
10EC4		ELYMAIC LETTER HE
10EC5		ELYMAIC LETTER WAW
10EC6		ELYMAIC LETTER ZAYIN
10EC7		ELYMAIC LETTER HETH
10EC8		ELYMAIC LETTER TETH
10EC9		ELYMAIC LETTER YODH
10ECA		ELYMAIC LETTER KAPH
10ECB		ELYMAIC LETTER LAMEDH
10ECC		ELYMAIC LETTER MEM
10ECD		ELYMAIC LETTER NUN
10ECE		ELYMAIC LETTER SAMEKH
10ECF		ELYMAIC LETTER AYIN
10ED0		ELYMAIC LETTER PE
10ED1		ELYMAIC LETTER SADHE
10ED2		ELYMAIC LETTER QOPH
10ED3		ELYMAIC LETTER RESH
10ED4		ELYMAIC LETTER SHIN
10ED5		ELYMAIC LETTER TAW

Ligature

10ED6		ELYMAIC LIGATURE ZAYIN-YODH • used for the Aramaic heterogram zy
-------	---	---

	1100	1101	1102	1103	1104	1105	1106	1107
0	 11000	 11010	 11020	 11030	 11040		 11060	
1	 11001	 11011	 11021	 11031	 11041		 11061	
2	 11002	 11012	 11022	 11032	 11042	 11052	 11062	
3	 11003	 11013	 11023	 11033	 11043	 11053	 11063	
4	 11004	 11014	 11024	 11034	 11044	 11054	 11064	
5	 11005	 11015	 11025	 11035	 11045	 11055	 11065	
6	 11006	 11016	 11026	 11036	 11046	 11056	 11066	
7	 11007	 11017	 11027	 11037	 11047	 11057	 11067	
8	 11008	 11018	 11028	 11038	 11048	 11058	 11068	
9	 11009	 11019	 11029	 11039	 11049	 11059	 11069	
A	 1100A	 1101A	 1102A	 1103A	 1104A	 1105A	 1106A	
B	 1100B	 1101B	 1102B	 1103B	 1104B	 1105B	 1106B	
C	 1100C	 1101C	 1102C	 1103C	 1104C	 1105C	 1106C	
D	 1100D	 1101D	 1102D	 1103D	 1104D	 1105D	 1106D	
E	 1100E	 1101E	 1102E	 1103E		 1105E	 1106E	
F	 1100F	 1101F	 1102F	 1103F		 1105F	 1106F	 1107F

Various signs

11000	◌	BRAHMI SIGN CANDRABINDU
11001	◌	BRAHMI SIGN ANUSVARA
11002	◌	BRAHMI SIGN VISARGA
11003	×	BRAHMI SIGN JIHVAMULIYA
11004	⊗	BRAHMI SIGN UPADHMANIYA

Independent vowels

11005	𑀀	BRAHMI LETTER A
11006	𑀁	BRAHMI LETTER AA
11007	𑀂	BRAHMI LETTER I
11008	𑀃	BRAHMI LETTER II
11009	𑀄	BRAHMI LETTER U
1100A	𑀅	BRAHMI LETTER UU
1100B	𑀆	BRAHMI LETTER VOCALIC R
1100C	𑀇	BRAHMI LETTER VOCALIC RR
1100D	𑀈	BRAHMI LETTER VOCALIC L
1100E	𑀉	BRAHMI LETTER VOCALIC LL
1100F	𑀊	BRAHMI LETTER E
11010	𑀋	BRAHMI LETTER AI
11011	𑀌	BRAHMI LETTER O
11012	𑀍	BRAHMI LETTER AU

Consonants

11013	𑀎	BRAHMI LETTER KA
11014	𑀏	BRAHMI LETTER KHA
11015	𑀐	BRAHMI LETTER GA
11016	𑀑	BRAHMI LETTER GHA
11017	𑀒	BRAHMI LETTER NGA
11018	𑀓	BRAHMI LETTER CA
11019	𑀔	BRAHMI LETTER CHA
1101A	𑀕	BRAHMI LETTER JA
1101B	𑀖	BRAHMI LETTER JHA
1101C	𑀗	BRAHMI LETTER NYA
1101D	𑀘	BRAHMI LETTER TTA
1101E	𑀙	BRAHMI LETTER TTHA
1101F	𑀚	BRAHMI LETTER DDA
11020	𑀛	BRAHMI LETTER DDHA
11021	𑀜	BRAHMI LETTER NNA
11022	𑀝	BRAHMI LETTER TA
11023	𑀞	BRAHMI LETTER THA
11024	𑀟	BRAHMI LETTER DA
11025	𑀠	BRAHMI LETTER DHA
11026	𑀡	BRAHMI LETTER NA
11027	𑀢	BRAHMI LETTER PA
11028	𑀣	BRAHMI LETTER PHA
11029	𑀤	BRAHMI LETTER BA
1102A	𑀥	BRAHMI LETTER BHA
1102B	𑀦	BRAHMI LETTER MA
1102C	𑀧	BRAHMI LETTER YA
1102D	𑀨	BRAHMI LETTER RA
1102E	𑀩	BRAHMI LETTER LA
1102F	𑀪	BRAHMI LETTER VA
11030	𑀫	BRAHMI LETTER SHA
11031	𑀬	BRAHMI LETTER SSA
11032	𑀭	BRAHMI LETTER SA
11033	𑀮	BRAHMI LETTER HA
11034	𑀯	BRAHMI LETTER LLA
11035	𑀰	BRAHMI LETTER OLD TAMIL LLLA
11036	𑀱	BRAHMI LETTER OLD TAMIL RRA
11037	𑀲	BRAHMI LETTER OLD TAMIL NNNA

Dependent vowel signs

11038	◌	BRAHMI VOWEL SIGN AA
11039	◌	BRAHMI VOWEL SIGN BHATTIPROLU AA
1103A	◌	BRAHMI VOWEL SIGN I
1103B	◌	BRAHMI VOWEL SIGN II
1103C	◌	BRAHMI VOWEL SIGN U
1103D	◌	BRAHMI VOWEL SIGN UU
1103E	◌	BRAHMI VOWEL SIGN VOCALIC R
1103F	◌	BRAHMI VOWEL SIGN VOCALIC RR
11040	◌	BRAHMI VOWEL SIGN VOCALIC L
11041	◌	BRAHMI VOWEL SIGN VOCALIC LL
11042	◌	BRAHMI VOWEL SIGN E
11043	◌	BRAHMI VOWEL SIGN AI
11044	◌	BRAHMI VOWEL SIGN O
11045	◌	BRAHMI VOWEL SIGN AU

Virama

11046	◌	BRAHMI VIRAMA
-------	---	---------------

Punctuation

11047		BRAHMI DANDA
11048		BRAHMI DOUBLE DANDA
11049	-	BRAHMI PUNCTUATION DOT
1104A	=	BRAHMI PUNCTUATION DOUBLE DOT
1104B	—	BRAHMI PUNCTUATION LINE
1104C	☾	BRAHMI PUNCTUATION CRESCENT BAR
1104D	⊗	BRAHMI PUNCTUATION LOTUS

Numbers

11052	-	BRAHMI NUMBER ONE
11053	=	BRAHMI NUMBER TWO
11054	≡	BRAHMI NUMBER THREE
11055	+	BRAHMI NUMBER FOUR
11056	𑀭	BRAHMI NUMBER FIVE
11057	𑀮	BRAHMI NUMBER SIX
11058	𑀯	BRAHMI NUMBER SEVEN
11059	𑀰	BRAHMI NUMBER EIGHT
1105A	𑀱	BRAHMI NUMBER NINE
1105B	𑀲	BRAHMI NUMBER TEN
1105C	𑀳	BRAHMI NUMBER TWENTY
1105D	𑀴	BRAHMI NUMBER THIRTY
1105E	𑀵	BRAHMI NUMBER FORTY
1105F	𑀶	BRAHMI NUMBER FIFTY
11060	𑀷	BRAHMI NUMBER SIXTY
11061	𑀸	BRAHMI NUMBER SEVENTY
11062	𑀹	BRAHMI NUMBER EIGHTY
11063	𑀺	BRAHMI NUMBER NINETY
11064	𑀻	BRAHMI NUMBER ONE HUNDRED
11065	𑀼	BRAHMI NUMBER ONE THOUSAND

Digits

11066	·	BRAHMI DIGIT ZERO
11067	𑀽	BRAHMI DIGIT ONE
11068	𑀾	BRAHMI DIGIT TWO
11069	𑀿	BRAHMI DIGIT THREE
1106A	𑁀	BRAHMI DIGIT FOUR
1106B	𑁁	BRAHMI DIGIT FIVE
1106C	𑁂	BRAHMI DIGIT SIX
1106D	𑁃	BRAHMI DIGIT SEVEN
1106E	𑁄	BRAHMI DIGIT EIGHT
1106F	𑁅	BRAHMI DIGIT NINE

Number joiner1107F  BRAHMI NUMBER JOINER

- a virama used to form ligatures between Brahmi numbers signifying multiplication

	1140	1141	1142	1143	1144	1145	1146	1147
0	अ 11400	ग 11410	थ 11420	व 11430	ौ 11440	० 11450		
1	आ 11401	घ 11411	द 11421	श 11431	ो 11441	१ 11451		
2	ॐ 11402	ढ 11412	ध 11422	ष 11432	् 11442	२ 11452		
3	ॐ 11403	झ 11413	न 11423	स 11433	ं 11443	३ 11453		
4	उ 11404	च 11414	ल 11424	ह 11434	ं 11444	४ 11454		
5	ऊ 11405	छ 11415	प 11425	ा 11435	ं 11445	५ 11455		
6	सृ 11406	ज 11416	रु 11426	ि 11436	ं 11446	६ 11456		
7	सृ 11407	म 11417	व 11427	ी 11437	३ 11447	७ 11457		
8	० 11408	ॐ 11418	र 11428	् 11438	ः 11448	८ 11458		
9	२ 11409	झ 11419	म 11429	् 11439	ँ 11449	९ 11459		
A	१ 1140A	ट 1141A	झ 1142A	ं 1143A	१ 1144A			
B	३ 1140B	० 1141B	य 1142B	ं 1143B	। 1144B	३ 1145B		
C	३ 1140C	उ 1141C	न 1142C	ं 1143C	॥ 1144C			
D	३ 1140D	ढ 1141D	झ 1142D	ं 1143D	॥ 1144D	३ 1145D		
E	क 1140E	ध 1141E	ल 1142E	ं 1143E	॥ 1144E	३ 1145E		
F	ख 1140F	ग 1141F	झ 1142F	ं 1143F	० 1144F	३ 1145F		

- 11455 ङ NEWA DIGIT FIVE
= njaa
- 11456 ञ NEWA DIGIT SIX
= khu
- 11457 ण NEWA DIGIT SEVEN
= nhasa
- 11458 ऺ NEWA DIGIT EIGHT
= cyaa
- 11459 ॠ NEWA DIGIT NINE
= gu

Various signs

- 1145B ॡ NEWA PLACEHOLDER MARK
= jaayekaa
- 1145C ॢ <reserved>
- 1145D ॣ NEWA INSERTION SIGN
= tansaa
- 1145E । NEWA SANDHI MARK
• indicates external sandhi in Sanskrit documents
→ 09FE ॥ bengali sandhi mark
- 1145F ॥ NEWA LETTER VEDIC ANUSVARA

	1168	1169	116A	116B	116C
0	𑌒 11680	𑌓 11690	𑌔 116A0	𑌕 116B0	𑌖 116C0
1	𑌗 11681	𑌘 11691	𑌙 116A1	𑌚 116B1	𑌛 116C1
2	𑌜 11682	𑌝 11692	𑌞 116A2	𑌟 116B2	𑌠 116C2
3	𑌡 11683	𑌢 11693	𑌣 116A3	𑌤 116B3	𑌥 116C3
4	𑌧 11684	𑌨 11694	𑌩 116A4	𑌪 116B4	𑌫 116C4
5	𑌭 11685	𑌮 11695	𑌯 116A5	𑌰 116B5	𑌱 116C5
6	𑌴 11686	𑌵 11696	𑌶 116A6	𑌷 116B6	𑌸 116C6
7	𑌼 11687	𑌽 11697	𑌾 116A7	𑌿 116B7	𑍀 116C7
8	𑍄 11688	𑍅 11698	𑍆 116A8	𑍇 116B8	𑍈 116C8
9	𑍊 11689	𑍋 11699	𑍌 116A9		𑍍 116C9
A	𑍑 1168A	𑍒 1169A	𑍓 116AA		
B	𑍖 1168B	𑍗 1169B	𑍘 116AB		
C	𑍛 1168C	𑍜 1169C	𑍝 116AC		
D	𑍞 1168D	𑍟 1169D	𑍠 116AD		
E	𑍢 1168E	𑍣 1169E	𑍤 116AE		
F	𑍩 1168F	𑍪 1169F	𑍫 116AF		

	119A	119B	119C	119D	119E	119F
0	ॐ 119A0	ग 119B0	ॐ 119C0	ॐ 119D0	ॐ 119E0	
1	ॐ 119A1	ॐ 119B1	न 119C1	ी 119D1	ऽ 119E1	
2	ॐ 119A2	ॐ 119B2	प 119C2	ि 119D2	॑ 119E2	
3	ॐ 119A3	व 119B3	ॐ 119C3	ी 119D3	— 119E3	
4	ॐ 119A4	क 119B4	ब 119C4	ु 119D4	ि 119E4	
5	ॐ 119A5	ॐ 119B5	न 119C5	ु 119D5		
6	ॐ 119A6	न 119B6	ॐ 119C6	ु 119D6		
7	ॐ 119A7	ॐ 119B7	य 119C7	ु 119D7		
8		ॐ 119B8	न 119C8			
9		ॐ 119B9	ल 119C9			
A	ॐ 119AA	ॐ 119BA	व 119CA	े 119DA		
B	ॐ 119AB	ॐ 119BB	र 119CB	ै 119DB		
C	ॐ 119AC	ॐ 119BC	ष 119CC	ौ 119DC		
D	ॐ 119AD	त 119BD	स 119CD	ौ 119DD		
E	क 119AE	घ 119BE	ॐ 119CE	ॐ 119DE		
F	स 119AF	ॐ 119BF	ल 119CF	ः 119DF		

Independent vowels

119A0	अ	NANDINAGARI LETTER A
119A1	आ	NANDINAGARI LETTER AA
119A2	इ	NANDINAGARI LETTER I
119A3	ई	NANDINAGARI LETTER II
119A4	उ	NANDINAGARI LETTER U
119A5	ऊ	NANDINAGARI LETTER UU
119A6	ऋ	NANDINAGARI LETTER VOCALIC R
119A7	ॠ	NANDINAGARI LETTER VOCALIC RR
119A8	◻	<reserved>
119A9	◻	<reserved>
119AA	ए	NANDINAGARI LETTER E
119AB	ऐ	NANDINAGARI LETTER AI
119AC	ऒ	NANDINAGARI LETTER O
119AD	औ	NANDINAGARI LETTER AU

Consonants

119AE	क	NANDINAGARI LETTER KA
119AF	ख	NANDINAGARI LETTER KHA
119B0	ग	NANDINAGARI LETTER GA
119B1	घ	NANDINAGARI LETTER GHA
119B2	ङ	NANDINAGARI LETTER NGA
119B3	च	NANDINAGARI LETTER CA
119B4	छ	NANDINAGARI LETTER CHA
119B5	ज	NANDINAGARI LETTER JA
119B6	झ	NANDINAGARI LETTER JHA
119B7	ञ	NANDINAGARI LETTER NYA
119B8	ट	NANDINAGARI LETTER TTA
119B9	ठ	NANDINAGARI LETTER TTHA
119BA	ड	NANDINAGARI LETTER DDA
119BB	ढ	NANDINAGARI LETTER DDHA
119BC	ण	NANDINAGARI LETTER NNA
119BD	त	NANDINAGARI LETTER TA
119BE	थ	NANDINAGARI LETTER THA
119BF	द	NANDINAGARI LETTER DA
119C0	ध	NANDINAGARI LETTER DHA
119C1	न	NANDINAGARI LETTER NA
119C2	प	NANDINAGARI LETTER PA
119C3	फ	NANDINAGARI LETTER PHA
119C4	ब	NANDINAGARI LETTER BA
119C5	भ	NANDINAGARI LETTER BHA
119C6	म	NANDINAGARI LETTER MA
119C7	य	NANDINAGARI LETTER YA
119C8	र	NANDINAGARI LETTER RA
119C9	ल	NANDINAGARI LETTER LA
119CA	व	NANDINAGARI LETTER VA
119CB	श	NANDINAGARI LETTER SHA
119CC	ष	NANDINAGARI LETTER SSA
119CD	स	NANDINAGARI LETTER SA
119CE	ह	NANDINAGARI LETTER HA
119CF	ळ	NANDINAGARI LETTER LLA
119D0	ॠ	NANDINAGARI LETTER RRA

Dependent vowel signs

119D1	◌ा	NANDINAGARI VOWEL SIGN AA
119D2	◌ि	NANDINAGARI VOWEL SIGN I
119D3	◌ी	NANDINAGARI VOWEL SIGN II
119D4	◌ु	NANDINAGARI VOWEL SIGN U
119D5	◌ू	NANDINAGARI VOWEL SIGN UU
119D6	◌ृ	NANDINAGARI VOWEL SIGN VOCALIC R
119D7	◌ॠ	NANDINAGARI VOWEL SIGN VOCALIC RR
119D8	◻	<reserved>

119D9 ◻ <reserved>

119DA	◌े	NANDINAGARI VOWEL SIGN E
119DB	◌ै	NANDINAGARI VOWEL SIGN AI
119DC	◌ो	NANDINAGARI VOWEL SIGN O
119DD	◌ौ	NANDINAGARI VOWEL SIGN AU

Various signs

119DE	◌◌	NANDINAGARI SIGN ANUSVARA
119DF	◌ः	NANDINAGARI SIGN VISARGA
119E0	◌्	NANDINAGARI SIGN VIRAMA

Additional sign

119E1	◌ऽ	NANDINAGARI SIGN AVAGRAHA
-------	----	---------------------------

Invocation sign




















































































119E2	◌ॐ	NANDINAGARI SIGN SIDDHAM
-------	----	--------------------------

Punctuation


119E3	—	NANDINAGARI HEADSTROKE • used as a spacing or filler mark
-------	---	--

Dependent vowel sign











119E4	◌◌	NANDINAGARI VOWEL SIGN PRISHTHAMATRA E
-------	----	--

	11A5	11A6	11A7	11A8	11A9	11AA
0	 11A50	 11A60	 11A70	 11A80	 11A90	 11AA0
1	 11A51	 11A61	 11A71	 11A81	 11A91	 11AA1
2	 11A52	 11A62	 11A72	 11A82	 11A92	 11AA2
3	 11A53	 11A63	 11A73	 11A83	 11A93	
4	 11A54	 11A64	 11A74	 11A84	 11A94	
5	 11A55	 11A65	 11A75	 11A85	 11A95	
6	 11A56	 11A66	 11A76	 11A86	 11A96	
7	 11A57	 11A67	 11A77	 11A87	 11A97	
8	 11A58	 11A68	 11A78	 11A88	 11A98	
9	 11A59	 11A69	 11A79	 11A89	 11A99	
A	 11A5A	 11A6A	 11A7A	 11A8A	 11A9A	
B	 11A5B	 11A6B	 11A7B	 11A8B	 11A9B	
C	 11A5C	 11A6C	 11A7C	 11A8C	 11A9C	
D	 11A5D	 11A6D	 11A7D	 11A8D	 11A9D	
E	 11A5E	 11A6E	 11A7E	 11A8E	 11A9E	
F	 11A5F	 11A6F	 11A7F	 11A8F	 11A9F	

Vowel letter

- 11A50  SOYOMBO LETTER A
 • used for representing independent vowels in combination with vowel signs









































Vowel signs

- 11A51  SOYOMBO VOWEL SIGN I
 11A52  SOYOMBO VOWEL SIGN UE
 11A53  SOYOMBO VOWEL SIGN U
 11A54  SOYOMBO VOWEL SIGN E
 11A55  SOYOMBO VOWEL SIGN O
 11A56  SOYOMBO VOWEL SIGN OE
 11A57  SOYOMBO VOWEL SIGN AI
 11A58  SOYOMBO VOWEL SIGN AU
 11A59  SOYOMBO VOWEL SIGN VOCALIC R
 11A5A  SOYOMBO VOWEL SIGN VOCALIC L


Vowel length mark


- 11A5B  SOYOMBO VOWEL LENGTH MARK

Consonants





- 11A5C  SOYOMBO LETTER KA
 11A5D  SOYOMBO LETTER KHA
 11A5E  SOYOMBO LETTER GA
 11A5F  SOYOMBO LETTER GHA
 11A60  SOYOMBO LETTER NGA
 11A61  SOYOMBO LETTER CA
 11A62  SOYOMBO LETTER CHA
 11A63  SOYOMBO LETTER JA
 11A64  SOYOMBO LETTER JHA
 11A65  SOYOMBO LETTER NYA
 11A66  SOYOMBO LETTER TTA
 11A67  SOYOMBO LETTER TTHA
 11A68  SOYOMBO LETTER DDA
 11A69  SOYOMBO LETTER DDHA
 11A6A  SOYOMBO LETTER NNA
 11A6B  SOYOMBO LETTER TA
 11A6C  SOYOMBO LETTER THA
 11A6D  SOYOMBO LETTER DA
 11A6E  SOYOMBO LETTER DHA
 11A6F  SOYOMBO LETTER NA
 11A70  SOYOMBO LETTER PA
 11A71  SOYOMBO LETTER PHA
 11A72  SOYOMBO LETTER BA
 11A73  SOYOMBO LETTER BHA
 11A74  SOYOMBO LETTER MA
 11A75  SOYOMBO LETTER TSA
 11A76  SOYOMBO LETTER TSHA
 11A77  SOYOMBO LETTER DZA
 11A78  SOYOMBO LETTER ZHA
 11A79  SOYOMBO LETTER ZA
 11A7A  SOYOMBO LETTER -A
 11A7B  SOYOMBO LETTER YA
 11A7C  SOYOMBO LETTER RA
 11A7D  SOYOMBO LETTER LA
 11A7E  SOYOMBO LETTER VA
 11A7F  SOYOMBO LETTER SHA
 11A80  SOYOMBO LETTER SSA
 11A81  SOYOMBO LETTER SA
 11A82  SOYOMBO LETTER HA
 11A83  SOYOMBO LETTER KSSA

Visarga alternates













- 11A84  SOYOMBO SIGN JIHVAMULIYA

- 11A85  SOYOMBO SIGN UPADHMANIYA



Cluster-initial letters

- 11A86  SOYOMBO CLUSTER-INITIAL LETTER RA
 11A87  SOYOMBO CLUSTER-INITIAL LETTER LA
 11A88  SOYOMBO CLUSTER-INITIAL LETTER SHA
 11A89  SOYOMBO CLUSTER-INITIAL LETTER SA

Final consonant signs

- 11A8A  SOYOMBO FINAL CONSONANT SIGN G
 11A8B  SOYOMBO FINAL CONSONANT SIGN K
 11A8C  SOYOMBO FINAL CONSONANT SIGN NG
 11A8D  SOYOMBO FINAL CONSONANT SIGN D
 11A8E  SOYOMBO FINAL CONSONANT SIGN N
 11A8F  SOYOMBO FINAL CONSONANT SIGN B
 11A90  SOYOMBO FINAL CONSONANT SIGN M
 11A91  SOYOMBO FINAL CONSONANT SIGN R
 11A92  SOYOMBO FINAL CONSONANT SIGN L
 11A93  SOYOMBO FINAL CONSONANT SIGN SH
 11A94  SOYOMBO FINAL CONSONANT SIGN S
 11A95  SOYOMBO FINAL CONSONANT SIGN -A
 • Mongolian aang
 • Tibetan a-chung
 → 0F60 tibetan letter -a

Various signs

- 11A96  SOYOMBO SIGN ANUSVARA
 11A97  SOYOMBO SIGN VISARGA




Gemination mark

- 11A98  SOYOMBO GEMINATION MARK

Subjoiner

- 11A99  SOYOMBO SUBJOINER
 • used for producing consonant conjuncts




Punctuation

- 11A9A  SOYOMBO MARK TSHEG
 11A9B  SOYOMBO MARK SHAD
 11A9C  SOYOMBO MARK DOUBLE SHAD



Additional mark

- 11A9D  SOYOMBO MARK PLUTA
 • indicates vowel elongation

Head marks

- 11A9E  SOYOMBO HEAD MARK WITH MOON AND SUN AND TRIPLE FLAME
 • national symbol of Mongolia
 11A9F  SOYOMBO HEAD MARK WITH MOON AND SUN AND FLAME
 11AA0  SOYOMBO HEAD MARK WITH MOON AND SUN

Terminal marks

- 11AA1  SOYOMBO TERMINAL MARK-1
 11AA2  SOYOMBO TERMINAL MARK-2
 = cintamani, candamani

	11FC	11FD	11FE	11FF
0	ஊ 11FC0	உ 11FD0	ஓ 11FE0	மு 11FF0
1	ஊ 11FC1	உ 11FD1	ஓ 11FE1	மு 11FF1
2	ஊ 11FC2	உ 11FD2	ஓ 11FE2	
3	ஊ 11FC3	உ 11FD3	ஓ 11FE3	
4	ஊ 11FC4	உ 11FD4	ஓ 11FE4	
5	ஊ 11FC5	உ 11FD5	ஓ 11FE5	
6	ஊ 11FC6	உ 11FD6	ஓ 11FE6	
7	ஊ 11FC7	உ 11FD7	ஓ 11FE7	
8	ஊ 11FC8	உ 11FD8	ஓ 11FE8	
9	ஊ 11FC9	உ 11FD9	ஓ 11FE9	
A	ஊ 11FCA	உ 11FDA	ஓ 11FEA	
B	ஊ 11FCB	உ 11FDB	ஓ 11FEB	
C	ஊ 11FCC	உ 11FDC	ஓ 11FEC	
D	ஊ 11FCD	உ 11FDD	ஓ 11FED	
E	ஊ 11FCE	உ 11FDE	ஓ 11FEE	
F	ஊ 11FCF	உ 11FDF	ஓ 11FEF	ஓ 11FFF

Fractions

11FC0	ஊ	TAMIL FRACTION ONE THREE-HUNDRED-AND-TWENTIETH = munthiri
11FC1	ஊ	TAMIL FRACTION ONE ONE-HUNDRED-AND-SIXTIETH = araikkaani
11FC2	ஊ	TAMIL FRACTION ONE EIGHTIETH = kaani
11FC3	ஊ	TAMIL FRACTION ONE SIXTY-FOURTH = kaal viisam
11FC4	ஊ	TAMIL FRACTION ONE FORTIETH = arai maa
11FC5	ஊ	TAMIL FRACTION ONE THIRTY-SECOND = arai viisam
11FC6	ஊ	TAMIL FRACTION THREE EIGHTIETHS = mukkaani
11FC7	ஊ	TAMIL FRACTION THREE SIXTY-FOURTHS = mukkaal viisam
11FC8	ஊ	TAMIL FRACTION ONE TWENTIETH = maa
11FC9	ஊ	TAMIL FRACTION ONE SIXTEENTH-1 = viisam/maakaani
11FCA	ஊ	TAMIL FRACTION ONE SIXTEENTH-2 = viisam/maakaani • alternate representation
11FCB	ஊ	TAMIL FRACTION ONE TENTH = irumaa
11FCC	ஊ	TAMIL FRACTION ONE EIGHTH = araikkaal
11FCD	ஊ	TAMIL FRACTION THREE TWENTIETHS = mummaa
11FCE	ஊ	TAMIL FRACTION THREE SIXTEENTHS = muuviisam/mummaamukkaani
11FCF	ஊ	TAMIL FRACTION ONE FIFTH = naangu maa
11FD0	ஊ	TAMIL FRACTION ONE QUARTER = kaal
11FD1	ஊ	TAMIL FRACTION ONE HALF-1 = arai
11FD2	ஊ	TAMIL FRACTION ONE HALF-2 = arai • alternate representation
11FD3	ஊ	TAMIL FRACTION THREE QUARTERS = mukkaal
11FD4	ஊ	TAMIL FRACTION DOWNSCALING FACTOR KIIZH • when prefixed to a fraction, reduces its value by a factor of 1/320

Measures of grain

11FD5	ஊ	TAMIL SIGN NEL • one grain of paddy
11FD6	ஊ	TAMIL SIGN CEVITU • equals 360 nel
11FD7	ஊ	TAMIL SIGN AAZHAAKKU • equals 5 cevitu
11FD8	ஊ	TAMIL SIGN UZHAAKKU • equals 2 aazhaakku • for the measure uri which equals 2 uzhaakku, use the sequence 0B89 ஊ 0BB0 ஊ 0BBF ஊ

11FD9	ஊ	TAMIL SIGN MUUVUZHAKKU • equals 3 uzhaakku • for the measure naazhi/padi which equals 2 uri, use 0BF3 ஊ → 0BF3 ஊ tamil day sign
11FDA	ஊ	TAMIL SIGN KURUNI = marakkaal • equals 8 naazhi/padi → 0B99 ஊ tamil letter nga
11FDB	ஊ	TAMIL SIGN PATHAKKU • equals 2 kuruni/marakkaal
11FDC	ஊ	TAMIL SIGN MUKKURUNI • equals 3 kuruni/marakkaal • for the measure thuuni which equals 2 pathakku, use 0BA4 ஊ → 0BA4 ஊ tamil letter ta • for the measure kalam which equals 3 thuuni, use 0BB3 ஊ → 0BB3 ஊ tamil letter lla

Old currency symbols

11FDD	ஊ	TAMIL SIGN KAACU • small currency unit
11FDE	ஊ	TAMIL SIGN PANAM
11FDF	ஊ	TAMIL SIGN PON • gold coin
11FE0	ஊ	TAMIL SIGN VARAAKAN • gold coin bearing boar insignia

Symbols of weight, length and area

















11FE1	ஊ	TAMIL SIGN PAARAM • approximately equals 500 pounds (227 kg)
11FE2	ஊ	TAMIL SIGN KUZHI • equals 1 square kol where 1 kol is approximately 11 feet
11FE3	ஊ	TAMIL SIGN VELI • equals 2000 $\frac{100}{32}$ kuzhi

Agricultural symbols

11FE4	ஊ	TAMIL WET CULTIVATION SIGN = nansey
11FE5	ஊ	TAMIL DRY CULTIVATION SIGN = punsey
11FE6	ஊ	TAMIL LAND SIGN = nilam • not to be confused with the rupee sign → 0BF9 ஊ tamil rupee sign
11FE7	ஊ	TAMIL SALT PAN SIGN = uppalam


Clerical symbols


11FE8	ஊ	TAMIL TRADITIONAL CREDIT SIGN = varavu → 0BF7 ஊ tamil credit sign
11FE9	ஊ	TAMIL TRADITIONAL NUMBER SIGN = enn → 0BFA ஊ tamil number sign
11FEA	ஊ	TAMIL CURRENT SIGN = naalathu
11FEB	ஊ	TAMIL AND ODD SIGN = silvaanam/sillarai
11FEC	ஊ	TAMIL SPENT SIGN = poga
11FED	ஊ	TAMIL TOTAL SIGN = aaga

1343	
0	 13430
1	 13431
2	 13432
3	 13433
4	 13434
5	 13435
6	 13436
7	 13437
8	 13438
9	
A	
B	
C	
D	
E	
F	

Joiners


Used to render Egyptian hieroglyphic quadrats

13430  EGYPTIAN HIEROGLYPH VERTICAL JOINER
= sign separator: subordination (Manuel de Codage)


13431  EGYPTIAN HIEROGLYPH HORIZONTAL JOINER
= sign separator: juxtaposition (Manuel de Codage)

Insertion controls


13432  EGYPTIAN HIEROGLYPH START AT TOP

13433  EGYPTIAN HIEROGLYPH START AT BOTTOM


13434  EGYPTIAN HIEROGLYPH END AT TOP


13435  EGYPTIAN HIEROGLYPH END AT BOTTOM

Stack control

13436  EGYPTIAN HIEROGLYPH OVERLAY MIDDLE

Segment delimiters

13437  EGYPTIAN HIEROGLYPH BEGIN SEGMENT

13438  EGYPTIAN HIEROGLYPH END SEGMENT

	16F00	16F01	16F02	16F03	16F04	16F05	16F06	16F07	16F08	16F09	16F0A	16F0B	16F0C	16F0D	16F0E	16F0F
0	𪛀	𪛁	𪛂	𪛃	𪛄	𪛅	𪛆	𪛇	𪛈	𪛉	𪛊	𪛋	𪛌	𪛍	𪛎	𪛏
1	𪛐	𪛑	𪛒	𪛓	𪛔	𪛕	𪛖	𪛗	𪛘	𪛙	𪛚	𪛛	𪛜	𪛝	𪛞	𪛟
2	𪛠	𪛡	𪛢	𪛣	𪛤	𪛥	𪛦	𪛧	𪛨	𪛩	𪛪	𪛫	𪛬	𪛭	𪛮	𪛯
3	𪛰	𪛱	𪛲	𪛳	𪛴	𪛵	𪛶	𪛷	𪛸	𪛹	𪛺	𪛻	𪛼	𪛽	𪛾	𪛿
4	𪜀	𪜁	𪜂	𪜃	𪜄	𪜅	𪜆	𪜇	𪜈	𪜉	𪜊	𪜋	𪜌	𪜍	𪜎	𪜏
5	𪜐	𪜑	𪜒	𪜓	𪜔	𪜕	𪜖	𪜗	𪜘	𪜙	𪜚	𪜛	𪜜	𪜝	𪜞	𪜟
6	𪜠	𪜡	𪜢	𪜣	𪜤	𪜥	𪜦	𪜧	𪜨	𪜩	𪜪	𪜫	𪜬	𪜭	𪜮	𪜯
7	𪜰	𪜱	𪜲	𪜳	𪜴	𪜵	𪜶	𪜷	𪜸	𪜹	𪜺	𪜻	𪜼	𪜽	𪜾	𪜿
8	𪝀	𪝁	𪝂	𪝃	𪝄	𪝅	𪝆	𪝇	𪝈	𪝉	𪝊	𪝋	𪝌	𪝍	𪝎	𪝏
9	𪝐	𪝑	𪝒	𪝓	𪝔	𪝕	𪝖	𪝗	𪝘	𪝙	𪝚	𪝛	𪝜	𪝝	𪝞	𪝟
A	𪝠	𪝡	𪝢	𪝣	𪝤	𪝥	𪝦	𪝧	𪝨	𪝩	𪝪	𪝫	𪝬	𪝭	𪝮	𪝯
B	𪝰	𪝱	𪝲	𪝳	𪝴	𪝵	𪝶	𪝷	𪝸	𪝹	𪝺	𪝻	𪝼	𪝽	𪝾	𪝿
C	𪞀	𪞁	𪞂	𪞃	𪞄	𪞅	𪞆	𪞇	𪞈	𪞉	𪞊	𪞋	𪞌	𪞍	𪞎	𪞏
D	𪞐	𪞑	𪞒	𪞓	𪞔	𪞕	𪞖	𪞗	𪞘	𪞙	𪞚	𪞛	𪞜	𪞝	𪞞	𪞟
E	𪞠	𪞡	𪞢	𪞣	𪞤	𪞥	𪞦	𪞧	𪞨	𪞩	𪞪	𪞫	𪞬	𪞭	𪞮	𪞯
F	𪞰	𪞱	𪞲	𪞳	𪞴	𪞵	𪞶	𪞷	𪞸	𪞹	𪞺	𪞻	𪞼	𪞽	𪞾	𪞿

Consonant onsets

16F00	ɹ	MIAO LETTER PA	• used for ba in Dry Yi
16F01	ɹ̥	MIAO LETTER BA	
16F02	ɹ̥	MIAO LETTER YI PA	• used for pa in Dry Yi
16F03	ɹ̥	MIAO LETTER PLA	• used in Sichuan Hmong
16F04	ɹ̥	MIAO LETTER MA	
16F05	ɹ̥	MIAO LETTER MHA	
16F06	ɹ̥	MIAO LETTER ARCHAIC MA	• used in Pollard's early orthography
16F07	ɹ̥	MIAO LETTER FA	
16F08	ɹ̥	MIAO LETTER VA	
16F09	ɹ̥	MIAO LETTER VFA	• used in Black Yi
16F0A	ɹ̥	MIAO LETTER TA	• used for da in Dry Yi
16F0B	ɹ̥	MIAO LETTER DA	
16F0C	ɹ̥	MIAO LETTER YI TTA	• used in Hei Yi
16F0D	ɹ̥	MIAO LETTER YI TA	• used for ta in Dry Yi
16F0E	ɹ̥	MIAO LETTER TTA	
16F0F	ɹ̥	MIAO LETTER DDA	
16F10	ɹ̥	MIAO LETTER NA	
16F11	ɹ̥	MIAO LETTER NHA	
16F12	ɹ̥	MIAO LETTER YI NNA	• used in Hei Yi
16F13	ɹ̥	MIAO LETTER ARCHAIC NA	• used in Pollard's early orthography
16F14	ɹ̥	MIAO LETTER NNA	
16F15	ɹ̥	MIAO LETTER NNHA	
16F16	ɹ̥	MIAO LETTER LA	
16F17	ɹ̥	MIAO LETTER LYA	• used in Black Yi
16F18	ɹ̥	MIAO LETTER LHA	
16F19	ɹ̥	MIAO LETTER LHYA	• used in Black Yi
16F1A	ɹ̥	MIAO LETTER TLHA	
16F1B	ɹ̥	MIAO LETTER DLHA	
16F1C	ɹ̥	MIAO LETTER TLHYA	
16F1D	ɹ̥	MIAO LETTER DLHYA	
16F1E	ɹ̥	MIAO LETTER KA	• used for ga in Dry Yi
16F1F	ɹ̥	MIAO LETTER GA	
16F20	ɹ̥	MIAO LETTER YI KA	• used for ka in Dry Yi
16F21	ɹ̥	MIAO LETTER QA	
16F22	ɹ̥	MIAO LETTER QGA	
16F23	ɹ̥	MIAO LETTER NGA	
16F24	ɹ̥	MIAO LETTER NGHHA	
16F25	ɹ̥	MIAO LETTER ARCHAIC NGA	• used in Pollard's early orthography
16F26	ɹ̥	MIAO LETTER HA	
16F27	ɹ̥	MIAO LETTER XA	• archaic character used in a post-1949 reformed orthography
16F28	ɹ̥	MIAO LETTER GHA	
16F29	ɹ̥	MIAO LETTER GHHA	
16F2A	ɹ̥	MIAO LETTER TSSA	
16F2B	ɹ̥	MIAO LETTER DZZA	

16F2C	ɹ̥	MIAO LETTER NYA	
16F2D	ɹ̥	MIAO LETTER NYHA	
16F2E	ɹ̥	MIAO LETTER TSHA	• used for dzha in Dry Yi
16F2F	ɹ̥	MIAO LETTER DZHA	
16F30	ɹ̥	MIAO LETTER YI TSHA	• used for tsha in Dry Yi
16F31	ɹ̥	MIAO LETTER YI DZHA	• used in Hei Yi
16F32	ɹ̥	MIAO LETTER REFORMED TSHA	• archaic character used in a post-1949 reformed orthography
16F33	ɹ̥	MIAO LETTER SHA	
16F34	ɹ̥	MIAO LETTER SSA	
16F35	ɹ̥	MIAO LETTER ZHA	• used in Black Yi
16F36	ɹ̥	MIAO LETTER ZSHA	• used in Black Yi
16F37	ɹ̥	MIAO LETTER TSA	• used for dza in Dry Yi
16F38	ɹ̥	MIAO LETTER DZA	
16F39	ɹ̥	MIAO LETTER YI TSA	• used for tsa in Dry Yi
16F3A	ɹ̥	MIAO LETTER SA	
16F3B	ɹ̥	MIAO LETTER ZA	
16F3C	ɹ̥	MIAO LETTER ZSA	• used in Black Yi
16F3D	ɹ̥	MIAO LETTER ZZA	
16F3E	ɹ̥	MIAO LETTER ZZSA	• used in Black Yi
16F3F	ɹ̥	MIAO LETTER ARCHAIC ZZA	• used in Pollard's early orthography
16F40	ɹ̥	MIAO LETTER ZZYA	• used in Black Yi
16F41	ɹ̥	MIAO LETTER ZZSYA	• used in Black Yi
16F42	ɹ̥	MIAO LETTER WA	
16F43	ɹ̥	MIAO LETTER AH	• glottal stop
16F44	ɹ̥	MIAO LETTER HHA	• used in Black Yi
16F45	ɹ̥	MIAO LETTER BRI	• used in Xiaohua Miao
16F46	ɹ̥	MIAO LETTER SYI	• used in Xiaohua Miao
16F47	ɹ̥	MIAO LETTER DZYI	• used in Xiaohua Miao
16F48	ɹ̥	MIAO LETTER TE	• used in Bai Yi
16F49	ɹ̥	MIAO LETTER TSE	• used in Bai Yi
16F4A	ɹ̥	MIAO LETTER RTE	• used in Bai Yi

Modifiers

16F4F	ɹ̥	MIAO SIGN CONSONANT MODIFIER BAR	• used in Gan Yi
16F50	ɹ̥	MIAO LETTER NASALIZATION	
16F51	ɹ̥	MIAO SIGN ASPIRATION	
16F52	ɹ̥	MIAO SIGN REFORMED VOICING	• archaic character used in a post-1949 reformed orthography

- 16F53 ㄟ MIAO SIGN REFORMED ASPIRATION
 • archaic character used in a post-1949 reformed orthography

Vowels and finals

- 16F54 ㄟ MIAO VOWEL SIGN A
 16F55 ㄟ MIAO VOWEL SIGN AA
 • used in Eastern Lisu
 16F56 ㄟ MIAO VOWEL SIGN AHH
 • used in Gan Yi
 16F57 ㄟ MIAO VOWEL SIGN AN
 16F58 ㄟ MIAO VOWEL SIGN ANG
 • also used for aw
 16F59 ㄟ MIAO VOWEL SIGN O
 16F5A ㄟ MIAO VOWEL SIGN OO
 16F5B ㄟ MIAO VOWEL SIGN WO
 • used in Hei Yi
 16F5C ㄟ MIAO VOWEL SIGN W
 16F5D ㄟ MIAO VOWEL SIGN E
 16F5E ㄟ MIAO VOWEL SIGN EN
 16F5F ㄟ MIAO VOWEL SIGN ENG
 16F60 ㄟ MIAO VOWEL SIGN OEY
 16F61 ㄟ MIAO VOWEL SIGN I
 16F62 ㄟ MIAO VOWEL SIGN IA
 16F63 ㄟ MIAO VOWEL SIGN IAN
 16F64 ㄟ MIAO VOWEL SIGN IANG
 • also used for iaw
 16F65 ㄟ MIAO VOWEL SIGN IO
 16F66 ㄟ MIAO VOWEL SIGN IE
 16F67 ㄟ MIAO VOWEL SIGN II
 • used in Eastern Lisu
 16F68 ㄟ MIAO VOWEL SIGN IU
 16F69 ㄟ MIAO VOWEL SIGN ING
 • also used for in
 16F6A ㄟ MIAO VOWEL SIGN U
 16F6B ㄟ MIAO VOWEL SIGN UA
 16F6C ㄟ MIAO VOWEL SIGN UAN
 16F6D ㄟ MIAO VOWEL SIGN UANG
 • also used for uaw
 16F6E ㄟ MIAO VOWEL SIGN UU
 • used in Eastern Lisu
 16F6F ㄟ MIAO VOWEL SIGN UEI
 16F70 ㄟ MIAO VOWEL SIGN UNG
 16F71 ㄟ MIAO VOWEL SIGN Y
 16F72 ㄟ MIAO VOWEL SIGN YI
 16F73 ㄟ MIAO VOWEL SIGN AE
 16F74 ㄟ MIAO VOWEL SIGN AEE
 • used in Eastern Lisu
 16F75 ㄟ MIAO VOWEL SIGN ERR
 16F76 ㄟ MIAO VOWEL SIGN ROUNDED ERR
 • used in Eastern Lisu
 16F77 ㄟ MIAO VOWEL SIGN ER
 16F78 ㄟ MIAO VOWEL SIGN ROUNDED ER
 • used in Eastern Lisu
 16F79 ㄟ MIAO VOWEL SIGN AI
 16F7A ㄟ MIAO VOWEL SIGN EI
 16F7B ㄟ MIAO VOWEL SIGN AU
 16F7C ㄟ MIAO VOWEL SIGN OU
 16F7D ㄟ MIAO VOWEL SIGN N
 16F7E ㄟ MIAO VOWEL SIGN NG
 16F7F ㄟ MIAO VOWEL SIGN UOG
 • used in Hei Yi

- 16F80 ㄟ MIAO VOWEL SIGN YUI
 • used in Hei Yi
 16F81 ㄟ MIAO VOWEL SIGN OG
 • used in Gan Yi and Bai Yi
 16F82 ㄟ MIAO VOWEL SIGN OER
 • used in Gan Yi and Xiaohua Miao
 16F83 ㄟ MIAO VOWEL SIGN VW
 • used in Xiaohua Miao and Bai Yi
 16F84 ㄟ MIAO VOWEL SIGN IG
 • used in Bai Yi
 16F85 ㄟ MIAO VOWEL SIGN EA
 • used in Bai Yi
 16F86 ㄟ MIAO VOWEL SIGN IONG
 • used in Bai Yi
 16F87 ㄟ MIAO VOWEL SIGN UI
 • used in Bai Yi

Positioning tone marks

These are used to position the vowel off of the baseline position to indicate a changed tone.

- 16F8F ㄟ MIAO TONE RIGHT
 16F90 ㄟ MIAO TONE TOP RIGHT
 16F91 ㄟ MIAO TONE ABOVE
 16F92 ㄟ MIAO TONE BELOW

Baseline tone marks





These are used in Chuxiong Ahmao instead of the positioning tone marks.

- 16F93 ㄟ MIAO LETTER TONE-2
 16F94 ㄟ MIAO LETTER TONE-3
 16F95 ㄟ MIAO LETTER TONE-4
 16F96 ㄟ MIAO LETTER TONE-5
 16F97 ㄟ MIAO LETTER TONE-6
 16F98 ㄟ MIAO LETTER TONE-7
 16F99 ㄟ MIAO LETTER TONE-8

Archaic baseline tone marks

These are archaic characters used in a post-1949 reformed orthography.

- 16F9A ㄟ MIAO LETTER REFORMED TONE-1
 16F9B ㄟ MIAO LETTER REFORMED TONE-2
 16F9C ㄟ MIAO LETTER REFORMED TONE-4
 16F9D ㄟ MIAO LETTER REFORMED TONE-5
 16F9E ㄟ MIAO LETTER REFORMED TONE-6
 16F9F ㄟ MIAO LETTER REFORMED TONE-8

	16FE	16FF
0	 16FE0	
1	 16FE1	
2	 16FE2	
3	 16FE3	
4		
5		
6		
7		
8		
9		
A		
B		
C		
D		
E		
F		

Tangut mark

16FE0 𐰃 TANGUT ITERATION MARK
→ 3005 𐰃 ideographic iteration mark

Nushu mark

16FE1 𐰄 NUSHU ITERATION MARK

Marks used in ancient Chinese texts

16FE2 𠃉 OLD CHINESE HOOK MARK
• indicates a pause or break in the text

16FE3 𠃊 OLD CHINESE ITERATION MARK
→ 3005 𐰃 ideographic iteration mark
→ 303B 𐰃 vertical ideographic iteration mark

1712C 17.7 L2008-1965	𐞇	17140 17.8 L2008-3491	𐞈	17154 17.10 L2008-1943	𐞉	17168 17.10 L2008-2376	𐞊	1717C 17.11 L2008-3492	𐞋
1712D 17.7 L2008-1941	𐞌	17141 17.8 L2008-2983	𐞍	17155 17.10 L2008-1949	𐞎	17169 17.10 L2008-2952	𐞏	1717D 17.11 L2008-2817	𐞐
1712E 17.7 L2008-1985	𐞑	17142 17.8 L2008-2708	𐞒	17156 17.10 L2008-1944	𐞓	1716A 17.10 L2008-2929	𐞔	1717E 17.11 L2008-2915	𐞕
1712F 17.7 L2008-2701	𐞖	17143 17.8 L2008-2709	𐞗	17157 17.10 L2008-2960	𐞘	1716B 17.10 L2008-2369	𐞙	1717F 17.11 L2008-3494	𐞚
17130 17.7 L2008-2981	𐞛	17144 17.8 L2008-2700	𐞜	17158 17.10 L2008-1914	𐞝	1716C 17.11 L2008-1969	𐞞	17180 17.11 L2008-1915	𐞟
17131 17.7 L2008-2354	𐞠	17145 17.8 L2008-2938	𐞡	17159 17.10 L2008-2363	𐞢	1716D 17.11 L2008-3505	𐞣	17181 17.11 L2008-2355	𐞤
17132 17.7 H2004-B-0284	𐞥	17146 17.9 L2008-2833	𐞦	1715A 17.10 L2008-1950	𐞧	1716E 17.11 L2008-2830	𐞨	17182 17.11 L2008-2827	𐞩
17133 17.7 L2008-3762	𐞫	17147 17.9 L2008-1962	𐞬	1715B 17.10 L2008-2826	𐞭	1716F 17.11 L2008-2377	𐞮	17183 17.11 L2008-2374	𐞯
17134 17.7 L2008-3488-3489	𐞱	17148 17.9 L2008-0016	𐞲	1715C 17.10 L2008-2353	𐞳	17170 17.11 L2008-3463	𐞴	17184 17.11 L2008-2984	𐞵
17135 17.7 L2008-3477	𐞷	17149 17.9 L2008-1906	𐞸	1715D 17.10 L2008-2914	𐞹	17171 17.11 L2008-1904	𐞺	17185 17.12 L2008-1911	𐞻
17136 17.7 L2008-3474	𐞼	1714A 17.9 L2008-1963	𐞽	1715E 17.10 L2008-1964	𐞾	17172 17.11 L2008-1910	𐞿	17186 17.12 L2008-2903	𐟀
17137 17.7 L2008-2823	𐟃	1714B 17.9 L2008-1918	𐟄	1715F 17.10 L2008-3767	𐟅	17173 17.11 L2008-2933	𐟆	17187 17.12 L2008-2825	𐟇
17138 17.8 L2008-1942	𐟉	1714C 17.9 L2008-3498	𐟊	17160 17.10 L2008-1909	𐟋	17174 17.11 L2008-2932	𐟌	17188 17.12 L2008-2357	𐟍
17139 17.8 L2008-1947	𐟏	1714D 17.9 L2008-2702	𐟐	17161 17.10 L2008-1981-3517	𐟑	17175 17.11 L2008-2370	𐟒	17189 17.12 L2008-3459	𐟓
1713A 17.8 L2008-2362	𐟔	1714E 17.9 L2008-3490	𐟕	17162 17.10 L2008-2364	𐟖	17176 17.11 L2008-2565	𐟗	1718A 17.12 L2008-3458	𐟘
1713B 17.8 L2008-2699	𐟚	1714F 17.9 L2008-2913	𐟛	17163 17.10 L2008-3493	𐟜	17177 17.11 L2008-2962	𐟝	1718B 17.12 L2008-2902	𐟞
1713C 17.8 L2008-3456	𐟟	17150 17.9 L2008-2909	𐟠	17164 17.10 L2008-3475	𐟡	17178 17.11 L2008-1967	𐟢	1718C 17.12 L2008-2837	𐟣
1713D 17.8 L2008-3763	𐟤	17151 17.9 L2008-2911	𐟥	17165 17.10 L2008-1899	𐟦	17179 17.11 L2008-2375	𐟧	1718D 17.12 L2008-2368	𐟨
1713E 17.8 L2008-2931	𐟩	17152 17.9 L2008-2982	𐟪	17166 17.10 L2008-2707	𐟫	1717A 17.11 L2008-2367	𐟬	1718E 17.12 L2008-3454	𐟭
1713F 17.8 L2008-3497	𐟮	17153 17.10 L2008-2917	𐟯	17167 17.10 L2008-1907	𐟰	1717B 17.11 L2008-2910	𐟱	1718F 17.12 L2008-3768	𐟲

17320 彡 36.15 𐞇 L2008-3556	17334 † 41.5 𐞇 L2008-1230	17348 † 41.11 𐞇 L2008-1201	1735C † 41.14 𐞇 L2008-1272	17370 † 46.12 𐞇 L2008-4039
17321 彡 36.15 𐞇 L2008-2014	17335 † 41.7 𐞇 L2008-1306	17349 † 41.11 𐞇 L2008-0599	1735D † 41.14 𐞇 L2008-0371	17371 † 46.14 𐞇 L2008-4024
17322 彡 36.15 𐞇 L2008-3002	17336 † 41.8 𐞇 L2008-0784	1734A † 41.11 𐞇 L2008-0290	1735E † 41.15 𐞇 L2008-0885	17372 † 46.14 𐞇 L2008-4026
17323 彡 36.15 𐞇 L2008-3524	17337 † 41.8 𐞇 L2008-1869	1734B † 41.11 𐞇 L2008-0269	1735F † 41.15 𐞇 L2008-1769	17373 † 46.15 𐞇 L2008-4028
17324 彡 36.15 𐞇 L2008-3034	17338 † 41.8 𐞇 L2008-1732	1734C † 41.12 𐞇 L2008-0280	17360 † 41.15 𐞇 L2008-1685	17374 † 46.17 𐞇 L2008-4055
17325 彡 36.15 𐞇 L2008-2998	17339 † 41.9 𐞇 L2008-0558	1734D † 41.12 𐞇 L2008-0281	17361 † 41.16 𐞇 L2008-0309	17375 𐞇 47.5 𐞇 L2008-1026
17326 彡 36.15 𐞇 L2008-1998	1733A † 41.9 𐞇 L2008-1748	1734E † 41.12 𐞇 L2008-0537	17362 † 41.19 𐞇 L2008-1775	17376 𐞇 47.9 𐞇 L2008-1630
17327 彡 36.15 𐞇 L2008-2006	1733B † 41.9 𐞇 L2008-1346	1734F † 41.12 𐞇 L2008-0586	17363 † 42.9 𐞇 L2008-4459	17377 𐞇 47.9 𐞇 L2008-0760
17328 彡 36.16 𐞇 L2008-2050	1733C † 41.9 𐞇 L2008-0338	17350 † 41.12 𐞇 L2008-0326	17364 𐞇 43.7 𐞇 L2008-0620	17378 𐞇 47.9 𐞇 L2008-0486
17329 彡 36.16 𐞇 L2008-3557	1733D † 41.9 𐞇 L2008-0804	17351 † 41.12 𐞇 L2008-0823	17365 = 44.14 𐞇 L2008-0015	17379 𐞇 47.10 𐞇 L2008-0219
1732A 彡 36.16 𐞇 L2008-3082	1733E † 41.9 𐞇 L2008-1269	17352 † 41.12 𐞇 L2008-1307	17366 = 44.15 𐞇 L2008-0028	1737A 𐞇 47.10 𐞇 L2008-0752
1732B 彡 36.16 𐞇 L2008-6038	1733F † 41.9 𐞇 L2008-0687	17353 † 41.12 𐞇 L2008-0313	17367 = 44.16 𐞇 L2008-0112	1737B 𐞇 47.10 𐞇 L2008-1641
1732C 彡 36.17 𐞇 L2008-3066	17340 † 41.9 𐞇 L2008-0789	17354 † 41.13 𐞇 L2008-0325	17368 ++ 45.10 𐞇 L2008-4050	1737C 𐞇 47.10 𐞇 L2008-0753
1732D 彡 37.9 𐞇 L2008-1542	17341 † 41.10 𐞇 L2008-0289	17355 † 41.13 𐞇 L2008-0266	17369 ++ 45.11 𐞇 L2008-4049	1737D 𐞇 47.10 𐞇 L2008-1651
1732E 彡 37.10 𐞇 L2008-1543	17342 † 41.10 𐞇 L2008-0377	17356 † 41.13 𐞇 L2008-0291	1736A † 46.8 𐞇 L2008-4029	1737E 𐞇 47.11 𐞇 L2008-0745
1732F † 40.9 𐞇 L2008-1628	17343 † 41.10 𐞇 L2008-0805	17357 † 41.13 𐞇 L2008-1768	1736B † 46.9 𐞇 L2008-4027	1737F 𐞇 47.12 𐞇 L2008-1003
17330 † 40.10 𐞇 L2008-1633	17344 † 41.10 𐞇 L2008-0806	17358 † 41.13 𐞇 L2008-0538	1736C † 46.9 𐞇 L2008-4048	17380 𐞇 47.12 𐞇 L2008-0503
17331 † 40.10 𐞇 L2008-1664	17345 † 41.11 𐞇 L2008-0270	17359 † 41.13 𐞇 L2008-1381	1736D † 46.10 𐞇 L2008-4088	17381 𐞇 47.12 𐞇 L2008-1082
17332 † 40.12 𐞇 L2008-1063	17346 † 41.11 𐞇 L2008-0358	1735A † 41.13 𐞇 L2008-1193	1736E † 46.11 𐞇 L2008-4087	17382 𐞇 47.13 𐞇 L2008-1588
17333 † 40.13 𐞇 L2008-1096	17347 † 41.11 𐞇 L2008-1706	1735B † 41.14 𐞇 L2008-1412	1736F † 46.12 𐞇 L2008-4086	17383 † 50.7 𐞇 L2008-4041

17384 𐞇 50.7 L2008-4078	17398 𐞇 52.5 L2008-0785	173AC 𐞇 54.12 L2008-1938	173C0 𐞇 65.9 L2008-2723	173D4 𐞇 68.10 L2008-3350
17385 𐞇 50.7 L2008-4081	17399 𐞇 52.7 L2008-0335	173AD 𐞇 54.12 L2008-1892	173C1 𐞇 65.10 L2008-1999	173D5 𐞇 68.10 L2008-2774
17386 𐞇 50.8 L2008-4091	1739A 𐞇 52.7 L2008-0708	173AE 𐞇 54.12 L2008-2820	173C2 𐞇 65.11 L2008-1995	173D6 𐞇 68.10 L2008-2796
17387 𐞇 50.8 L2008-4079	1739B 𐞇 52.8 L2008-0328	173AF 𐞇 54.14 L2008-2835	173C3 𐞇 65.11 L2008-2722	173D7 𐞇 68.10 L2008-3104
17388 𐞇 50.9 L2008-4053	1739C 𐞇 52.9 L2008-0566	173B0 𐞇 54.15 L2008-1891	173C4 𐞇 65.12 L2008-2000	173D8 𐞇 68.10 L2008-3273
17389 𐞇 50.9 L2008-4042	1739D 𐞇 52.9 L2008-1753	173B1 𐞇 54.15 L2008-2836	173C5 𐞇 65.12 L2008-3546	173D9 𐞇 68.10 L2008-3340
1738A 𐞇 50.9 L2008-4082	1739E 𐞇 52.9 L2008-1754	173B2 𐞇 54.16 L2008-2821	173C6 𐞇 65.12 L2008-2052	173DA 𐞇 68.10 L2008-3233
1738B 𐞇 50.9 L2008-4080	1739F 𐞇 52.9 L2008-1350	173B3 𐞇 54.17 L2008-2841	173C7 𐞇 67.11 L2008-2403	173DB 𐞇 68.11 L2008-2072
1738C 𐞇 50.9 L2008-4089	173A0 𐞇 52.10 L2008-1407	173B4 𐞇 55.9 L2008-3450	173C8 𐞇 67.15 L2008-3535	173DC 𐞇 68.11 L2008-2081
1738D 𐞇 50.9 L2008-4092	173A1 𐞇 52.11 L2008-0798	173B5 𐞇 61.9 L2008-4025	173C9 𐞇 68.8 L2008-2283	173DD 𐞇 68.11 L2008-3325
1738E 𐞇 50.10 L2008-4090	173A2 𐞇 52.11 L2008-1755	173B6 𐞇 61.9 L2008-4023	173CA 𐞇 68.8 L2008-3225	173DE 𐞇 68.11 L2008-3112
1738F 𐞇 50.10 L2008-4077	173A3 𐞇 52.11 L2008-1376	173B7 𐞇 61.9 L2008-4085	173CB 𐞇 68.8 L2008-3363	173DF 𐞇 68.11 L2008-3573
17390 𐞇 50.10 L2008-4043	173A4 𐞇 52.14 L2008-0367	173B8 𐞇 61.10 L2008-4054	173CC 𐞇 68.8 S1968-5596	173E0 𐞇 68.11 L2008-3303
17391 𐞇 50.11 L2008-4032	173A5 𐞇 54.8 L2008-2360	173B9 𐞇 61.10 L2008-4060	173CD 𐞇 68.8 N1966-202-051	173E1 𐞇 68.11 L2008-2503
17392 𐞇 50.11 L2008-4052	173A6 𐞇 54.9 L2008-1937	173BA 𐞇 61.12 L2008-4038	173CE 𐞇 68.9 L2008-2471	173E2 𐞇 68.11 L2008-3720
17393 𐞇 50.11 L2008-4051	173A7 𐞇 54.9 L2008-2359	173BB 𐞇 62.9 L2008-2080	173CF 𐞇 68.9 L2008-2441	173E3 𐞇 68.11 L2008-3349
17394 𐞇 50.13 L2008-4033	173A8 𐞇 54.10 L2008-2926	173BC 𐞇 65.7 L2008-2028	173D0 𐞇 68.9 L2008-3790	173E4 𐞇 68.11 L2008-2171
17395 𐞇 50.14 L2008-6047	173A9 𐞇 54.10 L2008-3516	173BD 𐞇 65.8 L2008-2586	173D1 𐞇 68.9 L2008-2442	173E5 𐞇 68.12 L2008-2488
17396 𐞇 50.15 L2008-4046	173AA 𐞇 54.11 H2004-A-5829	173BE 𐞇 65.9 L2008-2411	173D2 𐞇 68.9 L2008-2744	173E6 𐞇 68.12 L2008-2863
17397 𐞇 50.19 L2008-4034	173AB 𐞇 54.11 L2008-2698	173BF 𐞇 65.9 L2008-3771	173D3 𐞇 68.9 L2008-3655	173E7 𐞇 68.12 S1968-5574

173E8 𐰇 68.12 L2008-2681	173FC 𐰇 68.15 L2008-2143	17410 𐰇 70.10 L2008-3423	17424 𐰇 73.12 L2008-3813	17438 𐰇 75.9 L2008-4804
173E9 𐰇 68.12 L2008-2671	173FD 𐰇 68.15 L2008-2223	17411 𐰇 70.10 L2008-3398	17425 𐰇 73.12 L2008-3829	17439 𐰇 75.9 L2008-4760
173EA 𐰇 68.12 L2008-2608	173FE 𐰇 68.16 L2008-2659	17412 𐰇 70.10 L2008-3005	17426 𐰇 73.13 L2008-3824	1743A 𐰇 75.9 L2008-4794
173EB 𐰇 68.12 L2008-2273	173FF 𐰇 68.16 L2008-3377	17413 𐰇 70.11 L2008-3038	17427 𐰇 73.15 L2008-3817	1743B 𐰇 75.9 L2008-4857
173EC 𐰇 68.12 L2008-2287	17400 𐰇 68.17 L2008-3707	17414 𐰇 70.12 L2008-3083	17428 𐰇 74.12 L2008-3893	1743C 𐰇 75.9 L2008-4858
173ED 𐰇 68.12 L2008-2648	17401 𐰇 68.18 L2008-3156	17415 𐰇 70.12 L2008-3448	17429 𐰇 74.14 L2008-3938	1743D 𐰇 75.9 L2008-5034
173EE 𐰇 68.12 L2008-3314	17402 𐰇 68.18 L2008-3271	17416 𐰇 70.12 L2008-3392	1742A 𐰇 75.6 L2008-4775	1743E 𐰇 75.9 L2008-4921
173EF 𐰇 68.12 L2008-3658	17403 𐰇 68.20 L2008-3253	17417 𐰇 70.13 L2008-3015	1742B 𐰇 75.7 L2008-4795	1743F 𐰇 75.9 L2008-4939
173F0 𐰇 68.12 L2008-3155	17404 𐰇 69.7 L2008-2061	17418 𐰇 70.14 L2008-3043	1742C 𐰇 75.7 L2008-4933	17440 𐰇 75.9 L2008-4931
173F1 𐰇 68.12 L2008-3313	17405 𐰇 69.9 L2008-2434	17419 𐰇 70.14 L2008-3016	1742D 𐰇 75.8 L2008-4761	17441 𐰇 75.10 L2008-4744
173F2 𐰇 68.12 L2008-2489	17406 𐰇 69.10 L2008-3089	1741A 𐰇 70.14 L2008-3188	1742E 𐰇 75.8 L2008-4676	17442 𐰇 75.10 L2008-5038
173F3 𐰇 68.12 L2008-2220	17407 𐰇 69.10 L2008-3090	1741B 𐰇 70.16 L2008-2994	1742F 𐰇 75.8 L2008-4719	17443 𐰇 75.10 L2008-5055
173F4 𐰇 68.13 L2008-2149	17408 𐰇 69.10 L2008-3088	1741C 𐰇 70.17 L2008-3008	17430 𐰇 75.8 L2008-4842	17444 𐰇 75.10 L2008-5054
173F5 𐰇 68.13 L2008-3369	17409 𐰇 69.12 L2008-2600	1741D 𐰇 73.8 L2008-3822	17431 𐰇 75.8 L2008-4884	17445 𐰇 75.10 L2008-4728
173F6 𐰇 68.13 L2008-2769	1740A 𐰇 69.12 L2008-3558	1741E 𐰇 73.9 L2008-3825	17432 𐰇 75.8 L2008-5042	17446 𐰇 75.10 L2008-4819
173F7 𐰇 68.14 L2008-3352	1740B 𐰇 70.7 L2008-3401	1741F 𐰇 73.10 L2008-3816	17433 𐰇 75.9 L2008-4865	17447 𐰇 75.10 L2008-4820
173F8 𐰇 68.14 L2008-3718	1740C 𐰇 70.8 L2008-3432	17420 𐰇 73.10 L2008-3828	17434 𐰇 75.9 L2008-4681	17448 𐰇 75.10 L2008-4750
173F9 𐰇 68.14 L2008-2513	1740D 𐰇 70.8 L2008-3018	17421 𐰇 73.10 L2008-3820	17435 𐰇 75.9 L2008-4803	17449 𐰇 75.10 L2008-4684
173FA 𐰇 68.14 L2008-3706	1740E 𐰇 70.8 L2008-3391	17422 𐰇 73.10 L2008-3814	17436 𐰇 75.9 L2008-4720	1744A 𐰇 75.10 L2008-4759
173FB 𐰇 68.15 L2008-2274	1740F 𐰇 70.9 L2008-3036	17423 𐰇 73.11 L2008-3821	17437 𐰇 75.9 L2008-4843	1744B 𐰇 75.10 L2008-4721

17514 𐰇 75.16 L2008-4726	17528 𐰇 75.17 L2008-4896	1753C 𐰇 75.22 L2008-4916	17550 𐰇 79.9 L2008-1252	17564 𐰇 79.13 L2008-1268
17515 𐰇 75.16 L2008-4783	17529 𐰇 75.17 L2008-4900	1753D 𐰇 76.8 L2008-5153	17551 𐰇 79.10 L2008-0966	17565 𐰇 79.13 L2008-1339
17516 𐰇 75.16 L2008-4711	1752A 𐰇 75.17 L2008-4892	1753E 𐰇 76.8 L2008-4852	17552 𐰇 79.10 L2008-1089	17566 𐰇 79.13 L2008-1400
17517 𐰇 75.16 L2008-4830	1752B 𐰇 75.17 L2008-4700	1753F 𐰇 76.8 L2008-5412	17553 𐰇 79.10 L2008-1244	17567 𐰇 79.13 L2008-0920
17518 𐰇 75.16 L2008-4894	1752C 𐰇 75.17 L2008-4962	17540 𐰇 76.8 L2008-5294	17554 𐰇 79.11 L2008-0959	17568 𐰇 79.13 L2008-1373
17519 𐰇 75.16 L2008-4952	1752D 𐰇 75.17 L2008-4703	17541 𐰇 76.12 L2008-5068	17555 𐰇 79.11 L2008-0974	17569 𐰇 79.13 L2008-1127
1751A 𐰇 75.16 L2008-4833	1752E 𐰇 75.17 L2008-4958	17542 𐰇 76.13 L2008-5501	17556 𐰇 79.11 L2008-1150	1756A 𐰇 79.14 L2008-0960
1751B 𐰇 75.16 L2008-4906	1752F 𐰇 75.17 L2008-4829	17543 𐰇 78.7 L2008-5813	17557 𐰇 79.11 L2008-1182	1756B 𐰇 79.14 L2008-1190
1751C 𐰇 75.16 L2008-4821	17530 𐰇 75.17 L2008-4834	17544 𐰇 78.11 L2008-5811	17558 𐰇 79.11 L2008-1247	1756C 𐰇 79.14 L2008-1418
1751D 𐰇 75.16 L2008-5020	17531 𐰇 75.18 L2008-5022	17545 𐰇 78.13 L2008-5812	17559 𐰇 79.11 L2008-1246	1756D 𐰇 79.14 L2008-0946
1751E 𐰇 75.16 L2008-4918	17532 𐰇 75.18 L2008-4984	17546 𐰇 78.13 L2008-5809	1755A 𐰇 79.12 L2008-1216	1756E 𐰇 79.14 L2008-1361
1751F 𐰇 75.16 L2008-4701	17533 𐰇 75.18 L2008-4702	17547 𐰇 78.13 L2008-5808	1755B 𐰇 79.12 L2008-1413	1756F 𐰇 79.14 L2008-0903
17520 𐰇 75.16 L2008-4732	17534 𐰇 75.18 L2008-4712	17548 𐰇 78.14 L2008-5804	1755C 𐰇 79.12 L2008-1360	17570 𐰇 79.15 L2008-0921
17521 𐰇 75.16 L2008-4915	17535 𐰇 75.19 L2008-4963	17549 𐰇 78.16 L2008-5816	1755D 𐰇 79.12 L2008-1194	17571 𐰇 79.15 L2008-1378
17522 𐰇 75.16 L2008-4907	17536 𐰇 75.19 L2008-4998	1754A 𐰇 78.16 S1968-2868	1755E 𐰇 79.12 L2008-1198	17572 𐰇 79.15 L2008-1090
17523 𐰇 75.16 L2008-4698	17537 𐰇 75.19 L2008-4994	1754B 𐰇 79.7 L2008-1425	1755F 𐰇 79.13 L2008-1436	17573 𐰇 79.15 L2008-1191
17524 𐰇 75.17 L2008-4899	17538 𐰇 75.19 L2008-4699	1754C 𐰇 79.7 L2008-1148	17560 𐰇 79.13 L2008-0967	17574 𐰇 79.15 L2008-1362
17525 𐰇 75.17 L2008-4697	17539 𐰇 75.20 L2008-4835	1754D 𐰇 79.9 L2008-0912	17561 𐰇 79.13 L2008-1337	17575 𐰇 79.17 L2008-1291
17526 𐰇 75.17 L2008-4904	1753A 𐰇 75.20 L2008-4991	1754E 𐰇 79.9 L2008-1444	17562 𐰇 79.13 L2008-1062	17576 𐰇 83.5 L2008-1504
17527 𐰇 75.17 L2008-4840	1753B 𐰇 75.21 L2008-4883	1754F 𐰇 79.9 L2008-1359	17563 𐰇 79.13 L2008-0945	17577 𐰇 83.6 L2008-1492

176A4 𐄣 106.11 L2008-4162	176B8 𐄣 106.11 L2008-4412	176CC 𐄣 106.12 L2008-4280	176E0 𐄣 106.13 L2008-4235	176F4 𐄣 106.13 L2008-4301
176A5 𐄣 106.11 L2008-4157	176B9 𐄣 106.11 L2008-4180	176CD 𐄣 106.12 L2008-4376	176E1 𐄣 106.13 L2008-4188	176F5 𐄣 106.13 L2008-4312
176A6 𐄣 106.11 L2008-4176	176BA 𐄣 106.11 L2008-4155	176CE 𐄣 106.12 L2008-4357	176E2 𐄣 106.13 L2008-4332	176F6 𐄣 106.13 L2008-4218
176A7 𐄣 106.11 L2008-4205	176BB 𐄣 106.12 L2008-4100	176CF 𐄣 106.12 L2008-4307	176E3 𐄣 106.13 L2008-4341	176F7 𐄣 106.13 L2008-4218
176A8 𐄣 106.11 L2008-4215	176BC 𐄣 106.12 L2008-4310	176D0 𐄣 106.12 L2008-4156	176E4 𐄣 106.13 L2008-4110	176F8 𐄣 106.13 L2008-4311
176A9 𐄣 106.11 L2008-4343	176BD 𐄣 106.12 L2008-4171	176D1 𐄣 106.12 L2008-4152	176E5 𐄣 106.13 L2008-4170	176F9 𐄣 106.13 L2008-4169
176AA 𐄣 106.11 L2008-4302	176BE 𐄣 106.12 L2008-4199	176D2 𐄣 106.12 L2008-4400	176E6 𐄣 106.13 L2008-4416	176FA 𐄣 106.13 L2008-4291
176AB 𐄣 106.11 L2008-4165	176BF 𐄣 106.12 L2008-4153	176D3 𐄣 106.12 L2008-4414	176E7 𐄣 106.13 L2008-4161	176FB 𐄣 106.13 L2008-4316
176AC 𐄣 106.11 L2008-4164	176C0 𐄣 106.12 L2008-4160	176D4 𐄣 106.12 L2008-4351	176E8 𐄣 106.13 L2008-4123	176FC 𐄣 106.13 L2008-4405
176AD 𐄣 106.11 L2008-4142	176C1 𐄣 106.12 L2008-4334	176D5 𐄣 106.12 L2008-4211	176E9 𐄣 106.13 L2008-4136	176FD 𐄣 106.13 N1966-017-10D
176AE 𐄣 106.11 L2008-4409	176C2 𐄣 106.12 L2008-4333	176D6 𐄣 106.12 L2008-4406	176EA 𐄣 106.13 L2008-4124	176FE 𐄣 106.13 L2008-4256
176AF 𐄣 106.11 L2008-4384	176C3 𐄣 106.12 L2008-4106	176D7 𐄣 106.12 L2008-4138	176EB 𐄣 106.13 L2008-4404	176FF 𐄣 106.13 L2008-4282
176B0 𐄣 106.11 L2008-4224	176C4 𐄣 106.12 L2008-4122	176D8 𐄣 106.12 L2008-4181	176EC 𐄣 106.13 L2008-4373	17700 𐄣 106.13 L2008-4324
176B1 𐄣 106.11 L2008-4229	176C5 𐄣 106.12 L2008-4177	176D9 𐄣 106.12 L2008-4167	176ED 𐄣 106.13 L2008-4345	17701 𐄣 106.13 L2008-4178
176B2 𐄣 106.11 L2008-4426	176C6 𐄣 106.12 L2008-4109	176DA 𐄣 106.12 L2008-4179	176EE 𐄣 106.13 L2008-4279	17702 𐄣 106.13 L2008-4102
176B3 𐄣 106.11 L2008-4219	176C7 𐄣 106.12 L2008-4159	176DB 𐄣 106.12 L2008-4204	176EF 𐄣 106.13 L2008-4217	17703 𐄣 106.13 L2008-4372
176B4 𐄣 106.11 L2008-4208	176C8 𐄣 106.12 L2008-4216	176DC 𐄣 106.12 L2008-4103	176F0 𐄣 106.13 L2008-4344	17704 𐄣 106.13 L2008-4210
176B5 𐄣 106.11 L2008-4252	176C9 𐄣 106.12 L2008-4213	176DD 𐄣 106.13 L2008-4246	176F1 𐄣 106.13 L2008-4424	17705 𐄣 106.13 L2008-4227
176B6 𐄣 106.11 L2008-4296	176CA 𐄣 106.12 L2008-4318	176DE 𐄣 106.13 L2008-4245	176F2 𐄣 106.13 L2008-4319	17706 𐄣 106.13 L2008-4154
176B7 𐄣 106.11 L2008-4361	176CB 𐄣 106.12 L2008-4212	176DF 𐄣 106.13 L2008-4234	176F3 𐄣 106.13 N1966-017-09K	17707 𐄣 106.13 L2008-4242

17834 𐞇 112.11 L2008-4623	17848 𐞇 112.13 L2008-4521	1785C 𐞇 112.18 L2008-4637	17870 𐞇 114.9 L2008-0357	17884 𐞇 126.8 L2008-4609
17835 𐞇 112.11 L2008-4532	17849 𐞇 112.14 L2008-4535	1785D 𐞇 112.18 L2008-4620	17871 𐞇 114.9 L2008-1871	17885 𐞇 126.9 L2008-4525
17836 𐞇 112.12 L2008-4638	1784A 𐞇 112.14 L2008-4540	1785E 𐞇 113.9 L2008-0359	17872 𐞇 114.9 L1997-5996	17886 𐞇 126.10 L2008-2840-4591
17837 𐞇 112.12 L2008-4592	1784B 𐞇 112.14 L2008-4593	1785F 𐞇 113.9 L2008-0534	17873 𐞇 114.10 L2008-0272	17887 𐞇 131.8 L2008-4594
17838 𐞇 112.12 L2008-4612	1784C 𐞇 112.14 N1966-255-107	17860 𐞇 113.9 L2008-0271	17874 𐞇 114.10 L2008-0807	17888 𐞇 132.8 L2008-4037
17839 𐞇 112.12 L2008-4584	1784D 𐞇 112.14 L2008-4622	17861 𐞇 113.10 L2008-0320	17875 𐞇 114.12 L2008-1316	17889 𐞇 132.9 L2008-4084
1783A 𐞇 112.12 L2008-4605	1784E 𐞇 112.14 L2008-4518	17862 𐞇 113.10 L2008-0702	17876 𐞇 114.12 L2008-0535	1788A 𐞇 134.9 L2008-4044
1783B 𐞇 112.12 L2008-4597	1784F 𐞇 112.14 L2008-4576	17863 𐞇 113.11 L2008-0293	17877 𐞇 114.14 L2008-1214	1788B 𐞇 134.11 L2008-4057
1783C 𐞇 112.12 L2008-4616	17850 𐞇 112.15 L2008-4512	17864 𐞇 113.11 L2008-1780	17878 𐞇 114.15 L2008-0243	1788C 𐞇 134.13 L2008-4019
1783D 𐞇 112.12 L2008-4613	17851 𐞇 112.15 L2008-4577	17865 𐞇 113.11 L2008-1877	17879 𐞇 114.16 L2008-1392	1788D 𐞇 134.14 L2008-4020
1783E 𐞇 112.13 L2008-4615	17852 𐞇 112.15 L2008-4598	17866 𐞇 113.12 L2008-0592	1787A 𐞇 118.7 L2008-2928	1788E 𐞇 138.8 L2008-3029
1783F 𐞇 112.13 L2008-4564	17853 𐞇 112.16 L2008-4656	17867 𐞇 113.12 L2008-0703	1787B 𐞇 118.11 L2008-3499	1788F 𐞇 138.8 L2008-3072
17840 𐞇 112.13 L2008-4553	17854 𐞇 112.16 L2008-4600	17868 𐞇 113.12 L2008-0561	1787C 𐞇 118.12 L2008-2705	17890 𐞇 138.9 L2008-3044
17841 𐞇 112.13 L2008-4619	17855 𐞇 112.16 L2008-4614	17869 𐞇 113.13 L2008-1353	1787D 𐞇 118.13 L2008-3495	17891 𐞇 138.9 L2008-2844
17842 𐞇 112.13 L2008-4618	17856 𐞇 112.16 L2008-4599	1786A 𐞇 113.13 L2008-1290	1787E 𐞇 118.16 L2008-2963	17892 𐞇 138.9 L2008-3076
17843 𐞇 112.13 L2008-4523	17857 𐞇 112.16 L2008-4546	1786B 𐞇 114.6 L2008-0778	1787F 𐞇 120.9 L2008-4021	17893 𐞇 138.10 L2008-2026
17844 𐞇 112.13 L2008-4513	17858 𐞇 112.17 L2008-4639	1786C 𐞇 114.8 L2008-0340	17880 𐞇 120.9 L2008-4045	17894 𐞇 138.10 L2008-2051
17845 𐞇 112.13 L2008-4517	17859 𐞇 112.18 L2008-4531	1786D 𐞇 114.8 L2008-0347	17881 𐞇 121.10 L2008-3453	17895 𐞇 138.10 L2008-3545
17846 𐞇 112.13 L2008-4652	1785A 𐞇 112.18 L2008-4569	1786E 𐞇 114.8 L2008-0541	17882 𐞇 121.11 L2008-2824	17896 𐞇 138.10 L2008-2721
17847 𐞇 112.13 L2008-4610	1785B 𐞇 112.18 L2008-4647	1786F 𐞇 114.9 L2008-0302	17883 𐞇 121.11 L2008-2961	17897 𐞇 138.11 L2008-2420

17AF0 爰 141.21 L2008-6041	爰 141.21	17B04 爰 142.10 L2008-3097	爰 147.8 L2008-3189	17B2C 爰 149.11 L2008-2316	爰 152.10 L2008-4749
17AF1 爰 142.7 L2008-3091	爰 142.11 L2008-3562	17B05 爰 142.11 L2008-3562	爰 147.9 L2008-2172	17B2D 爰 149.11 L2008-3745	爰 152.11 L2008-4747
17AF2 爰 142.8 L2008-3094	爰 142.12 L2008-2439	17B06 爰 142.12 L2008-2439	爰 147.10 L2008-3226	17B2E 爰 149.12 L2008-3741	爰 152.12 L2008-4782
17AF3 爰 142.8 L2008-2435	爰 142.12 L2008-3102	17B07 爰 142.12 L2008-3102	爰 147.10 L2008-2457	17B2F 爰 149.12 L2008-2317	爰 152.13 L2008-4774
17AF4 爰 142.8 L2008-2436	爰 142.12 L2008-3103	17B08 爰 142.12 L2008-3103	爰 147.11 L2008-3675	17B30 爰 149.12 L2008-3746	爰 152.13 L2008-4757
17AF5 爰 142.8 L2008-2601	爰 142.13 L2008-3563	17B09 爰 142.13 L2008-3563	爰 147.11 L2008-3786	17B31 爰 149.12 L2008-2318	爰 152.15 L2008-4742
17AF6 爰 142.8 L2008-3092	爰 142.14 L2008-3564	17B0A 爰 142.14 L2008-3564	爰 147.13 L2008-3227	17B32 爰 149.13 L2008-2897	爰 155.7 L2008-3842
17AF7 爰 142.8 L2008-3093	爰 142.15 L2008-2062	17B0B 爰 142.15 L2008-2062	爰 147.13 L2008-2745	17B33 爰 149.14 L2008-2312	爰 155.9 L2008-3861
17AF8 爰 142.8 L2008-3101	* 143.8 L2008-1883	17B0C 爰 143.8 L2008-1883	爰 147.13 L2008-2126	17B34 爰 149.14 L2008-3421	爰 155.9 L2008-3845
17AF9 爰 142.8 L2008-3559	* 143.11 L2008-1889	17B0D 爰 143.11 L2008-1889	爰 147.14 L2008-3364	17B35 爰 149.16 L2008-2329	爰 155.9 L2008-4012
17AFA 爰 142.8 L2008-3560	爰 144.8 L2008-2459	17B0E 爰 144.8 L2008-2459	爰 147.15 L2008-2472	17B36 爰 151.15 L2008-2307	爰 155.9 L2008-3989
17AFB 爰 142.8 L2008-3099	爰 144.9 L2008-2465	17B0F 爰 144.9 L2008-2465	爰 149.8 L2008-2306	17B37 爰 152.7 L2008-4770	爰 155.9 L2008-3963
17AFC 爰 142.9 L2008-2438	爰 144.9 L2008-2460	17B10 爰 144.9 L2008-2460	爰 149.8 L2008-2315	17B38 爰 152.9 L2008-4765	爰 155.10 L2008-3843
17AFD 爰 142.9 L2008-2437	爰 144.9 L2008-3664	17B11 爰 144.9 L2008-3664	爰 149.8 L2008-2532	17B39 爰 152.9 L2008-4756	爰 155.10 L2008-3844
17AFE 爰 142.9 L2008-3779	爰 144.10 L2008-2646	17B12 爰 144.10 L2008-2646	爰 149.9 L2008-2308	17B3A 爰 152.10 L2008-4793	爰 155.10 L2008-4013
17AFF 爰 142.9 L2008-3096	爰 144.10 L2008-3642	17B13 爰 144.10 L2008-3642	爰 149.9 L2008-3405	17B3B 爰 152.10 L2008-4748	爰 155.10 L2008-3857
17B00 爰 142.9 L2008-3095	爰 144.12 L2008-3665	17B14 爰 144.12 L2008-3665	爰 149.9 L2008-3403	17B3C 爰 152.10 L2008-4772	爰 155.10 L2008-3908
17B01 爰 142.10 L2008-3098	爰 144.14 L2008-3597	17B15 爰 144.14 L2008-3597	爰 149.10 L2008-3740	17B3D 爰 152.10 L2006-6006	爰 155.10 L2008-4010
17B02 爰 142.10 L2008-3561	17B16 爰 145.12 L2008-2425	17B16 爰 145.12 L2008-2425	爰 149.11 L2008-2328	17B3E 爰 152.10 L2008-4773	爰 155.10 L2008-3990
17B03 爰 142.10 L2008-3100	17B17 爰 145.15 L2008-2039	17B17 爰 145.15 L2008-2039	爰 149.11 L2008-2533	17B3F 爰 152.10 L2008-4771	爰 155.11 L2008-3860

17B54 𐞇 155.11 L2008-3945	17B68 𐞇 158.6 L2008-3931	17B7C 𐞇 165.8 L2008-5120	17B90 𐞇 165.13 L2008-5150A	17BA4 𐞇 167.9 L2008-5268
17B55 𐞇 155.11 L2008-3944	17B69 𐞇 158.8 L2008-3979	17B7D 𐞇 165.8 L2008-5283	17B91 𐞇 165.13 L2008-5150B	17BA5 𐞇 167.9 L2008-5358
17B56 𐞇 155.11 L2008-3994	17B6A 𐞇 158.9 L2008-3916	17B7E 𐞇 165.8 L2008-5524	17B92 𐞇 165.13 L2008-5077	17BA6 𐞇 167.9 L2008-5357
17B57 𐞇 155.11 L2008-3959	17B6B 𐞇 158.10 L2008-3870	17B7F 𐞇 165.9 L2008-5112	17B93 𐞇 165.13 L2008-5291	17BA7 𐞇 167.9 L2008-5780
17B58 𐞇 155.11 L2008-3964	17B6C 𐞇 158.10 L2008-3896	17B80 𐞇 165.9 L2008-5415	17B94 𐞇 165.14 L2008-5692	17BA8 𐞇 167.10 L2008-5101
17B59 𐞇 155.12 L2008-3863	17B6D 𐞇 160.10 L2008-3988	17B81 𐞇 165.9 L2008-5532	17B95 𐞇 165.15 L2008-5078	17BA9 𐞇 167.10 L2008-5104
17B5A 𐞇 155.14 L2008-3862	17B6E 𐞇 162.10 L2008-5413	17B82 𐞇 165.10 L2008-5421	17B96 𐞇 166.6 L2008-5529	17BAA 𐞇 167.10 L2008-5360
17B5B 𐞇 155.14 L2008-3924	17B6F 𐞇 162.10 L2008-5471	17B83 𐞇 165.10 L2008-5084	17B97 𐞇 166.8 L2008-5496	17BAB 𐞇 167.10 L2008-5272
17B5C 𐞇 155.14 L2008-3886	17B70 𐞇 162.11 L1997-6000	17B84 𐞇 165.10 L2008-5066	17B98 𐞇 166.9 L2008-5546	17BAC 𐞇 167.10 L2008-5269
17B5D 𐞇 155.14 L2008-3943	17B71 𐞇 162.11 L2008-5557	17B85 𐞇 165.10 L2008-5414	17B99 𐞇 166.13 L2008-5530	17BAD 𐞇 167.10 L2008-5781
17B5E 𐞇 155.15 L2008-3912	17B72 𐞇 162.12 L2008-5295	17B86 𐞇 165.10 L2008-5710	17B9A 𐞇 167.5 L2008-5509	17BAE 𐞇 167.10 L2008-5700
17B5F 𐞇 155.15 L2008-3885	17B73 𐞇 162.12 L2008-5716	17B87 𐞇 165.10 L2008-5115	17B9B 𐞇 167.6 L2008-5511	17BAF 𐞇 167.10 L2008-5701
17B60 𐞇 155.16 L2008-3991	17B74 𐞇 162.12 L2008-5087	17B88 𐞇 165.11 L2008-5547	17B9C 𐞇 167.7 L2008-5431	17BB0 𐞇 167.10 L2008-5273
17B61 𐞇 155.16 L2008-3848	17B75 𐞇 162.13 L2008-5133	17B89 𐞇 165.11 L2008-5293	17B9D 𐞇 167.7 L2008-5359	17BB1 𐞇 167.10 L2008-5704
17B62 𐞇 155.16 L2008-3922	17B76 𐞇 162.13 L2008-5256	17B8A 𐞇 165.12 L2008-5706	17B9E 𐞇 167.8 L2008-5099	17BB2 𐞇 167.11 L2008-5103
17B63 𐞇 155.21 L2008-3961	17B77 𐞇 162.15 L2008-5095	17B8B 𐞇 165.12 L2008-5114	17B9F 𐞇 167.8 L2008-5100	17BB3 𐞇 167.11 L2008-5102
17B64 𐞇 156.8 L2008-3856	17B78 𐞇 164.10 L2008-5805	17B8C 𐞇 165.12 L2008-5075	17BA0 𐞇 167.8 L2008-5271	17BB4 𐞇 167.11 L2008-5702
17B65 𐞇 156.9 L2008-3855	17B79 𐞇 165.6 L2008-5528	17B8D 𐞇 165.12 L2008-5260	17BA1 𐞇 167.8 L2008-5510	17BB5 𐞇 167.11 L2008-5513
17B66 𐞇 156.16 L2008-3930	17B7A 𐞇 165.7 L2008-5119	17B8E 𐞇 165.12 L2008-5076	17BA2 𐞇 167.8 L2008-5519	17BB6 𐞇 167.11 L2008-5515
17B67 𐞇 157.10 L2008-4009	17B7B 𐞇 165.7 L2008-5522	17B8F 𐞇 165.12 L2008-5351	17BA3 𐞇 167.9 L2008-5432	17BB7 𐞇 167.11 L2008-5512

17CE4 𐞇 193.9 L2008-1356	17CF8 𐞈 194.10 L2008-1792	17D0C 𐞉 198.9 L2008-4443	17D20 𐞊 200.12 L2008-2528	17D34 𐞋 206.11 L2008-0140
17CE5 𐞌 193.9 L2008-1324	17CF9 𐞉 194.11 L2008-1797	17D0D 𐞊 199.5 L2008-1513	17D21 𐞋 200.12 L2008-3399	17D35 𐞌 206.12 L2008-0124
17CE6 𐞍 193.9 L2008-1737	17CFA 𐞊 194.11 L2008-0396	17D0E 𐞋 199.9 L2008-1533	17D22 𐞌 200.12 L2008-3419	17D36 𐞍 206.13 N1966-018-083
17CE7 𐞎 193.9 L2008-1710	17CFB 𐞋 194.12 L2008-0402	17D0F 𐞌 200.6 L2008-3408	17D23 𐞍 200.13 L2008-2899	17D37 𐞎 206.13 L2008-0004
17CE8 𐞏 193.10 L2008-0562	17CFC 𐞌 194.13 L2008-0397	17D10 𐞍 200.8 L2008-2320	17D24 𐞎 200.16 L2008-3747	17D38 𐞏 206.13 L2008-0054
17CE9 𐞐 193.10 L2008-1668	17CFD 𐞍 195.8 L2008-0636	17D11 𐞎 200.8 L2008-3400	17D25 𐞏 204.9 L2008-3412	17D39 𐞐 206.13 L2008-0127
17CEA 𐞑 193.10 L2008-0793	17CFE 𐞎 195.8 L2008-1552	17D12 𐞏 200.8 L2008-2539	17D26 𐞐 204.9 L2008-1528	17D3A 𐞑 206.13 L2008-0092
17CEB 𐞒 193.10 L2008-1738	17CFF 𐞏 195.8 L2008-1575	17D13 𐞐 200.8 L2008-3426	17D27 𐞑 204.9 L2008-1498	17D3B 𐞒 206.13 L2008-0110
17CEC 𐞓 193.10 L2008-1416	17D00 𐞐 195.9 L2008-0464	17D14 𐞑 200.8 L2008-3417	17D28 𐞒 204.9 L2008-1493	17D3C 𐞓 206.13 L2008-0006
17CED 𐞔 193.11 L2008-1857	17D01 𐞑 195.9 L2008-1560	17D15 𐞒 200.9 L2008-2531	17D29 𐞓 204.9 L2008-1505	17D3D 𐞔 206.13 L2008-0011
17CEE 𐞕 193.13 L2008-0378	17D02 𐞒 195.9 L2008-1572	17D16 𐞓 200.9 L2008-2694	17D2A 𐞔 204.11 L2008-3396	17D3E 𐞕 206.13 L2008-0040
17CEF 𐞖 193.14 L2008-1776	17D03 𐞓 195.10 L2008-0468	17D17 𐞔 200.10 L2008-2330	17D2B 𐞕 204.12 L2008-3006	17D3F 𐞖 206.13 L2008-0105
17CF0 𐞗 193.17 S1968-5397	17D04 𐞔 195.10 L2008-1571	17D18 𐞕 200.10 L2008-3418	17D2C 𐞖 204.14 L2008-3272	17D40 𐞗 206.13 L2008-0072
17CF1 𐞘 194.8 L2008-0388	17D05 𐞕 195.10 L2008-1838	17D19 𐞖 200.10 L2008-3742	17D2D 𐞗 204.14 L2008-2999	17D41 𐞘 206.13 L2008-0153
17CF2 𐞙 194.9 L2008-0392	17D06 𐞖 195.11 L2008-1556	17D1A 𐞗 200.10 L2008-3427	17D2E 𐞘 204.17 L2008-3017	17D42 𐞙 206.14 L2008-0111
17CF3 𐞚 194.9 L2008-0612	17D07 𐞗 195.14 L2008-1832	17D1B 𐞘 200.11 L2008-2331	17D2F 𐞙 206.8 L2008-5999	17D43 𐞚 206.14 L2008-0083
17CF4 𐞛 194.10 L2008-0411	17D08 𐞘 196.10 L2008-1099	17D1C 𐞙 200.11 L2008-3743	17D30 𐞚 206.8 L2008-0037	17D44 𐞛 206.14 L2008-0103
17CF5 𐞜 194.10 L2008-1430	17D09 𐞙 196.10 L2008-1088	17D1D 𐞚 200.12 L2008-2901	17D31 𐞛 206.9 L2008-0062	17D45 𐞜 206.14 L2008-0047
17CF6 𐞝 194.10 L2008-1456	17D0A 𐞚 196.11 L2008-0759	17D1E 𐞛 200.12 L2008-2540	17D32 𐞜 206.10 L2008-0071	17D46 𐞝 206.14 L2008-0113
17CF7 𐞞 194.10 L2008-1796	17D0B 𐞛 198.6 L2008-4448	17D1F 𐞜 200.12 L2008-3425	17D33 𐞝 206.11 L2008-0059	17D47 𐞞 206.14 L2008-0033

17F3C 爰 263.10 L2008-2605	17F50 爰 263.12 L2008-2199	17F64 爰 263.14 L2008-2153	17F78 爰 263.17 L2008-3321	17F8C 爰 267.9 L2008-3645
17F3D 爰 263.10 L2008-3799	17F51 爰 263.12 L2008-3309	17F65 爰 263.14 L2008-2121	17F79 爰 263.18 L2008-2450	17F8D 爰 267.9 L2008-3204
17F3E 爰 263.10 L2008-3382	17F52 爰 263.12 L2008-2137	17F66 爰 263.14 L2008-2482	17F7A 爰 263.18 L2008-3177	17F8E 爰 267.9 L2008-3243
17F3F 爰 263.10 L2008-3206	17F53 爰 263.12 L2008-2154	17F67 爰 263.14 L2008-2758	17F7B 爰 263.18 L2008-2673	17F8F 爰 267.9 L2008-3109
17F40 爰 263.10 L2008-3264	17F54 爰 263.12 L2008-3721	17F68 爰 263.14 L2008-3203	17F7C 爰 263.19 L2008-3584	17F90 爰 267.10 L2008-2238
17F41 爰 263.11 L2008-2871	17F55 爰 263.12 L2008-2780	17F69 爰 263.14 L2008-3108	17F7D 爰 264.11 L2008-2598	17F91 爰 267.10 L2008-2254
17F42 爰 263.11 L2008-2285	17F56 爰 263.12 L2008-3291	17F6A 爰 263.14 L2008-2122	17F7E 爰 264.11 L2008-2585	17F92 爰 267.10 L2008-2070
17F43 爰 263.11 L2008-2654	17F57 爰 263.12 L2008-3290	17F6B 爰 263.14 L2008-2765	17F7F 爰 264.12 L2008-2632	17F93 爰 267.10 L2008-2079
17F44 爰 263.11 L2008-2461	17F58 爰 263.12 L2008-3387	17F6C 爰 263.15 L2008-2861	17F80 爰 264.13 L2008-2576	17F94 爰 267.10 L2008-2449
17F45 爰 263.11 L2008-2685	17F59 爰 263.12 L2008-2741	17F6D 爰 263.15 L2008-3601	17F81 爰 264.14 L2008-6035	17F95 爰 267.10 L2008-3295
17F46 爰 263.11 L2008-3792	17F5A 爰 263.13 L2008-2773	17F6E 爰 263.15 L2008-3669	17F82 爰 264.14 L2008-2599	17F96 爰 267.10 L2008-2628
17F47 爰 263.11 L2008-3667	17F5B 爰 263.13 L2008-3136	17F6F 爰 263.15 L2008-2483	17F83 爰 264.14 L2008-2692	17F97 爰 267.10 L2008-3670
17F48 爰 263.11 L2008-3668	17F5C 爰 263.13 L2008-3293	17F70 爰 263.15 L2008-2138	17F84 爰 264.15 L2008-2658	17F98 爰 267.10 L2008-3625
17F49 爰 263.11 L2008-3185	17F5D 爰 263.13 L2008-3632	17F71 爰 263.15 L2008-3390	17F85 爰 264.16 L2008-2593	17F99 爰 267.10 L2008-3800
17F4A 爰 263.11 L2008-2889	17F5E 爰 263.13 L2008-3666	17F72 爰 263.15 L2008-2181	17F86 爰 267.5 L2008-3087	17F9A 爰 267.10 L2008-3671
17F4B 爰 263.11 L2008-3223	17F5F 爰 263.13 L2008-3169	17F73 爰 263.16 L2008-2887	17F87 爰 267.7 L2008-3242	17F9B 爰 267.10 L2008-2855
17F4C 爰 263.11 L2008-3122	17F60 爰 263.14 L2008-3689	17F74 爰 263.16 L2008-3292	17F88 爰 267.8 L2008-3294	17F9C 爰 267.11 L2008-2186
17F4D 爰 263.12 L2008-2799A	17F61 爰 263.14 L2008-2674	17F75 爰 263.16 L2008-3138	17F89 爰 267.8 L2008-3186	17F9D 爰 267.11 L2008-2086
17F4E 爰 263.12 L2008-2799B	17F62 爰 263.14 L2008-3137	17F76 爰 263.16 L2008-3358	17F8A 爰 267.9 L2008-2252-2253	17F9E 爰 267.11 L2008-2440
17F4F 爰 263.12 L2008-2237	17F63 爰 263.14 L2008-3328	17F77 爰 263.16 L2008-2085	17F8B 爰 267.9 L2008-2742	17F9F 爰 267.11 L2008-3310

17FA0 𐄀 267.11 L2008-2470	17FB4 𐄄 267.12 L2008-3224	17FC8 𐄈 267.13 L2008-3626	17FDC 𐄌 267.14 L2008-3170	17FF0 𐄐 267.15 L2008-3359
17FA1 𐄁 267.11 L2008-2462	17FB5 𐄅 267.12 L2008-2615	17FC9 𐄉 267.13 L2008-3673	17FDD 𐄍 267.14 L2008-2669	17FF1 𐄑 267.16 L2008-2266
17FA2 𐄂 267.11 L2008-2675	17FB6 𐄆 267.12 L2008-3808	17FCA 𐄊 267.13 L2008-3322	17FDE 𐄎 267.14 L2008-3312	17FF2 𐄒 267.16 L2008-2115
17FA3 𐄃 267.11 L2008-2655	17FB7 𐄇 267.12 L2008-3110	17FCB 𐄋 267.13 L2008-2165	17FDF 𐄏 267.15 L2008-2255	17FF3 𐄓 267.16 L2008-3589
17FA4 𐄄 267.11 L2008-3600	17FB8 𐄈 267.12 L2008-2868	17FCC 𐄌 267.13 L2008-3297	17FE0 𐄒 267.15 L2008-2242	17FF4 𐄔 267.16 L2008-3608
17FA5 𐄅 267.11 L2008-3683-3684	17FB9 𐄉 267.13 L2008-2175	17FCD 𐄍 267.13 L2008-3698	17FE1 𐄓 267.15 L2008-2873	17FF5 𐄕 267.16 L2008-2767
17FA6 𐄆 267.11 L2008-2759	17FBA 𐄊 267.13 L2008-3690	17FCE 𐄎 267.13 L2008-2761	17FE2 𐄔 267.15 L2008-2806	17FF6 𐄖 267.16 L2008-2114
17FA7 𐄇 267.11 L2008-3296	17FBB 𐄋 267.13 L2008-2146	17FCF 𐄏 267.14 L2008-3251	17FE3 𐄕 267.15 L2008-3111	17FF7 𐄗 267.17 L2008-3126
17FA8 𐄈 267.11 L2008-2890	17FBC 𐄌 267.13 L2008-6032	17FD0 𐄐 267.14 L2008-2241	17FE4 𐄖 267.15 L2008-2260	17FF8 𐄘 267.18 L2008-3703
17FA9 𐄉 267.11 L2008-2800	17FBD 𐄍 267.13 L2008-2451	17FD1 𐄑 267.14 L2008-3571	17FE5 𐄗 267.15 L2008-2140	17FF9 𐄙 267.18 L2008-2261
17FAA 𐄊 267.11 L2008-2519	17FBE 𐄎 267.13 L2008-2499	17FD2 𐄒 267.14 L2008-2893	17FE6 𐄘 267.15 L2008-3334	17FFA 𐄚 267.18 L2008-2288
17FAB 𐄋 267.12 L2008-2621	17FBF 𐄏 267.13 L2008-3160	17FD3 𐄓 267.14 L2008-2240	17FE7 𐄙 267.15 L2008-3612	17FFB 𐄛 267.19 L2008-2267
17FAC 𐄌 267.12 L2008-2208	17FC0 𐄐 267.13 L2008-2107	17FD4 𐄔 267.14 L2008-2139	17FE8 𐄚 267.15 L2008-3647	17FFC 𐄜 267.19 L2008-2262
17FAD 𐄍 267.12 L2008-2239	17FC1 𐄑 267.13 L2008-2454	17FD5 𐄕 267.14 L2008-3635	17FE9 𐄛 267.15 L2008-3324	17FFD 𐄝 267.19 L2008-2270
17FAE 𐄎 267.12 L2008-2087	17FC2 𐄒 267.13 L2008-3579	17FD6 𐄖 267.14 L2008-3323	17FEA 𐄜 267.15 L2008-2762	17FFE 𐄞 267.20 L2008-2268
17FAF 𐄏 267.12 L2008-2657	17FC3 𐄓 267.13 L2008-3633	17FD7 𐄗 267.14 L2008-2656	17FEB 𐄝 267.15 L2008-3709	17FFF 𐄟 268.10 L2008-2463
17FB0 𐄐 267.12 N1966-211-078	17FC4 𐄔 267.13 L2008-2791	17FD8 𐄘 267.14 L2008-3127	17FEC 𐄞 267.15 L2008-3694	18000 𐄠 269.11 L2008-2906
17FB1 𐄑 267.12 L2008-2781	17FC5 𐄕 267.13 L2008-3657	17FD9 𐄙 267.14 L2008-3254	17FED 𐄟 267.15 L2008-3171	18001 𐄡 269.16 L2008-2326
17FB2 𐄒 267.12 L2008-2209	17FC6 𐄖 267.13 L2008-2210	17FDA 𐄚 267.14 L2008-2856	17FEE 𐄠 267.15 L2008-3311	18002 𐄢 269.16 L2008-3415
17FB3 𐄓 267.12 L2008-2760	17FC7 𐄗 267.13 L2008-2766	17FDB 𐄛 267.14 L2008-3672	17FEF 𐄡 267.15 L2008-3298	18003 𐄣 271.11 L2008-4030

18194 𐞇 325.19 L2008-0935	181A8 𐞇 328.10 L2008-0648	181BC 𐞇 328.12 L2008-0770	181D0 𐞇 330.13 L2008-4071	181E4 𐞇 339.9 L2008-1719
18195 𐞇 326.10 L2008-1176	181A9 𐞇 328.10 L2008-0665	181BD 𐞇 328.12 L2008-1115	181D1 𐞇 330.13 L2008-4083	181E5 𐞇 340.5 L2008-1426
18196 𐞇 327.9 L2008-5870	181AA 𐞇 328.10 L2008-1652	181BE 𐞇 328.12 L2008-1048	181D2 𐞇 330.14 L2008-4063	181E6 𐞇 340.11 L2008-1446
18197 𐞇 327.10 L2008-5937	181AB 𐞇 328.10 L2008-1113	181BF 𐞇 328.13 L2008-0234	181D3 𐞇 330.15 L2008-4064	181E7 𐞇 340.12 L2008-0400
18198 𐞇 327.11 L2008-5909	181AC 𐞇 328.10 L2008-0847	181C0 𐞇 328.13 L2008-0525	181D4 𐞇 330.17 L2008-4075	181E8 𐞇 340.12 L2008-1787
18199 𐞇 327.11 L2008-5934	181AD 𐞇 328.10 L2008-1053	181C1 𐞇 328.13 L2008-0238	181D5 𐞇 330.17 L2008-4076	181E9 𐞇 340.14 L2008-1451
1819A 𐞇 327.11 L2008-5938	181AE 𐞇 328.11 L2008-0194	181C2 𐞇 328.13 L2008-1136	181D6 𐞇 331.9 L2008-0488	181EA 𐞇 340.14 L2008-0401
1819B 𐞇 327.13 L2008-5975	181AF 𐞇 328.11 L2008-0189	181C3 𐞇 328.13 L2008-1056	181D7 𐞇 331.10 L2008-0186	181EB 𐞇 341.9 L2008-0635
1819C 𐞇 327.14 L2008-5832	181B0 𐞇 328.11 L2008-0191	181C4 𐞇 328.13 L2008-0649	181D8 𐞇 331.10 L2008-1622	181EC 𐞇 341.9 L2008-1557
1819D 𐞇 328.7 L2008-0764	181B1 𐞇 328.11 L2008-0667	181C5 𐞇 328.13 L2008-1626	181D9 𐞇 333.15 L2008-1457	181ED 𐞇 341.10 L2008-1566
1819E 𐞇 328.9 L2008-0216	181B2 𐞇 328.11 L2008-0984	181C6 𐞇 328.13 L2008-1654	181DA 𐞇 333.15 L2008-0720	181EE 𐞇 341.11 L2008-0738
1819F 𐞇 328.9 L2008-0233	181B3 𐞇 328.11 L2008-0983	181C7 𐞇 328.14 L2008-1119	181DB 𐞇 335.11 L2008-0715	181EF 𐞇 341.11 L2008-1573
181A0 𐞇 328.9 L2008-1046	181B4 𐞇 328.11 L2008-0669	181C8 𐞇 328.14 L2008-0848	181DC 𐞇 336.5 L2008-1121	181F0 𐞇 342.5 L2008-1500
181A1 𐞇 328.9 L2008-0516	181B5 𐞇 328.11 L2008-0666	181C9 𐞇 328.14 L2008-0192	181DD 𐞇 336.9 L2008-0517	181F1 𐞇 342.7 L2008-0839
181A2 𐞇 328.9 L2008-1052	181B6 𐞇 328.11 L2008-1606	181CA 𐞇 328.15 L2008-0852	181DE 𐞇 336.12 L2008-1116	181F2 𐞇 342.9 L2008-0632
181A3 𐞇 328.9 L2008-1135	181B7 𐞇 328.11 L2008-1653	181CB 𐞇 328.15 L2008-0650	181DF 𐞇 337.7 L2008-0765	181F3 𐞇 342.9 L2008-1823
181A4 𐞇 328.10 L2008-0212	181B8 𐞇 328.11 L2008-1656	181CC 𐞇 328.16 L2008-0672	181E0 𐞇 337.9 L2008-0518	181F4 𐞇 342.10 L2008-0449
181A5 𐞇 328.10 L2008-0768	181B9 𐞇 328.11 L2008-0859	181CD 𐞇 328.17 L2008-1609	181E1 𐞇 338.11 L2008-1600	181F5 𐞇 342.10 L2008-0633
181A6 𐞇 328.10 L2008-0520	181BA 𐞇 328.11 L2008-1114	181CE 𐞇 329.11 L2008-1603	181E2 𐞇 338.11 L2008-1133	181F6 𐞇 342.11 L2008-1881
181A7 𐞇 328.10 L2008-0655	181BB 𐞇 328.12 L2008-1658	181CF 𐞇 329.12 L2008-1657	181E3 𐞇 338.14 L2008-1663	181F7 𐞇 342.11 L2008-0840

181F8 𐞗 342.13 L2008-1882	1820C 𐞗 347.14 L2008-0122	18220 𐞗 354.12 L2008-1655	18234 𐞗 367.11 L2008-1837	18248 𐞗 373.13 L2008-3444
181F9 𐞗 343.9 L2008-0544	1820D 𐞗 348.10 L2008-0831	18221 𐞗 354.14 L2008-1057	18235 𐞗 367.11 L2008-1561	18249 𐞗 375.7 L2008-4566
181FA 𐞗 343.10 L2008-0352	1820E 𐞗 348.10 L2008-0605	18222 𐞗 354.16 L2008-0193	18236 𐞗 367.12 L2008-0472	1824A 𐞗 375.14 L2008-4666
181FB 𐞗 343.10 L2008-0355	1820F 𐞗 348.10 L2008-1791	18223 𐞗 355.11 L2008-0215	18237 𐞗 367.12 L2008-1567	1824B 𐞗 376.6 L2008-4602
181FC 𐞗 343.10 L2008-0532	18210 𐞗 348.11 L2008-0413	18224 𐞗 355.12 L2008-0232	18238 𐞗 367.13 L2008-1568	1824C 𐞗 376.7 L2008-4607
181FD 𐞗 343.10 L2008-0695	18211 𐞗 348.11 L2008-0607	18225 𐞗 356.12 L2008-0671	18239 𐞗 367.13 L2008-1553	1824D 𐞗 376.10 L2008-4573
181FE 𐞗 343.10 L2008-1742	18212 𐞗 348.11 L2008-1801	18226 𐞗 357.10 L2008-0701	1823A 𐞗 368.10 L2008-2390	1824E 𐞗 376.10 L2008-4640
181FF 𐞗 343.11 L2008-0578	18213 𐞗 348.12 L2008-0614	18227 𐞗 357.12 L2008-1332	1823B 𐞗 369.10 L2008-2924	1824F 𐞗 376.10 L2008-4515
18200 𐞗 343.11 L2008-0300	18214 𐞗 348.14 L2008-1879	18228 𐞗 357.12 L2008-1747	1823C 𐞗 369.12 L2008-2976	18250 𐞗 376.11 L2008-4587
18201 𐞗 343.11 L2008-1713	18215 𐞗 350.12 L2008-1196	18229 𐞗 362.6 L2008-0100	1823D 𐞗 369.14 L2008-2392	18251 𐞗 376.11 L2008-4574
18202 𐞗 343.11 L2008-1743	18216 𐞗 350.12 L2008-0706	1822A 𐞗 362.11 L2008-1863	1823E 𐞗 369.14 L2008-2925	18252 𐞗 376.11 L2008-4575
18203 𐞗 343.11 L2008-0819	18217 𐞗 350.12 L2008-0787	1822B 𐞗 363.10 L2008-0546	1823F 𐞗 372.11 N1966-136-052	18253 𐞗 376.11 L2008-4655
18204 𐞗 343.13 L2008-1294	18218 𐞗 350.12 L2008-1760	1822C 𐞗 363.10 L2008-1722	18240 𐞗 372.11 L2008-2975	18254 𐞗 376.11 L2008-4626
18205 𐞗 343.15 L2008-1371	18219 𐞗 351.11 L2008-0160	1822D 𐞗 363.13 L2008-1684	18241 𐞗 372.13 L2008-1979	18255 𐞗 376.12 L2008-4645
18206 𐞗 343.16 L2008-0875	1821A 𐞗 352.6 L2008-0102	1822E 𐞗 364.11 L2008-0869	18242 𐞗 372.14 L2008-1935	18256 𐞗 376.12 L2008-4646
18207 𐞗 345.10 L2008-2046	1821B 𐞗 352.8 L2008-0786	1822F 𐞗 364.12 L2008-0589	18243 𐞗 373.9 L2008-3445	18257 𐞗 376.12 L2008-4590
18208 𐞗 345.12 L2008-2047	1821C 𐞗 352.12 L2008-0711	18230 𐞗 364.12 L2008-1690	18244 𐞗 373.10 L2008-2351	18258 𐞗 376.12 L2008-4562
18209 𐞗 345.13 L2008-3525	1821D 𐞗 352.13 L2008-0284	18231 𐞗 364.12 L2008-1728	18245 𐞗 373.10 L2008-2549	18259 𐞗 376.13 L2008-4570
1820A 𐞗 347.13 L2008-0141	1821E 𐞗 352.14 L2008-0330	18232 𐞗 364.14 L2008-1386	18246 𐞗 373.11 L2008-3755	1825A 𐞗 376.14 L2008-4641
1820B 𐞗 347.14 L2008-0024	1821F 𐞗 354.10 L2008-0515	18233 𐞗 367.11 L2008-0469	18247 𐞗 373.13 L2008-3447	1825B 𐞗 376.15 L2008-4588

18388 𐞇 432.13 L2008-4929	1839C 𐞇 434.14 L2008-5204	183B0 𐞇 436.10 L2008-5220	183C4 𐞇 436.11 L2008-5199	183D8 𐞇 436.11 L2008-5736
18389 𐞇 432.14 L2008-5009	1839D 𐞇 434.15 L2008-5767	183B1 𐞇 436.10 L2008-5237	183C5 𐞇 436.11 S1968-2650	183D9 𐞇 436.11 L2008-5582
1838A 𐞇 432.14 L2008-4912	1839E 𐞇 434.15 L2008-5731	183B2 𐞇 436.10 L2008-5621	183C6 𐞇 436.11 L2008-5158	183DA 𐞇 436.11 L2008-5645
1838B 𐞇 432.14 L2008-4876	1839F 𐞇 434.16 L2008-5766	183B3 𐞇 436.10 L2008-5435	183C7 𐞇 436.11 L2008-5452	183DB 𐞇 436.11 L2008-5472
1838C 𐞇 432.14 L2008-5023	183A0 𐞇 434.18 L2008-5603	183B4 𐞇 436.10 L2008-5313	183C8 𐞇 436.11 L2008-5170	183DC 𐞇 436.11 L2008-5638
1838D 𐞇 432.15 L2008-4890	183A1 𐞇 434.18 L2008-5668	183B5 𐞇 436.10 L2008-5613	183C9 𐞇 436.11 L2008-5218	183DD 𐞇 436.11 L2008-5672
1838E 𐞇 432.16 L2008-4734	183A2 𐞇 436.7 L2008-5299	183B6 𐞇 436.10 L2008-5308	183CA 𐞇 436.11 L2008-5396	183DE 𐞇 436.11 L2008-5685
1838F 𐞇 432.16 L2008-4714	183A3 𐞇 436.7 L2008-5611	183B7 𐞇 436.10 L2008-5384	183CB 𐞇 436.11 L2008-5171	183DF 𐞇 436.11 L2008-5620
18390 𐞇 432.16 L2008-4827	183A4 𐞇 436.8 L2008-5300	183B8 𐞇 436.10 L2008-5371	183CC 𐞇 436.11 L2008-5676	183E0 𐞇 436.12 L2008-5457
18391 𐞇 432.16 L2008-4983	183A5 𐞇 436.8 L2008-5633	183B9 𐞇 436.10 L2008-5735	183CD 𐞇 436.11 L2008-5653	183E1 𐞇 436.12 L2008-5247
18392 𐞇 432.17 L2008-4802	183A6 𐞇 436.8 L2008-5434	183BA 𐞇 436.10 L2008-5802	183CE 𐞇 436.11 L2008-5333	183E2 𐞇 436.12 L2008-5177
18393 𐞇 434.11 L2008-5224	183A7 𐞇 436.9 L2008-5156	183BB 𐞇 436.10 L2008-5581	183CF 𐞇 436.11 L2008-5317	183E3 𐞇 436.12 L2008-5455
18394 𐞇 434.11 L2008-5385	183A8 𐞇 436.9 L2008-5591	183BC 𐞇 436.10 L2008-5671	183D0 𐞇 436.11 L2008-5307	183E4 𐞇 436.12 L2008-5221
18395 𐞇 434.12 L2008-5338	183A9 𐞇 436.9 L2008-5380	183BD 𐞇 436.10 L2008-5686	183D1 𐞇 436.11 L2008-5393	183E5 𐞇 436.12 L2008-5330
18396 𐞇 434.12 L2008-5337	183AA 𐞇 436.9 L2008-5612	183BE 𐞇 436.10 L2008-5644	183D2 𐞇 436.11 L2008-5390	183E6 𐞇 436.12 L2008-5183
18397 𐞇 434.12 L2008-5667	183AB 𐞇 436.10 L2008-5157	183BF 𐞇 436.10 L2008-5160	183D3 𐞇 436.11 L2008-5383	183E7 𐞇 436.12 L2008-5322
18398 𐞇 434.13 L2008-5242	183AC 𐞇 436.10 L2008-5241	183C0 𐞇 436.11 L2008-5304	183D4 𐞇 436.11 L2008-5372	183E8 𐞇 436.12 L2008-5655
18399 𐞇 434.13 L2008-5454	183AD 𐞇 436.10 L2008-5169	183C1 𐞇 436.11 L2008-5448	183D5 𐞇 436.11 L2008-5389	183E9 𐞇 436.12 L2008-5397
1839A 𐞇 434.13 L2008-5602	183AE 𐞇 436.10 L2008-5212	183C2 𐞇 436.11 L2008-5159	183D6 𐞇 436.11 L2008-5800	183EA 𐞇 436.12 L2008-5654
1839B 𐞇 434.14 L2008-5340	183AF 𐞇 436.10 L2008-5236	183C3 𐞇 436.11 L2008-5246	183D7 𐞇 436.11 L2008-5750	183EB 𐞇 436.12 L2008-5474

183EC 𐞇 436.12 L2008-5592	18400 𐞇 436.13 L2008-5233	18414 𐞇 436.13 L2008-5771	18428 𐞇 436.14 L2008-5584	1843C 𐞇 436.16 L2008-5484
183ED 𐞇 436.12 L2008-5343	18401 𐞇 436.13 L2008-5216	18415 𐞇 436.14 L2008-5184	18429 𐞇 436.14 L2008-5607	1843D 𐞇 436.16 L2008-5475
183EE 𐞇 436.12 L2008-5321	18402 𐞇 436.13 L2008-5192	18416 𐞇 436.14 L2008-5765	1842A 𐞇 436.14 L2008-5245	1843E 𐞇 436.16 L2008-5482
183EF 𐞇 436.12 L2008-5318	18403 𐞇 436.13 N1966-236-07G	18417 𐞇 436.14 L2008-5486	1842B 𐞇 436.15 L2008-5769	1843F 𐞇 436.16 L2008-5459
183F0 𐞇 436.12 L2008-5392	18404 𐞇 436.13 L2008-5226	18418 𐞇 436.14 L2008-5217	1842C 𐞇 436.15 L2008-5481	18440 𐞇 436.16 L2008-5378
183F1 𐞇 436.12 L2008-5391	18405 𐞇 436.13 L2008-5208	18419 𐞇 436.14 L2008-5334	1842D 𐞇 436.15 L2008-5487	18441 𐞇 436.16 L2008-5797
183F2 𐞇 436.12 L2008-5742	18406 𐞇 436.13 L2008-5404	1841A 𐞇 436.14 L2008-5178	1842E 𐞇 436.15 L2008-6065	18442 𐞇 436.16 L2008-5213
183F3 𐞇 436.12 L2008-5790	18407 𐞇 436.13 L2008-5373	1841B 𐞇 436.14 L2008-5727	1842F 𐞇 436.15 L2008-5341	18443 𐞇 436.16 L1986-4840
183F4 𐞇 436.12 L2008-5788	18408 𐞇 436.13 L2008-5758	1841C 𐞇 436.14 L2008-6063	18430 𐞇 436.15 L2008-5312	18444 𐞇 436.16 L2008-5336
183F5 𐞇 436.12 L2008-5759	18409 𐞇 436.13 L2008-5791	1841D 𐞇 436.14 L2008-5339	18431 𐞇 436.15 L2008-5335	18445 𐞇 436.16 L2008-5631
183F6 𐞇 436.12 L2008-5728	1840A 𐞇 436.13 L2008-5760	1841E 𐞇 436.14 L2008-5639	18432 𐞇 436.15 L2008-5206	18446 𐞇 436.16 L2008-5649
183F7 𐞇 436.12 L2008-5751	1840B 𐞇 436.13 L2008-5724	1841F 𐞇 436.14 L2008-5450	18433 𐞇 436.15 L2008-5302	18447 𐞇 436.16 L2008-5209
183F8 𐞇 436.12 L2008-5442	1840C 𐞇 436.13 L2008-5763	18420 𐞇 436.14 L2008-5377	18434 𐞇 436.15 L2008-5585	18448 𐞇 436.16 L2008-5188
183F9 𐞇 436.12 L2008-5583	1840D 𐞇 436.13 L2008-5601	18421 𐞇 436.14 L2008-5379	18435 𐞇 436.15 L2008-5648	18449 𐞇 436.17 L2008-5172
183FA 𐞇 436.12 L2008-5796	1840E 𐞇 436.13 L2008-5456	18422 𐞇 436.14 L2008-5608	18436 𐞇 436.15 L2008-5586	1844A 𐞇 436.17 L2008-5231
183FB 𐞇 436.12 L2008-5489	1840F 𐞇 436.13 L2008-5449	18423 𐞇 436.14 L2008-5744	18437 𐞇 436.15 L2008-5682	1844B 𐞇 436.17 L2008-6071
183FC 𐞇 436.12 L2008-5646	18410 𐞇 436.13 L2008-5628	18424 𐞇 436.14 L2008-5737	18438 𐞇 436.16 L2008-5483	1844C 𐞇 436.17 L2008-5726
183FD 𐞇 436.13 L2008-5323	18411 𐞇 436.13 L2008-5445	18425 𐞇 436.14 L2008-5764	18439 𐞇 436.16 L2008-5229	1844D 𐞇 436.17 L2008-5770
183FE 𐞇 436.13 L2008-5478	18412 𐞇 436.13 L2008-5683	18426 𐞇 436.14 L2008-5729	1843A 𐞇 436.16 L2008-5461	1844E 𐞇 436.17 L2008-6069
183FF 𐞇 436.13 L2008-5460	18413 𐞇 436.13 L2008-5443	18427 𐞇 436.14 L2008-5647	1843B 𐞇 436.16 L2008-5476	1844F 𐞇 436.17 L2008-5772

18450 𐞇 436.18 L2008-5477	18464 𐞇 442.13 L2008-0370	18478 𐞇 452.12 L2008-1417	1848C 𐞇 458.14 L2008-1472	184A0 𐞇 458.20 L2006-1186
18451 𐞇 436.18 L2008-5663	18465 𐞇 444.13 L2008-0940	18479 𐞇 452.13 L2008-0315	1848D 𐞇 458.14 L2008-0934	184A1 𐞇 459.18 L2008-0096
18452 𐞇 436.18 L2008-5662	18466 𐞇 446.10 L2008-1037	1847A 𐞇 452.13 L2008-0299	1848E 𐞇 458.14 L2008-1408	184A2 𐞇 459.18 L2008-1130
18453 𐞇 436.19 L2008-5485	18467 𐞇 446.13 L2008-1132	1847B 𐞇 452.13 L2008-1389	1848F 𐞇 458.14 L2008-1531	184A3 𐞇 461.9 L2008-1045
18454 𐞇 436.19 L2008-5732	18468 𐞇 446.13 L2008-0645	1847C 𐞇 452.15 L2008-0794	18490 𐞇 458.15 L2008-1462	184A4 𐞇 461.10 L2008-0646
18455 𐞇 436.20 L2008-5473	18469 𐞇 447.9 L2008-1066	1847D 𐞇 452.17 L2008-0277	18491 𐞇 458.15 L2008-1366	184A5 𐞇 461.10 L2008-0483
18456 𐞇 436.20 L2008-5730	1846A 𐞇 448.15 L2008-0417	1847E 𐞇 453.10 L2008-0240	18492 𐞇 458.15 L2008-1428	184A6 𐞇 461.11 L2008-1054
18457 𐞇 437.9 L2008-4871	1846B 𐞇 449.9 L2008-0404	1847F 𐞇 453.11 L2008-0242	18493 𐞇 458.15 L2008-0975	184A7 𐞇 461.13 L2008-0196
18458 𐞇 437.10 L2008-4860	1846C 𐞇 449.10 L2008-0615	18480 𐞇 453.11 L2008-0241	18494 𐞇 458.16 L2008-1167	184A8 𐞇 461.13 L2008-0771
18459 𐞇 438.16 L2008-1458	1846D 𐞇 449.10 L2008-0609	18481 𐞇 453.11 L2008-1152	18495 𐞇 458.16 L2008-1503	184A9 𐞇 461.13 L2008-0524
1845A 𐞇 440.7 L2008-1016	1846E 𐞇 449.12 L2008-0725	18482 𐞇 455.11 L2008-0683	18496 𐞇 458.16 L2008-1535	184AA 𐞇 461.14 L2008-1117
1845B 𐞇 442.7 L2008-0526	1846F 𐞇 449.12 L2008-1468	18483 𐞇 456.13 L2008-1086	18497 𐞇 458.17 L2008-1095	184AB 𐞇 462.10 L2008-5871
1845C 𐞇 442.8 L2008-0780	18470 𐞇 449.13 L2008-1806	18484 𐞇 458.10 L2008-1255	18498 𐞇 458.17 L2008-1199	184AC 𐞇 462.10 L2008-5976
1845D 𐞇 442.10 L2008-0246	18471 𐞇 449.14 L2008-0414	18485 𐞇 458.12 L2008-1025	18499 𐞇 458.17 L2008-1305	184AD 𐞇 462.11 L2008-5833
1845E 𐞇 442.11 L2008-0531	18472 𐞇 451.8 L2008-1030	18486 𐞇 458.12 L2008-1061	1849A 𐞇 458.17 L2008-1508	184AE 𐞇 462.11 L2008-5869
1845F 𐞇 442.11 L2008-0694	18473 𐞇 452.9 L2008-0247	18487 𐞇 458.13 L2008-1526	1849B 𐞇 458.17 L2008-1512	184AF 𐞇 462.11 L2008-5892
18460 𐞇 442.11 L2008-1237	18474 𐞇 452.10 L2008-1184	18488 𐞇 325.13 L2008-1510	1849C 𐞇 458.18 L2008-0954	184B0 𐞇 462.12 L2008-5977
18461 𐞇 442.12 L2008-0387	18475 𐞇 452.11 L2008-1711	18489 𐞇 458.14 L2008-1345	1849D 𐞇 458.19 L2008-0976	184B1 𐞇 462.12 L2008-5991
18462 𐞇 442.12 L2008-0682	18476 𐞇 452.12 L2008-1724	1848A 𐞇 458.14 L2008-1094	1849E 𐞇 458.19 L2008-0904	184B2 𐞇 462.12 L2008-5978
18463 𐞇 442.12 L2008-0881	18477 𐞇 452.12 L2008-0814	1848B 𐞇 458.14 L2008-0953	1849F 𐞇 458.19 L2008-1186	184B3 𐞇 462.12 L2008-5939

18770 𐞇 693.14 L2008-5622	18784 𐞇 701.14 L2008-1696	18798 𐞇 711.16 L2008-1577	187AC 𐞇 717.16 L2008-5698	187C0 𐞇 727.11 L2008-0046
18771 𐞇 693.15 L2008-5324	18785 𐞇 701.19 L2008-1372	18799 𐞇 711.16 L2008-1582	187AD 𐞇 717.16 L2008-5717	187C1 𐞇 727.15 L2008-0210
18772 𐞇 693.15 L2008-5451	18786 𐞇 702.9 L2008-1475	1879A 𐞇 711.17 L2008-0740	187AE 𐞇 718.14 L2008-5743	187C2 𐞇 727.15 L2008-0508
18773 𐞇 693.15 L2008-5795	18787 𐞇 702.14 L2008-1789	1879B 𐞇 711.18 L2008-1578	187AF 𐞇 719.12 L2008-5436	187C3 𐞇 728.11 L2008-0118
18774 𐞇 693.15 L2008-6064	18788 𐞇 702.16 L2008-1439	1879C 𐞇 711.19 L2008-1583	187B0 𐞇 719.16 L2008-5761	187C4 𐞇 728.15 L2008-0597
18775 𐞇 694.9 L2008-1245	18789 𐞇 703.13 L2008-0262	1879D 𐞇 713.10 L2008-0031	187B1 𐞇 720.10 L2008-0900	187C5 𐞇 729.11 L2008-0063
18776 𐞇 694.13 L2008-0582	1878A 𐞇 703.15 L2008-0565	1879E 𐞇 713.13 L2008-1019	187B2 𐞇 720.17 L2008-0910	187C6 𐞇 729.15 L2008-0782
18777 𐞇 695.16 L2008-0470	1878B 𐞇 703.15 L2008-1745	1879F 𐞇 713.17 L2008-1621	187B3 𐞇 721.10 L2008-0527	187C7 𐞇 730.11 L2008-0002
18778 𐞇 695.17 L2008-1835	1878C 𐞇 704.9 L2008-0902	187A0 𐞇 714.13 L2008-3971	187B4 𐞇 721.15 L2008-0595	187C8 𐞇 730.17 L2008-1581
18779 𐞇 696.13 L2008-0156	1878D 𐞇 704.11 L2008-0739	187A1 𐞇 714.16 L2008-3941	187B5 𐞇 722.14 L2008-0596	187C9 𐞇 730.19 L2008-0741
1877A 𐞇 696.15 L2008-1580	1878E 𐞇 705.14 L2008-0640	187A2 𐞇 714.16 L2008-3997	187B6 𐞇 722.17 L2008-1876	187CA 𐞇 731.22 L2008-4452
1877B 𐞇 697.9 L2008-1034	1878F 𐞇 706.16 L2008-0884	187A3 𐞇 714.19 L2008-3940	187B7 𐞇 723.16 L2008-0334	187CB 𐞇 732.11 L2008-0045
1877C 𐞇 697.14 L2008-0977	18790 𐞇 707.10 L2008-0151	187A4 𐞇 716.10 L2008-4874	187B8 𐞇 724.14 L2008-0519	187CC 𐞇 732.16 L2008-0512
1877D 𐞇 697.15 L2008-0511	18791 𐞇 707.16 L2008-1841	187A5 𐞇 716.13 L2008-5636	187B9 𐞇 725.10 L2008-1156	187CD 𐞇 733.16 L2008-4665
1877E 𐞇 698.9 L2008-1142	18792 𐞇 707.18 L2008-1833	187A6 𐞇 716.14 L2008-5637	187BA 𐞇 725.17 L2008-0337	187CE 𐞇 733.21 L2008-4634
1877F 𐞇 698.12 L2008-1222	18793 𐞇 708.17 L2008-0676	187A7 𐞇 717.10 L2008-4777	187BB 𐞇 725.19 L2008-1185	187CF 𐞇 735.16 L2008-3883
18780 𐞇 698.14 L2008-1740	18794 𐞇 709.15 L2008-4462	187A8 𐞇 717.12 L2008-5425	187BC 𐞇 726.11 L2008-0003	187D0 𐞇 736.12 L2008-5495
18781 𐞇 698.14 L2008-1241	18795 𐞇 709.18 L2008-6051	187A9 𐞇 717.13 L2008-5126	187BD 𐞇 726.15 L2008-0477	187D1 𐞇 736.17 L2008-5493
18782 𐞇 700.15 L2008-1118	18796 𐞇 710.14 L2008-4442	187AA 𐞇 717.14 L2008-5356	187BE 𐞇 726.15 L2008-1579	187D2 𐞇 736.21 L2008-5494
18783 𐞇 701.14 L2008-1329	18797 𐞇 711.10 L2008-0001	187AB 𐞇 717.16 L2008-5368	187BF 𐞇 726.16 L2008-0476	187D3 𐞇 737.15 L2008-0583

187D4 𐞇 738.11 L2008-1035	𐞇	187E8 𐞇 752.18 L2008-5787	𐞇
187D5 𐞇 738.13 L2008-0763	𐞇	187E9 𐞇 753.20 L2008-5779	𐞇
187D6 𐞇 739.15 L2008-1031	𐞇	187EA 𐞇 755.16 L2008-4995	𐞇
187D7 𐞇 740.12 L2008-0039	𐞇	187EB 𐞇 755.19 L2008-5205	𐞇
187D8 𐞇 740.17 L2008-1041	𐞇	187EC 𐞇 755.20 L2008-5203	𐞇
187D9 𐞇 741.12 L2008-3830	𐞇	187ED 𐞇 195.14 L2012-6075	𐞇
187DA 𐞇 741.15 L2008-3957	𐞇	187EE 𐞇 308.14 L2012-6076	𐞇
187DB 𐞇 742.12 L2008-4882	𐞇	187EF 𐞇 415.13 L2012-6077	𐞇
187DC 𐞇 742.14 L2008-5437	𐞇	187F0 𐞇 308.17 UTN42-004	𐞇
187DD 𐞇 744.16 L2008-5309	𐞇	187F1 𐞇 415.11 UTN42-005	𐞇
187DE 𐞇 745.12 L2008-5037	𐞇	187F2 𐞇 42.15 UTN42-006	𐞇
187DF 𐞇 745.18 L2008-5778	𐞇	187F3 𐞇 185.12 UTN42-007	𐞇
187E0 𐞇 746.12 L2008-1338	𐞇	187F4 𐞇 73.11 UTN42-008	𐞇
187E1 𐞇 746.13 L2008-1265	𐞇	187F5 𐞇 383.18 UTN42-009	𐞇
187E2 𐞇 746.17 L2008-0373	𐞇	187F6 𐞇 79.14 UTN42-010	𐞇
187E3 𐞇 748.12 L2008-0930	𐞇	187F7 𐞇 79.19 UTN42-011	𐞇
187E4 𐞇 748.16 L2008-0487	𐞇		
187E5 𐞇 750.13 L2008-1888	𐞇		
187E6 𐞇 750.18 L2008-3301	𐞇		
187E7 𐞇 751.18 L2008-5794	𐞇		

	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	188A	188B	188C	188D	188E	188F
0	一 18800	川 18810	彡 18820	兀 18830	介 18840	彡 18850	丰 18860	彡 18870	𠂇 18880	𠂇 18890	𠂇 188A0	𠂇 188B0	𠂇 188C0	𠂇 188D0	𠂇 188E0	𠂇 188F0
1	丨 18801	𠂇 18811	𠂇 18821	𠂇 18831	𠂇 18841	𠂇 18851	𠂇 18861	𠂇 18871	𠂇 18881	𠂇 18891	𠂇 188A1	𠂇 188B1	𠂇 188C1	𠂇 188D1	𠂇 188E1	𠂇 188F1
2	ノ 18802	𠂇 18812	𠂇 18822	𠂇 18832	𠂇 18842	𠂇 18852	𠂇 18862	𠂇 18872	𠂇 18882	𠂇 18892	𠂇 188A2	𠂇 188B2	𠂇 188C2	𠂇 188D2	𠂇 188E2	𠂇 188F2
3	𠂇 18803	𠂇 18813	𠂇 18823	𠂇 18833	𠂇 18843	𠂇 18853	𠂇 18863	𠂇 18873	𠂇 18883	𠂇 18893	𠂇 188A3	𠂇 188B3	𠂇 188C3	𠂇 188D3	𠂇 188E3	𠂇 188F3
4	𠂇 18804	𠂇 18814	𠂇 18824	𠂇 18834	𠂇 18844	𠂇 18854	𠂇 18864	𠂇 18874	𠂇 18884	𠂇 18894	𠂇 188A4	𠂇 188B4	𠂇 188C4	𠂇 188D4	𠂇 188E4	𠂇 188F4
5	𠂇 18805	𠂇 18815	𠂇 18825	𠂇 18835	𠂇 18845	𠂇 18855	𠂇 18865	𠂇 18875	𠂇 18885	𠂇 18895	𠂇 188A5	𠂇 188B5	𠂇 188C5	𠂇 188D5	𠂇 188E5	𠂇 188F5
6	𠂇 18806	𠂇 18816	𠂇 18826	𠂇 18836	𠂇 18846	𠂇 18856	𠂇 18866	𠂇 18876	𠂇 18886	𠂇 18896	𠂇 188A6	𠂇 188B6	𠂇 188C6	𠂇 188D6	𠂇 188E6	𠂇 188F6
7	𠂇 18807	𠂇 18817	𠂇 18827	𠂇 18837	𠂇 18847	𠂇 18857	𠂇 18867	𠂇 18877	𠂇 18887	𠂇 18897	𠂇 188A7	𠂇 188B7	𠂇 188C7	𠂇 188D7	𠂇 188E7	𠂇 188F7
8	𠂇 18808	𠂇 18818	𠂇 18828	𠂇 18838	𠂇 18848	𠂇 18858	𠂇 18868	𠂇 18878	𠂇 18888	𠂇 18898	𠂇 188A8	𠂇 188B8	𠂇 188C8	𠂇 188D8	𠂇 188E8	𠂇 188F8
9	𠂇 18809	𠂇 18819	𠂇 18829	𠂇 18839	𠂇 18849	𠂇 18859	𠂇 18869	𠂇 18879	𠂇 18889	𠂇 18899	𠂇 188A9	𠂇 188B9	𠂇 188C9	𠂇 188D9	𠂇 188E9	𠂇 188F9
A	𠂇 1880A	𠂇 1881A	𠂇 1882A	𠂇 1883A	𠂇 1884A	𠂇 1885A	𠂇 1886A	𠂇 1887A	𠂇 1888A	𠂇 1889A	𠂇 188AA	𠂇 188BA	𠂇 188CA	𠂇 188DA	𠂇 188EA	𠂇 188FA
B	𠂇 1880B	𠂇 1881B	𠂇 1882B	𠂇 1883B	𠂇 1884B	𠂇 1885B	𠂇 1886B	𠂇 1887B	𠂇 1888B	𠂇 1889B	𠂇 188AB	𠂇 188BB	𠂇 188CB	𠂇 188DB	𠂇 188EB	𠂇 188FB
C	𠂇 1880C	𠂇 1881C	𠂇 1882C	𠂇 1883C	𠂇 1884C	𠂇 1885C	𠂇 1886C	𠂇 1887C	𠂇 1888C	𠂇 1889C	𠂇 188AC	𠂇 188BC	𠂇 188CC	𠂇 188DC	𠂇 188EC	𠂇 188FC
D	𠂇 1880D	𠂇 1881D	𠂇 1882D	𠂇 1883D	𠂇 1884D	𠂇 1885D	𠂇 1886D	𠂇 1887D	𠂇 1888D	𠂇 1889D	𠂇 188AD	𠂇 188BD	𠂇 188CD	𠂇 188DD	𠂇 188ED	𠂇 188FD
E	𠂇 1880E	𠂇 1881E	𠂇 1882E	𠂇 1883E	𠂇 1884E	𠂇 1885E	𠂇 1886E	𠂇 1887E	𠂇 1888E	𠂇 1889E	𠂇 188AE	𠂇 188BE	𠂇 188CE	𠂇 188DE	𠂇 188EE	𠂇 188FE
F	𠂇 1880F	𠂇 1881F	𠂇 1882F	𠂇 1883F	𠂇 1884F	𠂇 1885F	𠂇 1886F	𠂇 1887F	𠂇 1888F	𠂇 1889F	𠂇 188AF	𠂇 188BF	𠂇 188CF	𠂇 188DF	𠂇 188EF	𠂇 188FF

1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 189A 189B 189C 189D 189E 189F

0	𐄀 18900	𐄁 18910	𐄂 18920	𐄃 18930	𐄄 18940	𐄅 18950	𐄆 18960	𐄇 18970	𐄈 18980	𐄉 18990	𐄊 189A0	𐄋 189B0	𐄌 189C0	𐄍 189D0	𐄎 189E0	𐄏 189F0
1	𐄐 18901	𐄑 18911	𐄒 18921	𐄓 18931	𐄔 18941	𐄕 18951	𐄖 18961	𐄗 18971	𐄘 18981	𐄙 18991	𐄚 189A1	𐄛 189B1	𐄜 189C1	𐄝 189D1	𐄞 189E1	𐄟 189F1
2	𐄠 18902	𐄡 18912	𐄢 18922	𐄣 18932	𐄤 18942	𐄥 18952	𐄦 18962	𐄧 18972	𐄨 18982	𐄩 18992	𐄪 189A2	𐄫 189B2	𐄬 189C2	𐄭 189D2	𐄮 189E2	𐄯 189F2
3	𐄰 18903	𐄱 18913	𐄲 18923	𐄳 18933	𐄴 18943	𐄵 18953	𐄶 18963	𐄷 18973	𐄸 18983	𐄹 18993	𐄺 189A3	𐄻 189B3	𐄼 189C3	𐄽 189D3	𐄾 189E3	𐄿 189F3
4	𐅀 18904	𐅁 18914	𐅂 18924	𐅃 18934	𐅄 18944	𐅅 18954	𐅆 18964	𐅇 18974	𐅈 18984	𐅉 18994	𐅊 189A4	𐅋 189B4	𐅌 189C4	𐅍 189D4	𐅎 189E4	𐅏 189F4
5	𐅐 18905	𐅑 18915	𐅒 18925	𐅓 18935	𐅔 18945	𐅕 18955	𐅖 18965	𐅗 18975	𐅘 18985	𐅙 18995	𐅚 189A5	𐅛 189B5	𐅜 189C5	𐅝 189D5	𐅞 189E5	𐅟 189F5
6	𐅠 18906	𐅡 18916	𐅢 18926	𐅣 18936	𐅤 18946	𐅥 18956	𐅦 18966	𐅧 18976	𐅨 18986	𐅩 18996	𐅪 189A6	𐅫 189B6	𐅬 189C6	𐅭 189D6	𐅮 189E6	𐅯 189F6
7	𐅰 18907	𐅱 18917	𐅲 18927	𐅳 18937	𐅴 18947	𐅵 18957	𐅶 18967	𐅷 18977	𐅸 18987	𐅹 18997	𐅺 189A7	𐅻 189B7	𐅼 189C7	𐅽 189D7	𐅾 189E7	𐅿 189F7
8	𐆀 18908	𐆁 18918	𐆂 18928	𐆃 18938	𐆄 18948	𐆅 18958	𐆆 18968	𐆇 18978	𐆈 18988	𐆉 18998	𐆊 189A8	𐆋 189B8	𐆌 189C8	𐆍 189D8	𐆎 189E8	𐆏 189F8
9	𐆐 18909	𐆑 18919	𐆒 18929	𐆓 18939	𐆔 18949	𐆕 18959	𐆖 18969	𐆗 18979	𐆘 18989	𐆙 18999	𐆚 189A9	𐆛 189B9	𐆜 189C9	𐆝 189D9	𐆞 189E9	𐆟 189F9
A	𐆠 1890A	𐆡 1891A	𐆢 1892A	𐆣 1893A	𐆤 1894A	𐆥 1895A	𐆦 1896A	𐆧 1897A	𐆨 1898A	𐆩 1899A	𐆪 189AA	𐆫 189BA	𐆬 189CA	𐆭 189DA	𐆮 189EA	𐆯 189FA
B	𐆰 1890B	𐆱 1891B	𐆲 1892B	𐆳 1893B	𐆴 1894B	𐆵 1895B	𐆶 1896B	𐆷 1897B	𐆸 1898B	𐆹 1899B	𐆺 189AB	𐆻 189BB	𐆼 189CB	𐆽 189DB	𐆾 189EB	𐆿 189FB
C	𐇀 1890C	𐇁 1891C	𐇂 1892C	𐇃 1893C	𐇄 1894C	𐇅 1895C	𐇆 1896C	𐇇 1897C	𐇈 1898C	𐇉 1899C	𐇊 189AC	𐇋 189BC	𐇌 189CC	𐇍 189DC	𐇎 189EC	𐇏 189FC
D	𐇐 1890D	𐇑 1891D	𐇒 1892D	𐇓 1893D	𐇔 1894D	𐇕 1895D	𐇖 1896D	𐇗 1897D	𐇘 1898D	𐇙 1899D	𐇚 189AD	𐇛 189BD	𐇜 189CD	𐇝 189DD	𐇞 189ED	𐇟 189FD
E	𐇠 1890E	𐇡 1891E	𐇢 1892E	𐇣 1893E	𐇤 1894E	𐇥 1895E	𐇦 1896E	𐇧 1897E	𐇨 1898E	𐇩 1899E	𐇪 189AE	𐇫 189BE	𐇬 189CE	𐇭 189DE	𐇮 189EE	𐇯 189FE
F	𐇰 1890F	𐇱 1891F	𐇲 1892F	𐇳 1893F	𐇴 1894F	𐇵 1895F	𐇶 1896F	𐇷 1897F	𐇸 1898F	𐇹 1899F	𐇺 189AF	𐇻 189BF	𐇼 189CF	𐇽 189DF	𐇾 189EF	𐇿 189FF

	18A0	18A1	18A2	18A3	18A4	18A5	18A6	18A7	18A8	18A9	18AA	18AB	18AC	18AD	18AE	18AF
0	𐄀 18A00	𐄁 18A10	𐄂 18A20	𐄃 18A30	𐄄 18A40	𐄅 18A50	𐄆 18A60	𐄇 18A70	𐄈 18A80	𐄉 18A90	𐄊 18AA0	𐄋 18AB0	𐄌 18AC0	𐄍 18AD0	𐄎 18AE0	𐄏 18AF0
1	𐄐 18A01	𐄑 18A11	𐄒 18A21	𐄓 18A31	𐄔 18A41	𐄕 18A51	𐄖 18A61	𐄗 18A71	𐄘 18A81	𐄙 18A91	𐄚 18AA1	𐄛 18AB1	𐄜 18AC1	𐄝 18AD1	𐄞 18AE1	𐄟 18AF1
2	𐄠 18A02	𐄡 18A12	𐄢 18A22	𐄣 18A32	𐄤 18A42	𐄥 18A52	𐄦 18A62	𐄧 18A72	𐄨 18A82	𐄩 18A92	𐄪 18AA2	𐄫 18AB2	𐄬 18AC2	𐄭 18AD2	𐄮 18AE2	𐄯 18AF2
3	𐄰 18A03	𐄱 18A13	𐄲 18A23	𐄳 18A33	𐄴 18A43	𐄵 18A53	𐄶 18A63	𐄷 18A73	𐄸 18A83	𐄹 18A93	𐄺 18AA3	𐄻 18AB3	𐄼 18AC3	𐄽 18AD3	𐄾 18AE3	
4	𐄿 18A04	𐅀 18A14	𐅁 18A24	𐅂 18A34	𐅃 18A44	𐅄 18A54	𐅅 18A64	𐅆 18A74	𐅇 18A84	𐅈 18A94	𐅉 18AA4	𐅊 18AB4	𐅋 18AC4	𐅌 18AD4	𐅍 18AE4	
5	𐅏 18A05	𐅐 18A15	𐅑 18A25	𐅒 18A35	𐅓 18A45	𐅔 18A55	𐅕 18A65	𐅖 18A75	𐅗 18A85	𐅘 18A95	𐅙 18AA5	𐅚 18AB5	𐅛 18AC5	𐅜 18AD5	𐅝 18AE5	
6	𐅟 18A06	𐅠 18A16	𐅡 18A26	𐅢 18A36	𐅣 18A46	𐅤 18A56	𐅥 18A66	𐅦 18A76	𐅧 18A86	𐅨 18A96	𐅩 18AA6	𐅪 18AB6	𐅫 18AC6	𐅬 18AD6	𐅭 18AE6	
7	𐅯 18A07	𐅰 18A17	𐅱 18A27	𐅲 18A37	𐅳 18A47	𐅴 18A57	𐅵 18A67	𐅶 18A77	𐅷 18A87	𐅸 18A97	𐅹 18AA7	𐅺 18AB7	𐅻 18AC7	𐅼 18AD7	𐅽 18AE7	
8	𐅿 18A08	𐆀 18A18	𐆁 18A28	𐆂 18A38	𐆃 18A48	𐆄 18A58	𐆅 18A68	𐆆 18A78	𐆇 18A88	𐆈 18A98	𐆉 18AA8	𐆊 18AB8	𐆋 18AC8	𐆌 18AD8	𐆍 18AE8	
9	𐆏 18A09	𐆐 18A19	𐆑 18A29	𐆒 18A39	𐆓 18A49	𐆔 18A59	𐆕 18A69	𐆖 18A79	𐆗 18A89	𐆘 18A99	𐆙 18AA9	𐆚 18AB9	𐆛 18AC9	𐆜 18AD9	𐆝 18AE9	
A	𐆟 18A0A	𐆠 18A1A	𐆡 18A2A	𐆢 18A3A	𐆣 18A4A	𐆤 18A5A	𐆥 18A6A	𐆦 18A7A	𐆧 18A8A	𐆨 18A9A	𐆩 18AAA	𐆪 18ABA	𐆫 18ACA	𐆬 18ADA	𐆭 18AEA	
B	𐆯 18A0B	𐆰 18A1B	𐆱 18A2B	𐆲 18A3B	𐆳 18A4B	𐆴 18A5B	𐆵 18A6B	𐆶 18A7B	𐆷 18A8B	𐆸 18A9B	𐆹 18AAB	𐆺 18ABB	𐆻 18ACB	𐆼 18ADB	𐆽 18AEB	
C	𐆿 18A0C	𐇀 18A1C	𐇁 18A2C	𐇂 18A3C	𐇃 18A4C	𐇄 18A5C	𐇅 18A6C	𐇆 18A7C	𐇇 18A8C	𐇈 18A9C	𐇉 18AAC	𐇊 18ABC	𐇋 18ACC	𐇌 18ADC	𐇍 18AEC	
D	𐇏 18A0D	𐇐 18A1D	𐇑 18A2D	𐇒 18A3D	𐇓 18A4D	𐇔 18A5D	𐇕 18A6D	𐇖 18A7D	𐇗 18A8D	𐇘 18A9D	𐇙 18AAD	𐇚 18ABD	𐇛 18ACD	𐇜 18ADD	𐇝 18AED	
E	𐇟 18A0E	𐇠 18A1E	𐇡 18A2E	𐇢 18A3E	𐇣 18A4E	𐇤 18A5E	𐇥 18A6E	𐇦 18A7E	𐇧 18A8E	𐇨 18A9E	𐇩 18AAE	𐇪 18ABE	𐇫 18ACE	𐇬 18ADE	𐇭 18AEE	
F	𐇯 18A0F	𐇰 18A1F	𐇱 18A2F	𐇲 18A3F	𐇳 18A4F	𐇴 18A5F	𐇵 18A6F	𐇶 18A7F	𐇷 18A8F	𐇸 18A9F	𐇹 18AAF	𐇺 18ABF	𐇻 18ACF	𐇼 18ADF	𐇽 18AEF	

This is a superset of components used in various Tangut sources. Indexes of components (001..755) used for Tangut ideographs are shown in the Tangut block.

One-stroke components

18800	一	TANGUT COMPONENT-001
18801	丨	TANGUT COMPONENT-002
18802	ノ	TANGUT COMPONENT-003
18803	丿	TANGUT COMPONENT-004
18804	㇀	TANGUT COMPONENT-005
18805	㇁	TANGUT COMPONENT-006
18806	㇂	TANGUT COMPONENT-007
18807	㇃	TANGUT COMPONENT-008
18808	㇄	TANGUT COMPONENT-009
18809	㇅	TANGUT COMPONENT-010

Two-stroke components

1880A	二	TANGUT COMPONENT-011
1880B	𠃉	TANGUT COMPONENT-012
1880C	𠃊	TANGUT COMPONENT-013
1880D	𠃋	TANGUT COMPONENT-014
1880E	十	TANGUT COMPONENT-015
1880F	𠃌	TANGUT COMPONENT-016
18810	川	TANGUT COMPONENT-017
18811	𠃍	TANGUT COMPONENT-018
18812	𠃎	TANGUT COMPONENT-019
18813	𠃏	TANGUT COMPONENT-020
18814	𠃐	TANGUT COMPONENT-021
18815	𠃑	TANGUT COMPONENT-022
18816	𠃒	TANGUT COMPONENT-023
18817	𠃓	TANGUT COMPONENT-024
18818	𠃔	TANGUT COMPONENT-025
18819	𠃕	TANGUT COMPONENT-026
1881A	𠃖	TANGUT COMPONENT-027
1881B	𠃗	TANGUT COMPONENT-028
1881C	𠃘	TANGUT COMPONENT-029
1881D	𠃙	TANGUT COMPONENT-030
1881E	𠃚	TANGUT COMPONENT-031
1881F	𠃛	TANGUT COMPONENT-032
18820	𠃜	TANGUT COMPONENT-033
18821	𠃝	TANGUT COMPONENT-034
18822	𠃞	TANGUT COMPONENT-035
18823	𠃟	TANGUT COMPONENT-036
18824	𠃠	TANGUT COMPONENT-037
18825	𠃡	TANGUT COMPONENT-038

Three-stroke components

18826	𠃢	TANGUT COMPONENT-039
18827	𠃣	TANGUT COMPONENT-040
18828	𠃤	TANGUT COMPONENT-041
18829	𠃥	TANGUT COMPONENT-042
1882A	𠃦	TANGUT COMPONENT-043
1882B	𠃧	TANGUT COMPONENT-044
1882C	𠃨	TANGUT COMPONENT-045
1882D	𠃩	TANGUT COMPONENT-046
1882E	𠃪	TANGUT COMPONENT-047
1882F	𠃫	TANGUT COMPONENT-048
18830	𠃬	TANGUT COMPONENT-049
18831	𠃭	TANGUT COMPONENT-050
18832	𠃮	TANGUT COMPONENT-051
18833	𠃯	TANGUT COMPONENT-052
18834	𠃰	TANGUT COMPONENT-053
18835	𠃱	TANGUT COMPONENT-054

18836	𠃲	TANGUT COMPONENT-055
18837	𠃳	TANGUT COMPONENT-056
18838	𠃴	TANGUT COMPONENT-057
18839	𠃵	TANGUT COMPONENT-058
1883A	𠃶	TANGUT COMPONENT-059
1883B	𠃷	TANGUT COMPONENT-060
1883C	𠃸	TANGUT COMPONENT-061
1883D	𠃹	TANGUT COMPONENT-062
1883E	𠃺	TANGUT COMPONENT-063
1883F	𠃻	TANGUT COMPONENT-064
18840	𠃼	TANGUT COMPONENT-065
18841	𠃽	TANGUT COMPONENT-066
18842	𠃾	TANGUT COMPONENT-067
18843	𠃿	TANGUT COMPONENT-068
18844	𠄀	TANGUT COMPONENT-069
18845	𠄁	TANGUT COMPONENT-070
18846	𠄂	TANGUT COMPONENT-071
18847	𠄃	TANGUT COMPONENT-072
18848	𠄄	TANGUT COMPONENT-073
18849	𠄅	TANGUT COMPONENT-074
1884A	𠄆	TANGUT COMPONENT-075
1884B	𠄇	TANGUT COMPONENT-076
1884C	𠄈	TANGUT COMPONENT-077
1884D	𠄉	TANGUT COMPONENT-078
1884E	𠄊	TANGUT COMPONENT-079
1884F	𠄋	TANGUT COMPONENT-080
18850	𠄌	TANGUT COMPONENT-081
18851	𠄍	TANGUT COMPONENT-082
18852	𠄎	TANGUT COMPONENT-083
18853	𠄏	TANGUT COMPONENT-084
18854	𠄐	TANGUT COMPONENT-085
18855	𠄑	TANGUT COMPONENT-086
18856	𠄒	TANGUT COMPONENT-087
18857	𠄓	TANGUT COMPONENT-088
18858	𠄔	TANGUT COMPONENT-089
18859	𠄕	TANGUT COMPONENT-090
1885A	𠄖	TANGUT COMPONENT-091
1885B	𠄗	TANGUT COMPONENT-092
1885C	𠄘	TANGUT COMPONENT-093
1885D	𠄙	TANGUT COMPONENT-094
1885E	𠄚	TANGUT COMPONENT-095
1885F	𠄛	TANGUT COMPONENT-096

Four-stroke components

18860	𠄜	TANGUT COMPONENT-097
18861	𠄝	TANGUT COMPONENT-098
18862	𠄞	TANGUT COMPONENT-099
18863	𠄟	TANGUT COMPONENT-100
18864	𠄠	TANGUT COMPONENT-101
18865	𠄡	TANGUT COMPONENT-102
18866	𠄢	TANGUT COMPONENT-103
18867	𠄣	TANGUT COMPONENT-104
18868	𠄤	TANGUT COMPONENT-105
18869	𠄥	TANGUT COMPONENT-106
1886A	𠄦	TANGUT COMPONENT-107
1886B	𠄧	TANGUT COMPONENT-108
1886C	𠄨	TANGUT COMPONENT-109
1886D	𠄩	TANGUT COMPONENT-110
1886E	𠄪	TANGUT COMPONENT-111
1886F	𠄫	TANGUT COMPONENT-112
18870	𠄬	TANGUT COMPONENT-113
18871	𠄭	TANGUT COMPONENT-114

18872 𠂇 TANGUT COMPONENT-115
 18873 𠂈 TANGUT COMPONENT-116
 18874 𠂉 TANGUT COMPONENT-117
 18875 𠂊 TANGUT COMPONENT-118
 18876 𠂋 TANGUT COMPONENT-119
 18877 𠂌 TANGUT COMPONENT-120
 18878 𠂍 TANGUT COMPONENT-121
 18879 𠂎 TANGUT COMPONENT-122
 1887A 𠂏 TANGUT COMPONENT-123
 1887B 𠂐 TANGUT COMPONENT-124
 1887C 𠂑 TANGUT COMPONENT-125
 1887D 𠂒 TANGUT COMPONENT-126
 1887E 𠂓 TANGUT COMPONENT-127
 1887F 𠂔 TANGUT COMPONENT-128
 18880 𠂕 TANGUT COMPONENT-129
 18881 𠂖 TANGUT COMPONENT-130
 18882 𠂗 TANGUT COMPONENT-131
 18883 𠂘 TANGUT COMPONENT-132
 18884 𠂙 TANGUT COMPONENT-133
 18885 𠂚 TANGUT COMPONENT-134
 18886 𠂛 TANGUT COMPONENT-135
 18887 𠂜 TANGUT COMPONENT-136
 18888 𠂝 TANGUT COMPONENT-137
 18889 𠂞 TANGUT COMPONENT-138
 1888A 𠂟 TANGUT COMPONENT-139
 1888B 𠂠 TANGUT COMPONENT-140
 1888C 𠂡 TANGUT COMPONENT-141
 1888D 𠂢 TANGUT COMPONENT-142
 1888E 𠂣 TANGUT COMPONENT-143
 1888F 𠂤 TANGUT COMPONENT-144
 18890 𠂥 TANGUT COMPONENT-145
 18891 𠂦 TANGUT COMPONENT-146
 18892 𠂧 TANGUT COMPONENT-147
 18893 𠂨 TANGUT COMPONENT-148
 18894 𠂩 TANGUT COMPONENT-149
 18895 𠂪 TANGUT COMPONENT-150
 18896 𠂫 TANGUT COMPONENT-151
 18897 𠂬 TANGUT COMPONENT-152
 18898 𠂭 TANGUT COMPONENT-153
 18899 𠂮 TANGUT COMPONENT-154
 1889A 𠂯 TANGUT COMPONENT-155
 1889B 𠂰 TANGUT COMPONENT-156
 1889C 𠂱 TANGUT COMPONENT-157
 1889D 𠂲 TANGUT COMPONENT-158
 1889E 𠂳 TANGUT COMPONENT-159
 1889F 𠂴 TANGUT COMPONENT-160
 188A0 𠂵 TANGUT COMPONENT-161
 188A1 𠂶 TANGUT COMPONENT-162
 188A2 𠂷 TANGUT COMPONENT-163
 188A3 𠂸 TANGUT COMPONENT-164
 188A4 𠂹 TANGUT COMPONENT-165
 188A5 𠂺 TANGUT COMPONENT-166
 188A6 𠂻 TANGUT COMPONENT-167
 188A7 𠂼 TANGUT COMPONENT-168
 188A8 𠂽 TANGUT COMPONENT-169
 188A9 𠂾 TANGUT COMPONENT-170
 188AA 𠂿 TANGUT COMPONENT-171
 188AB 𠃀 TANGUT COMPONENT-172
 188AC 𠃁 TANGUT COMPONENT-173
 188AD 𠃂 TANGUT COMPONENT-174
 188AE 𠃃 TANGUT COMPONENT-175
 188AF 𠃄 TANGUT COMPONENT-176

188B0 𠃅 TANGUT COMPONENT-177
 188B1 𠃆 TANGUT COMPONENT-178
 188B2 𠃇 TANGUT COMPONENT-179
 188B3 𠃈 TANGUT COMPONENT-180
 188B4 𠃉 TANGUT COMPONENT-181
 188B5 𠃊 TANGUT COMPONENT-182
 188B6 𠃋 TANGUT COMPONENT-183
 188B7 𠃌 TANGUT COMPONENT-184
 188B8 𠃍 TANGUT COMPONENT-185
 188B9 𠃎 TANGUT COMPONENT-186
 188BA 𠃏 TANGUT COMPONENT-187
 188BB 𠃐 TANGUT COMPONENT-188
 188BC 𠃑 TANGUT COMPONENT-189
 188BD 𠃒 TANGUT COMPONENT-190
 188BE 𠃓 TANGUT COMPONENT-191
 188BF 𠃔 TANGUT COMPONENT-192
 188C0 𠃕 TANGUT COMPONENT-193
 188C1 𠃖 TANGUT COMPONENT-194
 188C2 𠃗 TANGUT COMPONENT-195
 188C3 𠃘 TANGUT COMPONENT-196
 188C4 𠃙 TANGUT COMPONENT-197
 188C5 𠃚 TANGUT COMPONENT-198
 188C6 𠃛 TANGUT COMPONENT-199
 188C7 𠃜 TANGUT COMPONENT-200
 188C8 𠃝 TANGUT COMPONENT-201
 188C9 𠃞 TANGUT COMPONENT-202
 188CA 𠃟 TANGUT COMPONENT-203
 188CB 𠃠 TANGUT COMPONENT-204

Five-stroke components

188CC 𠃡 TANGUT COMPONENT-205
 188CD 𠃢 TANGUT COMPONENT-206
 188CE 𠃣 TANGUT COMPONENT-207
 188CF 𠃤 TANGUT COMPONENT-208
 188D0 𠃥 TANGUT COMPONENT-209
 188D1 𠃦 TANGUT COMPONENT-210
 188D2 𠃧 TANGUT COMPONENT-211
 188D3 𠃨 TANGUT COMPONENT-212
 188D4 𠃩 TANGUT COMPONENT-213
 188D5 𠃪 TANGUT COMPONENT-214
 188D6 𠃫 TANGUT COMPONENT-215
 188D7 𠃬 TANGUT COMPONENT-216
 188D8 𠃭 TANGUT COMPONENT-217
 188D9 𠃮 TANGUT COMPONENT-218
 188DA 𠃯 TANGUT COMPONENT-219
 188DB 𠃰 TANGUT COMPONENT-220
 188DC 𠃱 TANGUT COMPONENT-221
 188DD 𠃲 TANGUT COMPONENT-222
 188DE 𠃳 TANGUT COMPONENT-223
 188DF 𠃴 TANGUT COMPONENT-224
 188E0 𠃵 TANGUT COMPONENT-225
 188E1 𠃶 TANGUT COMPONENT-226
 188E2 𠃷 TANGUT COMPONENT-227
 188E3 𠃸 TANGUT COMPONENT-228
 188E4 𠃹 TANGUT COMPONENT-229
 188E5 𠃺 TANGUT COMPONENT-230
 188E6 𠃻 TANGUT COMPONENT-231
 188E7 𠃼 TANGUT COMPONENT-232
 188E8 𠃽 TANGUT COMPONENT-233
 188E9 𠃾 TANGUT COMPONENT-234
 188EA 𠃿 TANGUT COMPONENT-235
 188EB 𠄀 TANGUT COMPONENT-236

188EC 彡 TANGUT COMPONENT-237
 188ED 彣 TANGUT COMPONENT-238
 188EE 彤 TANGUT COMPONENT-239
 188EF 彥 TANGUT COMPONENT-240
 188F0 彥 TANGUT COMPONENT-241
 188F1 彥 TANGUT COMPONENT-242
 188F2 彥 TANGUT COMPONENT-243
 188F3 彥 TANGUT COMPONENT-244
 188F4 彥 TANGUT COMPONENT-245
 188F5 彥 TANGUT COMPONENT-246
 188F6 彥 TANGUT COMPONENT-247
 188F7 彥 TANGUT COMPONENT-248
 188F8 彥 TANGUT COMPONENT-249
 188F9 彥 TANGUT COMPONENT-250
 188FA 彥 TANGUT COMPONENT-251
 188FB 彥 TANGUT COMPONENT-252
 188FC 彥 TANGUT COMPONENT-253
 188FD 彥 TANGUT COMPONENT-254
 188FE 彥 TANGUT COMPONENT-255
 188FF 彥 TANGUT COMPONENT-256
 18900 彥 TANGUT COMPONENT-257
 18901 彥 TANGUT COMPONENT-258
 18902 彥 TANGUT COMPONENT-259
 18903 彥 TANGUT COMPONENT-260
 18904 彥 TANGUT COMPONENT-261
 18905 彥 TANGUT COMPONENT-262
 18906 彥 TANGUT COMPONENT-263
 18907 彥 TANGUT COMPONENT-264
 18908 彥 TANGUT COMPONENT-265
 18909 彥 TANGUT COMPONENT-266
 1890A 彥 TANGUT COMPONENT-267
 1890B 彥 TANGUT COMPONENT-268
 1890C 彥 TANGUT COMPONENT-269
 1890D 彥 TANGUT COMPONENT-270
 1890E 彥 TANGUT COMPONENT-271
 1890F 彥 TANGUT COMPONENT-272
 18910 彥 TANGUT COMPONENT-273
 18911 彥 TANGUT COMPONENT-274
 18912 彥 TANGUT COMPONENT-275
 18913 彥 TANGUT COMPONENT-276
 18914 彥 TANGUT COMPONENT-277
 18915 彥 TANGUT COMPONENT-278
 18916 彥 TANGUT COMPONENT-279
 18917 彥 TANGUT COMPONENT-280
 18918 彥 TANGUT COMPONENT-281
 18919 彥 TANGUT COMPONENT-282
 1891A 彥 TANGUT COMPONENT-283
 1891B 彥 TANGUT COMPONENT-284
 1891C 彥 TANGUT COMPONENT-285
 1891D 彥 TANGUT COMPONENT-286
 1891E 彥 TANGUT COMPONENT-287
 1891F 彥 TANGUT COMPONENT-288
 18920 彥 TANGUT COMPONENT-289
 18921 彥 TANGUT COMPONENT-290
 18922 彥 TANGUT COMPONENT-291
 18923 彥 TANGUT COMPONENT-292
 18924 彥 TANGUT COMPONENT-293
 18925 彥 TANGUT COMPONENT-294
 18926 彥 TANGUT COMPONENT-295
 18927 彥 TANGUT COMPONENT-296
 18928 彥 TANGUT COMPONENT-297
 18929 彥 TANGUT COMPONENT-298

1892A 彥 TANGUT COMPONENT-299
 1892B 彥 TANGUT COMPONENT-300
 1892C 彥 TANGUT COMPONENT-301
 1892D 彥 TANGUT COMPONENT-302
 1892E 彥 TANGUT COMPONENT-303
 1892F 彥 TANGUT COMPONENT-304
 18930 彥 TANGUT COMPONENT-305
 18931 彥 TANGUT COMPONENT-306
 18932 彥 TANGUT COMPONENT-307
 18933 彥 TANGUT COMPONENT-308
 18934 彥 TANGUT COMPONENT-309
 18935 彥 TANGUT COMPONENT-310
 18936 彥 TANGUT COMPONENT-311
 18937 彥 TANGUT COMPONENT-312
 18938 彥 TANGUT COMPONENT-313
 18939 彥 TANGUT COMPONENT-314
 1893A 彥 TANGUT COMPONENT-315
 1893B 彥 TANGUT COMPONENT-316
 1893C 彥 TANGUT COMPONENT-317
 1893D 彥 TANGUT COMPONENT-318
 1893E 彥 TANGUT COMPONENT-319
 1893F 彥 TANGUT COMPONENT-320
 18940 彥 TANGUT COMPONENT-321
 18941 彥 TANGUT COMPONENT-322
 18942 彥 TANGUT COMPONENT-323
 18943 彥 TANGUT COMPONENT-324
 18944 彥 TANGUT COMPONENT-325
 18945 彥 TANGUT COMPONENT-326
 18946 彥 TANGUT COMPONENT-327
 18947 彥 TANGUT COMPONENT-328
 18948 彥 TANGUT COMPONENT-329
 18949 彥 TANGUT COMPONENT-330
 1894A 彥 TANGUT COMPONENT-331
 1894B 彥 TANGUT COMPONENT-332
 1894C 彥 TANGUT COMPONENT-333
 1894D 彥 TANGUT COMPONENT-334
 1894E 彥 TANGUT COMPONENT-335
 1894F 彥 TANGUT COMPONENT-336
 18950 彥 TANGUT COMPONENT-337
 18951 彥 TANGUT COMPONENT-338
 18952 彥 TANGUT COMPONENT-339
 18953 彥 TANGUT COMPONENT-340
 18954 彥 TANGUT COMPONENT-341
 18955 彥 TANGUT COMPONENT-342
 18956 彥 TANGUT COMPONENT-343
 18957 彥 TANGUT COMPONENT-344
 18958 彥 TANGUT COMPONENT-345

Six-stroke components

18959 彥 TANGUT COMPONENT-346
 1895A 彥 TANGUT COMPONENT-347
 1895B 彥 TANGUT COMPONENT-348
 1895C 彥 TANGUT COMPONENT-349
 1895D 彥 TANGUT COMPONENT-350
 1895E 彥 TANGUT COMPONENT-351
 1895F 彥 TANGUT COMPONENT-352
 18960 彥 TANGUT COMPONENT-353
 18961 彥 TANGUT COMPONENT-354
 18962 彥 TANGUT COMPONENT-355
 18963 彥 TANGUT COMPONENT-356
 18964 彥 TANGUT COMPONENT-357
 18965 彥 TANGUT COMPONENT-358

18966 𐞇 TANGUT COMPONENT-359
 18967 𐞈 TANGUT COMPONENT-360
 18968 𐞉 TANGUT COMPONENT-361
 18969 𐞊 TANGUT COMPONENT-362
 1896A 𐞋 TANGUT COMPONENT-363
 1896B 𐞌 TANGUT COMPONENT-364
 1896C 𐞍 TANGUT COMPONENT-365
 1896D 𐞎 TANGUT COMPONENT-366
 1896E 𐞏 TANGUT COMPONENT-367
 1896F 𐞐 TANGUT COMPONENT-368
 18970 𐞑 TANGUT COMPONENT-369
 18971 𐞒 TANGUT COMPONENT-370
 18972 𐞓 TANGUT COMPONENT-371
 18973 𐞔 TANGUT COMPONENT-372
 18974 𐞕 TANGUT COMPONENT-373
 18975 𐞖 TANGUT COMPONENT-374
 18976 𐞗 TANGUT COMPONENT-375
 18977 𐞘 TANGUT COMPONENT-376
 18978 𐞙 TANGUT COMPONENT-377
 18979 𐞚 TANGUT COMPONENT-378
 1897A 𐞛 TANGUT COMPONENT-379
 1897B 𐞜 TANGUT COMPONENT-380
 1897C 𐞝 TANGUT COMPONENT-381
 1897D 𐞞 TANGUT COMPONENT-382
 1897E 𐞟 TANGUT COMPONENT-383
 1897F 𐞠 TANGUT COMPONENT-384
 18980 𐞡 TANGUT COMPONENT-385
 18981 𐞢 TANGUT COMPONENT-386
 18982 𐞣 TANGUT COMPONENT-387
 18983 𐞤 TANGUT COMPONENT-388
 18984 𐞥 TANGUT COMPONENT-389
 18985 𐞦 TANGUT COMPONENT-390
 18986 𐞧 TANGUT COMPONENT-391
 18987 𐞨 TANGUT COMPONENT-392
 18988 𐞩 TANGUT COMPONENT-393
 18989 𐞪 TANGUT COMPONENT-394
 1898A 𐞫 TANGUT COMPONENT-395
 1898B 𐞬 TANGUT COMPONENT-396
 1898C 𐞭 TANGUT COMPONENT-397
 1898D 𐞮 TANGUT COMPONENT-398
 1898E 𐞯 TANGUT COMPONENT-399
 1898F 𐞰 TANGUT COMPONENT-400
 18990 𐞱 TANGUT COMPONENT-401
 18991 𐞲 TANGUT COMPONENT-402
 18992 𐞳 TANGUT COMPONENT-403
 18993 𐞴 TANGUT COMPONENT-404
 18994 𐞵 TANGUT COMPONENT-405
 18995 𐞶 TANGUT COMPONENT-406
 18996 𐞷 TANGUT COMPONENT-407
 18997 𐞸 TANGUT COMPONENT-408
 18998 𐞹 TANGUT COMPONENT-409
 18999 𐞺 TANGUT COMPONENT-410
 1899A 𐞻 TANGUT COMPONENT-411
 1899B 𐞼 TANGUT COMPONENT-412
 1899C 𐞽 TANGUT COMPONENT-413
 1899D 𐞾 TANGUT COMPONENT-414
 1899E 𐞿 TANGUT COMPONENT-415
 1899F 𐟀 TANGUT COMPONENT-416
 189A0 𐟁 TANGUT COMPONENT-417
 189A1 𐟂 TANGUT COMPONENT-418
 189A2 𐟃 TANGUT COMPONENT-419
 189A3 𐟄 TANGUT COMPONENT-420

189A4 𐟅 TANGUT COMPONENT-421
 189A5 𐟆 TANGUT COMPONENT-422
 189A6 𐟇 TANGUT COMPONENT-423
 189A7 𐟈 TANGUT COMPONENT-424
 189A8 𐟉 TANGUT COMPONENT-425
 189A9 𐟊 TANGUT COMPONENT-426
 189AA 𐟋 TANGUT COMPONENT-427
 189AB 𐟌 TANGUT COMPONENT-428
 189AC 𐟍 TANGUT COMPONENT-429
 189AD 𐟎 TANGUT COMPONENT-430
 189AE 𐟏 TANGUT COMPONENT-431
 189AF 𐟐 TANGUT COMPONENT-432
 189B0 𐟑 TANGUT COMPONENT-433
 189B1 𐟒 TANGUT COMPONENT-434
 189B2 𐟓 TANGUT COMPONENT-435
 189B3 𐟔 TANGUT COMPONENT-436
 189B4 𐟕 TANGUT COMPONENT-437
 189B5 𐟖 TANGUT COMPONENT-438
 189B6 𐟗 TANGUT COMPONENT-439
 189B7 𐟘 TANGUT COMPONENT-440
 189B8 𐟙 TANGUT COMPONENT-441
 189B9 𐟚 TANGUT COMPONENT-442
 189BA 𐟛 TANGUT COMPONENT-443
 189BB 𐟜 TANGUT COMPONENT-444
 189BC 𐟝 TANGUT COMPONENT-445
 189BD 𐟞 TANGUT COMPONENT-446
 189BE 𐟟 TANGUT COMPONENT-447
 189BF 𐟠 TANGUT COMPONENT-448
 189C0 𐟡 TANGUT COMPONENT-449
 189C1 𐟢 TANGUT COMPONENT-450
 189C2 𐟣 TANGUT COMPONENT-451
 189C3 𐟤 TANGUT COMPONENT-452
 189C4 𐟥 TANGUT COMPONENT-453
 189C5 𐟦 TANGUT COMPONENT-454
 189C6 𐟧 TANGUT COMPONENT-455
 189C7 𐟨 TANGUT COMPONENT-456
 189C8 𐟩 TANGUT COMPONENT-457
 189C9 𐟪 TANGUT COMPONENT-458
 189CA 𐟫 TANGUT COMPONENT-459
 189CB 𐟬 TANGUT COMPONENT-460
 189CC 𐟭 TANGUT COMPONENT-461
 189CD 𐟮 TANGUT COMPONENT-462
 189CE 𐟯 TANGUT COMPONENT-463
 189CF 𐟰 TANGUT COMPONENT-464
 189D0 𐟱 TANGUT COMPONENT-465
 189D1 𐟲 TANGUT COMPONENT-466
 189D2 𐟳 TANGUT COMPONENT-467
 189D3 𐟴 TANGUT COMPONENT-468
 189D4 𐟵 TANGUT COMPONENT-469
 189D5 𐟶 TANGUT COMPONENT-470
 189D6 𐟷 TANGUT COMPONENT-471
 189D7 𐟸 TANGUT COMPONENT-472
 189D8 𐟹 TANGUT COMPONENT-473
 189D9 𐟺 TANGUT COMPONENT-474
 189DA 𐟻 TANGUT COMPONENT-475

Seven-stroke components

189DB 𐟼 TANGUT COMPONENT-476
 189DC 𐟽 TANGUT COMPONENT-477
 189DD 𐟾 TANGUT COMPONENT-478
 189DE 𐟿 TANGUT COMPONENT-479
 189DF 𐟀 TANGUT COMPONENT-480

189E0 𐞇 TANGUT COMPONENT-481
 189E1 𐞈 TANGUT COMPONENT-482
 189E2 𐞉 TANGUT COMPONENT-483
 189E3 𐞊 TANGUT COMPONENT-484
 189E4 𐞋 TANGUT COMPONENT-485
 189E5 𐞌 TANGUT COMPONENT-486
 189E6 𐞍 TANGUT COMPONENT-487
 189E7 𐞎 TANGUT COMPONENT-488
 189E8 𐞏 TANGUT COMPONENT-489
 189E9 𐞐 TANGUT COMPONENT-490
 189EA 𐞑 TANGUT COMPONENT-491
 189EB 𐞒 TANGUT COMPONENT-492
 189EC 𐞓 TANGUT COMPONENT-493
 189ED 𐞔 TANGUT COMPONENT-494
 189EE 𐞕 TANGUT COMPONENT-495
 189EF 𐞖 TANGUT COMPONENT-496
 189F0 𐞗 TANGUT COMPONENT-497
 189F1 𐞘 TANGUT COMPONENT-498
 189F2 𐞙 TANGUT COMPONENT-499
 189F3 𐞚 TANGUT COMPONENT-500
 189F4 𐞛 TANGUT COMPONENT-501
 189F5 𐞜 TANGUT COMPONENT-502
 189F6 𐞝 TANGUT COMPONENT-503
 189F7 𐞞 TANGUT COMPONENT-504
 189F8 𐞟 TANGUT COMPONENT-505
 189F9 𐞠 TANGUT COMPONENT-506
 189FA 𐞡 TANGUT COMPONENT-507
 189FB 𐞢 TANGUT COMPONENT-508
 189FC 𐞣 TANGUT COMPONENT-509
 189FD 𐞤 TANGUT COMPONENT-510
 189FE 𐞥 TANGUT COMPONENT-511
 189FF 𐞦 TANGUT COMPONENT-512
 18A00 𐞧 TANGUT COMPONENT-513
 18A01 𐞨 TANGUT COMPONENT-514
 18A02 𐞩 TANGUT COMPONENT-515
 18A03 𐞪 TANGUT COMPONENT-516
 18A04 𐞫 TANGUT COMPONENT-517
 18A05 𐞬 TANGUT COMPONENT-518
 18A06 𐞭 TANGUT COMPONENT-519
 18A07 𐞮 TANGUT COMPONENT-520
 18A08 𐞯 TANGUT COMPONENT-521
 18A09 𐞰 TANGUT COMPONENT-522
 18A0A 𐞱 TANGUT COMPONENT-523
 18A0B 𐞲 TANGUT COMPONENT-524
 18A0C 𐞳 TANGUT COMPONENT-525
 18A0D 𐞴 TANGUT COMPONENT-526
 18A0E 𐞵 TANGUT COMPONENT-527
 18A0F 𐞶 TANGUT COMPONENT-528
 18A10 𐞷 TANGUT COMPONENT-529
 18A11 𐞸 TANGUT COMPONENT-530
 18A12 𐞹 TANGUT COMPONENT-531
 18A13 𐞺 TANGUT COMPONENT-532
 18A14 𐞻 TANGUT COMPONENT-533
 18A15 𐞼 TANGUT COMPONENT-534
 18A16 𐞽 TANGUT COMPONENT-535
 18A17 𐞾 TANGUT COMPONENT-536
 18A18 𐞿 TANGUT COMPONENT-537
 18A19 𐟀 TANGUT COMPONENT-538
 18A1A 𐟁 TANGUT COMPONENT-539
 18A1B 𐟂 TANGUT COMPONENT-540
 18A1C 𐟃 TANGUT COMPONENT-541
 18A1D 𐟄 TANGUT COMPONENT-542

18A1E 𐟅 TANGUT COMPONENT-543
 18A1F 𐟆 TANGUT COMPONENT-544
 18A20 𐟇 TANGUT COMPONENT-545
 18A21 𐟈 TANGUT COMPONENT-546
 18A22 𐟉 TANGUT COMPONENT-547
 18A23 𐟊 TANGUT COMPONENT-548
 18A24 𐟋 TANGUT COMPONENT-549
 18A25 𐟌 TANGUT COMPONENT-550
 18A26 𐟍 TANGUT COMPONENT-551
 18A27 𐟎 TANGUT COMPONENT-552
 18A28 𐟏 TANGUT COMPONENT-553
 18A29 𐟐 TANGUT COMPONENT-554
 18A2A 𐟑 TANGUT COMPONENT-555
 18A2B 𐟒 TANGUT COMPONENT-556
 18A2C 𐟓 TANGUT COMPONENT-557
 18A2D 𐟔 TANGUT COMPONENT-558
 18A2E 𐟕 TANGUT COMPONENT-559
 18A2F 𐟖 TANGUT COMPONENT-560
 18A30 𐟗 TANGUT COMPONENT-561
 18A31 𐟘 TANGUT COMPONENT-562
 18A32 𐟙 TANGUT COMPONENT-563
 18A33 𐟚 TANGUT COMPONENT-564
 18A34 𐟛 TANGUT COMPONENT-565
 18A35 𐟜 TANGUT COMPONENT-566
 18A36 𐟝 TANGUT COMPONENT-567
 18A37 𐟞 TANGUT COMPONENT-568
 18A38 𐟟 TANGUT COMPONENT-569
 18A39 𐟠 TANGUT COMPONENT-570
 18A3A 𐟡 TANGUT COMPONENT-571
 18A3B 𐟢 TANGUT COMPONENT-572
 18A3C 𐟣 TANGUT COMPONENT-573
 18A3D 𐟤 TANGUT COMPONENT-574
 18A3E 𐟥 TANGUT COMPONENT-575
 18A3F 𐟦 TANGUT COMPONENT-576
 18A40 𐟧 TANGUT COMPONENT-577

Eight-stroke components

18A41 𐟨 TANGUT COMPONENT-578
 18A42 𐟩 TANGUT COMPONENT-579
 18A43 𐟪 TANGUT COMPONENT-580
 18A44 𐟫 TANGUT COMPONENT-581
 18A45 𐟬 TANGUT COMPONENT-582
 18A46 𐟭 TANGUT COMPONENT-583
 18A47 𐟮 TANGUT COMPONENT-584
 18A48 𐟯 TANGUT COMPONENT-585
 18A49 𐟰 TANGUT COMPONENT-586
 18A4A 𐟱 TANGUT COMPONENT-587
 18A4B 𐟲 TANGUT COMPONENT-588
 18A4C 𐟳 TANGUT COMPONENT-589
 18A4D 𐟴 TANGUT COMPONENT-590
 18A4E 𐟵 TANGUT COMPONENT-591
 18A4F 𐟶 TANGUT COMPONENT-592
 18A50 𐟷 TANGUT COMPONENT-593
 18A51 𐟸 TANGUT COMPONENT-594
 18A52 𐟹 TANGUT COMPONENT-595
 18A53 𐟺 TANGUT COMPONENT-596
 18A54 𐟻 TANGUT COMPONENT-597
 18A55 𐟼 TANGUT COMPONENT-598
 18A56 𐟽 TANGUT COMPONENT-599
 18A57 𐟾 TANGUT COMPONENT-600
 18A58 𐟿 TANGUT COMPONENT-601
 18A59 𐟀 TANGUT COMPONENT-602

18A5A 𐞁 TANGUT COMPONENT-603
 18A5B 𐞂 TANGUT COMPONENT-604
 18A5C 𐞃 TANGUT COMPONENT-605
 18A5D 𐞄 TANGUT COMPONENT-606
 18A5E 𐞅 TANGUT COMPONENT-607
 18A5F 𐞆 TANGUT COMPONENT-608
 18A60 𐞇 TANGUT COMPONENT-609
 18A61 𐞈 TANGUT COMPONENT-610
 18A62 𐞉 TANGUT COMPONENT-611
 18A63 𐞊 TANGUT COMPONENT-612
 18A64 𐞋 TANGUT COMPONENT-613
 18A65 𐞌 TANGUT COMPONENT-614
 18A66 𐞍 TANGUT COMPONENT-615
 18A67 𐞎 TANGUT COMPONENT-616
 18A68 𐞏 TANGUT COMPONENT-617
 18A69 𐞐 TANGUT COMPONENT-618
 18A6A 𐞑 TANGUT COMPONENT-619
 18A6B 𐞒 TANGUT COMPONENT-620
 18A6C 𐞓 TANGUT COMPONENT-621
 18A6D 𐞔 TANGUT COMPONENT-622
 18A6E 𐞕 TANGUT COMPONENT-623
 18A6F 𐞖 TANGUT COMPONENT-624
 18A70 𐞗 TANGUT COMPONENT-625
 18A71 𐞘 TANGUT COMPONENT-626
 18A72 𐞙 TANGUT COMPONENT-627
 18A73 𐞚 TANGUT COMPONENT-628
 18A74 𐞛 TANGUT COMPONENT-629
 18A75 𐞜 TANGUT COMPONENT-630
 18A76 𐞝 TANGUT COMPONENT-631
 18A77 𐞞 TANGUT COMPONENT-632
 18A78 𐞟 TANGUT COMPONENT-633
 18A79 𐞠 TANGUT COMPONENT-634
 18A7A 𐞡 TANGUT COMPONENT-635
 18A7B 𐞢 TANGUT COMPONENT-636
 18A7C 𐞣 TANGUT COMPONENT-637
 18A7D 𐞤 TANGUT COMPONENT-638
 18A7E 𐞥 TANGUT COMPONENT-639
 18A7F 𐞦 TANGUT COMPONENT-640
 18A80 𐞧 TANGUT COMPONENT-641
 18A81 𐞨 TANGUT COMPONENT-642
 18A82 𐞩 TANGUT COMPONENT-643
 18A83 𐞪 TANGUT COMPONENT-644
 18A84 𐞫 TANGUT COMPONENT-645
 18A85 𐞬 TANGUT COMPONENT-646
 18A86 𐞭 TANGUT COMPONENT-647
 18A87 𐞮 TANGUT COMPONENT-648
 18A88 𐞯 TANGUT COMPONENT-649
 18A89 𐞰 TANGUT COMPONENT-650
 18A8A 𐞱 TANGUT COMPONENT-651
 18A8B 𐞲 TANGUT COMPONENT-652
 18A8C 𐞳 TANGUT COMPONENT-653
 18A8D 𐞴 TANGUT COMPONENT-654
 18A8E 𐞵 TANGUT COMPONENT-655
 18A8F 𐞶 TANGUT COMPONENT-656
 18A90 𐞷 TANGUT COMPONENT-657
 18A91 𐞸 TANGUT COMPONENT-658
 18A92 𐞹 TANGUT COMPONENT-659
 18A93 𐞺 TANGUT COMPONENT-660
 18A94 𐞻 TANGUT COMPONENT-661
 18A95 𐞼 TANGUT COMPONENT-662
 18A96 𐞽 TANGUT COMPONENT-663
 18A97 𐞾 TANGUT COMPONENT-664

18A98 𐞿 TANGUT COMPONENT-665

Nine-stroke components

18A99 𐟀 TANGUT COMPONENT-666
 18A9A 𐟁 TANGUT COMPONENT-667
 18A9B 𐟂 TANGUT COMPONENT-668
 18A9C 𐟃 TANGUT COMPONENT-669
 18A9D 𐟄 TANGUT COMPONENT-670
 18A9E 𐟅 TANGUT COMPONENT-671
 18A9F 𐟆 TANGUT COMPONENT-672
 18AA0 𐟇 TANGUT COMPONENT-673
 18AA1 𐟈 TANGUT COMPONENT-674
 18AA2 𐟉 TANGUT COMPONENT-675
 18AA3 𐟊 TANGUT COMPONENT-676
 18AA4 𐟋 TANGUT COMPONENT-677
 18AA5 𐟌 TANGUT COMPONENT-678
 18AA6 𐟍 TANGUT COMPONENT-679
 18AA7 𐟎 TANGUT COMPONENT-680
 18AA8 𐟏 TANGUT COMPONENT-681
 18AA9 𐟐 TANGUT COMPONENT-682
 18AAA 𐟑 TANGUT COMPONENT-683
 18AAB 𐟒 TANGUT COMPONENT-684
 18AAC 𐟓 TANGUT COMPONENT-685
 18AAD 𐟔 TANGUT COMPONENT-686
 18AAE 𐟕 TANGUT COMPONENT-687
 18AAF 𐟖 TANGUT COMPONENT-688
 18AB0 𐟗 TANGUT COMPONENT-689
 18AB1 𐟘 TANGUT COMPONENT-690
 18AB2 𐟙 TANGUT COMPONENT-691
 18AB3 𐟚 TANGUT COMPONENT-692
 18AB4 𐟛 TANGUT COMPONENT-693
 18AB5 𐟜 TANGUT COMPONENT-694
 18AB6 𐟝 TANGUT COMPONENT-695
 18AB7 𐟞 TANGUT COMPONENT-696
 18AB8 𐟟 TANGUT COMPONENT-697
 18AB9 𐟠 TANGUT COMPONENT-698
 18ABA 𐟡 TANGUT COMPONENT-699
 18ABB 𐟢 TANGUT COMPONENT-700
 18ABC 𐟣 TANGUT COMPONENT-701
 18ABD 𐟤 TANGUT COMPONENT-702
 18ABE 𐟥 TANGUT COMPONENT-703
 18ABF 𐟦 TANGUT COMPONENT-704
 18AC0 𐟧 TANGUT COMPONENT-705

Ten-stroke components

18AC1 𐟨 TANGUT COMPONENT-706
 18AC2 𐟩 TANGUT COMPONENT-707
 18AC3 𐟪 TANGUT COMPONENT-708
 18AC4 𐟫 TANGUT COMPONENT-709
 18AC5 𐟬 TANGUT COMPONENT-710
 18AC6 𐟭 TANGUT COMPONENT-711
 18AC7 𐟮 TANGUT COMPONENT-712
 18AC8 𐟯 TANGUT COMPONENT-713
 18AC9 𐟰 TANGUT COMPONENT-714
 18ACA 𐟱 TANGUT COMPONENT-715
 18ACB 𐟲 TANGUT COMPONENT-716
 18ACC 𐟳 TANGUT COMPONENT-717
 18ACD 𐟴 TANGUT COMPONENT-718
 18ACE 𐟵 TANGUT COMPONENT-719
 18ACF 𐟶 TANGUT COMPONENT-720
 18AD0 𐟷 TANGUT COMPONENT-721
 18AD1 𐟸 TANGUT COMPONENT-722
 18AD2 𐟹 TANGUT COMPONENT-723

18AD3 𐔀 TANGUT COMPONENT-724
 18AD4 𐔁 TANGUT COMPONENT-725

Eleven-stroke components

18AD5 𐔂 TANGUT COMPONENT-726
 18AD6 𐔃 TANGUT COMPONENT-727
 18AD7 𐔄 TANGUT COMPONENT-728
 18AD8 𐔅 TANGUT COMPONENT-729
 18AD9 𐔆 TANGUT COMPONENT-730
 18ADA 𐔇 TANGUT COMPONENT-731
 18ADB 𐔈 TANGUT COMPONENT-732
 18ADC 𐔉 TANGUT COMPONENT-733
 18ADD 𐔊 TANGUT COMPONENT-734
 18ADE 𐔋 TANGUT COMPONENT-735
 18ADF 𐔌 TANGUT COMPONENT-736
 18AE0 𐔍 TANGUT COMPONENT-737
 18AE1 𐔎 TANGUT COMPONENT-738
 18AE2 𐔏 TANGUT COMPONENT-739

Twelve-stroke components

18AE3 𐔐 TANGUT COMPONENT-740
 18AE4 𐔑 TANGUT COMPONENT-741
 18AE5 𐔒 TANGUT COMPONENT-742
 18AE6 𐔓 TANGUT COMPONENT-743
 18AE7 𐔔 TANGUT COMPONENT-744
 18AE8 𐔕 TANGUT COMPONENT-745
 18AE9 𐔖 TANGUT COMPONENT-746
 18AEA 𐔗 TANGUT COMPONENT-747
 18AEB 𐔘 TANGUT COMPONENT-748

Thirteen-stroke components

18AEC 𐔙 TANGUT COMPONENT-749
 18AED 𐔚 TANGUT COMPONENT-750
 18AEE 𐔛 TANGUT COMPONENT-751
 18AEF 𐔜 TANGUT COMPONENT-752
 18AF0 𐔝 TANGUT COMPONENT-753
 18AF1 𐔞 TANGUT COMPONENT-754

Sixteen-stroke component

18AF2 𐔟 TANGUT COMPONENT-755

	1B13	1B14	1B15	1B16
0			ゐ 1B150	
1			ゑ 1B151	
2			を 1B152	
3				
4				ヰ 1B164
5				ヱ 1B165
6				ヲ 1B166
7				ン 1B167
8				
9				
A				
B				
C				
D				
E				
F				

Historic small kanas

1B150 ゐ HIRAGANA LETTER SMALL WI

1B151 ゑ HIRAGANA LETTER SMALL WE

1B152 を HIRAGANA LETTER SMALL WO

1B153 ◻ <reserved>

1B154 ◻ <reserved>

1B155 ◻ <reserved>

1B156 ◻ <reserved>

1B157 ◻ <reserved>

1B158 ◻ <reserved>

1B159 ◻ <reserved>

1B15A ◻ <reserved>

1B15B ◻ <reserved>

1B15C ◻ <reserved>

1B15D ◻ <reserved>

1B15E ◻ <reserved>

1B15F ◻ <reserved>

1B160 ◻ <reserved>

1B161 ◻ <reserved>

1B162 ◻ <reserved>

1B163 ◻ <reserved>

1B164 ヰ KATAKANA LETTER SMALL WI

1B165 ヱ KATAKANA LETTER SMALL WE

1B166 ヲ KATAKANA LETTER SMALL WO

1B167 ャ KATAKANA LETTER SMALL N

	1E10	1E11	1E12	1E13	1E14
0	𐌀 1E100	𐌁 1E110	𐌂 1E120	𐌃 1E130	𐌄 1E140
1	𐌅 1E101	𐌆 1E111	𐌇 1E121	𐌈 1E131	𐌉 1E141
2	𐌊 1E102	𐌋 1E112	𐌌 1E122	𐌍 1E132	𐌎 1E142
3	𐌏 1E103	𐌐 1E113	𐌑 1E123	𐌒 1E133	𐌓 1E143
4	𐌔 1E104	𐌕 1E114	𐌖 1E124	𐌗 1E134	𐌘 1E144
5	𐌙 1E105	𐌚 1E115	𐌛 1E125	𐌜 1E135	𐌝 1E145
6	𐌞 1E106	𐌟 1E116	𐌠 1E126	𐌡 1E136	𐌢 1E146
7	𐌣 1E107	𐌤 1E117	𐌥 1E127	𐌦 1E137	𐌧 1E147
8	𐌨 1E108	𐌩 1E118	𐌪 1E128	𐌫 1E138	𐌬 1E148
9	𐌭 1E109	𐌮 1E119	𐌯 1E129	𐌰 1E139	𐌱 1E149
A	𐌲 1E10A	𐌳 1E11A	𐌴 1E12A	𐌵 1E13A	
B	𐌶 1E10B	𐌷 1E11B	𐌸 1E12B	𐌹 1E13B	
C	𐌺 1E10C	𐌻 1E11C	𐌼 1E12C	𐌽 1E13C	
D	𐌿 1E10D	𐍀 1E11D		𐍁 1E13D	
E	𐍃 1E10E	𐍄 1E11E			𐍅 1E14E
F	𐍇 1E10F	𐍈 1E11F			𐍉 1E14F

The Nyiakeng Puachue Hmong script (Nyiāj Keeb Puāj Txwm in RPA orthography) is also known as Pa Dao (Paj Ntaub) and Chervang script (Txawj Vaag).

Consonant onsets

1E100	𐄀	NYIAKENG PUACHUE HMONG LETTER MA → 05DE 𐄀 hebrew letter mem
1E101	𐄁	NYIAKENG PUACHUE HMONG LETTER TSA
1E102	𐄂	NYIAKENG PUACHUE HMONG LETTER NTA
1E103	𐄃	NYIAKENG PUACHUE HMONG LETTER TA → 05D8 𐄃 hebrew letter tet
1E104	𐄄	NYIAKENG PUACHUE HMONG LETTER HA
1E105	𐄅	NYIAKENG PUACHUE HMONG LETTER NA
1E106	𐄆	NYIAKENG PUACHUE HMONG LETTER XA
1E107	𐄇	NYIAKENG PUACHUE HMONG LETTER NKA
1E108	𐄈	NYIAKENG PUACHUE HMONG LETTER CA
1E109	𐄉	NYIAKENG PUACHUE HMONG LETTER LA
1E10A	𐄊	NYIAKENG PUACHUE HMONG LETTER SA → 05E9 𐄊 hebrew letter shin
1E10B	𐄋	NYIAKENG PUACHUE HMONG LETTER ZA
1E10C	𐄌	NYIAKENG PUACHUE HMONG LETTER NCA
1E10D	𐄍	NYIAKENG PUACHUE HMONG LETTER NTSA
1E10E	𐄎	NYIAKENG PUACHUE HMONG LETTER KA → 05DB 𐄎 hebrew letter kaf
1E10F	𐄏	NYIAKENG PUACHUE HMONG LETTER DA
1E110	𐄐	NYIAKENG PUACHUE HMONG LETTER NYA
1E111	𐄑	NYIAKENG PUACHUE HMONG LETTER NRA
1E112	𐄒	NYIAKENG PUACHUE HMONG LETTER VA
1E113	𐄓	NYIAKENG PUACHUE HMONG LETTER NTXA
1E114	𐄔	NYIAKENG PUACHUE HMONG LETTER TXA
1E115	𐄕	NYIAKENG PUACHUE HMONG LETTER FA
1E116	𐄖	NYIAKENG PUACHUE HMONG LETTER RA
1E117	𐄗	NYIAKENG PUACHUE HMONG LETTER QA → 05E7 𐄗 hebrew letter qof
1E118	𐄘	NYIAKENG PUACHUE HMONG LETTER YA
1E119	𐄙	NYIAKENG PUACHUE HMONG LETTER NQA
1E11A	𐄚	NYIAKENG PUACHUE HMONG LETTER PA → 05E4 𐄚 hebrew letter pe
1E11B	𐄛	NYIAKENG PUACHUE HMONG LETTER XYA
1E11C	𐄜	NYIAKENG PUACHUE HMONG LETTER NPA
1E11D	𐄝	NYIAKENG PUACHUE HMONG LETTER DLA
1E11E	𐄞	NYIAKENG PUACHUE HMONG LETTER NPLA
1E11F	𐄟	NYIAKENG PUACHUE HMONG LETTER HAH • also used for a vowel o
1E120	𐄠	NYIAKENG PUACHUE HMONG LETTER MLA
1E121	𐄡	NYIAKENG PUACHUE HMONG LETTER PLA
1E122	𐄢	NYIAKENG PUACHUE HMONG LETTER GA
1E123	𐄣	NYIAKENG PUACHUE HMONG LETTER RRA • also used for a diphthong ai

Vowel rimes

1E124	𐄤	NYIAKENG PUACHUE HMONG LETTER A
1E125	𐄥	NYIAKENG PUACHUE HMONG LETTER AA
1E126	𐄦	NYIAKENG PUACHUE HMONG LETTER I
1E127	𐄧	NYIAKENG PUACHUE HMONG LETTER U
1E128	𐄨	NYIAKENG PUACHUE HMONG LETTER O
1E129	𐄩	NYIAKENG PUACHUE HMONG LETTER OO
1E12A	𐄪	NYIAKENG PUACHUE HMONG LETTER E
1E12B	𐄫	NYIAKENG PUACHUE HMONG LETTER EE
1E12C	𐄬	NYIAKENG PUACHUE HMONG LETTER W

Tone marks

1E130	◌̎	NYIAKENG PUACHUE HMONG TONE-B = som thwb = RPA -b high-level tone
1E131	◌̏	NYIAKENG PUACHUE HMONG TONE-M = som thwm = RPA -m low-glottalized tone
1E132	◌̎̌	NYIAKENG PUACHUE HMONG TONE-J = som thwj = RPA -j high-falling tone
1E133	◌̎̍	NYIAKENG PUACHUE HMONG TONE-V = som thvw = RPA -v mid-rising tone
1E134	◌̎̐	NYIAKENG PUACHUE HMONG TONE-S = som thws = RPA -s low-level tone
1E135	◌̎̑	NYIAKENG PUACHUE HMONG TONE-G = som thwg = RPA -g falling-breathy tone
1E136	◌̎̒	NYIAKENG PUACHUE HMONG TONE-D = som thwd = RPA -d low-rising tone

Determinatives

Used as a determinative to indicate homophones referring to the corresponding categories

1E137	◌̎̑̑	NYIAKENG PUACHUE HMONG SIGN FOR PERSON = oov
1E138	◌̎̑̒	NYIAKENG PUACHUE HMONG SIGN FOR THING = pes
1E139	◌̎̑̓	NYIAKENG PUACHUE HMONG SIGN FOR LOCATION = khab theeab
1E13A	◌̎̑̔	NYIAKENG PUACHUE HMONG SIGN FOR ANIMAL = khuam luas
1E13B	◌̎̑̕	NYIAKENG PUACHUE HMONG SIGN FOR INVERTEBRATE = poos

Punctuation
























































1E13C	𐄭	NYIAKENG PUACHUE HMONG SIGN XW XW → 0E46 𐄭 thai character maiyamok → 0EC6 𐄭 lao ko la • indicates repetition of a short word or syllable • indicates repetition of a whole phrase or sentence when preceded by a space
1E13D	𐄮	NYIAKENG PUACHUE HMONG SYLLABLE LENGTHENER = khu saim

Digits












































1E140	0	NYIAKENG PUACHUE HMONG DIGIT ZERO
1E141	1	NYIAKENG PUACHUE HMONG DIGIT ONE
1E142	2	NYIAKENG PUACHUE HMONG DIGIT TWO
1E143	3	NYIAKENG PUACHUE HMONG DIGIT THREE
1E144	4	NYIAKENG PUACHUE HMONG DIGIT FOUR
1E145	5	NYIAKENG PUACHUE HMONG DIGIT FIVE
1E146	6	NYIAKENG PUACHUE HMONG DIGIT SIX
1E147	7	NYIAKENG PUACHUE HMONG DIGIT SEVEN
1E148	8	NYIAKENG PUACHUE HMONG DIGIT EIGHT
1E149	9	NYIAKENG PUACHUE HMONG DIGIT NINE

Symbols











1E14E	𐄀	NYIAKENG PUACHUE HMONG LOGOGRAM NYAJ
		<ul style="list-style-type: none">• used to represent the word for money or currency
1E14F	𐄁	NYIAKENG PUACHUE HMONG CIRCLED CA
		→ 1E108 𐄀 nyiakeng puachue hmong letter ca
		<ul style="list-style-type: none">• used to indicate ownership

	1E2C	1E2D	1E2E	1E2F
0	 1E2C0	 1E2D0	 1E2E0	 1E2F0
1	 1E2C1	 1E2D1	 1E2E1	 1E2F1
2	 1E2C2	 1E2D2	 1E2E2	 1E2F2
3	 1E2C3	 1E2D3	 1E2E3	 1E2F3
4	 1E2C4	 1E2D4	 1E2E4	 1E2F4
5	 1E2C5	 1E2D5	 1E2E5	 1E2F5
6	 1E2C6	 1E2D6	 1E2E6	 1E2F6
7	 1E2C7	 1E2D7	 1E2E7	 1E2F7
8	 1E2C8	 1E2D8	 1E2E8	 1E2F8
9	 1E2C9	 1E2D9	 1E2E9	 1E2F9
A	 1E2CA	 1E2DA	 1E2EA	
B	 1E2CB	 1E2DB	 1E2EB	
C	 1E2CC	 1E2DC		
D	 1E2CD	 1E2DD		
E	 1E2CE	 1E2DE		
F	 1E2CF	 1E2DF		 1E2FF


Letters

1E2C0		WANCHO LETTER AA
1E2C1		WANCHO LETTER A
1E2C2		WANCHO LETTER BA
1E2C3		WANCHO LETTER CA
1E2C4		WANCHO LETTER DA
1E2C5		WANCHO LETTER GA
1E2C6		WANCHO LETTER YA
1E2C7		WANCHO LETTER PHA
1E2C8		WANCHO LETTER LA
1E2C9		WANCHO LETTER NA
1E2CA		WANCHO LETTER PA
1E2CB		WANCHO LETTER TA
1E2CC		WANCHO LETTER THA
1E2CD		WANCHO LETTER FA
1E2CE		WANCHO LETTER SA
1E2CF		WANCHO LETTER SHA
1E2D0		WANCHO LETTER JA
1E2D1		WANCHO LETTER ZA
1E2D2		WANCHO LETTER VA
1E2D3		WANCHO LETTER KA
1E2D4		WANCHO LETTER O
1E2D5		WANCHO LETTER AU
1E2D6		WANCHO LETTER RA
1E2D7		WANCHO LETTER MA
1E2D8		WANCHO LETTER KHA
1E2DA		WANCHO LETTER HA
1E2DB		WANCHO LETTER E
1E2DC		WANCHO LETTER I
1E2DD		WANCHO LETTER NGA
1E2DE		WANCHO LETTER U
1E2DF		WANCHO LETTER LLHA
1E2E0		WANCHO LETTER TSA
1E2E1		WANCHO LETTER TRA
1E2E2		WANCHO LETTER ONG
1E2E3		WANCHO LETTER AANG
1E2E4		WANCHO LETTER ANG
1E2E5		WANCHO LETTER ING
1E2E6		WANCHO LETTER ON
1E2E7		WANCHO LETTER EN
1E2E8		WANCHO LETTER AAN
1E2E9		WANCHO LETTER NYA
1E2EA		WANCHO LETTER UEN
1E2EB		WANCHO LETTER YIH

Digits

1E2F0		WANCHO DIGIT ZERO
1E2F1		WANCHO DIGIT ONE
1E2F2		WANCHO DIGIT TWO
1E2F3		WANCHO DIGIT THREE
1E2F4		WANCHO DIGIT FOUR
1E2F5		WANCHO DIGIT FIVE
1E2F6		WANCHO DIGIT SIX
1E2F7		WANCHO DIGIT SEVEN
1E2F8		WANCHO DIGIT EIGHT
1E2F9		WANCHO DIGIT NINE

Symbol

1E2FF		WANCHO NGUN SIGN = rupee → 20B9 ₹ indian rupee sign
-------	---	---

	1ED0	1ED1	1ED2	1ED3	1ED4
0		او 1ED10	خالق 1ED20	لا 1ED30	
1	ا 1ED01	و 1ED11	سالف 1ED21	لعا 1ED31	
2	ا 1ED02	و 1ED12	خالق 1ED22	ها 1ED32	
3	ع 1ED03	ما 1ED13	سالف 1ED23	سا 1ED33	
4	او 1ED04	مار 1ED14	لعا 1ED24	بعا 1ED34	
5	ح 1ED05	نما 1ED15	ع 1ED25	ها 1ED35	
6	ر 1ED06	بيح 1ED16	ع 1ED26	لعا 1ED36	
7	و 1ED07	ح 1ED17	س 1ED27	عا 1ED37	
8	ر 1ED08	سما 1ED18	لوع 1ED28	اهل 1ED38	
9	و 1ED09	اهل 1ED19	ح 1ED29	ل 1ED39	
A	ع 1ED0A	ل 1ED1A	س 1ED2A	الع 1ED3A	
B	ع 1ED0B	بيح 1ED1B	اهل 1ED2B	عالف 1ED3B	
C	س 1ED0C	الع 1ED1C	لوع 1ED2C	ه 1ED3C	
D	و 1ED0D	لوع 1ED1D	لوع 1ED2D	ه 1ED3D	
E	ح 1ED0E	سالف 1ED1E	مر 1ED2E		
F	و 1ED0F	سالف 1ED1F	ع 1ED2F		

Also known as 'Siyakat' numbers

Primary numbers

1ED01	ا	OTTOMAN SIYAQ NUMBER ONE
1ED02	ب	OTTOMAN SIYAQ NUMBER TWO
1ED03	ج	OTTOMAN SIYAQ NUMBER THREE
1ED04	د	OTTOMAN SIYAQ NUMBER FOUR
1ED05	هـ	OTTOMAN SIYAQ NUMBER FIVE
1ED06	و	OTTOMAN SIYAQ NUMBER SIX
1ED07	ز	OTTOMAN SIYAQ NUMBER SEVEN
1ED08	ح	OTTOMAN SIYAQ NUMBER EIGHT
1ED09	ط	OTTOMAN SIYAQ NUMBER NINE

Tens

1ED0A	ع	OTTOMAN SIYAQ NUMBER TEN
1ED0B	غ	OTTOMAN SIYAQ NUMBER TWENTY
1ED0C	ف	OTTOMAN SIYAQ NUMBER THIRTY
1ED0D	ق	OTTOMAN SIYAQ NUMBER FORTY
1ED0E	ك	OTTOMAN SIYAQ NUMBER FIFTY
1ED0F	ل	OTTOMAN SIYAQ NUMBER SIXTY
1ED10	م	OTTOMAN SIYAQ NUMBER SEVENTY
1ED11	ن	OTTOMAN SIYAQ NUMBER EIGHTY
1ED12	ي	OTTOMAN SIYAQ NUMBER NINETY

Hundreds

1ED13	هـ	OTTOMAN SIYAQ NUMBER ONE HUNDRED
1ED14	م	OTTOMAN SIYAQ NUMBER TWO HUNDRED
1ED15	س	OTTOMAN SIYAQ NUMBER THREE HUNDRED
1ED16	ب	OTTOMAN SIYAQ NUMBER FOUR HUNDRED
1ED17	ح	OTTOMAN SIYAQ NUMBER FIVE HUNDRED
1ED18	د	OTTOMAN SIYAQ NUMBER SIX HUNDRED
1ED19	ر	OTTOMAN SIYAQ NUMBER SEVEN HUNDRED
1ED1A	ز	OTTOMAN SIYAQ NUMBER EIGHT HUNDRED
1ED1B	ح	OTTOMAN SIYAQ NUMBER NINE HUNDRED

Thousands

1ED1C	الف	OTTOMAN SIYAQ NUMBER ONE THOUSAND = thousands multiplier
1ED1D	الک	OTTOMAN SIYAQ NUMBER TWO THOUSAND
1ED1E	الثالث	OTTOMAN SIYAQ NUMBER THREE THOUSAND
1ED1F	الرابع	OTTOMAN SIYAQ NUMBER FOUR THOUSAND
1ED20	الخامس	OTTOMAN SIYAQ NUMBER FIVE THOUSAND
1ED21	السادس	OTTOMAN SIYAQ NUMBER SIX THOUSAND
1ED22	السابع	OTTOMAN SIYAQ NUMBER SEVEN THOUSAND
1ED23	الثامن	OTTOMAN SIYAQ NUMBER EIGHT THOUSAND
1ED24	التاسع	OTTOMAN SIYAQ NUMBER NINE THOUSAND

Ten thousands

1ED25	ع	OTTOMAN SIYAQ NUMBER TEN THOUSAND
1ED26	غ	OTTOMAN SIYAQ NUMBER TWENTY THOUSAND
1ED27	ف	OTTOMAN SIYAQ NUMBER THIRTY THOUSAND
1ED28	ق	OTTOMAN SIYAQ NUMBER FORTY THOUSAND
1ED29	ك	OTTOMAN SIYAQ NUMBER FIFTY THOUSAND
1ED2A	ل	OTTOMAN SIYAQ NUMBER SIXTY THOUSAND
1ED2B	م	OTTOMAN SIYAQ NUMBER SEVENTY THOUSAND
1ED2C	ن	OTTOMAN SIYAQ NUMBER EIGHTY THOUSAND
1ED2D	ي	OTTOMAN SIYAQ NUMBER NINETY THOUSAND

Multiplier

1ED2E	مر	OTTOMAN SIYAQ MARRATAN = meretten, merre • used with one thousand for representing millions
-------	----	---

Alternate forms

1ED2F	ع	OTTOMAN SIYAQ ALTERNATE NUMBER TWO
1ED30	و	OTTOMAN SIYAQ ALTERNATE NUMBER THREE
1ED31	لعا	OTTOMAN SIYAQ ALTERNATE NUMBER FOUR
1ED32	حا	OTTOMAN SIYAQ ALTERNATE NUMBER FIVE
1ED33	سا	OTTOMAN SIYAQ ALTERNATE NUMBER SIX
1ED34	معا	OTTOMAN SIYAQ ALTERNATE NUMBER SEVEN
1ED35	هها	OTTOMAN SIYAQ ALTERNATE NUMBER EIGHT
1ED36	نعا	OTTOMAN SIYAQ ALTERNATE NUMBER NINE
1ED37	عا	OTTOMAN SIYAQ ALTERNATE NUMBER TEN
1ED38	اهتا	OTTOMAN SIYAQ ALTERNATE NUMBER FOUR HUNDRED
1ED39	لت	OTTOMAN SIYAQ ALTERNATE NUMBER SIX HUNDRED
1ED3A	اللي	OTTOMAN SIYAQ ALTERNATE NUMBER TWO THOUSAND
1ED3B	عالف	OTTOMAN SIYAQ ALTERNATE NUMBER TEN THOUSAND

Fractions

1ED3C	ن	OTTOMAN SIYAQ FRACTION ONE HALF
1ED3D	س	OTTOMAN SIYAQ FRACTION ONE SIXTH

	1F10	1F11	1F12	1F13	1F14	1F15	1F16	1F17	1F18	1F19	1F1A	1F1B	1F1C	1F1D	1F1E	1F1F
0	0. 1F100	(A) 1F110	(Q) 1F120	A 1F130	Q 1F140	A 1F150	Q 1F160	A 1F170	Q 1F180	DJ 1F190	5.1 1F1A0					K 1F1F0
1	0, 1F101	(B) 1F111	(R) 1F121	B 1F131	R 1F141	B 1F151	R 1F161	B 1F171	R 1F181	CL 1F191	7.1 1F1A1					L 1F1F1
2	1, 1F102	(C) 1F112	(S) 1F122	C 1F132	S 1F142	C 1F152	S 1F162	C 1F172	S 1F182	COOL 1F192	22.2 1F1A2					M 1F1F2
3	2, 1F103	(D) 1F113	(T) 1F123	D 1F133	T 1F143	D 1F153	T 1F163	D 1F173	T 1F183	FREE 1F193	60P 1F1A3					N 1F1F3
4	3, 1F104	(E) 1F114	(U) 1F124	E 1F134	U 1F144	E 1F154	U 1F164	E 1F174	U 1F184	ID 1F194	120P 1F1A4					O 1F1F4
5	4, 1F105	(F) 1F115	(V) 1F125	F 1F135	V 1F145	F 1F155	V 1F165	F 1F175	V 1F185	NEW 1F195	d 1F1A5					P 1F1F5
6	5, 1F106	(G) 1F116	(W) 1F126	G 1F136	W 1F146	G 1F156	W 1F166	G 1F176	W 1F186	NG 1F196	HC 1F1A6				A 1F1E6	Q 1F1F6
7	6, 1F107	(H) 1F117	(X) 1F127	H 1F137	X 1F147	H 1F157	X 1F167	H 1F177	X 1F187	OK 1F197	HDR 1F1A7				B 1F1E7	R 1F1F7
8	7, 1F108	(I) 1F118	(Y) 1F128	I 1F138	Y 1F148	I 1F158	Y 1F168	I 1F178	Y 1F188	SOS 1F198	Hi-Res 1F1A8				C 1F1E8	S 1F1F8
9	8, 1F109	(J) 1F119	(Z) 1F129	J 1F139	Z 1F149	J 1F159	Z 1F169	J 1F179	Z 1F189	UPI! 1F199	Loss less 1F1A9				D 1F1E9	T 1F1F9
A	9, 1F10A	(K) 1F11A	(S) 1F12A	K 1F13A	HV 1F14A	K 1F15A	MC 1F16A	K 1F17A	R 1F18A	VS 1F19A	SHV 1F1AA				E 1F1EA	U 1F1FA
B	⓪ 1F10B	(L) 1F11B	(C) 1F12B	L 1F13B	MV 1F14B	L 1F15B	MD 1F16B	L 1F17B	IC 1F18B	3D 1F19B	UHD 1F1AB				F 1F1EB	V 1F1FB
C	⓪ 1F10C	(M) 1F11C	(R) 1F12C	M 1F13C	SD 1F14C	M 1F15C	MR 1F16C	M 1F17C	PA 1F18C	2nd Scr 1F19C	VOD 1F1AC				G 1F1EC	W 1F1FC
D		(N) 1F11D	(CD) 1F12D	N 1F13D	SS 1F14D	N 1F15D		N 1F17D	SA 1F18D	2K 1F19D					H 1F1ED	X 1F1FD
E		(O) 1F11E	(Wz) 1F12E	O 1F13E	PPV 1F14E	O 1F15E		O 1F17E	AB 1F18E	4K 1F19E					I 1F1EE	Y 1F1FE
F		(P) 1F11F	(C) 1F12F	P 1F13F	WC 1F14F	P 1F15F		P 1F17F	WC 1F18F	8K 1F19F					J 1F1EF	Z 1F1FF

Number with full stop

This symbol completes the set of numbers with full stop starting at 2488.

1F100 **O**. DIGIT ZERO FULL STOP
≈ 0030 **O** 002E .

Numbers with comma

1F101 **0**, DIGIT ZERO COMMA
≈ 0030 **0** 002C ,

1F102 **1**, DIGIT ONE COMMA
≈ 0031 **1** 002C ,

1F103 **2**, DIGIT TWO COMMA
≈ 0032 **2** 002C ,

1F104 **3**, DIGIT THREE COMMA
≈ 0033 **3** 002C ,

1F105 **4**, DIGIT FOUR COMMA
≈ 0034 **4** 002C ,

1F106 **5**, DIGIT FIVE COMMA
≈ 0035 **5** 002C ,

1F107 **6**, DIGIT SIX COMMA
≈ 0036 **6** 002C ,

1F108 **7**, DIGIT SEVEN COMMA
≈ 0037 **7** 002C ,

1F109 **8**, DIGIT EIGHT COMMA
≈ 0038 **8** 002C ,

1F10A **9**, DIGIT NINE COMMA
≈ 0039 **9** 002C ,

Circled sans-serif digits

These digits complement the sans-serif digit sets in the Dingbat block ranges 2780-2789 and 278A-2793.

1F10B **⓪** DINGBAT CIRCLED SANS-SERIF DIGIT ZERO

1F10C **Ⓛ** DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ZERO

Parenthesized Latin letters

This set provides uppercase versions of the set starting at 249C. Parenthesized Latin letters do not have case mappings.

1F110 **(A)** PARENTHESIZED LATIN CAPITAL LETTER A
≈ 0028 (0041 **A** 0029)

1F111 **(B)** PARENTHESIZED LATIN CAPITAL LETTER B
≈ 0028 (0042 **B** 0029)

1F112 **(C)** PARENTHESIZED LATIN CAPITAL LETTER C
≈ 0028 (0043 **C** 0029)

1F113 **(D)** PARENTHESIZED LATIN CAPITAL LETTER D
≈ 0028 (0044 **D** 0029)

1F114 **(E)** PARENTHESIZED LATIN CAPITAL LETTER E
≈ 0028 (0045 **E** 0029)

1F115 **(F)** PARENTHESIZED LATIN CAPITAL LETTER F
≈ 0028 (0046 **F** 0029)

1F116 **(G)** PARENTHESIZED LATIN CAPITAL LETTER G
≈ 0028 (0047 **G** 0029)

1F117 **(H)** PARENTHESIZED LATIN CAPITAL LETTER H
≈ 0028 (0048 **H** 0029)

1F118 **(I)** PARENTHESIZED LATIN CAPITAL LETTER I
≈ 0028 (0049 **I** 0029)

1F119 **(J)** PARENTHESIZED LATIN CAPITAL LETTER J
≈ 0028 (004A **J** 0029)

1F11A **(K)** PARENTHESIZED LATIN CAPITAL LETTER K
≈ 0028 (004B **K** 0029)

1F11B **(L)** PARENTHESIZED LATIN CAPITAL LETTER L
≈ 0028 (004C **L** 0029)

1F11C **(M)** PARENTHESIZED LATIN CAPITAL LETTER M
≈ 0028 (004D **M** 0029)

1F11D **(N)** PARENTHESIZED LATIN CAPITAL LETTER N
≈ 0028 (004E **N** 0029)

1F11E **(O)** PARENTHESIZED LATIN CAPITAL LETTER O
≈ 0028 (004F **O** 0029)

1F11F **(P)** PARENTHESIZED LATIN CAPITAL LETTER P
≈ 0028 (0050 **P** 0029)

1F120 **(Q)** PARENTHESIZED LATIN CAPITAL LETTER Q
≈ 0028 (0051 **Q** 0029)

1F121 **(R)** PARENTHESIZED LATIN CAPITAL LETTER R
≈ 0028 (0052 **R** 0029)

1F122 **(S)** PARENTHESIZED LATIN CAPITAL LETTER S
≈ 0028 (0053 **S** 0029)

1F123 **(T)** PARENTHESIZED LATIN CAPITAL LETTER T
≈ 0028 (0054 **T** 0029)

1F124 **(U)** PARENTHESIZED LATIN CAPITAL LETTER U
≈ 0028 (0055 **U** 0029)

1F125 **(V)** PARENTHESIZED LATIN CAPITAL LETTER V
≈ 0028 (0056 **V** 0029)

1F126 **(W)** PARENTHESIZED LATIN CAPITAL LETTER W
≈ 0028 (0057 **W** 0029)

1F127 **(X)** PARENTHESIZED LATIN CAPITAL LETTER X
≈ 0028 (0058 **X** 0029)

1F128 **(Y)** PARENTHESIZED LATIN CAPITAL LETTER Y
≈ 0028 (0059 **Y** 0029)

1F129 **(Z)** PARENTHESIZED LATIN CAPITAL LETTER Z
≈ 0028 (005A **Z** 0029)

Latin letter with tortoise shell brackets

1F12A **[S]** TORTOISE SHELL BRACKETED LATIN CAPITAL LETTER S

- used in baseball scoring
≈ 3014 { 0053 **S** 3015 }

Circled italic Latin letters

1F12B **©** CIRCLED ITALIC LATIN CAPITAL LETTER C
= compact disc, single disc record
≈ <circle> 0043 **C**

1F12C **®** CIRCLED ITALIC LATIN CAPITAL LETTER R
= disc record
≈ <circle> 0052 **R**

Circled Latin letters or letter sequences

1F12D **Ⓒ** CIRCLED CD
→ 33C5 **cd** square **cd**
≈ <circle> 0043 **C** 0044 **D**


1F12E **Ⓜ** CIRCLED WZ
• from the German term “Warenzeichen”
• indicate a trademarked term without making a legal claim of trademark status
• decomposition is anomalous, as the usual glyph shows a capital W and a small z
→ 2122 TM trade mark sign
≈ <circle> 0057 **W** 005A **Z**

1F12F **©** COPYLEFT SYMBOL
→ 00A9 **©** copyright sign
→ 2183 **↺** roman numeral reversed one hundred






Squared Latin letters

1F130 **Ⓐ** SQUARED LATIN CAPITAL LETTER A
= Anreisetag (day of arrival)
≈ <square> 0041 **A**

- 1F131 **B** SQUARED LATIN CAPITAL LETTER B
= bank
= b-mode stereo compression broadcasting service (ARIB STD B24)
≈ <square> 0042 **B**
- 1F132 **C** SQUARED LATIN CAPITAL LETTER C
≈ <square> 0043 **C**
- 1F133 **D** SQUARED LATIN CAPITAL LETTER D
≈ <square> 0044 **D**
- 1F134 **E** SQUARED LATIN CAPITAL LETTER E
≈ <square> 0045 **E**
- 1F135 **F** SQUARED LATIN CAPITAL LETTER F
≈ <square> 0046 **F**
- 1F136 **G** SQUARED LATIN CAPITAL LETTER G
≈ <square> 0047 **G**
- 1F137 **H** SQUARED LATIN CAPITAL LETTER H
≈ <square> 0048 **H**
- 1F138 **I** SQUARED LATIN CAPITAL LETTER I
≈ <square> 0049 **I**
- 1F139 **J** SQUARED LATIN CAPITAL LETTER J
≈ <square> 004A **J**
- 1F13A **K** SQUARED LATIN CAPITAL LETTER K
≈ <square> 004B **K**
- 1F13B **L** SQUARED LATIN CAPITAL LETTER L
≈ <square> 004C **L**
- 1F13C **M** SQUARED LATIN CAPITAL LETTER M
≈ <square> 004D **M**
- 1F13D **N** SQUARED LATIN CAPITAL LETTER N
= news (ARIB STD B24)
≈ <square> 004E **N**
- 1F13E **O** SQUARED LATIN CAPITAL LETTER O
≈ <square> 004F **O**
- 1F13F **P** SQUARED LATIN CAPITAL LETTER P
= progressive broadcasting (ARIB STD B24)
≈ <square> 0050 **P**
- 1F140 **Q** SQUARED LATIN CAPITAL LETTER Q
≈ <square> 0051 **Q**
- 1F141 **R** SQUARED LATIN CAPITAL LETTER R
≈ <square> 0052 **R**
- 1F142 **S** SQUARED LATIN CAPITAL LETTER S
= stereo broadcasting service (ARIB STD B24)
≈ <square> 0053 **S**
- 1F143 **T** SQUARED LATIN CAPITAL LETTER T
= tobacconist
≈ <square> 0054 **T**
- 1F144 **U** SQUARED LATIN CAPITAL LETTER U
≈ <square> 0055 **U**
- 1F145 **V** SQUARED LATIN CAPITAL LETTER V
≈ <square> 0056 **V**
- 1F146 **W** SQUARED LATIN CAPITAL LETTER W
= wide-format 16:9 broadcasting service (ARIB STD B24)
≈ <square> 0057 **W**
- 1F147 **X** SQUARED LATIN CAPITAL LETTER X
≈ <square> 0058 **X**
- 1F148 **Y** SQUARED LATIN CAPITAL LETTER Y
≈ <square> 0059 **Y**
- 1F149 **Z** SQUARED LATIN CAPITAL LETTER Z
≈ <square> 005A **Z**
- 1F14A **HV** SQUARED HV
= hdtv
≈ <square> 0048 **H** 0056 **V**

- 1F14B **MV** SQUARED MV
= multi-view television
≈ <square> 004D **M** 0056 **V**
- 1F14C **SD** SQUARED SD
= sdtv
≈ <square> 0053 **S** 0044 **D**
- 1F14D **SS** SQUARED SS
= surround stereo broadcasting service
≈ <square> 0053 **S** 0053 **S**
- 1F14E **PPV** SQUARED PPV
= pay-per-view
≈ <square> 0050 **P** 0050 **P** 0056 **V**
- 1F14F **WC** SQUARED WC
= water closet, public toilet
→ 1F6BE  water closet
≈ <square> 0057 **W** 0043 **C**

White on black circled Latin letters

- 1F150 **A** NEGATIVE CIRCLED LATIN CAPITAL LETTER A
= airport
- 1F151 **B** NEGATIVE CIRCLED LATIN CAPITAL LETTER B
- 1F152 **C** NEGATIVE CIRCLED LATIN CAPITAL LETTER C
- 1F153 **D** NEGATIVE CIRCLED LATIN CAPITAL LETTER D
- 1F154 **E** NEGATIVE CIRCLED LATIN CAPITAL LETTER E
- 1F155 **F** NEGATIVE CIRCLED LATIN CAPITAL LETTER F
= ferry
- 1F156 **G** NEGATIVE CIRCLED LATIN CAPITAL LETTER G
- 1F157 **H** NEGATIVE CIRCLED LATIN CAPITAL LETTER H
= hotel (ARIB STD B24)
- 1F158 **I** NEGATIVE CIRCLED LATIN CAPITAL LETTER I
- 1F159 **J** NEGATIVE CIRCLED LATIN CAPITAL LETTER J
- 1F15A **K** NEGATIVE CIRCLED LATIN CAPITAL LETTER K
= Kurort (spa)
→ 2668  hot springs
- 1F15B **L** NEGATIVE CIRCLED LATIN CAPITAL LETTER L
= light rail
→ 1F688  light rail
- 1F15C **M** NEGATIVE CIRCLED LATIN CAPITAL LETTER M
= metro
→ 1F687  metro
- 1F15D **N** NEGATIVE CIRCLED LATIN CAPITAL LETTER N
- 1F15E **O** NEGATIVE CIRCLED LATIN CAPITAL LETTER O
- 1F15F **P** NEGATIVE CIRCLED LATIN CAPITAL LETTER P
= parking space (ARIB STD B24)
- 1F160 **Q** NEGATIVE CIRCLED LATIN CAPITAL LETTER Q
- 1F161 **R** NEGATIVE CIRCLED LATIN CAPITAL LETTER R
= Raststätte (rest stop)
- 1F162 **S** NEGATIVE CIRCLED LATIN CAPITAL LETTER S
= Stadtbahn (metropolitan railway)
- 1F163 **T** NEGATIVE CIRCLED LATIN CAPITAL LETTER T
= Tankstelle (petrol station)
→ 26FD  fuel pump
- 1F164 **U** NEGATIVE CIRCLED LATIN CAPITAL LETTER U
= underground rail
→ 1F687  metro
- 1F165 **V** NEGATIVE CIRCLED LATIN CAPITAL LETTER V
- 1F166 **W** NEGATIVE CIRCLED LATIN CAPITAL LETTER W
- 1F167 **X** NEGATIVE CIRCLED LATIN CAPITAL LETTER X
- 1F168 **Y** NEGATIVE CIRCLED LATIN CAPITAL LETTER Y
- 1F169 **Z** NEGATIVE CIRCLED LATIN CAPITAL LETTER Z

Raised squared Latin sequences

1F16A **MC** RAISED MC SIGN
= marque de commerce

- used in Canada
- 2122 TM trade mark sign
- ≈ <super> 004D **M** 0043 **C**

1F16B **MD** RAISED MD SIGN
= marque déposée

- used in Canada
- 00AE [®] registered sign
- ≈ <super> 004D **M** 0044 **D**

1F16C **MR** RAISED MR SIGN
= marca registrada

- used primarily in Spanish and Portuguese speaking communities to indicate a registered trademark
- ≈ <super> 004D **M** 0052 **R**

White on black squared Latin letters

The square edges may be slightly rounded.

1F170 **A** NEGATIVE SQUARED LATIN CAPITAL LETTER A
= blood type A

1F171 **B** NEGATIVE SQUARED LATIN CAPITAL LETTER B
= blood type B

1F172 **C** NEGATIVE SQUARED LATIN CAPITAL LETTER C
= centre, city centre

1F173 **D** NEGATIVE SQUARED LATIN CAPITAL LETTER D

1F174 **E** NEGATIVE SQUARED LATIN CAPITAL LETTER E

1F175 **F** NEGATIVE SQUARED LATIN CAPITAL LETTER F
= Feuerwache (fire department)

1F176 **G** NEGATIVE SQUARED LATIN CAPITAL LETTER G

1F177 **H** NEGATIVE SQUARED LATIN CAPITAL LETTER H
= Haltestelle (bus stop)

- 1F68F [♀] bus stop

1F178 **I** NEGATIVE SQUARED LATIN CAPITAL LETTER I

1F179 **J** NEGATIVE SQUARED LATIN CAPITAL LETTER J
= junction (ARIB STD B24)

1F17A **K** NEGATIVE SQUARED LATIN CAPITAL LETTER K

1F17B **L** NEGATIVE SQUARED LATIN CAPITAL LETTER L
= leisure center (ARIB STD B24)

1F17C **M** NEGATIVE SQUARED LATIN CAPITAL LETTER M
= museum, cultural center (ARIB STD B24)

1F17D **N** NEGATIVE SQUARED LATIN CAPITAL LETTER N

1F17E **O** NEGATIVE SQUARED LATIN CAPITAL LETTER O
= blood type O

1F17F **P** NEGATIVE SQUARED LATIN CAPITAL LETTER P
= parking space empty-full (ARIB STD B24)

1F180 **Q** NEGATIVE SQUARED LATIN CAPITAL LETTER Q

1F181 **R** NEGATIVE SQUARED LATIN CAPITAL LETTER R

1F182 **S** NEGATIVE SQUARED LATIN CAPITAL LETTER S

1F183 **T** NEGATIVE SQUARED LATIN CAPITAL LETTER T

1F184 **U** NEGATIVE SQUARED LATIN CAPITAL LETTER U

1F185 **V** NEGATIVE SQUARED LATIN CAPITAL LETTER V

1F186 **W** NEGATIVE SQUARED LATIN CAPITAL LETTER W

1F187 **X** NEGATIVE SQUARED LATIN CAPITAL LETTER X

1F188 **Y** NEGATIVE SQUARED LATIN CAPITAL LETTER Y

1F189 **Z** NEGATIVE SQUARED LATIN CAPITAL LETTER Z

1F18A **Ꞥ** CROSSED NEGATIVE SQUARED LATIN CAPITAL LETTER P
= parking space closed

1F18B **IC** NEGATIVE SQUARED IC
= interchange, ramp

1F18C **PA** NEGATIVE SQUARED PA
= parking area

1F18D **SA** NEGATIVE SQUARED SA
= service area

1F18E **AB** NEGATIVE SQUARED AB
= blood type AB

1F18F **WC** NEGATIVE SQUARED WC
= water closet, public toilet

- 1F6BE [♿] water closet

Squared Latin letter sequences

1F190 **DJ** SQUARE DJ
= disc jockey

- ≈ <square> 0044 **D** 004A **J**

1F191 **CL** SQUARED CL
= clear

1F192 **COOL** SQUARED COOL

1F193 **FREE** SQUARED FREE
= free postage

1F194 **ID** SQUARED ID
= identification, ID

1F195 **NEW** SQUARED NEW

1F196 **NG** SQUARED NG
= no good

1F197 **OK** SQUARED OK

1F198 **SOS** SQUARED SOS
= search, hunt for missing person

1F199 **UPI** SQUARED UP WITH EXCLAMATION MARK
= new information, update

1F19A **VS** SQUARED VS
= versus

Squared Latin letter sequences from ARIB STD B62

1F19B **3D** SQUARED THREE D

1F19C **2scr** SQUARED SECOND SCREEN

1F19D **2K** SQUARED TWO K

1F19E **4K** SQUARED FOUR K

1F19F **8K** SQUARED EIGHT K

1F1A0 **5.1** SQUARED FIVE POINT ONE

- denotes 5.1-channel surround sound

1F1A1 **7.1** SQUARED SEVEN POINT ONE

- denotes 7.1-channel surround sound

1F1A2 **22.2** SQUARED TWENTY-TWO POINT TWO

- denotes 22.2-channel surround sound

1F1A3 **60P** SQUARED SIXTY P

- denotes 60Hz frame rate with progressive scanning

1F1A4 **120P** SQUARED ONE HUNDRED TWENTY P

- denotes 120Hz frame rate with progressive scanning

1F1A5 **d** SQUARED LATIN SMALL LETTER D
= data

1F1A6 **HC** SQUARED HC
= hybrid cast

1F1A7 **HDR** SQUARED HDR
= high dynamic range

1F1A8 **Hi-Res** SQUARED HI-RES
= high resolution

1F1A9 **Lossless** SQUARED LOSSLESS



























1F1AA **SHV** SQUARED SHV
= super high vision

1F1AB **UHD** SQUARED UHD
= ultra-high definition

1F1AC **VOD** SQUARED VOD
= video on demand















































Regional indicator symbols

These characters can be used in pairs to represent regional codes. In some emoji implementations, certain pairs may be recognized and displayed by alternate means; for instance, an implementation might recognize F + R and display this combination with a symbol representing the flag of France.

1F1E6		REGIONAL INDICATOR SYMBOL LETTER A
1F1E7		REGIONAL INDICATOR SYMBOL LETTER B
1F1E8		REGIONAL INDICATOR SYMBOL LETTER C
1F1E9		REGIONAL INDICATOR SYMBOL LETTER D
1F1EA		REGIONAL INDICATOR SYMBOL LETTER E
1F1EB		REGIONAL INDICATOR SYMBOL LETTER F
1F1EC		REGIONAL INDICATOR SYMBOL LETTER G
1F1ED		REGIONAL INDICATOR SYMBOL LETTER H
1F1EE		REGIONAL INDICATOR SYMBOL LETTER I
1F1EF		REGIONAL INDICATOR SYMBOL LETTER J
1F1F0		REGIONAL INDICATOR SYMBOL LETTER K
1F1F1		REGIONAL INDICATOR SYMBOL LETTER L
1F1F2		REGIONAL INDICATOR SYMBOL LETTER M
1F1F3		REGIONAL INDICATOR SYMBOL LETTER N
1F1F4		REGIONAL INDICATOR SYMBOL LETTER O
1F1F5		REGIONAL INDICATOR SYMBOL LETTER P
1F1F6		REGIONAL INDICATOR SYMBOL LETTER Q
1F1F7		REGIONAL INDICATOR SYMBOL LETTER R
1F1F8		REGIONAL INDICATOR SYMBOL LETTER S
1F1F9		REGIONAL INDICATOR SYMBOL LETTER T
1F1FA		REGIONAL INDICATOR SYMBOL LETTER U
1F1FB		REGIONAL INDICATOR SYMBOL LETTER V
1F1FC		REGIONAL INDICATOR SYMBOL LETTER W
1F1FD		REGIONAL INDICATOR SYMBOL LETTER X
1F1FE		REGIONAL INDICATOR SYMBOL LETTER Y
1F1FF		REGIONAL INDICATOR SYMBOL LETTER Z

	1F68	1F69	1F6A	1F6B	1F6C	1F6D	1F6E	1F6F
0	1F680	1F690	1F6A0	1F6B0	1F6C0	1F6D0	1F6E0	1F6F0
1	1F681	1F691	1F6A1	1F6B1	1F6C1	1F6D1	1F6E1	1F6F1
2	1F682	1F692	1F6A2	1F6B2	1F6C2	1F6D2	1F6E2	1F6F2
3	1F683	1F693	1F6A3	1F6B3	1F6C3	1F6D3	1F6E3	1F6F3
4	1F684	1F694	1F6A4	1F6B4	1F6C4	1F6D4	1F6E4	1F6F4
5	1F685	1F695	1F6A5	1F6B5	1F6C5		1F6E5	1F6F5
6	1F686	1F696	1F6A6	1F6B6	1F6C6		1F6E6	1F6F6
7	1F687	1F697	1F6A7	1F6B7	1F6C7		1F6E7	1F6F7
8	1F688	1F698	1F6A8	1F6B8	1F6C8		1F6E8	1F6F8
9	1F689	1F699	1F6A9	1F6B9	1F6C9		1F6E9	1F6F9
A	1F68A	1F69A	1F6AA	1F6BA	1F6CA		1F6EA	
B	1F68B	1F69B	1F6AB	1F6BB	1F6CB		1F6EB	
C	1F68C	1F69C	1F6AC	1F6BC	1F6CC		1F6EC	
D	1F68D	1F69D	1F6AD	1F6BD	1F6CD			
E	1F68E	1F69E	1F6AE	1F6BE	1F6CE			
F	1F68F	1F69F	1F6AF	1F6BF	1F6CF			















































Vehicles

- 1F680  ROCKET
→ 1F66C  leftwards rocket
- 1F681  HELICOPTER
→ 2708  airplane
- 1F682  STEAM LOCOMOTIVE
→ 1F6F2  diesel locomotive
- 1F683  RAILWAY CAR
- 1F684  HIGH-SPEED TRAIN
- 1F685  HIGH-SPEED TRAIN WITH BULLET NOSE
- 1F686  TRAIN
= intercity train
- 1F687  METRO
= subway, underground train
- 1F688  LIGHT RAIL
- 1F689  STATION
= train, subway station
- 1F68A  TRAM
- 1F68B  TRAM CAR
- 1F68C  BUS
- 1F68D  ONCOMING BUS
- 1F68E  TROLLEYBUS
- 1F68F  BUS STOP
- 1F690  MINIBUS
- 1F691  AMBULANCE
- 1F692  FIRE ENGINE
→ 1F6F1  oncoming fire engine
- 1F693  POLICE CAR
- 1F694  ONCOMING POLICE CAR
- 1F695  TAXI
- 1F696  ONCOMING TAXI
- 1F697  AUTOMOBILE
- 1F698  ONCOMING AUTOMOBILE
- 1F699  RECREATIONAL VEHICLE
- 1F69A  DELIVERY TRUCK
→ 26DF  black truck
- 1F69B  ARTICULATED LORRY
- 1F69C  TRACTOR
- 1F69D  MONORAIL
- 1F69E  MOUNTAIN RAILWAY
- 1F69F  SUSPENSION RAILWAY
- 1F6A0  MOUNTAIN CABLEWAY
- 1F6A1  AERIAL TRAMWAY
- 1F6A2  SHIP
= cruise line vacation
→ 26F4  ferry
→ 1F6F3  passenger ship
- 1F6A3  ROWBOAT
→ 26F5  sailboat
- 1F6A4  SPEEDBOAT
→ 1F6E5  motor boat

Traffic signs

- 1F6A5  HORIZONTAL TRAFFIC LIGHT
- 1F6A6  VERTICAL TRAFFIC LIGHT
- 1F6A7  CONSTRUCTION SIGN
→ 26CF  pick
→ 1F3D7  building construction
- 1F6A8  POLICE CARS REVOLVING LIGHT
= rotating beacon



Signage and other symbols


- 1F6A9  TRIANGULAR FLAG ON POST
= location information
→ 26F3  flag in hole
→ 1F3F1  white pennant
- 1F6AA  DOOR
- 1F6AB  NO ENTRY SIGN
→ 20E0  combining enclosing circle backslash
→ 26D4  no entry
→ 1F6C7  prohibited sign
- 1F6AC  SMOKING SYMBOL
- 1F6AD  NO SMOKING SYMBOL
- 1F6AE  PUT LITTER IN ITS PLACE SYMBOL
- 1F6AF  DO NOT LITTER SYMBOL
- 1F6B0  POTABLE WATER SYMBOL
- 1F6B1  NON-POTABLE WATER SYMBOL
- 1F6B2  BICYCLE
- 1F6B3  NO BICYCLES
- 1F6B4  BICYCLIST
- 1F6B5  MOUNTAIN BICYCLIST
- 1F6B6  PEDESTRIAN
= walking
- 1F6B7  NO PEDESTRIANS
- 1F6B8  CHILDREN CROSSING
- 1F6B9  MENS SYMBOL
= man symbol
= men's restroom
- 1F6BA  WOMENS SYMBOL
= woman symbol
= women's restroom
- 1F6BB  RESTROOM
= man and woman symbol with divider
= unisex restroom
→ 1F46B  man and woman holding hands
- 1F6BC  BABY SYMBOL
= baby on board, baby changing station
- 1F6BD  TOILET
- 1F6BE  WATER CLOSET
→ 1F14F  squared wc
→ 1F18F  negative squared wc
- 1F6BF  SHOWER
- 1F6C0  BATH
- 1F6C1  BATHTUB
- 1F6C2  PASSPORT CONTROL
- 1F6C3  CUSTOMS
- 1F6C4  BAGGAGE CLAIM
- 1F6C5  LEFT LUGGAGE
- 1F6C6  TRIANGLE WITH ROUNDED CORNERS
= caution
→ 25B3  white up-pointing triangle
- 1F6C7  PROHIBITED SIGN
→ 20E0  combining enclosing circle backslash
→ 1F6AB  no entry sign
- 1F6C8  CIRCLED INFORMATION SOURCE
= information
→ 2139  information source
- 1F6C9  BOYS SYMBOL
- 1F6CA  GIRLS SYMBOL

Accommodation symbols

These symbols constitute a set along with 1F378 for lounge.

- 1F6CB  COUCH AND LAMP
= furniture, lifestyles

1F6CC  SLEEPING ACCOMMODATION
= hotel, guestrooms
→ 1F3E8  hotel

1F6CD  SHOPPING BAGS
= shopping

1F6CE  BELLHOP BELL
= reception, services

1F6CF  BED

Signage and other symbols

1F6D0  PLACE OF WORSHIP

1F6D1  OCTAGONAL SIGN
= stop sign
• may contain text indicating stop
→ 26A0  warning sign
→ 26DB  heavy white down-pointing triangle
→ 2BC3  horizontal black octagon



1F6D2  SHOPPING TROLLEY
= shopping cart


Map symbols


1F6D3  STUPA

1F6D4  PAGODA

Miscellaneous symbols

1F6E0  HAMMER AND WRENCH
= tools, repair facility
→ 2692  hammer and pick



1F6E1  SHIELD
= US road interstate highway

1F6E2  OIL DRUM
= commodities



1F6E3  MOTORWAY


1F6E4  RAILWAY TRACK
= railroad

Vehicles

1F6E5  MOTOR BOAT
= boat
→ 1F6A4  speedboat

1F6E6  UP-POINTING MILITARY AIRPLANE
= military airport


1F6E7  UP-POINTING AIRPLANE
= commercial airport
→ 2708  airplane


1F6E8  UP-POINTING SMALL AIRPLANE
= airfield


1F6E9  SMALL AIRPLANE


1F6EA  NORTHEAST-POINTING AIRPLANE

1F6EB  AIRPLANE DEPARTURE
= departures

1F6EC  AIRPLANE ARRIVING
= arrivals

1F6ED  <reserved>

1F6EE  <reserved>

1F6EF  <reserved>

1F6F0  SATELLITE



1F6F1  ONCOMING FIRE ENGINE
= fire


→ 1F692  fire engine

1F6F2  DIESEL LOCOMOTIVE
= train

→ 1F682  steam locomotive


→ 1F686  train



1F6F3  PASSENGER SHIP
= cruise line vacation
→ 1F6A2  ship


1F6F4  SCOOTER

1F6F5  MOTOR SCOOTER

1F6F6  CANOE

1F6F7  SLED
= sledge, toboggan

1F6F8  FLYING SAUCER
= UFO
→ 1F47D  extraterrestrial alien

1F6F9  SKATEBOARD

	1F90	1F91	1F92	1F93	1F94	1F95	1F96	1F97	1F98	1F99	1F9A	1F9B	1F9C	1F9D	1F9E	1F9F
0	1F900	1F910	1F920	1F930	1F940	1F950	1F960	1F970	1F980	1F990	1F9A0	1F9B0	1F9C0	1F9D0	1F9E0	1F9F0
1	1F901	1F911	1F921	1F931	1F941	1F951	1F961	1F971	1F981	1F991	1F9A1	1F9B1	1F9C1	1F9D1	1F9E1	1F9F1
2	1F902	1F912	1F922	1F932	1F942	1F952	1F962	1F972	1F982	1F992	1F9A2	1F9B2	1F9C2	1F9D2	1F9E2	1F9F2
3	1F903	1F913	1F923	1F933	1F943	1F953	1F963	1F973	1F983	1F993	1F9A3	1F9B3	1F9C3	1F9D3	1F9E3	1F9F3
4	1F904	1F914	1F924	1F934	1F944	1F954	1F964	1F974	1F984	1F994	1F9A4	1F9B4	1F9C4	1F9D4	1F9E4	1F9F4
5	1F905	1F915	1F925	1F935	1F945	1F955	1F965	1F975	1F985	1F995	1F9A5	1F9B5	1F9C5	1F9D5	1F9E5	1F9F5
6	1F906	1F916	1F926	1F936	1F946	1F956	1F966	1F976	1F986	1F996	1F9A6	1F9B6	1F9C6	1F9D6	1F9E6	1F9F6
7	1F907	1F917	1F927	1F937	1F947	1F957	1F967	1F977	1F987	1F997	1F9A7	1F9B7	1F9C7	1F9D7	1F9E7	1F9F7
8	1F908	1F918	1F928	1F938	1F948	1F958	1F968	1F978	1F988	1F998	1F9A8	1F9B8	1F9C8	1F9D8	1F9E8	1F9F8
9	1F909	1F919	1F929	1F939	1F949	1F959	1F969	1F979	1F989	1F999	1F9A9	1F9B9	1F9C9	1F9D9	1F9E9	1F9F9
A	1F90A	1F91A	1F92A	1F93A	1F94A	1F95A	1F96A	1F97A	1F98A	1F99A	1F9AA	1F9BA	1F9CA	1F9DA	1F9EA	1F9FA
B	1F90B	1F91B	1F92B	1F93B	1F94B	1F95B	1F96B	1F97B	1F98B	1F99B	1F9AB	1F9BB	1F9CB	1F9DB	1F9EB	1F9FB
C	1F90C	1F91C	1F92C	1F93C	1F94C	1F95C	1F96C	1F97C	1F98C	1F99C	1F9AC	1F9BC	1F9CC	1F9DC	1F9EC	1F9FC
D	1F90D	1F91D	1F92D	1F93D	1F94D	1F95D	1F96D	1F97D	1F98D	1F99D	1F9AD	1F9BD	1F9CD	1F9DD	1F9ED	1F9FD
E	1F90E	1F91E	1F92E	1F93E	1F94E	1F95E	1F96E	1F97E	1F98E	1F99E	1F9AE	1F9BE	1F9CE	1F9DE	1F9EE	1F9FE
F	1F90F	1F91F	1F92F	1F93F	1F94F	1F95F	1F96F	1F97F	1F98F	1F99F	1F9AF	1F9BF	1F9CF	1F9DF	1F9EF	1F9FF

Typicon symbols

- 1F900 CIRCLED CROSS FORMEE WITH FOUR DOTS
 1F901 CIRCLED CROSS FORMEE WITH TWO DOTS
 1F902 CIRCLED CROSS FORMEE
 → 2720 maltese cross
 1F903 LEFT HALF CIRCLE WITH FOUR DOTS
 1F904 LEFT HALF CIRCLE WITH THREE DOTS
 1F905 LEFT HALF CIRCLE WITH TWO DOTS
 1F906 LEFT HALF CIRCLE WITH DOT
 1F907 LEFT HALF CIRCLE
 1F908 DOWNWARD FACING HOOK
 1F909 DOWNWARD FACING NOTCHED HOOK
 1F90A DOWNWARD FACING HOOK WITH DOT
 1F90B DOWNWARD FACING NOTCHED HOOK WITH DOT

Emoticon faces

- 1F910 ZIPPER-MOUTH FACE
 1F911 MONEY-MOUTH FACE
 1F912 FACE WITH THERMOMETER
 1F913 NERD FACE
 1F914 THINKING FACE
 1F915 FACE WITH HEAD-BANDAGE
 1F916 ROBOT FACE
 → 1F47E alien monster
 1F917 HUGGING FACE

Hand symbols

- 1F918 SIGN OF THE HORNS
 1F919 CALL ME HAND
 1F91A RAISED BACK OF HAND
 1F91B LEFT-FACING FIST
 1F91C RIGHT-FACING FIST
 1F91D HANDSHAKE
 1F91E HAND WITH INDEX AND MIDDLE FINGERS
 CROSSED
 1F91F I LOVE YOU HAND SIGN
 • can be abbreviated ILY

Emoticon faces

- 1F920 FACE WITH COWBOY HAT
 1F921 CLOWN FACE
 1F922 NAUSEATED FACE
 1F923 ROLLING ON THE FLOOR LAUGHING
 = rofl, rotfl
 1F924 DROOLING FACE
 1F925 LYING FACE
 1F926 FACE PALM
 = frustration, disbelief
 1F927 SNEEZING FACE
 = Gesundheit
 1F928 FACE WITH ONE EYEBROW RAISED
 1F929 GRINNING FACE WITH STAR EYES
 1F92A GRINNING FACE WITH ONE LARGE AND ONE
 SMALL EYE
 1F92B FACE WITH FINGER COVERING CLOSED LIPS
 1F92C SERIOUS FACE WITH SYMBOLS COVERING
 MOUTH
 1F92D SMILING FACE WITH SMILING EYES AND HAND
 COVERING MOUTH
 1F92E FACE WITH OPEN MOUTH VOMITING
 1F92F SHOCKED FACE WITH EXPLODING HEAD

Portrait and role symbols

- 1F930 PREGNANT WOMAN

- 1F931 BREAST-FEEDING
 1F932 PALMS UP TOGETHER
 • used for prayer in some cultures
 1F933 SELFIE
 • typically used with face or human figure on the
 left
 1F934 PRINCE
 → 1F478 princess
 1F935 MAN IN TUXEDO
 • appearance for groom, may be paired with
 1F470 bride with veil
 → 1F470 bride with veil
 1F936 MOTHER CHRISTMAS
 = Mrs. Claus
 → 1F385 father christmas
 1F937 SHRUG
 1F938 PERSON DOING CARTWHEEL
 = gymnastics
 1F939 JUGGLING
 1F93A FENCER
 = fencing
 → 2694 X crossed swords
 1F93B MODERN PENTATHLON
 1F93C WRESTLERS
 = wrestling
 1F93D WATER POLO
 1F93E HANDBALL

Miscellaneous symbols

- 1F940 WILTED FLOWER
 → 1F339 rose
 1F941 DRUM WITH DRUMSTICKS
 1F942 CLINKING GLASSES
 = celebration, formal toasting
 → 1F37B clinking beer mugs
 1F943 TUMBLER GLASS
 = whisky
 • typically shown with ice
 → 1F378 cocktail glass
 1F944 SPOON
 → 1F374 fork and knife
 1F945 GOAL NET
 1F946 RIFLE
 = marksmanship, shooting, hunting
 1F947 FIRST PLACE MEDAL
 = gold medal
 → 1F3C5 sports medal
 1F948 SECOND PLACE MEDAL
 = silver medal
 1F949 THIRD PLACE MEDAL
 = bronze medal
 1F94A BOXING GLOVE
 = boxing
 1F94B MARTIAL ARTS UNIFORM
 = judo, karate, taekwondo
 1F94C CURLING STONE
 1F94D LACROSSE STICK AND BALL
 1F94E SOFTBALL
 1F94F FLYING DISC

Food symbols

- 1F950 CROISSANT
 1F951 AVOCADO
 1F952 CUCUMBER
 = pickle

1F953		BACON
1F954		POTATO
1F955		CARROT
1F956		BAGUETTE BREAD = French bread
1F957		GREEN SALAD
1F958		SHALLOW PAN OF FOOD = paella, casserole
1F959		STUFFED FLATBREAD = döner kebab, falafel, gyro, shawarma
1F95A		EGG = chicken egg
1F95B		GLASS OF MILK = milk
1F95C		PEANUTS
1F95D		KIWIFRUIT
1F95E		PANCAKES = hotcakes, crêpes, blini • sweet or savory
1F95F		DUMPLING = potsticker, gyoza, jiaozi, pierogi, empanada
1F960		FORTUNE COOKIE
1F961		TAKEOUT BOX = take-away box, oyster pail
1F962		CHOPSTICKS = kuaizi, hashi, jeotgarak
1F963		BOWL WITH SPOON • can indicate breakfast, cereal, congee, etc.
1F964		CUP WITH STRAW • can indicate soda, juice, etc.
1F965		COCONUT
1F966		BROCCOLI
1F967		PIE • may be sweet or savory
1F968		PRETZEL • can indicate twistiness, intricacy
1F969		CUT OF MEAT = porkchop, chop, steak
1F96A		SANDWICH
1F96B		CANNED FOOD
1F96C		LEAFY GREEN • intended to represent cooked green vegetables such as bok choy, kale, etc.
1F96D		MANGO
1F96E		MOON CAKE
1F96F		BAGEL

Faces

1F970		SMILING FACE WITH SMILING EYES AND THREE HEARTS
1F971		<reserved>
1F972		<reserved>
1F973		FACE WITH PARTY HORN AND PARTY HAT
1F974		FACE WITH UNEVEN EYES AND WAVY MOUTH
1F975		OVERHEATED FACE
1F976		FREEZING FACE
1F977		<reserved>
1F978		<reserved>
1F979		<reserved>
1F97A		FACE WITH PLEADING EYES

Clothing

1F97C		LAB COAT
1F97D		GOGGLES

1F97E		HIKING BOOT
1F97F		FLAT SHOE

Animal symbols

1F980		CRAB • used for Cancer → 264B ♋ cancer
1F981		LION FACE • used for Leo → 264C ♌ leo
1F982		SCORPION • used for Scorpio → 264F ♏ scorpius
1F983		TURKEY
1F984		UNICORN FACE
1F985		EAGLE
1F986		DUCK
1F987		BAT
1F988		SHARK
1F989		OWL
1F98A		FOX FACE
1F98B		BUTTERFLY
1F98C		DEER
1F98D		GORILLA
1F98E		LIZARD
1F98F		RHINOCEROS
1F990		SHRIMP
1F991		SQUID
1F992		GIRAFFE FACE
1F993		ZEBRA FACE
1F994		HEDGEHOG
1F995		SAUROPOD • includes Brontosaurus, Diplodocus, Brachiosaurus
1F996		T-REX = Tyrannosaurus rex
1F997		CRICKET

1F998		KANGAROO
1F999		LLAMA
1F99A		PEACOCK
1F99B		HIPPOTAMUS
1F99C		PARROT
1F99D		RACCOON
1F99E		LOBSTER
1F99F		MOSQUITO
1F9A0		MICROBE • microorganism, intended to cover bacteria, viruses, amoebas, etc.

1F9A1		BADGER
1F9A2		SWAN




Emoji components

The characters in the range 1F9B0..1F9B3 are intended to be used in ZWJ sequences to indicate hair style.

1F9B0		EMOJI COMPONENT RED HAIR
1F9B1		EMOJI COMPONENT CURLY HAIR
1F9B2		EMOJI COMPONENT BALD
1F9B3		EMOJI COMPONENT WHITE HAIR

Body parts


1F9B4		BONE
1F9B5		LEG
1F9B6		FOOT
1F9B7		TOOTH

Role symbols1F9B8  SUPERHERO1F9B9  SUPERVILLAIN**Food symbols**1F9C0  CHEESE WEDGE1F9C1  CUPCAKE1F9C2  SALT SHAKER**Portrait and role symbols**1F9D0  FACE WITH MONOCLE1F9D1  ADULT

- no specified gender

→ 1F468  man→ 1F469  woman1F9D2  CHILD

- no specified gender

→ 1F466  boy→ 1F467  girl1F9D3  OLDER ADULT

- no specified gender

→ 1F474  older man→ 1F475  older woman1F9D4  BEARDED PERSON1F9D5  PERSON WITH HEADSCARF

= woman's headscarf, hijab

1F9D6  PERSON IN STEAMY ROOM

= sauna, steam room

1F9D7  PERSON CLIMBING1F9D8  PERSON IN LOTUS POSITION



= yoga, meditation

Fantasy beings1F9D9  MAGE


= wizard, witch, sorcerer, sorceress

1F9DA  FAIRY1F9DB  VAMPIRE1F9DC  MERPERSON















= mermaid, merman















































































































1F9DD  ELF1F9DE  GENIE1F9DF  ZOMBIE**Miscellaneous symbols**1F9E0  BRAIN1F9E1  ORANGE HEART→ 1F499  blue heart→ 1F49A  green heart→ 1F49B  yellow heart→ 1F49C  purple heart1F9E2  BILLED CAP

= baseball cap

1F9E3  SCARF1F9E4  GLOVES1F9E5  COAT1F9E6  SOCKS**Activities**1F9E7  RED GIFT ENVELOPE

- contains a monetary gift in East and Southeast Asia

1F9E8  FIRECRACKER1F9E9  JIGSAW PUZZLE PIECE**Objects**1F9EA  TEST TUBE1F9EB  PETRI DISH1F9EC  DNA DOUBLE HELIX1F9ED  COMPASS1F9EE  ABACUS1F9EF  FIRE EXTINGUISHER1F9F0  TOOLBOX1F9F1  BRICK1F9F2  MAGNET1F9F3  LUGGAGE1F9F4  LOTION BOTTLE1F9F5  SPOOL OF THREAD1F9F6  BALL OF YARN1F9F7  SAFETY PIN1F9F8  TEDDY BEAR1F9F9  BROOM1F9FA  BASKET1F9FB  ROLL OF PAPER1F9FC  BAR OF SOAP1F9FD  SPONGE1F9FE  RECEIPT1F9FF  NAZAR AMULET



	1FA0	1FA1	1FA2	1FA3	1FA4	1FA5	1FA6
0	 1FA00	 1FA10	 1FA20	 1FA30	 1FA40	 1FA50	 1FA60
1	 1FA01	 1FA11	 1FA21	 1FA31	 1FA41	 1FA51	 1FA61
2	 1FA02	 1FA12	 1FA22	 1FA32	 1FA42	 1FA52	 1FA62
3	 1FA03	 1FA13	 1FA23	 1FA33	 1FA43	 1FA53	 1FA63
4	 1FA04	 1FA14	 1FA24	 1FA34	 1FA44		 1FA64
5	 1FA05	 1FA15	 1FA25	 1FA35	 1FA45		 1FA65
6	 1FA06	 1FA16	 1FA26	 1FA36	 1FA46		 1FA66
7	 1FA07	 1FA17	 1FA27	 1FA37	 1FA47		 1FA67
8	 1FA08	 1FA18	 1FA28	 1FA38	 1FA48		 1FA68
9	 1FA09	 1FA19	 1FA29	 1FA39	 1FA49		 1FA69
A	 1FA0A	 1FA1A	 1FA2A	 1FA3A	 1FA4A		 1FA6A
B	 1FA0B	 1FA1B	 1FA2B	 1FA3B	 1FA4B		 1FA6B
C	 1FA0C	 1FA1C	 1FA2C	 1FA3C	 1FA4C		 1FA6C
D	 1FA0D	 1FA1D	 1FA2D	 1FA3D	 1FA4D		 1FA6D
E	 1FA0E	 1FA1E	 1FA2E	 1FA3E	 1FA4E		
F	 1FA0F	 1FA1F	 1FA2F	 1FA3F	 1FA4F		

These characters are used to represent the pieces of a variety of heterodox chess games.



















Vertical chess symbols

1FA00		NEUTRAL CHESS KING → 2654  white chess king
1FA01		NEUTRAL CHESS QUEEN
1FA02		NEUTRAL CHESS ROOK
1FA03		NEUTRAL CHESS BISHOP
1FA04		NEUTRAL CHESS KNIGHT
1FA05		NEUTRAL CHESS PAWN




Chess symbols rotated 45 degrees

1FA06		WHITE CHESS KNIGHT ROTATED FORTY-FIVE DEGREES
1FA07		BLACK CHESS KNIGHT ROTATED FORTY-FIVE DEGREES
1FA08		NEUTRAL CHESS KNIGHT ROTATED FORTY-FIVE DEGREES


Chess symbols rotated 90 degrees


















1FA09		WHITE CHESS KING ROTATED NINETY DEGREES
1FA0A		WHITE CHESS QUEEN ROTATED NINETY DEGREES
1FA0B		WHITE CHESS ROOK ROTATED NINETY DEGREES
1FA0C		WHITE CHESS BISHOP ROTATED NINETY DEGREES
1FA0D		WHITE CHESS KNIGHT ROTATED NINETY DEGREES
1FA0E		WHITE CHESS PAWN ROTATED NINETY DEGREES
1FA0F		BLACK CHESS KING ROTATED NINETY DEGREES
1FA10		BLACK CHESS QUEEN ROTATED NINETY DEGREES
1FA11		BLACK CHESS ROOK ROTATED NINETY DEGREES
1FA12		BLACK CHESS BISHOP ROTATED NINETY DEGREES
1FA13		BLACK CHESS KNIGHT ROTATED NINETY DEGREES
1FA14		BLACK CHESS PAWN ROTATED NINETY DEGREES
1FA15		NEUTRAL CHESS KING ROTATED NINETY DEGREES
1FA16		NEUTRAL CHESS QUEEN ROTATED NINETY DEGREES
1FA17		NEUTRAL CHESS ROOK ROTATED NINETY DEGREES
1FA18		NEUTRAL CHESS BISHOP ROTATED NINETY DEGREES
1FA19		NEUTRAL CHESS KNIGHT ROTATED NINETY DEGREES
1FA1A		NEUTRAL CHESS PAWN ROTATED NINETY DEGREES

Chess symbols rotated 135 degrees




1FA1B		WHITE CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES
1FA1C		BLACK CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES
1FA1D		NEUTRAL CHESS KNIGHT ROTATED ONE HUNDRED THIRTY-FIVE DEGREES

Chess symbols rotated 180 degrees

















1FA1E		WHITE CHESS TURNED KING
-------	---	-------------------------

1FA1F		WHITE CHESS TURNED QUEEN = white grasshopper
1FA20		WHITE CHESS TURNED ROOK
1FA21		WHITE CHESS TURNED BISHOP
1FA22		WHITE CHESS TURNED KNIGHT = white nightrider
1FA23		WHITE CHESS TURNED PAWN
1FA24		BLACK CHESS TURNED KING
1FA25		BLACK CHESS TURNED QUEEN = black grasshopper
1FA26		BLACK CHESS TURNED ROOK
1FA27		BLACK CHESS TURNED BISHOP
1FA28		BLACK CHESS TURNED KNIGHT = black nightrider
1FA29		BLACK CHESS TURNED PAWN
1FA2A		NEUTRAL CHESS TURNED KING
1FA2B		NEUTRAL CHESS TURNED QUEEN = neutral grasshopper
1FA2C		NEUTRAL CHESS TURNED ROOK
1FA2D		NEUTRAL CHESS TURNED BISHOP
1FA2E		NEUTRAL CHESS TURNED KNIGHT = neutral nightrider
1FA2F		NEUTRAL CHESS TURNED PAWN

Chess symbols rotated 225 degrees

1FA30		WHITE CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES
1FA31		BLACK CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES
1FA32		NEUTRAL CHESS KNIGHT ROTATED TWO HUNDRED TWENTY-FIVE DEGREES

Chess symbols rotated 270 degrees

1FA33		WHITE CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES
1FA34		WHITE CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES
1FA35		WHITE CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES
1FA36		WHITE CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES
1FA37		WHITE CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES
1FA38		WHITE CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES
1FA39		BLACK CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3A		BLACK CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3B		BLACK CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3C		BLACK CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3D		BLACK CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3E		BLACK CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES
1FA3F		NEUTRAL CHESS KING ROTATED TWO HUNDRED SEVENTY DEGREES
1FA40		NEUTRAL CHESS QUEEN ROTATED TWO HUNDRED SEVENTY DEGREES
1FA41		NEUTRAL CHESS ROOK ROTATED TWO HUNDRED SEVENTY DEGREES
1FA42		NEUTRAL CHESS BISHOP ROTATED TWO HUNDRED SEVENTY DEGREES

1FA43 ♁ NEUTRAL CHESS KNIGHT ROTATED TWO HUNDRED SEVENTY DEGREES

1FA44 ♁ NEUTRAL CHESS PAWN ROTATED TWO HUNDRED SEVENTY DEGREES

Chess symbols rotated 315 degrees

1FA45 ♁ WHITE CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES

1FA46 ♁ BLACK CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES

1FA47 ♁ NEUTRAL CHESS KNIGHT ROTATED THREE HUNDRED FIFTEEN DEGREES

Chess equihoppers

1FA48 ♁ WHITE CHESS EQUIHOPPER

1FA49 ♁ BLACK CHESS EQUIHOPPER

1FA4A ♁ NEUTRAL CHESS EQUIHOPPER

Chess equihoppers rotated 90 degrees

1FA4B ⚡ WHITE CHESS EQUIHOPPER ROTATED NINETY DEGREES

→ 231B ⚡ hourglass

→ 23F3 ⚡ hourglass with flowing sand

1FA4C ⚡ BLACK CHESS EQUIHOPPER ROTATED NINETY DEGREES

1FA4D ⚡ NEUTRAL CHESS EQUIHOPPER ROTATED NINETY DEGREES

Hybrid chess symbols

1FA4E ♁ WHITE CHESS KNIGHT-QUEEN
= amazon, terror, omnipotent queen, superqueen

1FA4F ♁ WHITE CHESS KNIGHT-ROOK
= chancellor, marshal, empress

1FA50 ♁ WHITE CHESS KNIGHT-BISHOP
= cardinal, princess
• may have the form of a mitre or biretta

1FA51 ♁ BLACK CHESS KNIGHT-QUEEN

1FA52 ♁ BLACK CHESS KNIGHT-ROOK

1FA53 ♁ BLACK CHESS KNIGHT-BISHOP

Xiangqi symbols

1FA60 帥 XIANGQI RED GENERAL
= hóng shuài
• design typically shows 5E25 帥 or 5E05 帅
• design sometimes shows 5C07 將 (Yuan dynasty)

1FA61 仕 XIANGQI RED MANDARIN
= hóng shì
• design typically shows 4ED5 仕
• design sometimes shows 58EB 士

1FA62 相 XIANGQI RED ELEPHANT
= hóng xiàng
• design typically shows 76F8 相
• design sometimes shows 8C61 象 (Yuan dynasty)

1FA63 馬 XIANGQI RED HORSE
= hóng mǎ
• design typically shows 99AC 馬 or 9A6C 马
• design sometimes shows 508C 馮

1FA64 車 XIANGQI RED CHARIOT
= hóng jū
• design typically shows 8ECA 車 or 8F66 车
• design sometimes shows 4FE5 俎

1FA65 炮 XIANGQI RED CANNON
= hóng pào
• design typically shows 70AE 炮 or 792E 礮
• design sometimes shows 7832 砲
• design sometimes shows 5305 包 (Ming dynasty)

1FA66 兵 XIANGQI RED SOLDIER
= hóng bīng
• design typically shows 5175 兵
• design sometimes shows 5352 卒 (Yuan and Ming dynasties)

1FA67 將 XIANGQI BLACK GENERAL
= hēi jiāng
• design typically shows 5C07 將 or 5C06 将

1FA68 士 XIANGQI BLACK MANDARIN
= hēi shì
• design typically shows 58EB 士

1FA69 象 XIANGQI BLACK ELEPHANT
= hēi xiàng
• design typically shows 8C61 象

1FA6A 馬 XIANGQI BLACK HORSE
= hēi mǎ
• design typically shows 99AC 馬 or 9A6C 马

1FA6B 車 XIANGQI BLACK CHARIOT
= hēi jū
• design typically shows 8ECA 車 or 8F66 车

1FA6C 炮 XIANGQI BLACK CANNON
= hēi pào
• design typically shows 7832 砲
• design sometimes shows 70AE 炮

1FA6D 卒 XIANGQI BLACK SOLDIER
= hēi zú
• design typically shows 5352 卒
• design sometimes shows 5175 兵 (Yuan and Ming dynasties)