

Control Pictures

Range: 2400–243F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 5.2*.

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-5.2/> for charts showing only the characters added in Unicode 5.2. See <http://www.unicode.org/Public/5.2.0/charts/> for a complete archived file of character code charts for Unicode 5.2.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 5.2 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of *The Unicode Standard, Version 5.2*, online at <http://www.unicode.org/versions/Unicode5.2.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, and #44, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2009 Unicode, Inc. All rights reserved.

	240	241	242	243
0	N_{UL} 2400	D_{LE} 2410	S_P 2420	
1	S_{OH} 2401	D_{C_1} 2411	D_{EL} 2421	
2	S_{TX} 2402	D_{C_2} 2412	b 2422	
3	E_{TX} 2403	D_{C_3} 2413	\sqcup 2423	
4	E_{OT} 2404	D_{C_4} 2414	N_L 2424	
5	E_{NQ} 2405	N_{AK} 2415	⧸ 2425	
6	A_{CK} 2406	S_{YN} 2416	؟ 2426	
7	B_{EL} 2407	E_{TB} 2417		
8	B_S 2408	C_{AN} 2418		
9	H_T 2409	E_M 2419		
A	L_F 240A	S_{UB} 241A		
B	V_T 240B	E_{SC} 241B		
C	F_F 240C	F_S 241C		
D	C_R 240D	G_S 241D		
E	S_S 240E	R_S 241E		
F	S_I 240F	U_S 241F		

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

Graphic pictures for control codes

2400	N_{UL}	SYMBOL FOR NULL
2401	S_{OH}	SYMBOL FOR START OF HEADING
2402	S_{TX}	SYMBOL FOR START OF TEXT
2403	E_{TX}	SYMBOL FOR END OF TEXT
2404	E_{OT}	SYMBOL FOR END OF TRANSMISSION
2405	E_{NQ}	SYMBOL FOR ENQUIRY
2406	A_{CK}	SYMBOL FOR ACKNOWLEDGE
2407	B_{EL}	SYMBOL FOR BELL
2408	B_S	SYMBOL FOR BACKSPACE
2409	H_T	SYMBOL FOR HORIZONTAL TABULATION
240A	L_F	SYMBOL FOR LINE FEED
240B	V_T	SYMBOL FOR VERTICAL TABULATION
240C	F_F	SYMBOL FOR FORM FEED
240D	C_R	SYMBOL FOR CARRIAGE RETURN
240E	S_S	SYMBOL FOR SHIFT OUT
240F	S_I	SYMBOL FOR SHIFT IN
2410	D_{LE}	SYMBOL FOR DATA LINK ESCAPE
2411	D_{C_1}	SYMBOL FOR DEVICE CONTROL ONE
2412	D_{C_2}	SYMBOL FOR DEVICE CONTROL TWO
2413	D_{C_3}	SYMBOL FOR DEVICE CONTROL THREE
2414	D_{C_4}	SYMBOL FOR DEVICE CONTROL FOUR
2415	N_{AK}	SYMBOL FOR NEGATIVE ACKNOWLEDGE
2416	S_{YN}	SYMBOL FOR SYNCHRONOUS IDLE
2417	E_{TB}	SYMBOL FOR END OF TRANSMISSION BLOCK
2418	C_{AN}	SYMBOL FOR CANCEL
2419	E_M	SYMBOL FOR END OF MEDIUM
241A	S_{UB}	SYMBOL FOR SUBSTITUTE
241B	E_{SC}	SYMBOL FOR ESCAPE
241C	F_S	SYMBOL FOR FILE SEPARATOR
241D	G_S	SYMBOL FOR GROUP SEPARATOR
241E	R_S	SYMBOL FOR RECORD SEPARATOR
241F	U_S	SYMBOL FOR UNIT SEPARATOR
2420	S_P	SYMBOL FOR SPACE
2421	D_{EL}	SYMBOL FOR DELETE

Specific symbols for space

2422	b	BLANK SYMBOL
		• graphic for space
		→ 0180 b latin small letter b with stroke
2423	\sqcup	OPEN BOX
		• graphic for space
		→ 2334 \sqcup counterbore

Graphic picture for control code

2424	N_L	SYMBOL FOR NEWLINE
------	-------	--------------------

Keyboard symbol

2425	⧸	SYMBOL FOR DELETE FORM TWO
		• from ISO 9995-7
		• keyboard symbol for undoable delete

Specific symbol for control code

2426	؟	SYMBOL FOR SUBSTITUTE FORM TWO
		• from ISO 2047
		→ 061F ؟ arabic question mark