

Miscellaneous Technical

Range: 2300–23FF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 18.0 ALPHA REVIEW DRAFT*

Characters in this chart that are new for The Unicode Standard, Version 18.0 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list. This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard.

See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <https://www.unicode.org/charts/PDF/Unicode-18.0/> for charts showing only the characters added in Unicode 18.0. See <https://www.unicode.org/Public/18.0.0/charts/> for a complete archived file of character code charts for Unicode 18.0. See <https://www.unicode.org/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 18.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 18.0, online at <https://www.unicode.org/versions/Unicode18.0.0/>, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <https://www.unicode.org/ucd/> and <https://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

© 1991–2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (<https://www.unicode.org/copyright.html>). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (<https://www.unicode.org/copyright.html>). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided “AS-IS” without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	230	231	232	233	234	235	236	237	238	239	23A	23B	23C	23D	23E	23F
0	 2300	 2310	 2320	 2330	 2340	 2350	 2360	 2370	 2380	 2390	 23A0	 23B0	 23C0	 23D0	 23E0	 23F0
1	 2301	 2311	 2321	 2331	 2341	 2351	 2361	 2371	 2381	 2391	 23A1	 23B1	 23C1	 23D1	 23E1	 23F1
2	 2302	 2312	 2322	 2332	 2342	 2352	 2362	 2372	 2382	 2392	 23A2	 23B2	 23C2	 23D2	 23E2	 23F2
3	 2303	 2313	 2323	 2333	 2343	 2353	 2363	 2373	 2383	 2393	 23A3	 23B3	 23C3	 23D3	 23E3	 23F3
4	 2304	 2314	 2324	 2334	 2344	 2354	 2364	 2374	 2384	 2394	 23A4	 23B4	 23C4	 23D4	 23E4	 23F4
5	 2305	 2315	 2325	 2335	 2345	 2355	 2365	 2375	 2385	 2395	 23A5	 23B5	 23C5	 23D5	 23E5	 23F5
6	 2306	 2316	 2326	 2336	 2346	 2356	 2366	 2376	 2386	 2396	 23A6	 23B6	 23C6	 23D6	 23E6	 23F6
7	 2307	 2317	 2327	 2337	 2347	 2357	 2367	 2377	 2387	 2397	 23A7	 23B7	 23C7	 23D7	 23E7	 23F7
8	 2308	 2318	 2328	 2338	 2348	 2358	 2368	 2378	 2388	 2398	 23A8	 23B8	 23C8	 23D8	 23E8	 23F8
9	 2309	 2319	 2329	 2339	 2349	 2359	 2369	 2379	 2389	 2399	 23A9	 23B9	 23C9	 23D9	 23E9	 23F9
A	 230A	 231A	 232A	 233A	 234A	 235A	 236A	 237A	 238A	 239A	 23AA	 23BA	 23CA	 23DA	 23EA	 23FA
B	 230B	 231B	 232B	 233B	 234B	 235B	 236B	 237B	 238B	 239B	 23AB	 23BB	 23CB	 23DB	 23EB	 23FB
C	 230C	 231C	 232C	 233C	 234C	 235C	 236C	 237C	 238C	 239C	 23AC	 23BC	 23CC	 23DC	 23EC	 23FC
D	 230D	 231D	 232D	 233D	 234D	 235D	 236D	 237D	 238D	 239D	 23AD	 23BD	 23CD	 23DD	 23ED	 23FD
E	 230E	 231E	 232E	 233E	 234E	 235E	 236E	 237E	 238E	 239E	 23AE	 23BE	 23CE	 23DE	 23EE	 23FE
F	 230F	 231F	 232F	 233F	 234F	 235F	 236F	 237F	 238F	 239F	 23AF	 23BF	 23CF	 23DF	 23EF	 23FF

Miscellaneous technical

- 2300 ∅ DIAMETER SIGN
→ 00F8 ∅ latin small letter o with stroke
→ 2205 ∅ empty set
- 2301 ↘ ELECTRIC ARROW
• from ISO 2047
• symbol for End of Transmission
- 2302 🏠 HOUSE
- 2303 ^ UP ARROWHEAD
→ 005E ^ circumflex accent
→ 02C4 ^ modifier letter up arrowhead
→ 2038 ^ caret
→ 2227 ^ logical and
- 2304 v DOWN ARROWHEAD
→ 02C5 v modifier letter down arrowhead
→ 2228 v logical or
→ 2335 v countersink
- 2305 ⌵ PROJECTIVE
→ 22BC ⌵ nand
- 2306 ⌶ PERSPECTIVE
- 2307 3 WAVY LINE
→ 2E3E 3 wiggly vertical line
→ 3030 ~ wavy dash

Ceilings and floors

These characters are tall and narrow mathematical delimiters, in contrast to the quine corners or half brackets. They are also distinct from CJK corner brackets, which are wide quotation marks.

- 2308 ⌈ LEFT CEILING
= APL upstile
→ 2E22 ⌈ top left half bracket
→ 300C ⌈ left corner bracket
- 2309 ⌋ RIGHT CEILING
→ 20E7 ⌋ combining annuity symbol
→ 2E23 ⌋ top right half bracket
- 230A ⌋ LEFT FLOOR
= APL downstile
→ 2E24 ⌋ bottom left half bracket
- 230B ⌋ RIGHT FLOOR
→ 300D ⌋ right corner bracket
→ 2E25 ⌋ bottom right half bracket

Crops

- 230C ⌞ BOTTOM RIGHT CROP
• set of four “crop” corners, arranged facing outward
- 230D ⌞ BOTTOM LEFT CROP
- 230E ⌞ TOP RIGHT CROP
- 230F ⌞ TOP LEFT CROP

Miscellaneous technical

- 2310 ⌵ REVERSED NOT SIGN
= beginning of line
→ 00AC ⌵ not sign
- 2311 ▣ SQUARE LOZENGE
= Kissen (pillow)
• used as a command delimiter in some very old computers
→ 2BCF ⌵ rotated white four pointed cusp
- 2312 ⌒ ARC
= position of any line
→ 25E0 ⌒ upper half circle
- 2313 ⌒ SEGMENT
= position of a surface

- 2314 ∠ SECTOR
→ 1CEF6 ∠ sector with chord
- 2315 📞 TELEPHONE RECORDER
- 2316 ⊕ POSITION INDICATOR
= true position
→ 2BD0 ⊕ square position indicator
- 2317 ⊞ VIEWDATA SQUARE
→ 22D5 ⊞ equal and parallel to
- 2318 ⌘ PLACE OF INTEREST SIGN
= command key (1.0)
= operating system key (ISO 9995-7)
- 2319 ⊞ TURNED NOT SIGN
= line marker

User interface symbols

- 231A 🕒 WATCH
→ 23F0 🕒 alarm clock
→ 1F550 🕒 clock face one oclock
- 231B 🕒 HOURGLASS
→ 29D6 🕒 white hourglass

Quine corners

These form a set of four quine corners, for quincuncial arrangement. They are also used in upper and lower pairs in mathematics, or more rarely in editorial usage as alternatives to half brackets.

- 231C ⌜ TOP LEFT CORNER
→ 2E00 ⌜ right angle substitution marker
→ 2E22 ⌜ top left half bracket
- 231D ⌝ TOP RIGHT CORNER
- 231E ⌞ BOTTOM LEFT CORNER
- 231F ⌟ BOTTOM RIGHT CORNER

Integral pieces

- 2320 ∫ TOP HALF INTEGRAL
→ 23AE ∫ integral extension
- 2321 ∫ BOTTOM HALF INTEGRAL

Frown and smile

- 2322 ☹ FROWN
→ 2040 ☹ character tie
- 2323 ☺ SMILE
→ 203F ☺ undertie

Keyboard symbols

- 2324 ⌨ UP ARROWHEAD BETWEEN TWO HORIZONTAL BARS
= enter key
- 2325 ⌨ OPTION KEY
- 2326 ⌨ ERASE TO THE RIGHT
= delete to the right key
- 2327 ⌨ X IN A RECTANGLE BOX
= clear key
→ 2612 ⌨ ballot box with x
- 2328 ⌨ KEYBOARD
→ 1F5A6 ⌨ keyboard and mouse
→ 1F5AE ⌨ wired keyboard

Deprecated angle brackets

These characters are deprecated and are strongly discouraged for mathematical use because of their canonical equivalence to CJK punctuation.

- 2329 < LEFT-POINTING ANGLE BRACKET
 → 003C < less-than sign
 → 2039 < single left-pointing angle quotation mark
 → 27E8 < mathematical left angle bracket
 ≡ 3008 < left angle bracket
- 232A > RIGHT-POINTING ANGLE BRACKET
 → 003E > greater-than sign
 → 203A > single right-pointing angle quotation mark
 → 27E9 > mathematical right angle bracket
 ≡ 3009 > right angle bracket

Keyboard symbol

- 232B ☒ ERASE TO THE LEFT
 = delete to the left key

Chemistry symbol

- 232C ⬡ BENZENE RING

Drafting symbols

- 232D ⌢ CYLINDRICITY
 232E ⌘ ALL AROUND-PROFILE
 232F ⌘ SYMMETRY
 2330 ⌘ TOTAL RUNOUT
 2331 ⌘ DIMENSION ORIGIN
 2332 ⌘ CONICAL TAPER
 2333 ⌘ SLOPE
 → 25FA ⌘ lower left triangle
- 2334 ⌘ COUNTERBORE
 → 2423 ⌘ open box
- 2335 ⌘ COUNTERSINK
 → 2304 ⌘ down arrowhead

APL

- 2336 ⊥ APL FUNCTIONAL SYMBOL I-BEAM
- 2337 □ APL FUNCTIONAL SYMBOL SQUISH QUAD
 → 2395 □ apl functional symbol quad
 → 25AF □ white vertical rectangle
 → 2AFF □ n-ary white vertical bar
- 2338 □ APL FUNCTIONAL SYMBOL QUAD EQUAL
- 2339 □ APL FUNCTIONAL SYMBOL QUAD DIVIDE
- 233A □ APL FUNCTIONAL SYMBOL QUAD DIAMOND
 → 26CB □ white diamond in square
- 233B □ APL FUNCTIONAL SYMBOL QUAD JOT
 → 29C7 □ squared small circle
- 233C □ APL FUNCTIONAL SYMBOL QUAD CIRCLE
- 233D ○ APL FUNCTIONAL SYMBOL CIRCLE STILE
- 233E ○ APL FUNCTIONAL SYMBOL CIRCLE JOT
 → 229A ○ circled ring operator
 → 29BE ○ circled white bullet
- 233F ÷ APL FUNCTIONAL SYMBOL SLASH BAR
 → 1019A ÷ roman as sign
- 2340 ↗ APL FUNCTIONAL SYMBOL BACKSLASH BAR
 → 29F7 ↗ reverse solidus with horizontal stroke
- 2341 □ APL FUNCTIONAL SYMBOL QUAD SLASH
 → 29C4 □ squared rising diagonal slash
- 2342 □ APL FUNCTIONAL SYMBOL QUAD BACKSLASH
 → 29C5 □ squared falling diagonal slash
- 2343 □ APL FUNCTIONAL SYMBOL QUAD LESS-THAN

- 2344 □ APL FUNCTIONAL SYMBOL QUAD GREATER-THAN
- 2345 + APL FUNCTIONAL SYMBOL LEFTWARDS VANE
- 2346 + APL FUNCTIONAL SYMBOL RIGHTWARDS VANE
- 2347 □ APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW
- 2348 □ APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW
- 2349 ○ APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH
 → 29B0 ○ reversed empty set
- 234A ⊥ APL FUNCTIONAL SYMBOL DOWN TACK UNDERBAR
 = up tack underbar
 • preferred naming for APL tack symbols now follows the London Convention in ISO/IEC 13751:2000 (APL Extended)
 → 22A5 ⊥ up tack
- 234B Δ APL FUNCTIONAL SYMBOL DELTA STILE
- 234C □ APL FUNCTIONAL SYMBOL QUAD DOWN CARET
- 234D □ APL FUNCTIONAL SYMBOL QUAD DELTA
- 234E ⊥ APL FUNCTIONAL SYMBOL DOWN TACK JOT
 = up tack jot
 → 22A5 ⊥ up tack
- 234F + APL FUNCTIONAL SYMBOL UPWARDS VANE
- 2350 □ APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW
- 2351 ⊥ APL FUNCTIONAL SYMBOL UP TACK OVERBAR
 = down tack overbar
 → 22A4 ⊥ down tack
 → 3012 ⊥ postal mark
- 2352 ▼ APL FUNCTIONAL SYMBOL DEL STILE
- 2353 □ APL FUNCTIONAL SYMBOL QUAD UP CARET
 → 2BB9 □ up arrowhead in a rectangle box
- 2354 □ APL FUNCTIONAL SYMBOL QUAD DEL
- 2355 ⊥ APL FUNCTIONAL SYMBOL UP TACK JOT
 = down tack jot
 → 22A4 ⊥ down tack
- 2356 + APL FUNCTIONAL SYMBOL DOWNWARDS VANE
- 2357 □ APL FUNCTIONAL SYMBOL QUAD DOWNWARDS ARROW
- 2358 ' APL FUNCTIONAL SYMBOL QUOTE UNDERBAR
- 2359 Δ APL FUNCTIONAL SYMBOL DELTA UNDERBAR
- 235A ◇ APL FUNCTIONAL SYMBOL DIAMOND UNDERBAR
- 235B ○ APL FUNCTIONAL SYMBOL JOT UNDERBAR
- 235C ○ APL FUNCTIONAL SYMBOL CIRCLE UNDERBAR
- 235D ○ APL FUNCTIONAL SYMBOL UP SHOE JOT
 → 2A40 ○ intersection with dot
- 235E ' APL FUNCTIONAL SYMBOL QUOTE QUAD
- 235F ⊙ APL FUNCTIONAL SYMBOL CIRCLE STAR
 → 229B ⊙ circled asterisk operator
- 2360 : APL FUNCTIONAL SYMBOL QUAD COLON
- 2361 ⊥ APL FUNCTIONAL SYMBOL UP TACK DIAERESIS
 = down tack diaeresis
 → 22A4 ⊥ down tack
- 2362 ∇ APL FUNCTIONAL SYMBOL DEL DIAERESIS
- 2363 ★ APL FUNCTIONAL SYMBOL STAR DIAERESIS
- 2364 ö APL FUNCTIONAL SYMBOL JOT DIAERESIS
 = hoot
- 2365 Ö APL FUNCTIONAL SYMBOL CIRCLE DIAERESIS
 = holler
- 2366 ⊥ APL FUNCTIONAL SYMBOL DOWN SHOE STILE

- 2367 ☹ APL FUNCTIONAL SYMBOL LEFT SHOE STILE
 2368 ~ APL FUNCTIONAL SYMBOL TILDE DIAERESIS
 = smirk
 2369 ➤ APL FUNCTIONAL SYMBOL GREATER-THAN DIAERESIS
 236A ̣ APL FUNCTIONAL SYMBOL COMMA BAR
 236B ∇ APL FUNCTIONAL SYMBOL DEL TILDE
 236C θ APL FUNCTIONAL SYMBOL ZILDE
 236D † APL FUNCTIONAL SYMBOL STILE TILDE
 236E ∷ APL FUNCTIONAL SYMBOL SEMICOLON UNDERBAR
 236F ☐ APL FUNCTIONAL SYMBOL QUAD NOT EQUAL
 2370 ? APL FUNCTIONAL SYMBOL QUAD QUESTION
 → 2BD1 ⬢ uncertainty sign
 2371 ⋈ APL FUNCTIONAL SYMBOL DOWN CARET TILDE
 2372 ⤴ APL FUNCTIONAL SYMBOL UP CARET TILDE
 2373 ι APL FUNCTIONAL SYMBOL IOTA
 2374 ρ APL FUNCTIONAL SYMBOL RHO
 2375 ω APL FUNCTIONAL SYMBOL OMEGA
 2376 Ɑ APL FUNCTIONAL SYMBOL ALPHA UNDERBAR
 2377 Ɱ APL FUNCTIONAL SYMBOL EPSILON UNDERBAR
 2378 Ɐ APL FUNCTIONAL SYMBOL IOTA UNDERBAR
 2379 Ɒ APL FUNCTIONAL SYMBOL OMEGA UNDERBAR
 237A α APL FUNCTIONAL SYMBOL ALPHA

Graphics for control codes

- 237B ✓ NOT CHECK MARK
 • from ISO 2047
 • symbol for Negative Acknowledge

Miscellaneous technical

- 237C ⚡ RIGHT ANGLE WITH DOWNWARDS ZIGZAG ARROW

Graphics for control codes

- 237D ☐ SHOULDERS OPEN BOX
 • from ISO 9995-7
 • keyboard symbol for No Break Space
 → 2423 ☐ open box
 237E 🔔 BELL SYMBOL
 • from ISO 2047
 → 1FBFA 🔔 alarm bell symbol
 237F ⋮ VERTICAL LINE WITH MIDDLE DOT
 • from ISO 2047
 • symbol for End of Medium

Keyboard symbols from ISO 9995-7

- 2380 ⌨ INSERTION SYMBOL
 2381 ≡ CONTINUOUS UNDERLINE SYMBOL
 2382 ≡ DISCONTINUOUS UNDERLINE SYMBOL
 2383 ≡ EMPHASIS SYMBOL
 2384 ☐ COMPOSITION SYMBOL
 2385 ☐ WHITE SQUARE WITH CENTRE VERTICAL LINE
 = center
 2386 ⌨ ENTER SYMBOL
 2387 ⌨ ALTERNATIVE KEY SYMBOL
 2388 ⌨ HELM SYMBOL
 = control
 → 2638 ⌨ wheel of dharma
 2389 ⌚ CIRCLED HORIZONTAL BAR WITH NOTCH
 = pause
 238A ⌚ CIRCLED TRIANGLE DOWN
 = interrupt, break

- 238B ⌚ BROKEN CIRCLE WITH NORTHWEST ARROW
 = escape

238C ⌚ UNDO SYMBOL**Electrotechnical symbols from IR 181**

- 238D ⌚ MONOSTABLE SYMBOL
 238E ⌚ HYSTERESIS SYMBOL
 238F ⌚ OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL
 2390 ⌚ OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL
 2391 ⌚ PASSIVE-PULL-DOWN-OUTPUT SYMBOL
 2392 ⌚ PASSIVE-PULL-UP-OUTPUT SYMBOL
 2393 = DIRECT CURRENT SYMBOL FORM TWO
 2394 ⬢ SOFTWARE-FUNCTION SYMBOL
 → 2B21 ⬢ white hexagon

APL

- 2395 ☐ APL FUNCTIONAL SYMBOL QUAD
 → 2337 ☐ apl functional symbol squish quad
 → 25AF ☐ white vertical rectangle

Keyboard symbols from ISO 9995-7

- 2396 ⌨ DECIMAL SEPARATOR KEY SYMBOL
 2397 ⌨ PREVIOUS PAGE
 → 1F519 ⌨ back with leftwards arrow above
 2398 ⌨ NEXT PAGE
 2399 ⌨ PRINT SCREEN SYMBOL
 239A ⌨ CLEAR SCREEN SYMBOL
 → 20E2 ⌨ combining enclosing screen

Bracket pieces

- 239B { LEFT PARENTHESIS UPPER HOOK
 239C { LEFT PARENTHESIS EXTENSION
 239D { LEFT PARENTHESIS LOWER HOOK
 239E } RIGHT PARENTHESIS UPPER HOOK
 239F } RIGHT PARENTHESIS EXTENSION
 23A0 } RIGHT PARENTHESIS LOWER HOOK
 23A1 { LEFT SQUARE BRACKET UPPER CORNER
 23A2 { LEFT SQUARE BRACKET EXTENSION
 23A3 { LEFT SQUARE BRACKET LOWER CORNER
 23A4 } RIGHT SQUARE BRACKET UPPER CORNER
 23A5 } RIGHT SQUARE BRACKET EXTENSION
 23A6 } RIGHT SQUARE BRACKET LOWER CORNER
 23A7 { LEFT CURLY BRACKET UPPER HOOK
 23A8 { LEFT CURLY BRACKET MIDDLE PIECE
 23A9 { LEFT CURLY BRACKET LOWER HOOK
 23AA } CURLY BRACKET EXTENSION
 23AB } RIGHT CURLY BRACKET UPPER HOOK
 23AC } RIGHT CURLY BRACKET MIDDLE PIECE
 23AD } RIGHT CURLY BRACKET LOWER HOOK

Special character extensions

- 23AE | INTEGRAL EXTENSION
 → 2320 ∫ top half integral
 → 2321 ∫ bottom half integral
 23AF — HORIZONTAL LINE EXTENSION
 • used for extension of arrows
 → 23D0 | vertical line extension

Bracket pieces

- 23B0 { UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION
 = left moustache
 23B1 { UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION
 = right moustache

Summation sign parts

- 23B2 ∑ SUMMATION TOP
 23B3 ∑ SUMMATION BOTTOM
 → 2211 ∑ n-ary summation

Horizontal brackets

These characters are also used as delimiters of vertical text in non-CJK terminal emulation.

- 23B4 ⌈ TOP SQUARE BRACKET
 → FE47 ⌈ presentation form for vertical left square bracket
 23B5 ⌋ BOTTOM SQUARE BRACKET
 → FE48 ⌋ presentation form for vertical right square bracket
 23B6 ⌋ BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET
 • only used for terminal emulation

Terminal graphic characters

- 23B7 ↓ RADICAL SYMBOL BOTTOM
 23B8 | LEFT VERTICAL BOX LINE
 23B9 | RIGHT VERTICAL BOX LINE

Scan lines for terminal graphics

The scan line numbers here refer to old, low-resolution technology for terminals, with only 9 scan lines per fixed-size character glyph.

- 23BA - HORIZONTAL SCAN LINE-1
 23BB - HORIZONTAL SCAN LINE-3
 • scan line-5 is unified with the box-drawing graphic character 2500 —
 23BC - HORIZONTAL SCAN LINE-7
 23BD - HORIZONTAL SCAN LINE-9

Dentistry notation symbols

- 23BE ⌈ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT
 → 2308 ⌈ left ceiling
 23BF ⌋ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT
 → 230A ⌋ left floor
 23C0 ⌀ DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE
 23C1 ⌀ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE
 23C2 ⌀ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE
 23C3 ⚴ DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE
 23C4 ⚴ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE
 23C5 ⚴ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE
 23C6 ⚴ DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE
 23C7 ⚴ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE
 23C8 ⚴ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE
 23C9 ⌋ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL
 → 22A4 T down tack
 → 252C ⌋ box drawings light down and horizontal

- 23CA ⊥ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL
 → 22A5 ⊥ up tack
 → 2534 ⊥ box drawings light up and horizontal
 23CB ⌈ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT
 → 2309 ⌈ right ceiling
 23CC ⌋ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT
 → 230B ⌋ right floor

Miscellaneous technical

- 23CD □ SQUARE FOOT

Keyboard and UI symbols

- 23CE ↵ RETURN SYMBOL
 • may be shown with either hollow or filled glyph
 → 21B5 ↵ downwards arrow with corner leftwards
 → 2B90 ↵ return left
 23CF ⏏ EJECT SYMBOL
 • UI symbol to eject media

Special character extension

- 23D0 | VERTICAL LINE EXTENSION
 • used for extension of arrows
 → 23AF — horizontal line extension

Metrical symbols

- 23D1 ∪ METRICAL BREVE
 23D2 ∪ METRICAL LONG OVER SHORT
 23D3 ∪ METRICAL SHORT OVER LONG
 23D4 ∪ METRICAL LONG OVER TWO SHORTS
 23D5 ∪ METRICAL TWO SHORTS OVER LONG
 23D6 ∪ METRICAL TWO SHORTS JOINED
 23D7 ⌋ METRICAL TRISEME
 → 1D242 ⌋ combining greek musical triseme
 23D8 ⌋ METRICAL TETRASEME
 → 1D243 ⌋ combining greek musical tetraseme
 23D9 ⌋ METRICAL PENTASEME
 → 1D244 ⌋ combining greek musical pentaseme

Electrotechnical symbols

- 23DA ⏚ EARTH GROUND
 23DB ⏚ FUSE

Horizontal brackets

These are intended for bracketing terms of mathematical expressions where their glyph extends to accommodate the width of the bracketed expression.

- 23DC ⌈ TOP PARENTHESIS
 → FE35 ⌈ presentation form for vertical left parenthesis
 23DD ⌋ BOTTOM PARENTHESIS
 → FE36 ⌋ presentation form for vertical right parenthesis
 23DE ⌋ TOP CURLY BRACKET
 → FE37 ⌋ presentation form for vertical left curly bracket
 23DF ⌋ BOTTOM CURLY BRACKET
 → FE38 ⌋ presentation form for vertical right curly bracket
 23E0 ⌋ TOP TORTOISE SHELL BRACKET
 → FE39 ⌋ presentation form for vertical left tortoise shell bracket

23E1  BOTTOM TORTOISE SHELL BRACKET
→ FE3A  presentation form for vertical right tortoise shell bracket

Miscellaneous technical

23E2  WHITE TRAPEZIUM

Chemistry symbol

23E3  BENZENE RING WITH CIRCLE

Miscellaneous technical

23E4  STRAIGHTNESS

23E5  FLATNESS

23E6  AC CURRENT

23E7  ELECTRICAL INTERSECTION

23E8  DECIMAL EXPONENT SYMBOL
• Algol-60 token for scientific notation literals

User interface symbols

23E9  BLACK RIGHT-POINTING DOUBLE TRIANGLE
= fast forward

23EA  BLACK LEFT-POINTING DOUBLE TRIANGLE
= rewind, fast backwards

23EB  BLACK UP-POINTING DOUBLE TRIANGLE

23EC  BLACK DOWN-POINTING DOUBLE TRIANGLE

23ED  BLACK RIGHT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR
= skip to the end or next file/track/chapter

23EE  BLACK LEFT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR
= skip to the start or previous file/track/chapter

23EF  BLACK RIGHT-POINTING TRIANGLE WITH DOUBLE VERTICAL BAR
= play/pause toggle

23F0  ALARM CLOCK
→ 231A  watch
→ 1F550  clock face one o'clock
→ 1F570  mantelpiece clock

23F1  STOPWATCH

23F2  TIMER CLOCK

23F3  HOURGLASS WITH FLOWING SAND
→ 231B  hourglass

23F4  BLACK MEDIUM LEFT-POINTING TRIANGLE
= reverse, back
• preferred to 25C0  black left-pointing triangle
→ 2BC7  black medium left-pointing triangle centred
→ 1F780  black left-pointing isosceles right triangle

23F5  BLACK MEDIUM RIGHT-POINTING TRIANGLE
= forward
• preferred to 25B6  black right-pointing triangle
→ 2BC8  black medium right-pointing triangle centred
→ 1F782  black right-pointing isosceles right triangle

23F6  BLACK MEDIUM UP-POINTING TRIANGLE
= increase
• preferred to 25B2  black up-pointing triangle
→ 2BC5  black medium up-pointing triangle centred
→ 1F781  black up-pointing isosceles right triangle

23F7  BLACK MEDIUM DOWN-POINTING TRIANGLE
= decrease
• preferred to 25BC  black down-pointing triangle
→ 2BC6  black medium down-pointing triangle centred
→ 1F783  black down-pointing isosceles right triangle

23F8  DOUBLE VERTICAL BAR
= pause
→ 2016  double vertical line

23F9  BLACK SQUARE FOR STOP
= stop
→ 25FC  black medium square

23FA  BLACK CIRCLE FOR RECORD
= record
→ 26AB  medium black circle
→ 1F534  large red circle

Power symbols from ISO 7000:2012

23FB  POWER SYMBOL
• IEC 5009 standby symbol
• IEEE 1621 power symbol

23FC  POWER ON-OFF SYMBOL
• IEC 5010 power on-off symbol

23FD  POWER ON SYMBOL
• use 2B58  for power off symbol
→ 2B58  heavy circle

Power symbol from IEEE 1621-2004

23FE  POWER SLEEP SYMBOL
→ 263E  last quarter moon

Miscellaneous symbol

23FF  OBSERVER EYE SYMBOL