

General Punctuation

Range: 2000–206F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 13.0*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard.
See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts.
See <http://www.unicode.org/charts/PDF/Unicode-13.0/> for charts showing only the characters added in Unicode 13.0.
See <http://www.unicode.org/Public/13.0.0/charts/> for a complete archived file of character code charts for Unicode 13.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 13.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 13.0, online at <http://www.unicode.org/versions/Unicode13.0.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use











































You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.
























See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2020 Unicode, Inc. All rights reserved.







	200	201	202	203	204	205	206
0	 2000	— 2010	✦ 2020	‰ 2030	— 2040	⊂ 2050	 2060
1	 2001	 2011	✦ 2021	‰ 2031	∧ 2041	* 2051	 2061
2	 2002	— 2012	● 2022	' 2032	* 2042	% 2052	 2062
3	 2003	— 2013	▶ 2023	" 2033	■ 2043	~ 2053	 2063
4	 2004	— 2014	• 2024	''' 2034	/ 2044	— 2054	 2064
5	 2005	— 2015	•• 2025	' 2035	[2045	* 2055	
6	 2006	 2016	••• 2026	" 2036] 2046	∴ 2056	 2066
7	 2007	= 2017	• 2027	''' 2037	?? 2047	''' 2057	 2067
8	 2008	‘ 2018	 2028	^ 2038	?! 2048	∴ 2058	 2068
9	 2009	, 2019	 2029	< 2039	!? 2049	∴ 2059	 2069
A	 200A	, 201A	 202A	> 203A	7 204A	• 205A	 206A
B	 200B	◌ 201B	 202B	⊗ 203B	¶ 204B	•• 205B	 206B
C	 200C	“ 201C	 202C	!! 203C	◌ 204C	⋈ 205C	 206C
D	 200D	” 201D	 202D	!◌ 203D	◌ 204D	•• 205D	 206D
E	 200E	” 201E	 202E	— 203E	* 204E	•• 205E	 206E
F	 200F	“ 201F	 202F	— 203F	◌ 204F	 205F	 206F

For additional general punctuation characters see also *Basic Latin, Latin-1, Supplemental Punctuation and CJK Symbols and Punctuation*.




Spaces

- 2000  EN QUAD
≡ 2002  en space
- 2001  EM QUAD
= mutton quad
≡ 2003  em space
- 2002  EN SPACE
= nut
• half an em
≈ 0020  space
- 2003  EM SPACE
= mutton
• nominally, a space equal to the type size in points
• may scale by the condensation factor of a font
≈ 0020  space
- 2004  THREE-PER-EM SPACE
= thick space
≈ 0020  space
- 2005  FOUR-PER-EM SPACE
= mid space
≈ 0020  space
- 2006  SIX-PER-EM SPACE
• in computer typography sometimes equated to thin space
≈ 0020  space
- 2007  FIGURE SPACE
• space equal to tabular width of a font
• this is equivalent to the digit width of fonts with fixed-width digits
≈ <noBreak> 0020  space
- 2008  PUNCTUATION SPACE
• space equal to narrow punctuation of a font
≈ 0020  space
- 2009  THIN SPACE
• a fifth of an em (or sometimes a sixth)
→ 202F  narrow no-break space
≈ 0020  space
- 200A  HAIR SPACE
• thinner than a thin space
• in traditional typography, the thinnest space available
≈ 0020  space






Format characters

- 200B  ZERO WIDTH SPACE
• commonly abbreviated ZWSP
• this character is intended for invisible word separation and for line break control; it has no width, but its presence between two characters does not prevent increased letter spacing in justification
- 200C  ZERO WIDTH NON-JOINER
• commonly abbreviated ZWNJ
- 200D  ZERO WIDTH JOINER
• commonly abbreviated ZWJ
- 200E  LEFT-TO-RIGHT MARK
• commonly abbreviated LRM
- 200F  RIGHT-TO-LEFT MARK
• commonly abbreviated RLM
→ 061C  arabic letter mark

Dashes

- 2010 - HYPHEN
→ 002D - hyphen-minus
→ 00AD  soft hyphen
- 2011  NON-BREAKING HYPHEN
≈ <noBreak> 2010 -
- 2012 — FIGURE DASH
- 2013 — EN DASH
- 2014 — EM DASH
• may be used in pairs to offset parenthetical text
→ 2E3A  two-em dash
→ 30FC — katakana-hiragana prolonged sound mark
- 2015 — HORIZONTAL BAR
= quotation dash
• long dash introducing quoted text

General punctuation

- 2016 || DOUBLE VERTICAL LINE
• used in pairs to indicate norm of a matrix
→ 20E6  combining double vertical stroke overlay
→ 2225 || parallel to
→ 23F8  double vertical bar
- 2017 = DOUBLE LOW LINE
• this is a spacing character
→ 005F _ low line
→ 0333  combining double low line
≈ 0020  0333 

Quotation marks and apostrophe

Use of quotation marks differs by language. The character names cannot reflect actual usage for all languages.

- 2018 ‘ LEFT SINGLE QUOTATION MARK
= single turned comma quotation mark
• this is the preferred character (as opposed to 201B ‘)
→ 0027 ' apostrophe
→ 02BB ‘ modifier letter turned comma
→ 275B ‘ heavy single turned comma quotation mark ornament
- 2019 ’ RIGHT SINGLE QUOTATION MARK
= single comma quotation mark
• this is the preferred character to use for apostrophe
→ 0027 ' apostrophe
→ 02BC ’ modifier letter apostrophe
→ 275C ‘ heavy single comma quotation mark ornament
- 201A , SINGLE LOW-9 QUOTATION MARK
= low single comma quotation mark
• used as opening single quotation mark in some languages
- 201B ˇ SINGLE HIGH-REVERSED-9 QUOTATION MARK
= single reversed comma quotation mark
• has same semantic as 2018 ‘ , but differs in appearance
→ 02BD ˇ modifier letter reversed comma

- 201C “ LEFT DOUBLE QUOTATION MARK
= double turned comma quotation mark
- this is the preferred character (as opposed to 201F “)
 - 0022 " quotation mark
 - 275D “ heavy double turned comma quotation mark ornament
 - 301D ` reversed double prime quotation mark
- 201D ” RIGHT DOUBLE QUOTATION MARK
= double comma quotation mark
- 0022 " quotation mark
 - 2033 ” double prime
 - 275E ” heavy double comma quotation mark ornament
 - 301E ” double prime quotation mark
- 201E „ DOUBLE LOW-9 QUOTATION MARK
= low double comma quotation mark
- used as opening double quotation mark in some languages
 - 2E42 „ double low-reversed-9 quotation mark
 - 301F „ low double prime quotation mark
- 201F “ DOUBLE HIGH-REVERSED-9 QUOTATION MARK
= double reversed comma quotation mark
- has same semantic as 201C “, but differs in appearance

General punctuation

- 2020 † DAGGER
= obelisk, long cross, oblong cross
- 2E38 † turned dagger
- 2021 ‡ DOUBLE DAGGER
= diesis, double obelisk
- 2E4B ‡ triple dagger
- 2022 • BULLET
= black small circle
- 00B7 · middle dot
 - 2024 . one dot leader
 - 2219 • bullet operator
 - 25D8 ◼ inverse bullet
 - 25E6 ◦ white bullet
- 2023 ▶ TRIANGULAR BULLET
= black right-pointing small triangle
- 220E ■ end of proof
 - 25B8 ▶ black right-pointing small triangle
- 2024 . ONE DOT LEADER
• also used as an Armenian semicolon (mijaket)
- 00B7 · middle dot
 - 2022 • bullet
 - 2219 • bullet operator
 - ≈ 002E . full stop
- 2025 .. TWO DOT LEADER
≈ 002E . 002E .
- 2026 ... HORIZONTAL ELLIPSIS
= three dot leader
- 22EE ∴ vertical ellipsis
 - FE19 ∴ presentation form for vertical horizontal ellipsis
 - ≈ 002E . 002E . 002E .
- 2027 - HYPHENATION POINT
• visible symbol used to indicate correct positions for word breaking, as in dic-tion-ar-ies

Separators

- 2028 ¶ LINE SEPARATOR
• may be used to represent this semantic unambiguously
- 2029 ¶ PARAGRAPH SEPARATOR
• may be used to represent this semantic unambiguously

Format characters

- 202A LRE LEFT-TO-RIGHT EMBEDDING
• commonly abbreviated LRE
- 202B RLE RIGHT-TO-LEFT EMBEDDING
• commonly abbreviated RLE
- 202C PDF POP DIRECTIONAL FORMATTING
• commonly abbreviated PDF
- 202D LRO LEFT-TO-RIGHT OVERRIDE
• commonly abbreviated LRO
- 202E RLO RIGHT-TO-LEFT OVERRIDE
• commonly abbreviated RLO

Space

- 202F NBSP NARROW NO-BREAK SPACE
• commonly abbreviated NNBS
- a narrow form of a no-break space, typically the width of a thin space or a mid space
 - 00A0 NBSP no-break space
 - 2005 4/EM four-per-em space
 - 2009 THSP thin space
 - ≈ <noBreak> 0020 SP

General punctuation

- 2030 ‰ PER MILLE SIGN
= permille, per thousand
- used, for example, in measures of blood alcohol content, salinity, etc.
 - 0025 ‰ percent sign
 - 0609 ۱۰۰ arabic-indic per mille sign
- 2031 ‰ PER TEN THOUSAND SIGN
= permyriad
- percent of a percent, rarely used
 - 0025 ‰ percent sign
 - 060A ۱۰ arabic-indic per ten thousand sign
- 2032 ' PRIME
= minutes, feet
- 0027 ' apostrophe
 - 00B4 ´ acute accent
 - 02B9 ´ modifier letter prime
- 2033 " DOUBLE PRIME
= seconds, inches
- 0022 " quotation mark
 - 02BA " modifier letter double prime
 - 201D ” right double quotation mark
 - 3003 " ditto mark
 - 301E " double prime quotation mark
 - ≈ 2032 ' 2032 '
- 2034 "" TRIPLE PRIME
= lines (old measure, 1/12 of an inch)
- ≈ 2032 ' 2032 ' 2032 '
- 2035 ` REVERSED PRIME
→ 0060 ` grave accent
- 2036 `` REVERSED DOUBLE PRIME
→ 301D ` reversed double prime quotation mark
- ≈ 2035 ` 2035 `

- 2037 〰 REVERSED TRIPLE PRIME
≈ 2035 ` 2035 ` 2035 `
- 2038 ^ CARET
→ 2303 ^ up arrowhead
→ A788 ˘ modifier letter low circumflex accent

Quotation marks

- 2039 < SINGLE LEFT-POINTING ANGLE QUOTATION MARK
= left pointing single guillemet
• usually opening, sometimes closing
→ 003C < less-than sign
→ 2329 ‹ left-pointing angle bracket
→ 3008 ‹ left angle bracket
- 203A > SINGLE RIGHT-POINTING ANGLE QUOTATION MARK
= right pointing single guillemet
• usually closing, sometimes opening
→ 003E > greater-than sign
→ 232A › right-pointing angle bracket
→ 3009 › right angle bracket

General punctuation

- 203B ※ REFERENCE MARK
= Japanese kome
= Urdu paragraph separator
→ 0FBF ※ tibetan ku ru kha bzhi mig can
→ 200AD 𑌆 cjk unified ideograph-200AD

Double punctuation for vertical text

- 203C !! DOUBLE EXCLAMATION MARK
→ 0021 ! exclamation mark
≈ 0021 ! 0021 !

General punctuation

- 203D ? INTERROBANG
→ 0021 ! exclamation mark
→ 003F ? question mark
→ 2E18 † inverted interrobang
→ 1F679 ? heavy interrobang ornament
- 203E ¯ OVERLINE
= spacing overscore
≈ 0020 ¯ 0305 ¯
- 203F ˘ UNDERTIE
= Greek enotikon
→ 2323 ˘ smile
- 2040 ˆ CHARACTER TIE
= z notation sequence concatenation
→ 2322 ˆ frown
- 2041 ˆ CARET INSERTION POINT
• proofreader's mark: insert here
→ 22CC ˆ right semidirect product
- 2042 * ASTERISM
- 2043 - HYPHEN BULLET
→ 002D - hyphen-minus
- 2044 / FRACTION SLASH
= solidus (in typography)
• for composing arbitrary fractions
→ 002F / solidus
→ 2215 / division slash

Brackets

- 2045 [LEFT SQUARE BRACKET WITH QUILL
→ 2E20 [left vertical bar with quill
- 2046] RIGHT SQUARE BRACKET WITH QUILL

Double punctuation for vertical text

- 2047 ?? DOUBLE QUESTION MARK
≈ 003F ? 003F ?
- 2048 ?! QUESTION EXCLAMATION MARK
≈ 003F ? 0021 !
- 2049 !? EXCLAMATION QUESTION MARK
≈ 0021 ! 003F ?

General punctuation

- 204A ɀ TIRONIAN SIGN ET
• Irish Gaelic, Old English, ...
→ 0026 & ampersand
→ 2E52 ɀ tironian sign capital et
→ 1F670 ɀ script ligature et ornament
- 204B Ɂ REVERSED PILCROW SIGN
→ 00B6 ¶ pilcrow sign
→ 2E4D Ɂ paragraphus mark
- 204C ◀ BLACK LEFTWARDS BULLET
- 204D ▶ BLACK RIGHTWARDS BULLET
- 204E * LOW ASTERISK
→ 002A * asterisk
→ 0359 ◌ combining asterisk below
- 204F ; REVERSED SEMICOLON
• also used in Sindhi
→ 003B ; semicolon
→ 061B ؛ arabic semicolon
- 2050 ☐ CLOSE UP
• editing mark
→ AB5B ˘ modifier breve with inverted breve
- 2051 ** TWO ASTERISKS ALIGNED VERTICALLY
- 2052 ⁄ COMMERCIAL MINUS SIGN
= abzüglich (German), med avdrag av (Swedish), piska (Swedish, "whip")
• a common glyph variant and fallback representation looks like ./.
• may also be used as a dingbat to indicate correctness
• used in Finno-Ugric Phonetic Alphabet to indicate a related borrowed form with different sound
→ 0025 % percent sign
→ 066A ٪ arabic percent sign
→ 00F7 ÷ division sign
- 2053 ~ SWUNG DASH
→ 007E ~ tilde
- 2054 ˘ INVERTED UNDERTIE
- 2055 * FLOWER PUNCTUATION MARK
= phul, puspika
• used as a punctuation mark with Syloti Nagri, Bengali and other Indic scripts
→ 274B * heavy eight teardrop-spoked propeller asterisk
- Archaic punctuation**
- 2056 ∴ THREE DOT PUNCTUATION
→ 10FB ∴ georgian paragraph separator
- General punctuation**
- 2057 〰 QUADRUPLE PRIME
≈ 2032 ' 2032 ' 2032 ' 2032 '
- Archaic punctuation**
- See also historic punctuation with multiple dots in the range 2E2A-2E2D.*
- 2058 ∴ FOUR DOT PUNCTUATION

- 2059 ∷ FIVE DOT PUNCTUATION
= Greek pentonkion
= quincunx
→ 2684 ☒ die face-5
- 205A ∷ TWO DOT PUNCTUATION
• historically used to indicate the end of a sentence or change of speaker
• extends from baseline to cap height
→ FE30 ∷ presentation form for vertical two dot leader
→ 1015B ∷ greek acrophonic epidaurean two
- 205B ∷ FOUR DOT MARK
• used by scribes in the margin as highlighter mark
• this is centered on the line, but extends beyond top and bottom of the line
- 205C ∷ DOTTED CROSS
• used by scribes in the margin as highlighter mark
- 205D ∷ TRICOLON
= Epidaurean acrophonic symbol three
→ 22EE ∷ vertical ellipsis
→ 2AF6 ∷ triple colon operator
→ FE19 ∷ presentation form for vertical horizontal ellipsis
- 205E ∷ VERTICAL FOUR DOTS
• used in dictionaries to indicate legal but undesirable word break
• glyph extends the whole height of the line
→ 2E3D ∷ vertical six dots

Space

- 205F ☒ MEDIUM MATHEMATICAL SPACE
• abbreviated MMSP
• four-eighteenths of an em
≈ 0020 ☒ space

Format character

- 2060 ☒ WORD JOINER
• commonly abbreviated WJ
• a zero width non-breaking space (only)
• intended for disambiguation of functions for byte order mark
→ FEFF ☒ zero width no-break space

Invisible operators

- 2061 ☒ FUNCTION APPLICATION
• contiguity operator indicating application of a function
- 2062 ☒ INVISIBLE TIMES
• contiguity operator indicating multiplication
- 2063 ☒ INVISIBLE SEPARATOR
= invisible comma
• contiguity operator indicating that adjacent mathematical symbols form a list, e.g. when no visible comma is used between multiple indices
- 2064 ☒ INVISIBLE PLUS
• contiguity operator indicating addition

Format characters

- 2066 ☒ LEFT-TO-RIGHT ISOLATE
• commonly abbreviated LRI
- 2067 ☒ RIGHT-TO-LEFT ISOLATE
• commonly abbreviated RLI
- 2068 ☒ FIRST STRONG ISOLATE
• commonly abbreviated FSI

- 2069 ☒ POP DIRECTIONAL ISOLATE
• commonly abbreviated PDI

Deprecated

Use of these characters is strongly discouraged.

- 206A ☒ INHIBIT SYMMETRIC SWAPPING
- 206B ☒ ACTIVATE SYMMETRIC SWAPPING
- 206C ☒ INHIBIT ARABIC FORM SHAPING
- 206D ☒ ACTIVATE ARABIC FORM SHAPING
- 206E ☒ NATIONAL DIGIT SHAPES
- 206F ☒ NOMINAL DIGIT SHAPES