



JTC1/SC2/WG2/IRG

Ideographic

Rapporteur

Group

SuperCJK 11.1

A Super Set of Unified CJK Ideographs and
Its Extension A & B

Ordered by

Kangxi Dictionary

2000.11.21

Universal Multiple-Octet Coded Character Set UCS

ISO/IEC JTC1/SC2/WG2 N2299

ISO/IEC JTC1/SC2/WG2/IRG N 759

Date: 2000-11-21

Source: Zhang Zhoucai, IRG Rapporteur,

Title: **SuperCJK, Version 11.1** ☐
☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐**with Kangxi & HYD Data**

Action: Review with CJK Extension B PreDIS R1

Distribution: IRG Editors

Rapporteur's Note for The Version 11.1

1. Although all of 96x96 font images in CJK Extension B PreDIS R1 code table have been replaced by 128x128 bitmaps (see IRG N758), **the diagram of SuperCJK 11.1 remains using 96x96 font images**, because of the lack of the 128x128 font images of CJK & CJK_A at this moment.
2. To compare the glyphs between new 128x128 images and the old 96x96 bitmaps, please review the document **IRG N760** which shows both glyphs in CJK_B PreDIS R1.
3. The mapping table from DPR Korea has been added into the Mapping Table, which will be the part of the standard. As the result, 23761 Hanja from DPR Korea are mapped to CJK (14938 Hanja), CJK_A (3181 Hanja) and CJK_B (5642 Hanja).
4. Some stroke number errors are corrected:

36734 9 -> 10

36735 9 -> 10

38103 21 -> 19

38198 6 -> 7

38327 4 -> 3

38445 4 -> 5

41551 10 -> 9

41569 10 -> 9

42217 12 -> 11

42220 10 -> 11

~~42248~~ ~~17~~ -> 13

43119 7 -> 8

43534 8 -> 7

43798 10 -> 9

43993 10 -> 11

44298 20 -> 21

46742 10 -> 11

47574 14 -> 15

5. Wrong KXI Numbers are corrected:

40906 (BMP) KXI: 0933.067 -> 0933.061

~~44101 (BMP) KXI: 0996.111 -> 0993.201~~

~~44102 (BMP) KXI: 0996.111 -> 0993.201~~

47891 (BMP) KXI: 1072.071 -> 1071.201

47894 (BMP) KXI: 1072.071 -> 1070.321

6. Taking DPR Korean Hanja into account, the statistics of SuperCJK are as follows:
The SuperCJK **11.1** contains **70,205** Ideograph records while the CJK Extension
B PreDIS R1 has **42,711** Ideographs. See below:

	G	T	J	K	KP	V	H	Total
SuperCJK 11.1	57,623	54,452	13,119	17,392	23,761	9,299	1,101	70,205
CJK B PreDIS R1	30,527	30,177	302	166	5,642	4,232	1,081	42,711

7. There is no changes with repertoire, encoding, unification/separation in this new version, SuperCJK 11.1.

This version is made by Ms.Wang Xiaoming , the Technical Editor of IRG.

Zhang Zhoucai, IRG Rapportuer, email: joezhg@public.bta.net.cn

Rapporteur's Note for the Version 11.0

According to the report of Ms.Wang Xiaoming, the IRG Technical Editor, all changes of this version compared with the previous one are HK source code only.

1. Added two missing HCODEs

Record	Super CJK 10.2 Super CJK 10.1	Previous HCODE	SCJK10.2 CD HCODE	Suggested HCODE	Image
1.1	01714	HA-0709	N/A	H-92A1	働
1.2	67827	HA-2009	N/A	H-9EFE	鵠

2. Changed HCODEs of the following 17 characters

scjk101	scjk102	font	old_hcode	cjk_hcode	new_hcode	kx_no
34783	34783	□	HC-0023	HC-0023	H-8A4D	0812.400
06952	06952	□	HA-0139	HA-0139	H-8B6A	0212.210
45522	45522	□	HA-0857	HA-0857	H-8EF5	1031.381
01899	01899	□	HA-0036	HA-0036	H-8F5D	0119.231
40273	40273	□	HA-0791	HA-0791	H-90B7	0916.121
28822	28822	□	HA-0567	HA-0567	H-9253	0680.101
50721	50721	□	HA-0550	HA-0550	H-92C9	1134.070
29772	29772	□	HA-0594	HA-0594	H-9455	0694.010
64751	64751	□	HA-1177	HA-1177	H-955D	1441.340
48634	48634	□	HA-0944	HA-0944	H-957A	1092.211
50758	50758	□	HA-0845	HA-0845	H-97DC	1134.370
26931	26931	□	HA-0488	HA-0488	H-9844	0645.270
50613	50613	□	HA-0966	HA-0966	H-9C5D	1127.261
45955	45955	□	HB-0008	HB-0008	H-9E64	1042.261
23876	23876	□	HA-2060	HA-2060	H-A0E8	0563.210
67931	67931	□	HA-1210	HA-1210	H-FB43	1494.460
28502	28502	□	HA-0175	HA-0175	H-FC65	0674.140

3. Deleted two HCODEs

Record	Super CJK 10.2 Super CJK 10.1	Previous HCODE	SCJK10.2 CD HCODE	Suggested HCODE	Image
2.1	05230	N/A	HA-2008	N/A	𪛗
2.2	03652	N/A	HA-1241	N/A	勇

Rapporteur's Note for the Version 10.2

Compared with the previous version 10.1, this version recovered 4 glyphs (Ucode=2-0FAD,2-10C0,2-6E42, and 2-7B39) which were black-box-looking in 10.1. In addition to this, the new version replaced the mapping table for HK Government character set. The other attributes remain no change.

Rapporteur's Note for the Version 10.1

This version of SuperCJK is produced based on the Editorial Report IRG N 744 dated on 2000-06-23, by IRG Technical Editor Ms.Wang Xiaoming. Up to now, CJK Extension B FCD, the major portion of SuperCJK is still under ballot. Hence this version cannot reflect the disposition of WG2 to the comments on CJK Extension B FCD. The SuperCJK 10.1 and the CJK Extension B (R1) should be regarded as IRG's INTERNAL WORKING DOCUMENTS only.

=====

The SuperCJK **11.0** contains **70,205** Ideograph records while the CJK Extension B PreDIS has **42,711** Ideographs. See below:

	G	T	J	K	V	H	Total
SuperCJK 11.0	57,623	54,452	13,119	17,392	9,299	1,101	70,205
CJK B PreDIS	30,527	30,177	302	166	4,232	1,081	42,711

Appendix: Modifications on SuperCJK 10.0.

A. Font & Source

1. Added Font & Source Code

UCODE SuperCJK100	Glyph	Adding Source	Adding Glyph
2-32BD 21153	𪗇	T4-5055	𪗇
2-335C 21390	𪗈	T5-3F65	𪗈
2-7698 50057	𪗉	T6-4E58	𪗉

2. Changed Source & Font

UCODE SuperCJK100	Old T-FONT	Changing Source	New T-FONT
2-45FD 29804	𪗊	T4-386E ↓ T5-4036	𪗊
2-85F4 56604	𪗋	T5-516D ↓ T7-3447	𪗋

3. Deleted Source

UCODE SuperCJK100	Glyph	Deleting Source
2-4510 29516	𪗌	HA-0001
2-6B9B 45409	𪗍	HA-0857

4. Added Source

UCODE SuperCJK100	Glyph	Adding Source
0-8362 45572	苧	HA-0857

5. Deleted Recorder

UCODE SuperCJK100	Glyph	Source	NOTES
2-8AD8 58841	鉏	HA-1277	HK Request

6. Separated character

UCODE SuperCJK100	Separating Glyph	Separating Source
2-7E61 53508	𪔐	T5-7444 KXI=1213.111

7. Added Recorder

Put After (UCODE SuperCJK100)	Adding Glyph	Adding Source	KXI
2-731F 48631	𪔑	T7-496B	1085.261

8. Unified By Revising Font

UCODE SuperCJK100	Source	Old Glyph	Revised Glyph	Unify to
2-842E 55828	T7-5F67	𪔒	𪔒	2-8424 55818 𪔒

2-713B 47844	HA-0935	總	總	2-713A 47843 總
2-531C 35160	HC-0023	睽	睽	0- 4053 34825 睽

B. Changed Font (230 Ideographs)

See ChangeFont.PDF

C. Unified Ideographs (73 Pairs)

See Unification.PDF which includes the following pairs:

Source	To be added Glyph	Unify to
T6-3E62	𡗗	2-1B92 11556 𡗗
T5-516D	還	2-85F4 56604 還
T6-4056	冒	2-31C8 20743 冒
J4-6E5C	涅	0-6E7C 26639 涅

D. Changed Wrong Position (109 Recorders)

See WrongPosition.PDF

E. Revised Strokes (30 Characters)

See WrongStroke.PDF

F. Ideographs with Wrong Strokes In KXI Dictionary itself (23 Characters)

See WrongStrokInKXI.pdf

<i>Contact:</i>	Zhang Zhoucai, CCID Senior Engineer, IRG Rapporteur
<i>C/o:</i>	Wang Xiaoming, IRG Technical Editor
<i>Address:</i>	No.14. 3/F, ZhiXinCun XiaoQu, Beijing 100083, China
<i>Tel:</i>	(8610)6234 0198, 6234 5536 FAX: (8610) 6231 2924
<i>E-Mail:</i>	joezhg@public.bta.net.cn
<i>Web Site:</i>	http://www.cs.cuhk.edu.hk/~irg

Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form
04E00 00001 0075.010 10001.010 — 0	G0-523B T1-4421 J0-306C K0-6C69 V1-4A21 — KP0-FCD6	二		04E08 00012 0076.040 10009.020 — 2	G0-5549 T1-4437 J0-3E66 K0-6D5B V1-4A25 — KP0-E6DD	丈		04E0E 00023 00023 0077.010 10005.030 — 3	G0-536B T2-212F J0-4D3F K2-2123 V1-4A2A — —	与	
04E01 00002 00002 0075.030 10002.050 — 1	G0-3621 T1-4423 J0-437A K0-6F4B V1-4A22 — KP0-E8B9	丁		04E09 00013 00013 0076.050 10004.030 — 2	G0-487D T1-4435 J0-3B30 K0-5F32 V1-4A26 — KP0-E1B5	三		04E0F 00024 00024 0077.020 10011.050 — 3	G3-3021 T2-212D — K2-2124 — KP1-3402	𠂇	
04E02 00003 00003 0075.050 10004.010 — 1	G5-3021 T4-2126 J1-3021 — —	𠂇		04E0A 00014 00014 0076.070 10005.040 — 2	G0-494F T1-4438 J0-3E65 K0-5F3E V1-4A27 — KP0-E1C2	上		04E10 00025 00025 0077.030 10010.060 — 3	G0-5824 T1-4461 J0-5022 K2-2125 V1-4A2B — KP1-3401	𠂇	
20000 00004 00004 0075.060 10011.070 — 1	G_KX T5-2125 — —	𠂇 𠂇		04E0B 00015 00015 0076.100 10007.010 — 2	G0-4F42 T1-4436 J0-323C K0-793B V1-4A28 — KP0-F2BA	下		04E11 00026 00026 0077.040 10012.070 — 3	G0-3373 T1-4460 J0-312F K0-7564 V1-4A2C — KP0-EEC9	丑	
04E03 00005 00005 0075.070 10003.030 — 1	G0-465F T1-4424 J0-3C37 K0-7652 V1-4A23 — KP0-EFA6	七		04E0C 00016 00016 0076.130 10009.010 — 2	G0-5822 T2-2127 J1-3024 K2-2122 — —	𠂇		20007 00027 00027 0077.050 10011.040 — 3	G_KX T6-2142 — —	且	且
04E04 00006 00006 0076.010 10003.010 — 1	GE-2121 T3-2126 J1-3022 — —	𠂇		20003 00017 00017 0076.140 10008.010 — 2	G_KX T6-212F — —	𠂇	𠂇	20008 00028 00028 0077.060 10012.030 — 3	G_KX T6-2143 — —	𠂇	𠂇
04E05 00007 00007 0076.020 10002.040 — 1	GE-2122 T3-2125 J1-3023 — —	𠂇		20004 00018 00018 0076.141 — 2	T6-212D — —	𠂇	𠂇	20009 00029 00029 0077.061 — 3	T5-2133 — — KP1-3400	𠂇	𠂇
04E06 00008 00008 0076.021 10003.021 — 1	G1-7D3D — K2-2121 — —	𠂇		0536B 00019 00019 0076.141 10050.040 — 2	G0-4E40 — — — —	𠂇		04E13 00030 00030 0077.061 10010.050 — 3	G0-5728 — — — —	𠂇	
20001 00009 00009 0076.021 10004.020 — 1	G_HZ — — — —	𠂇 𠂇		20005 00020 00020 0076.141 10010.010 — 2	G_HZ T6-212E — — —	𠂇	𠂇	2000A 00031 00031 0077.061 10012.020 — 3	G_HZ — — — —	𠂇	𠂇
20002 00010 00010 0076.021 — 1	TF-2121 — — — —	𠂇 𠂇		20006 00021 00021 0076.141 — 2	K-0002 — — — —	𠂇	𠂇	2000B 00032 00032 0077.061 10012.050 — 3	G_HZ T3-2144 J3-2E22 — — KP1-3403	𠂇	𠂇
04E07 00011 00011 0076.030 10009.030 — 2	G0-4D72 T2-2126 J0-4B7C K0-5832 V1-4A24 — KP0-DAB9	𠂇		04E0D 00022 00022 0076.150 10011.060 — 3	G0-323B T1-4462 J0-4954 K0-5C74 V1-4A29 — KP0-DFBE	不		2000C 00033 00033 0077.061 10012.060 — 3	G_HZ — — — —	𠂇	𠂇

Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form
23A69 24718 24718 0583.340 21395.130 ㄅ 13	G_KX T7-3862		𪔐 𪔑	06BAF 24729 24729 0583.440 21395.170 ㄅ 14	G1-696B T1-7658 J0-5D52 K0-5E32 V1-5B43 KP0-DFF9		殯 殯	23A79 24740 24740 0584.060 21396.080 ㄅ 16	G_KX		殯 殯
23A6A 24719 24719 0583.350 21395.080 ㄅ 13	G_KX T5-5B73 KP1-47C0		殯 殯	23A72 24730 24730 0583.450 21395.150 ㄅ 14	G_KX T7-4030		殯 殯	03C7A 24741 24741 0584.070 21396.060 ㄅ 16	G_KX T3-5C4E		殯 殯
06BAD 24720 24720 0583.360 21395.060 ㄅ 13	GE-2F5F T2-5D38 J1-462D K1-575E KP1-47BD		殯 殯	23A73 24731 24731 0583.460 21394.130 ㄅ 14	G_KX T7-2E7D		殯 殯	23A7A 24742 24742 0584.080 21396.070 ㄅ 17	G_KX T5-7037		殯 殯
23A6B 24721 24721 0583.370 21395.090 ㄅ 13	G_KX T7-3865		殯 殯	23A74 24732 24732 0584.010 21004.080 ㄅ 13	G_KX T5-5B75 KP1-47C1		殯 殯	23A7B 24743 24743 0584.090 21396.090 ㄅ 16	G_KX T5-7038 KP1-47C6		殯 殯
06BAE 24722 24722 0583.380 21395.110 ㄅ 13	G1-6967 T1-737D J1-462E K0-5631 V1-5B42 KP0-D8B8		殯 殯	23A75 24733 24733 0584.011 ㄅ 14	G_HC		殯 殯	23A7C 24744 24744 0584.100 21396.120 ㄅ 17	G_KX T7-534F KP1-47C7		殯 殯
23A6C 24723 24723 0583.390 21395.070 ㄅ 13	G_KX T7-3863		殯 殯	23A76 24734 24734 0584.011 21396.020 ㄅ 14	G_HZ T7-402F		殯 殯	06BB2 24745 24745 0584.110 21396.100 ㄅ 17	G1-3C5F T1-7A73 J0-5D53 K0-6068 KP0-E2DF		殯 殯
23A6D 24724 24724 0583.400 63905.090 ㄅ 13	G_KX T5-5B74 KP1-47BF		殯 殯	06BB0 24735 24735 0584.020 21396.040 ㄅ 15	G3-447E T2-6565 J1-462F K2-3E6F KP1-47C4		殯 殯	23A7D 24746 24746 0584.121 21396.110 ㄅ 17	G_HZ		殯 殯
23A6E 24725 24725 0583.401 ㄅ 13	G_4K		殯 殯	23A77 24736 24736 0584.040 21396.030 ㄅ 15	G_KX T5-6833 KP1-47C5		殯 殯	23A7E 24747 24747 0584.130 53335.070 ㄅ 18	G_KX T7-582A		殯 殯
23A6F 24726 24726 0583.410 21395.160 ㄅ 14	G_KX T5-6230		殯 殯	06BB1 24737 24737 0584.041 21396.021 ㄅ 15	GE-2F60 J0-5D54		殯 殯	03C7B 24748 24748 0584.140 21396.160 ㄅ 19	G3-4534 T5-7578 KP1-47C9		殯 殯
23A70 24727 24727 0583.420 21396.010 ㄅ 14	G_KX T5-622F KP1-47C3		殯 殯	23A78 24738 24738 0584.041 ㄅ 15	V2-7A30		殯 殯	23A7F 24749 24749 0584.150 21396.140 ㄅ 19	G_KX T5-757A KP1-47C8		殯 殯
23A71 24728 24728 0583.430 21395.140 ㄅ 14	G_KX T4-5B4D KP1-47C2		殯 殯	03C79 24739 24739 0584.050 21396.050 ㄅ 16	G3-4474 T4-6355		殯 殯	23A80 24750 24750 0584.160 21396.130 ㄅ 19	G_KX T5-7579 KP1-47CA		殯 殯

Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kpcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kpcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Kcode Vcode Hcode Kpcode	96X96 NewForm	128X128 Traditional Form
27C65 52768 52768 1197.191 豕 8	TF-523C		貓 猫	27C6C 52779 52779 1198.030 63618.090 豕 9	G_KX T4-5376		猢 猢	27C73 52790 52790 1198.120 52945.170 豕 10	G_KX T5-5E5E		𤝵 𤝵
27C66 52769 52769 1197.191 63616.060 豕 8	G_HZ		𤝵 𤝵	27C6D 52780 52780 1198.040 63618.100 豕 9	G_KX T7-335A		𤝵 𤝵	27C74 52791 52791 1198.130 63619.050 豕 10	G_KX T5-5E5F		𤝵 𤝵
27C67 52770 52770 1197.191 63616.070 豕 8	G_HZ		𤝵 𤝵	08C6D 52781 52781 1198.050 63618.150 豕 9	G3-6F3E T1-7248 J1-5E78 K2-6232		𤝵 𤝵	08C71 52792 52792 1198.140 63619.010 豕 10	G5-6E4A T2-5F60 K2-6235		𤝵 𤝵
08C6B 52771 52771 1197.200 63617.070 豕 9	G0-5425 T1-7247 J0-502E K0-6763 V2-902D KP0-FDB5		豫 豫	27C6E 52782 52782 1198.060 63618.110 豕 9	G_KX T7-335C		𤝵 𤝵	27C75 52793 52793 1198.150 63619.040 豕 10	G_KX T5-5E5C		𤝵 𤝵
27C68 52772 52772 1197.220 63618.060 豕 9	G_KX T5-5847		猥 猥	27C6F 52783 52783 1198.070 63618.120 豕 9	G_KX T7-335B		𤝵 𤝵	08C72 52794 52794 1198.160 63618.170 豕 10	G3-6F40 T2-5F5F K2-6236		𤝵 𤝵
27C69 52773 52773 1197.230 63618.080 豕 9	G_KX T5-5848		猥 猥	27C70 52784 52784 1198.080 63618.160 豕 9	G_KX T5-5845		猥 猥	08C73 52795 52795 1198.170 63618.180 豕 10	G0-6159 T1-7552 J1-5E79 K1-633E		𤝵 𤝵
27C6A 52774 52774 1197.240 63618.030 豕 9	G_KX T5-5846		猥 猥	08C6E 52785 52785 1198.081 63618.040 豕 9	G8-7E5D		猥 猥	27C76 52796 52796 1198.180 63619.060 豕 10	G_KX T7-3C30		𤝵 𤝵
0474D 52775 52775 1197.250 63618.140 豕 9	G3-6F36 T4-5375		猥 猥	27C71 52786 52786 1198.081 63618.130 豕 9	G_HZ T7-3358		猥 猥	27C77 52797 52797 1198.181 豕 10	T7-3C2E		猥 猥
0474E 52776 52776 1197.260 63618.070 豕 9	G3-6F3D T4-5377 K3-3259 KP1-6915		猥 猥	27C72 52787 52787 1198.090 63619.020 豕 10	G_KX T5-5E5D		猥 猥	27C78 52798 52798 1198.181 豕 10	T7-3C2F		猥 猥
27C6B 52777 52777 1198.010 63618.050 豕 9	G_KX T7-3359		猥 猥	08C6F 52788 52788 1198.100 63619.030 豕 10	G3-6F41 T2-5F61 K2-6233		猥 猥	27C79 52799 52799 1198.181 80038.080 豕 10	G_HZ		猥 猥
08C6C 52778 52778 1198.020 63616.040 豕 9	GE-3E4A T1-6F29 J0-6C37 K1-6B6B V1-6773 KP1-6917		猥 猥	08C70 52789 52789 1198.110 32167.020 豕 10	G3-4F3C T2-5F5E K2-6234		猥 猥	27C7A 52800 52800 1198.181 豕 10	V2-837A		猥 猥

Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form	Ucode Super11.1 Super11.0 Kangxi HYDZ Radical Stroke	Gcode Tcode Jcode Vcode Hcode Kcode	96X96 NewForm	128X128 Traditional Form
29C4D 65968 65968 1459.360 74590.100 鬲 11	G_KX T4-6835 KP1-79F7	鬲 鬲 鬲	鬲 鬲 鬲	09B3B 65979 65979 1459.450 74590.150 鬲 12	G0-6577 T2-6E54 J0-6478 K2-7039 KP1-79F9	鬲 鬲 鬲	鬲 鬲 鬲	29C5F 65990 65990 1460.071 74591.100 鬲 13	G_HZ T7-5D73	鬲 鬲 鬲	鬲 鬲 鬲
29C4E 65969 65969 1459.370 74590.110 鬲 11	G_KX T7-5664	鬲 鬲 鬲	鬲 鬲 鬲	29C55 65980 65980 1459.451 鬲 12	G_HC	鬲 鬲 鬲	鬲 鬲 鬲	29C60 65991 65991 1460.080 21006.020 鬲 14	G_KX T4-6C46	鬲 鬲 鬲	鬲 鬲 鬲
09B39 65970 65970 1459.380 74590.060 鬲 11	G3-7B6A T4-6836 J1-6A37 K2-7037 KP1-79F5	鬲 鬲 鬲	鬲 鬲 鬲	29C56 65981 65981 1460.010 74591.070 鬲 13	G_KX T7-5D71	鬲 鬲 鬲	鬲 鬲 鬲	29C61 65992 65992 1460.090 74591.120 鬲 14	G_KX T4-6C45	鬲 鬲 鬲	鬲 鬲 鬲
29C4F 65971 65971 1459.390 74590.070 鬲 11	G_KX T5-7242 KP1-79F8	鬲 鬲 鬲	鬲 鬲 鬲	29C57 65982 65982 1460.020 74591.080 鬲 13	G_KX T7-5D72	鬲 鬲 鬲	鬲 鬲 鬲	29C62 65993 65993 1460.100 74591.110 鬲 14	G_KX T7-5D74	鬲 鬲 鬲	鬲 鬲 鬲
09B3A 65972 65972 1459.400 74590.080 鬲 11	G3-7B68 T2-6C73 J1-6A38 K1-637E KP1-79F6	鬲 鬲 鬲	鬲 鬲 鬲	29C58 65983 65983 1460.030 74591.010 鬲 13	G_KX T5-7678 KP1-79FB	鬲 鬲 鬲	鬲 鬲 鬲	29C63 65994 65994 1460.101 74591.130 鬲 14	G_HZ T7-603B	鬲 鬲 鬲	鬲 鬲 鬲
29C50 65973 65973 1459.410 74590.090 鬲 11	G_KX T7-5663	鬲 鬲 鬲	鬲 鬲 鬲	29C59 65984 65984 1460.040 74591.040 鬲 13	G_KX T4-6975	鬲 鬲 鬲	鬲 鬲 鬲	29C64 65995 65995 1460.110 74591.140 鬲 15	G_KX T7-616B	鬲 鬲 鬲	鬲 鬲 鬲
29C51 65974 65974 1459.411 鬲 11	T7-5665	鬲 鬲 鬲	鬲 鬲 鬲	29C5A 65985 65985 1460.050 74591.060 鬲 13	G_KX T4-6B3A KP1-79FC	鬲 鬲 鬲	鬲 鬲 鬲	04C1E 65996 65996 1460.120 74591.150 鬲 15	G5-7960 T3-6158 K3-363E	鬲 鬲 鬲	鬲 鬲 鬲
29C52 65975 65975 1459.411 鬲 12	T7-5666	鬲 鬲 鬲	鬲 鬲 鬲	29C5B 65986 65986 1460.060 74591.020 鬲 13	G_KX T7-5D70	鬲 鬲 鬲	鬲 鬲 鬲	29C65 65997 65997 1460.130 74591.160 鬲 15	G_KX T7-616C	鬲 鬲 鬲	鬲 鬲 鬲
29C53 65976 65976 1459.420 74590.140 鬲 12	G_KX T5-7527	鬲 鬲 鬲	鬲 鬲 鬲	29C5C 65987 65987 1460.070 74591.090 鬲 13	G_KX T5-7679 KP1-79FD	鬲 鬲 鬲	鬲 鬲 鬲	29C66 65998 65998 1460.140 74592.030 鬲 16	G_KX T5-7A50	鬲 鬲 鬲	鬲 鬲 鬲
29C54 65977 65977 1459.430 74590.120 鬲 12	G_KX T7-5A4C	鬲 鬲 鬲	鬲 鬲 鬲	29C5D 65988 65988 1460.071 74591.030 鬲 13	G_HZ T7-5D6F	鬲 鬲 鬲	鬲 鬲 鬲	29C67 65999 65999 1460.150 74592.040 鬲 16	G_KX T7-632C KP1-79FE	鬲 鬲 鬲	鬲 鬲 鬲
04C1D 65978 65978 1459.440 74590.130 鬲 12	G3-7B6D T7-5A4B KP1-79FA	鬲 鬲 鬲	鬲 鬲 鬲	29C5E 65989 65989 1460.071 74591.050 鬲 13	G_HZ	鬲 鬲 鬲	鬲 鬲 鬲	29C68 66000 66000 1460.160 74592.010 鬲 16	G_KX T7-632D	鬲 鬲 鬲	鬲 鬲 鬲