

| |
|---|
| Universal Multiple-Octet Coded Character Set UCS |
|---|

ISO/IEC JTC1/SC2/WG2 IRG N 1701

Date: 2010-06-24

| | |
|-------------------|---------------------------|
| Source: | Kawabata, Taichi |
| Meeting: | IRG#34, Nagaoka, Japan |
| Title: | [IWDS] Update to the IWDS |
| Status: | Member's submission |
| Actions required: | FYI |
| Distribution: | IRG |
| Medium: | Electronic |
| Pages: | 1 |

IWDS is a standing document to record the agreed unification of components (UCV) or non-unifiable components (NUC) (maintained at <http://appsrv.cse.cuhk.edu.hk/~irg/iwds.html>). This list will not include singular character variations.

In this IRG#34, the following characters (and components) are agreed to be added to the IWDS.

1. Components to be added to UCV (Unifiable component variations).

1.1 𠂇 vs. 𠂇 (AJ1-6 CID+13763)

IRG #34 agrees that this difference is merely stylistic and should not be differently encoded.

Affected characters: any character which include “𠂇”, such as 扛, 攻, etc.

1.2 舉 vs. 舉 vs 舉 (U+26999)

| | | | |
|------------------|---------|---------|---------|
| 8977 表 145.18 | 舉 | 舉 | 舉 |
| | GE-3D44 | TF-684A | JO-6827 |
| | 舉 | | |
| | H-9C5D | | |

1.3.Common Patterns on U+42F0, U+3B82 and U+485E

U+3B82 3B82
 水 75.8 暴 暴
 G3-4174 T4-3835

U+42F0 暴 暴 暴
 G3-6C28 T4-4623 K3-2E7C

485E 暈 暈
 車 159.8 G3-4563 T4-4E2A

1.4. U+3FDC

This may rarely be used as a component, but for recording, this pattern will be added to UCV list. (目 vs. 自)

3FDC 癩 癩 癩
 疒 104.23 GHZ T3-622D H-98DD

2. Components to be added to NUC (Non-Unifiable components).

2.1 U+7C14

The following characters are not agreed to be unifiable, but as the mapping of U+7C14 to TF-58BF is already included in CJKU_SR.txt since ISO/IEC 10646:2003, the following example will be added into the NUV list.

7C14 簞 簞 簞
 竹 118.11 GE-373F TF-585F J0-6443

(end of document)