UCS Ideograph Non-Unifiable Component Variations List (NUCV) ISO/IEC JTC 1/SC 2/WG 2 IRG

63	臣	匝	Disunified Ideographs
		ш	5BA6
			SF2B SE SE SE SE SE SE SE S
			GE-2948 T4-282C J1-3089 GE-2949 T4-2C70 J1-3C8A GE-29
			81E3 图 IE 131.0 臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣臣
			GO333C H81-A60A T1-4898
			SCFE 日本 15-3840 11-5766 K1-6E79 15-3840 11-5766 K1-6E79 15-3840 11-5766 K1-6E79 15-3840 11-5766 K1-6E79 16-5743 1
			G1-8853 HB2-F0F3 TZ-835E J1-8F3E K2-826E UCS2003 TF-5C37 9823 瓜子
			GE-452F H-8CEF T4-4E5A J1-877D K1-8575 G1-5243 HB1-C05B T1-7326 J0-7075 K2-6D4C 20C7B П片 П二 20CAC П片 П二
			UCS2003 H-9BCC UCS2003 GFZ
			UCS2003 GKV-0670.16 T4-326F UCS2003 G4K
			田 102.6 四世 四世 田世 田世 田 102.7 四世 四世 UCS2003 GHC UCS2003 GHC
			※ 120.9 系 系 UCS2003 GHZ-SS423.12 UCS2003 G4K
			III 130.6
			2981D YEE YEE 29821 YEE YEE UCS2003 GHZ-74501.16
			2981E 日子 日子 日子 日子 日子 日子 日子 日
54a	吉	吉	Source Code Separations 6BBB
			Disunified Ideographs
			7474
			89F3
			9DC7 198.10 19.2 19.2 19.2 19.2 19.2 19.2 19.5 19.2 19.5
			23486 * 757 杭 (UCS2003) 杭 (KY-0551,05) 杭 (T4-3240) 234D8 * 75.8 杭 (KT-05200) 杭 (KT-05200) 杭 (KT-05200) 杭 (KT-05200) 村 (KT-05200) 村 (KT-05200) <td< th=""></td<>
			236AF 東東 東東 東東 23ACE 東東 東東 東東 15.12 東東 15.12 東東 15.12 15.24 15.14
			23AAC 東東 UCS2003 GHZ-32162.02 T5-4021 T5-4021 UCS2003 GHX-0703.20 T6-5E87
			23AC3
			26FAB # 140.14
			27385 東東 東北 273DA 東東 東東 山北2.9
			2A14F
			UC\$2003 GHZ-74859.15 T7-5E25

		Unified Ideographs 58F3 ± 33.4
294		床 (JIS X 0213 - 140)
		Disunified Ideographs
		53A4 F 27.10
		53AF F 27.12
		66A6 H 72:10 居 居 居 居 居 居 居 居 居 居 居 居 居 居 居 居 居 居 居
		6B74 ± 77.10 E E E E E E E E E E E E E E E E E E E
		701D
		20AA0 <u> </u>
		20ABE
317	回囬	Disunified Ideographs
		56DE ☐ 31.3 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
		5EFB 迎 迎 迎 迎 迎 迎 近 3EFD 迎 近 3 3276 ND7C5F
		86D4 ± 142.6 G0.3857 HB1.85EE T1.6174 J0.685C K0.705E 8716 ± 142.7 GE.3C35 T3.4448
		29792
325	閒間	間
		Disunified Ideographs 50E9 /BB /BB /BB /BB /BB 50F4 /BB /BB /BB /BB
		人 9.12 11月 11月 11月 11月 11月 11月 11月 11日 11日 11日
		5AFA
		61AA & 61.12
		648A _{手 64.12}
		6A4C * 75.12 相 相 相 相 相 相 相 相 相 相 相 相 相 相 相 相 相 相 相
		6F97 ** 85.12 消費 消
		71D7 大 86.12
		GE-3250 T7-2F4F J0-5F73 K2-455E UC\$2003 TF-5568 7647
		77AF 109.12 118
		SACRETY TITLES TACHOOL STREETS RERECT 1930811 RSZ-EDID 12-5089 K2-4877 V2-7540

		78F5 石 112.12		磵			磵	7900 石 11212	礀		礀	礀		
		7C21 竹 118.12	筒	H-90C5 簡	簡	簡	簡	管 25CD1 竹 118.12	GE-354C	簡		J1-5036 育		
		7E5D 糸 120.12	G1-3C72 網 GE-385F	HB1-C2B2	T1-767C 網 T3-5858	J0-344A 網 J0-6563	K0-4A5B 網 K2-5339	V1-6230 26158 糸 120.12	UCS2003 期 UCS2003	SKX-0899		04F		
		8551 # 140.12	育(3-6935	<u>育</u>	育12-5971	前」11-5944	醇 K2-5961	8573 # 140.12	i GE-3840	前出	蕳			
		8947 衣 145.12	澗	襇	120071	310344	R20301	8949 表 145.12	襉	襉 HB2-F009	襉	襉	襉 K2-5F32	
		89B5 見 147.12	覵 GE-3D56		<u>覵</u>	覞	覵 K2-5F69	89B8 見 147.12 V2-8F7B	睍		睍		睍 K2-5F68	
		8B4B 亩 149.12	部	調 HB2-F2FD	謂 T2-672A			27B18 音 149.12	- 担用	調				
		9417 <u>\$\perp\$ 167.12</u>	鐗 GE-4331	鐧	鐗	鐗 J1-655E	鐗 K2-6A56	9427 <u>\$\pm\$ 167.12</u>	鐧 G1-6F35	鐧 H-95E1	鐧 T3-5D46		鐧 K2-6A58	
		9592 ** 169.4	閒 GE-4361	閒 HB1-B6A2	閒		閒 K0-7959	9593 169.4	間 G1-3064	間 HB1-B6A1	間 T1-6266	間,0-3456	目 K0-4A60	問 V1-6A73
		9B1C # 190.12	酮 G3-7B49		酮	酮 J1-6A2E		9B1D # 190.11	旨 GE-465E		鬝 T3-6672			
		9DF3 //i) 196.12	鵬	鵬 HB2-F871	鵙	鵬	<u>鵬</u> K1-727B	9DFC ,(1) 196.12	間 鳥 GE-4840	鷼	鵬		鷼 K2-7353	
		21F0F ili 46.12	嵋 UCS2003	順 GKX-0319				21F25 ili 46.12	順 UCS2003	师				
		27BCE 谷 150.12	調 UCS2003	謂 GKX-1191		期 A37		27BD1 谷 150.12	澗	部 GCY				
		2814D 足 157.12	朙 UCS2003	谓 GKX-1233				28180 足 157.12	聞 UCS2003	謂				
		288C7 晋 164.12	瞯 UCS2003	西度 GKX-1288		期		288C9 图 164.12	酮 UCS2003	間 GHC				
		28C13 ± 167.18	鐗 UCS2003	全館 GKX-1327				28C1D ± 167.18	鏳 UCS2003	15-784				
		29ED8	鯛 UCS2003	<u>鯛</u> GKX-1477	川	月		29EFE fit 195.12	鯛 UCS2003	GHC				
		2A668 m 211.12	調 UCS2003	选用 GKX-1536				2A669 _{歲 211.12}	調 UCS2003	岛 GHC	数 T5-7			
		Unifi 35F4 □ 30.12	ied I 喟 ⑸3856 明	deog 「14-492 明 10-333	1 II 20 J4-	hs 罰 2442								
333a 真	夏稟	Disu	nifie	ed Id	leogi	raph	ıs							
		51DB 7 15.13	凛 604150	凛 H-89DF	凛 T3-4B30	凛 J0-5158	凛 K1-5F53	51DC 7 15.13	凜 GE-227A	凛 HB1-BBFE	凜 T1-6C29	凛 JO-7425	凜 KO-574F	凜 V1-4066
		58C8 ± 32.13	壈 GE-2630	壈 HB2-E949	壈 T2-5653	壈 J1-3852	壈 K2-2B2E	桌 21484 ± 32.13 v0-3464	<u></u>	字 GHZ-10492	1.10			
		5EE9 	廩 GE-2938	<u>享</u> HB2-E96F	稟	廩	廩 K1-5F54	東 5EEA / 53.13 V1-543D	廪 60-625E		禀 T3-505C		<u>廪</u> K2-3073	
		61CD © 61.13	懍 GE-2ASF	懔 HB1-BECF	懔 T1-7058	懍 JO-586E	懍 K2-335F	61D4 ⊕ 61.13	懔					
		6A81 未 75.13	檁 GE-2F23	檁 HB2-ECF5	檁 T2-5D22	檁 J14537	檁 K2-3D3D	模 6AA9 * 75.13 VI-5A73	檩。60-6950					
		71E3 火 86.13	燣 GE-3242		燣 T3-553C		燣 K2454	71F7 火 86.13	燷 65-5246					
		765B y~ 104.13	<u>燣</u>		<u>澟</u>			765D ∌ [™] 104.13	凛 G3-5F45					

		7980
		21000 県 県
		283B9
		Unified Ideographs 069/114 東
343	卻卻	Disunified Ideographs 537B 1 部 部 部 部 部 部 部 部 部 部 部
		26.7 分子
		UCS2009 T7-2863 UCS2009 GIOCO995.02 T7-313A Compatibility Ideographs
		3B9D
		3B9D ** 759
		Unified Ideographs
		3B9D *: 75.9
382	冒 冒	Disunified Ideographs 5190 P P P P P P P P P P P P P P P P P P P
		17 13.6
		女 38.9
		5E3D
		7128
		7441 〒里里里里里里里里里里里里那里 G0-823 HB1-87E8 T1-6530 J0-6070 K0-5941 V1-5F31 UCS2003 TF-3037
		8252 身 137.9
		3A9E
		3D18 ★ 85.9
		226E1
		234CD
		2942F 立日 立日 立日 立日 15487.02 立日 154827 1
399	龠龠龠	7000
		7039 ** 85.17 ** ** ** ** ** ** ** ** **
		7C65 f) 118.17
		Compatibility Ideographs 7039 ************************************
400	世卅	GO-852E HB2-F465 T2-6933 J1-4935 K2-4344 TF-5556
100	帯帶	

		Source Code Separations 5E2F 中 50.7										
401	奂奐	奂⑦ 奂⑨ 换 (HYDCD - 43)										
		Disunified Ideographs										
		5524 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 唤 中										
		5942 大 37.4 央 G0.583C 大 37.5 会 条 条 条 条 条 条										
		5BCF										
		610C ⑤ 61.9										
		6362										
		6DA3										
		7115										
		744D										
		75EA 广 104.7 疾 _{G0 3888} 76133 疾疾疾疾疾 _{G1 3898} 疾疾疾疾										
		36DF										
		Unified Ideographs										
		03AB1 20119 20119 0477.130 32170.190 9 KP1-487D										
		25805 37268 37268 37268 37268 0856.120 42620.020 ** 英										
		259BA G KX 75-4832										
402	図 皿	Disunified Ideographs										
	1/1	7F51										
		7F5B										
		7F5C										
		7F5F										
		7F60										
		7F666										
		7F67 MI 122.8 G3-5829 HIZ-0F89 T2-4530 J0-662E K2-535F 262D7 MI 122.8 KK LCS2003 T6-6048										
		7F68										

7F69 4 122.8	罩 G0-5556	胃 HB1-B86E	罩 T1-6575	罩,0-6620	罩 K2-5360	262DA 49 122.8	译 UCS2003	型 T6-6048	
7F6A [4] 122.8	罪 60-576F	罪 HB1-886F	罪 T1-6576	罪	罪	手 262DB 図 122.8 V1-633E	冥	評	
7F6C	要	要 H82-DF68	翌 72-4632			262D6 49 122.8	중절	京 式 文文 T6-6046	
7F6D [4] 122.8	 3 5 8 2 A	 HB2-DF67	 取	罭 J1-547E	 联2.5361	435E	区 13-487A		
7F6E 4 122.8	置 G0-5643	置 HB1-8860	置 T1-6574	置,04356	置 K0-7647	262D8 V1-633F 262D8	室 近 UCS2003	四 16-6049	
7F6F	器 G3-582D		晋 T3-4878			262EB		翌 17-2671	
7F72	署	署 HB1-8870	署	署	署 K0-5F7E	型 262E7 同 122.9 V1-6341	UCS2003	習16-6047	
7F73	思(33-5820	思 HB2-E37A	思		思 K2-5364	262EE		T7-2674	
7F75 6 122.10	,,,,	馬 HB1-807C	馬	馬	馬	262FB M 122.10	展 UCS2003	三	
7F77 [4] 122.10	配 G1-3055	罪 HB1-B07D	罪 T1-6E48	罷	能(0-7773	型 262FC 同 122.10 v1-6343	区 区 UCS 2003	区 月上 17-3148	
7F79 [4] 122.11	催 G0-6E3E	罹 HB1-BFA9	罹	催 J0-586D	催 K0-5767	26310 [4] 122.11	催 UCS2003	催 17-3A48	
7F7D [4] 122.12	劂	劂 HB2-EDE4	<u></u> 题	罻 J1-5522	罻 K1-5865	2631E [4] 122.12	区 例 UCS2003	愛可 77-4162	
7F7E [4] 122.12	留 G0-6E40	HB2-EDE3	置 T2-5E50	晉 J1-5523	冒 K1-6D78	2631D [4] 122.12	UCS2003	17-4160	
7F7F	置 63-5836	置 HB2-EDE2	<u>置</u>	置 』1-5524	置 K2-5368	2631C [4] 122.12	翼 UCS2003	翼	
7F85	羅 G1-425E	羅 HB1-C3B9	羅	羅	羅 K0-547E	26334 阿 122.14 V1-6344	羅 UCS2003	(AE 17-4F2B	
7F86	熊	羆 HB2-F2BC	黑 72-6646	羆,0.6631	羆 K1-6324	26332 [4] 122.14	区 UCS2003	77-4F29	
8A48 計 149.5	GO-6E3A	HB2-DBE0	T2-4046	₩ J0-6B4A	K2-6044	₩ 279E7	\equiv		文 文 言 T6-584A
8CB7 _{貝 154.5}	買 G1-4272	買 HB1-8652	買 T1-6239	買	買 KO-5862	買 27D7D 貝 154.6	貝	GHZ-63639.04	
4072	買 G3-5964					252FB	買 UCS2003	買17-4121	
4350 [6] 122.3	里 65-5A3C	T3-2A4				4351 4] 122.3	XX 	区 T3-2E5C	
4356 [4] 122.5	 GKX-0947.2					262A0 [4] 122.5	图 UC\$2003	包 16-4334	
4358 [4] 122.6	果		另 K3-2			262AE 46 122.6	梁 UCS2003	采 GKX-0947.39	网 光 T6-4C76
435C	程 G5-5A4F	晋				262DC [4] 122.8	翟 UCS2003		
4361 [4] 122.11	麗 63-5B31	是 T4-524				2630F 4 122.11	麗 UCS2003	麗	
44BD 99 140.6	XX G3-686E		X			26B5D # 140.5		GHZ-53192.05	T6-333E
2627D [4] 122.3	UCS2003		[2627E 4 122.3	UCS2003	HZ-80033.05	T4-275E
26282 [6] 122.4	<u>男</u> UC\$2003	四 与 GKX-0947	. <u>–</u>	7.		2628D [4] 122.4	区 上 UCS2003	T6-3A67	
26298 [4] 122.5	梁 UC\$2003	区 GKX-0947	区 子 :32 T6-4	•		2629C 4 122.5	果 UCS2003	果	
262AA 4 122.6	图 UC\$2003			হা ল ল		262B4 [4] 122.6	四 UCS2003	器 15-3462	
1									

	262BE
	26301 要
	2632C
	2632D
	2633E
	26348
	Compatibility Ideographs 4359
	Unified Ideographs 4359 MI 1227
403 火 m	Disunified Ideographs
	55A3
	5EB6 广 53.8 庶庶庶庶庶庶庶庶庶庶庶 (G0-4A7C H81-8166 T1-542C J0-306E K0-5FE V1-542D 成成 (V1-542D 成成 (V1-542D 成成 (HZ-20866.14 T6-3F42)
	6770 * 75.4 木木木木木木木木木木木 木 1.4631 J.0.583F K0.4879 V1.5944 UCS2003 GHZ:32191.08 TF-2772
	6A1C ** 75.11
	6A35 ** 75.12
	6DE1
	706B 火 86.0
	7078 火 86.3
	70C8 <u>烈 烈 烈 烈 烈 烈 烈 烈 烈 </u> <u>烈 70EE</u> <u>烮</u> <u> </u>
	70CB
	70F2 火 867
	7104 <u> </u>
	711A 火 86.8
	7123 火 858 取 取 取 取 取 取 取 取 取 取 取 123062 取 12460 15460
	7126 <u>焦焦焦焦焦 集 集 集 集 集 集 集 集 集 集 集 集 集 集 集 集 </u>
	7136 然然然然然然然
	714E 前前前前前
	7151
	7166 火 86.9

7167 火 86.9	照	日子 HB1-B7D3	<u></u> 江1-6479	照 J0-3E48	<u>照</u> K0-704E	11-5E2F 242DC 火 86.9	贬 UC\$2003	形 TF-4330	
716D 火 86.9	劉 GE-3225		劉 T3-4259			242F4 火 86.9	 题 UC\$2003	製 GHZ-80029.08	
7172 火 86.9	煲	煲 HB2-DE73	煲 T2-4459		煲 K24470	3DDB 火 86.9	保 GS-215B	保 TF-433C	保 H-ADDA
7188 火 86.10	<u></u> 原E-322F	JEL H-98E0	<u></u> T3-4772	<u>爬</u> JO-5F67	<u></u> 熙 K2-4479	3DE9 火 86.10	贬 K3-2A3D		
718A 火 86.10	能	怠 HB1-BAB5	<u>熊</u> T1-6950	熊	<u>能</u>	育长 火 86.10 V1-5E34	<u>能</u> 65-5220	下3-	 長 476A
7199 火 86.10	<u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u>	EE HB1-BAB3	<u></u> 下1-695A	<u></u> 见 30-7426	<u></u> K0-7D77	大 V1-5E36 24307 火 86.10	贬	贬 GHZ-32222.11	配 次 TF-4954
719F 火 86.11	熟 60-4A6C	<u>熟</u> HB1-BCF4	<u>熟</u>	<u>熟</u> J0-3D4F	<u>熟</u>	<u>乳</u> 24368 火 86.11	<u></u> UC\$2003	<u></u> TF-5023	
71AC 火 86.11	<u>熬</u>	敖 HB1-BCF5	<u>熟</u>	熬,	<u>熬</u>	24385 火 86.11	<u>爽</u>	<u>表</u> GHZ-80029.13	<u> </u>
71B1 火 86.11	熱 G14848	熱 HB1-BCF6	<u>熱</u>	<u>熱</u> J0-472E	<u>熱</u>	热 2437D 火 86.11	麨	<u></u> SHZ-32227.09	
71B9 火 86.12	<u>熹</u>	<u>熹</u> H81-BF51	<u>壽</u> T1-713B	<u>票</u> J0-5F74	喜 K0-7D78	243F4 火 86.12	<u> </u>	夏 GHZ-80011.23	夏
71D5 火 86.12	悲	<u></u> ボ HB1-8F50	<u></u> 末	悲	燕	京 3DFC 火 86.12	<u>卖</u>	<u>売</u>	
7222 火 86.19	<u>乘</u> GE-3254	所 HB2-F7E6	元元 万. T2-6F35			3E0F 火 86.19) G5-7979	更 T4-6A50	延 JA-2462
	<u></u> G1-3E21	± HB1-BAC9	盡 T1-6970	盡	**************************************	## 4006	<u></u> 基 GKX-0795.23	<u>表</u> T3-4832	
7F39 街 121.4	無65-6250	∰ HB2-D26F	T2-3052			24223 火 86.6	 UCS2003	<u></u> GHZ-32199.14	更 T5-2E4D
7F94 ‡ 123.4	<u></u> 第60-3861	主 //// HB1-AFCC	<u></u> T1-574F	羔,0.6636	<u></u> ★ K0-4D44	7F99 [‡] 123.4	美 GE-3924	13- 13-	美 333E
87C5 虫 142.11	蟅	<u></u> HB2-EE5B	<u></u> 班 12-5F29		<u></u> K2-5D2F	2741A 虫 142.11	<u>蜧</u> UCS2003	唳 GKX-1096.21	蜧
8B36 # 149.11	謶	訓 HB2-F0E8	<u>訓</u>		訓 K2-613E	27AFD 育 149.11	詖	<u>談</u> GHZ-64014.02	譲
8B8C ਜ਼ੇ 149.16	<u></u>	<u></u> 計 HB2-F840	<u></u> T2-6F4E	<u></u> 30-6C27	<u>訓</u> K1-674F	27B83 1149.16	談 UC\$2003	談 GHZ-64030.18	<u>談</u> 17-5067
8CEE _{貝 154.9}	<u>書</u>	<u>青</u> HB2-EBB5	<u>青</u>		<u>書</u> K2-6265	27DC7 _{貝 154.9}	<u>孝</u> UC\$2003	<u>孝</u> GHZ-63653.11	<u>書</u>
906E 走 162.11	遮	<u>遮</u> HB1-BE42	摭	遮	<u>遮</u> K0-7334	28593 £ 162.11	遞	渡	
9463 167.15	魏	魏 HB1-CSDF	號	鑣	<u>魏</u> K1-724E	28BC4	鍍	<u>鐭</u>	
9DE6 /lij 196.12	鷦	<u>焦</u> HB2-F868	焦鳥	焦	鷦 K1-7025	2A185	焦鳥 UCS2003	焦息 GKX-1502.04	鵙
3DA8 火 86.4	<u></u> GKX-0667.1	0 T3-297	3			3DAA 火 86.4	灭 T3-2973		
3DB5 火 86.6	<u></u> 纸 3HZ-32202.0	江 江3-323	(元) JA-24	E 150		241F2 火 86.6	煲 UC\$2003 煲 V0-3C3C	 	任 T6-3939
3DF3 火 86.12	應	便 T4-512	H-96			2439D 火 86.12	雁 UCS2003	<u>廉</u> GKX-0681.16	雁(14-512A
3DF6 火 86.12	焦	焦	旗	,,		243DB 火 86.12	憊 UC\$2003	<u>債</u> GHZ-32234.05	ر
	美 GKX-0687.0	雙	()			2448F 火 86.16	焦集 UCS2003	焦 TF-654D	
3E10 火 86.19	<u>業</u>	其(13-603)	A.			244C9 火 86.19	美 UC\$2003	<u>美</u> GKX-0688.05	<u>美</u>

# 		8279 ++ ++ ++ ++ ++ ++ ++ ++ ++ ++ ++ ++ ++
	Unified Ideographs 3E02 火 86.13	
	293F6 (A) 178.18	293F7
	2486E 大 94.12	24885 £ 94.12 XX XX XX UCS2003 GHZ-21399.04 17-2533
	244EA 火 85.24	244EC 大 8524 集集 集集 集集 UCS2000 GHZ-32251.02 17-644E
	244DC 火 86.21	244DE 火 8621
	文 85.16 文 文 77-4E34	24493 火 86.16
	2445C 火 86.15 武 火 80.05 武 VCS2003 77-476A	24468 火 86.15 以CS2000 GHZ-32246.09 T7-4768
	2444F 火 86.14	24450 火 86.14 UCS2003 TF-SA75
	24427 火 85.14	24438 _{火 86,14}
	243BC	243C5
	243B4	243B5
	243AF <u> </u>	243B0
	243A9 ½ 86.12	28F3E
	24371 火 86.11 工工 UCS2003 TF-942F	290CF
	24329 火 86.10	29B0A
	24309 火 86.10	2433D
	242BE	26D45 # 140.9
	242BD	242EF
	24249 火 867 利 利 UCS2003 TF-3660	2424C 大UCS2003 GHZ-32204.17
	24208	24209 # # # # # # # # # # # # # # # # # # #
	UCS2003 GKX-0866.04 T4-2325 241D5	UCS2003 GHZ-32188.15 T6-2534 241EB
	24185	2418B
	22D95	22DA8 ^{手 64.13}
	4CFF 均 196.12 然鳥 GKX-1500.23 173-6068	2A188
	4584 外 140 23 英生 GS-8A55 TF-8C9C	2718B 99 14023 <u>ye</u> UCS2003 <u>14407</u> C

		8380 # 140.7	莀		苣	莀	莀		28446 辰 161.6	農	震	岸	些		ı
		84F0	花	莚	133850 蓰	J1-5823	だ		26E7C	2003 雑	gkx.1253.0				
		99 140.11 26B20	G0-5D7B	HB2-E775	T2-535E	J1-5925	1/L K2-5936		99 140.11 26B27 99 140.4	UC\$2003	GHZ-53265.		ф		
		99 140.4 26B26	井 UCS2003	GKX-1022	2.06 T6-2	74C			99 140.4 26B2B	学 UCS2003	护 GKX-1022:		₩ + 840		
		99 140.4	契	GKX-1022	2.17 T6-3	B4D			99 140.4	夹	天 TF-2859				
		26BDC 99 140.7	克 UCS2003	兑 GKX-1036	5.14 F6-4	₹ 435			26BE6 # 140.7	党 UCS2003	覚 GKX-1036.2	25 T6-5	岂 3733		
		26C4D 99 140.8	抗 UCS2003		九 元	元			26CAC # 140.8	业 加加 UCS2003	炉 中 加加 GHZ-53230	少 加 05 T6-6	平 元 1120		
		Com 82B3 99 140.4	芳		y Id 芳	_	raph 芳		史中 万 H3-8EFD						
405	攵 攴	Disu			_	_			6535	L.		, .			
		6534 克 66.0		H-C6D2					6535 支 66.0	G0-6B36	大 H-8BCE	<u>又</u> T3-2168	又 J0-5A3E	攵 K2-3763	
		653A 克 663	<u></u> 安5-3E6E		改 T4-243F	收 J1-4147	比 K2-3764		22EF0 支 66.3	<u></u> UCS2003	改GHC				
		6540 克 66.5	<u>的</u> 65-5853		<u>භ</u>		<u>的</u> K2-3766		24F50 ± 106.4	<u>භ</u>	白支 T6-3326				
		6542 支 66.5	<u>皈</u> ©E-2C32		<u>敂</u>				22F12 支 66.5	<u>帧</u> UC\$2003	敂				
		6546 支 66.6	<u>战</u>	战 HB2-D1CE	<u>会</u> T2-2F50		会 K2-376A		3A89 支 66.6	<u>余</u> GHZ-21457.0	合文 7 T6-382B	A-2	文 340		
		654B 支 66.6	数 GE-2C34		数				22F1B 支 66.6	敌 UC\$2003	敌 GKX-0470.0	07			
		654C 支 66.6	<u> </u>		敌 T4-2D44				22F24 支 66.6	<u> </u>	敌 GKX-0470.2	20			
		654D 克 66.7	敍 GE-2035	敍	敍	敍	敍 KD-5F73		6558 支 66.7	敘 GE-2C39	舣 HB1-B1D4	敘 T1-5A78	叙 JO-5A47	敘 K2-376F	叙
		6560 支 66.8	<u>毅</u> 65-4921		双 T3-3875	<u></u> 数	敠 K2-3773		656A 支 66.8	<u>毅</u> GE-2C3C	HB2-D974				
		6564 支 66.8	敤	敤 HB2-D975	敤		敤		3A99 支 66.8	敤					
		6565 克 66.8	<u>焱</u>	炎 HB2-D978	炎		敥		22F7B 支 66.8	数 UCS2003	数 GHZ-80022	18			
		6567 克 66.8	敧	奇 攴		敧			22F7D 支 66.8	<u></u> 近CS2003	赦				
		6568 支 66.8	<u>設</u> GE-2C38	<u>設</u> HB2-D977	<u> </u>				3A97 支 66.8	設(334720	这 H-8DAB				
		6569 女 66.8	<u>敩</u>						22F7E 支 66.8	<u></u> 数	對				
		656D 克 66.8	敭	敭	敭		敭		22F99 _{支 66.9}	<u></u> 最初	敡				
		656F 支 66.9	GE-2C3D 軽	H-FCCA	T3-414E		K0-6542 配		22F9E 支 66.9	贁	T4-3D5E 配				
		6571 支 66.10	赀	HB2-DDBC	設		赀		6573 支 66.10	UCS2003 敳	T6-532A 敳	敳			
		6572 _{克 66.10}	G3-4724 敲	敲	高鼓	敲	K2-377B 敲	敲	3AA3 支 66.10	GE-2C3E 畝	敲	T2-4A5B			
		6578 支 66.11	數	數	數	數	數	數	22FD8 支 66.11	數	数	婁	歧		
		657A 支 66.11	G1-4A7D 	HB1-BCC6	眨	J0-5A4B 	殿	V1-582F	22FDB 支 66.11	UCS2003 歐	GHZ-21472.	18 T7-2	対		
			GE-2C3F	HB2-E5BE	T2-5065	J1-4154	K2-377E			UCS2003	GHZ-21473.	08 T7-2	734A		

657D 支 66.12	敽 GE-2C42			敽 J14155		65. 克		敿		敿 12-5738	敿
657E 支 66.12	<u></u> SE-2C43				敾	3A 支	A8 66.12	彭	差 女 T4-5049	<u></u> K3-2727	
6580 支 66.13	<u>戰</u>	斀 HB2-ECEF	<u>戰</u>		默 12-3823		008 66.13	斀	歇		
6581 支 66.13	斁	斁 HB2-ECEE	斁	斁	斁		00 7 66.13	製	榖		
6585 支 66.16	製 05-487E	製 H-FCC9	學 T3-5041	製	製 KO-7C7A	658 克		斆	勢 H-8DAC		
679A 木 75.4	枚	枚 HB1-AA54	枚 T1-4E37	枚	枚 KD-585D	枚 ²³³ v1-594C	3FD 75.4	枝 UCS2003	枝 GHZ-80019.1	枝 5 TG-2C2A	
7087 火 86.2	<u>炊</u> G5-5137		<u>炊</u>				19D 86.4	<u>歧</u>	发 GKX-0667.03		
7267 + 93.4	牧 G0-4441	牧	牧 T1-4E68	牧 J0-4852	牧 KO-594C	牧 ²⁴	634 93.4	牧	牧 GHZ-31803.1	<u>特</u> 3 T6-2C70	
73AB	致 G0-4335	致 HB1-AAB4	玫 T1-4E75	致 J1-4B60	致	3E		技 3HZ-21104.0	技 13-2A30		
7D5B 糸 120.7	絛	絛	絛	絛	條 K1-6D2C	20: 人	35E 9.11	絛 UC\$2003	絛 GHZ-10210.1		
81F4 <u>≨</u> 133.3	致 G0-5642	致 HB1-AD50	致 T1-5333	致 J04357	致 K0-7648	致 ²⁶ ^至	93A 133.4	<u>较</u> UCS2003	致 T6-3B39		
8B8A ii 149.16	變 G1-3164	<u>變</u> HB1-C5DC	變 T1-7C48	緩 J0-5A4E	變 K0-5C28	變 ²³⁰ v1-6766	035 66.19	經 UC\$2003	變 GKX-0476.33	變 77-5859	
8D01 支 66.14	<u></u> GE-3E6F		<u></u> 打4352	<u></u> J1.5F40			015 66.14	<u></u> 近 52003	<u></u> GKX-0476.1	<u></u> 取 17-3F6D	
8ED9)(: 159,4	<u>較</u> GE-3F63		<u>較</u>				2B4 159.4	<u>軟</u> UCS2003	較 GKX-1240.11	軟 T6-454E	
38AD 号 57.4	<u></u> GS-2440						3BF 57.4	<u> </u>	<u>较</u> TF-2428		
3A83 _{支 66.5}	<u></u> 可支						F14 66.5	可欠 UCS2003	可文 T4-295E		
3A86 支 66.5	氏女 G3-467E						F15 66.5	<u>氏</u> 女 UCS2003	氏女 T4-295F		
3A8A 支 66.7	敖						F4F 66.7	散 UCS2003	<u>栽</u>		
3A8B 支 66.7	<u></u> \$554876	早 <u>大</u>	3				F4E 66.7	製 UCS2003	敦		
3A90 支 66.8	殷						F 72 66.8	<u>戾</u> UCS2003	<u>戾</u>		
3A91 支 66.8		奄 达					F 71 66.8	較 UCS2003	敏		
3A9B _{支 66.9}	戡						FA4 66.9	<u>欺</u> UCS2003	<u>甚</u> T4-305A		
3AA7 支 66.12	<u></u> 家校	 家 K3-27					66.12	<u>歙</u>	<u></u> 家女		
3CCA 水 85.4	汝 GHZ-31567.0	· 汝					C8F 85.4	<u>浅</u> UCS2003	汝 GKX-0608.10	<u>浅</u>	
4369 ‡ 123.4	<u>羚</u> GKX-0951.32	<u></u>					F1D 66.6	<u>羚</u> UCS2003	<u></u> GKX-0470.1	<u></u> 转 1 76-3824	
4D47 iii 200.4	敕 GKX-1515.09	麻 17-203	扇				398 200.4	<u>麻</u> UCS2003	麻 GKX-1515.1:	2	
21D68	<u>歧</u> UCS2003	山 <u>大</u> TF-237/					D72 46.4	<u>収</u>	收 GHC		
22A8A 手 64.4	技 UC\$2003	技 GKX-0420					A9B 64.4	<u>救</u>	杦		
22EEB	岐	岐					EF1 66.3	썴	썴		

22EFC	22F08 _{交 66.4}
22F02	2455D XL
22F17	25626 元 113.4
22F26 ^{文 66.6}	22F2D ^{文 66.6}
22F28	22F2E ² 66.6
22F29 ½ 66.6	22F36 ² 66.6
22F2B	22F2C ½ 66.6 XX XX UCS2003 T5-2073
22F2F ½ 68.6 UCS2003 T6-3827	22F34
22F39 _{反 66.7}	22F4A ^{交 66.7}
22F3C g 66.7 此22003 GKX-0471.01	22F50
22F3E	22F4B _{交 66.7}
22F5A _{交 68.8}	22F74 ² 66.8
22F5C g 687	22F77 _{交 66.7}
22F62	22F75 _{支 66.8}
22F63	22F76 _{交 66.8}
22F6A _{交 66.8}	22F70 ₅ 66.8
22F6B	22FA3 _{交 66.8} 款 _{以 US2003} 款 ₁₅₋₃₂₇₁
22F81	22F9D 軟 载 g 66.9 軟 载 ucs2003 年3F88
22F85 _{克 68.9} <u>數</u> <u>數</u> <u>數</u> UCS2003 GKX-6473_27 <u>T4-5057</u>	22F96 g 66.9
22F8A ^{炎 66.9}	22F9B _{文 68.9} <u></u>
22F8B 文 66.9	22FA1
22F8D	22F95 _{文 66.9}
22F8E	22F9C ² 68.9
22F91 _{文 66.9}	22F9A _{文 66.9}
22FB2 _{文 66.10}	22FBC
22FBA	22FBB _{炎 66.10}
22FCD	2305B
22FCF 文 66.11	22FD6 ^皮 66.11
22FD5 _{交 66.11}	22FDC ½ 66.11
1	

22FE2 支 66.12	<u></u> 愛女	夏 夏 GKX-0475.17			22FF3 _{支 66.12}	<u></u> DCS2003	爱女 T5-5464	
22FE3 支 66.12	<u></u> 競	<u></u> 表 GKX-0475.19	<u></u> 表达		22FF2 _{支 66.12}	<u>執</u> UCS2003	<u>執</u>	
22FE6 支 66.12	穀	榖			22FFD 支 66.12	敦	敦	
22FE7 支 66.12	UCS2003 穀 UCS2003	GKX-0475.24			22FF5 支 66.12	UCS2003 敦 UCS2003	T5-5467 宗女 T5-5466	
22FE8 支 66.12	性 UCS2003	較 GKX-0475.26	粒		22FF1 支 66.12	大	散	
22FFE 支 66.13	榖	榖 gkx.0475.33	穀		23009 支 66.13	榖 UCS 2003	榖	
23003 支 66.13	殿 以 以 以 以 以 以 以 以 以 以 以 以 以 以 以 以 以 以 以	<u></u> 験 gkx-0475.38	17-0002		2300A 支 66.13	廉 友	歉 15-5858	
23013 支 66.14	款	款 GKX-0476.10			23018 支 66.14	款 UCS2003	款	款 14-5839
2301B 支 66.15	<u></u> 級	製 GKX-0476.14			23020 支 66.15	榖	暴女	
2301C 支 66.15	殿 UCS2003	殿 GKX-0476.15			23021 支 66.15	殿	殿	
23024 支 66.16	敦	敦 GKX-0476.22	敦		23029 支 66.16	敦	敦	
23027 支 66.16	松	餀 GKX-0476.26	献女 佳文 14-6348		2903C (ft 172.12	歡	歡 GKX-1370.24	性 欠
23036 支 66.19	数 UCS2003	對 GKX-0476.34	数		23039 支 66.19	贊 UC\$2003	贊 GAK	
23038 支 66.19	藏	献 GKX-0476.36			2303A 支 66.19	<u>献</u> UC\$2003	胸 扩	
2303B 支 66.21	<u>嚴</u>	<u>嚴</u> GKX-0476.37			2303C _{支 66.21}	<u>屬</u> UC\$2003	屬文	
250CA III 108.15	<u>盭</u>	<u>盭</u>			250CE	<u>盭</u>	<u>秦</u> GHZ-42573.15	<u>秦左</u> 17-4E54
28219 ∯ 158.4	<u></u> 以CS2003	<u>泉</u> GKX-1237.09	<u></u> 15-3579		28221 - 9 158.4	<u></u> UCS2003	<u></u> 	<u></u> 取
2 9269 淮 177.4	較 UC\$2003	菜 欠 GKX-1386.04	較 T6-5A2B		29272 # 177.4	乾 UCS2003	某 友 GHZ-74327.15	
2A30F 麥 199.4	<u>委</u> UCS2003	<u>毅</u> GHZ-74601.09			2A311 赛 199.4	<u>委</u> 文 UCS2003	数 GHZ-74601.14	委 女 T7-202E
2A53B	畝 UCS2003	畝 GKX-1527.18	散 17-3E6E		2A53F	殿 UCS2003	設 GKX-1527.24	鼤
Unifi	ied I	deogr	aphs	;				
3A81 支 66.4	<u></u>	<u>今</u> T4-265E						
3A88 _{支 66.6}	<u> </u>	<u> </u>	鼓 K3-2676					
3A8C 支 66.7	美 G5-4878	<u></u> T4-3228	<u>能</u> кз-2677					
3A8E _{支 66.7}	<u>夾</u> G3-4722	<u>夾</u> 14-3220						
3A9C 支 66.9		設 14-3D5C	設 K3-267E					
3AA2 支 66.10	<u></u> G3-4733	<u> </u>						
3AAC 支 66.14	程文 G3-4739	<u>酸</u> T4-5B3A	戳 K3-2728					

		23023 支 66.16	戴 UCS2003	威上 角义 GKX-0476	展 第21 T5-8	/ -								
406	亀龜	Disunified Ideographs												
		4E80 ∠ 5.10	E GE-2139	皇 H-89D0	13-396C	亀 .0-3535	亀 K2-2148	9F9C & 213.0	11396A	#B1-C074	<u>毛</u>	10-737D	16 K0-4F4F	<u>龜</u> v2-9171
		6AF7 木 75.18	櫷 GK-6825				櫷	2ACE5 * 75.11	橹					
		7A50 禾 115.11	穐 GE-363C		穐	穐		9F9D <u>\$£</u> 213.5	龝		龝	龝	龜 K1-7045	
		9B2E ™ 191.17	G1-634E	HB2-F9C4	T2-7166	髱 J0-7220	K1-5A71	29C18	電 UC\$2003	電 GHC				
		49B0 "] 169.11	基 JA-2757					28DFA "] 169.18	UCS2003	記 GHZ-7432				
		20F13	唣 UCS2003	I 亀				2A6A9 @ 213.3	UCS 2003	H-9E7				
		Compatibility Ideographs												
		8612 # 140.17	種 GE-3862			種 J1-5A29	FA20 # 140.1	7 稿 34-7738	和 UTC-009	29				
409		Note This item is introduced in IRG N1834.												