

Universal Multiple-Octet Coded Character Set  
International Organization for Standardization

**Doc Type:** ISO/IEC JTC 1/SC 2/WG 2/IRG

**Title:** U-Source Horizontal Extension






**Source:** UTC

**Status:** Member Body Contribution

**Action:** For consideration by IRG

**Date:** 2026-10-12

The UTC (*Unicode Technical Committee*) proposes to horizontally-extend 74 CJK Unified Ideographs—in the CJK Unified Ideographs (URO), Extensions A through C, and Extensions E through J blocks—by adding new *kIRG\_U*Source property values and U-source representative glyphs as shown in the table below (the code chart excerpts are from Unicode Version 18.0, which is synchronized with ISO/IEC 10646 Seventh Edition):

| Code Point | Code Chart Excerpt—Unicode Version 18.0                                                                                                                                             | U-Source         |                                                                                       |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------|
|            |                                                                                                                                                                                     | Source Reference | Representative Glyph                                                                  |
| U+3B6E     | <b>3B6E</b><br><small>木 75.7</small><br><br><small>GKX-0529.06 T4-3246 JMJ-001720 K3-2770</small>  | UTC-00492        |    |
| U+3E14     | <b>3E14</b><br><small>爪 87.7</small><br><br><small>GCA-J0073 T3-3758 JMJ-058161 KP1-5DC7</small>  | UTC-00567        |   |
| U+43FB     | <b>43FB</b><br><small>肉 130.7</small><br><br><small>GHZ-32082.08 T3-3843 JMJ-003817</small>      | UTC-00593        |  |
| U+44C1     | <b>44C1</b><br><small>艸 140.6</small><br><br><small>T3-3360 JA-2639</small>                      | UTC-00608        |  |
| U+4A76     | <b>4A76</b><br><small>革 177.10</small><br><br><small>G3-7951 T4-5E41 JMJ-005468 KP1-85AB</small> | UTC-00249        |  |
| U+4AFB     | <b>4AFB</b><br><small>風 182.4</small><br><br><small>G3-4E62 T4-416D JMJ-005601 KP1-8792</small>  | UTC-00156        |  |
| U+4D1F     | <b>4D1F</b><br><small>鹿 198.3</small><br><br><small>G5-797B T5-4B6D JA-282F KP1-9003</small>     | UTC-00215        |  |

| Code Point | Code Chart Excerpt—Unicode Version 18.0                                                             | U-Source         |                      |
|------------|-----------------------------------------------------------------------------------------------------|------------------|----------------------|
|            |                                                                                                     | Source Reference | Representative Glyph |
| U+50ED     | <b>50ED</b><br>人 9.12<br>𠩺 𠩺 𠩺 𠩺 𠩺 𠩺 𠩺<br>G0-5954 HB1-B9B0 T1-6776 J0-5128 K0-7350 KP0-ECD1 V1-4C2C | UTC-00445        | 𠩺                    |
| U+51A4     | <b>51A4</b><br>兔 14.8<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G0-5429 HB1-ADDE T1-5441 J0-514D K1-6949 KP1-375E V1-4C5B | UTC-00477        | 𠬞                    |
| U+6550     | <b>6550</b><br>支 66.7<br>𠬞 𠬞 𠬞 𠬞<br>G5-6E38 T4-322B J1-414D K2-376C                                 | UTC-00206        | 𠬞                    |
| U+6B1A     | <b>6B1A</b><br>木 75.21<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G3-4363 HB2-F8F4 T2-7124 JMJ-014739 K2-3E29 KP1-4E60       | UTC-00133        | 𠬞                    |
| U+6BA9     | <b>6BA9</b><br>歹 78.12<br>𠬞 𠬞 𠬞 𠬞<br>GE-3E5D T5-5B72 J13-7647 KP1-4F8D                              | UTC-00166        | 𠬞                    |
| U+6EFA     | <b>6EFA</b><br>水 85.11<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G5-5660 H-FDC7 T3-4765 JMJ-015790 K2-4226 KP1-5343         | UTC-00438        | 𠬞                    |
| U+748F     | <b>748F</b><br>玉 96.12<br>𠬞 𠬞 𠬞 𠬞 𠬞<br>G3-3F7E T4-5139 J1-4C51 K2-4844 KP1-59B0                     | UTC-00178        | 𠬞                    |
| U+7C38     | <b>7C38</b><br>竹 118.13<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G0-7424 HB1-C3B0 T1-785B J0-4876 K1-7170 KP1-654B         | UTC-00182        | 𠬞                    |
| U+8330     | <b>8330</b><br>艸 140.6<br>𠬞 𠬞 𠬞 𠬞 𠬞<br>GE-4947 T4-2F63 J14-762E K2-574D KP1-6DBF                    | UTC-00469        | 𠬞                    |
| U+8334     | <b>8334</b><br>艸 140.6<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G0-5C6E HB1-AFF5 T1-5779 J0-6822 K0-7C6D KP0-F5EC V2-8F3F  | UTC-00386        | 𠬞                    |
| U+8503     | <b>8503</b><br>艸 140.11<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G3-6B22 H-9242 T3-4E4C J1-592E K2-593F KP1-6F16           | UTC-00789        | 𠬞                    |
| U+8803     | <b>8803</b><br>虫 142.13<br>𠬞 𠬞 𠬞 𠬞 𠬞 𠬞<br>G0-5979 HB2-F2DD T2-6668 J14-777B K2-5D56 KP1-72C6        | UTC-00341        | 𠬞                    |

| Code Point | Code Chart Excerpt—Unicode Version 18.0                                                  | U-Source         |                      |
|------------|------------------------------------------------------------------------------------------|------------------|----------------------|
|            |                                                                                          | Source Reference | Representative Glyph |
| U+8D0B     | <b>8D0B</b><br>𧯛 154.12<br>𧯛 𧯛 𧯛 𧯛 𧯛<br>G1-584D H-89B0 T3-5B38 J0-3466 K1-663A           | UTC-00480        | 𧯛                    |
| U+8FA5     | <b>8FA5</b><br>𧯝 160.9<br>𧯝 𧯝 𧯝 𧯝 𧯝 𧯝<br>G5-7331 H-9050 T3-5327 J1-6131 K2-654A KP1-7D25 | UTC-00161        | 𧯝                    |
| U+9763     | <b>9763</b><br>𧯞 176.0<br>𧯞 𧯞 𧯞 𧯞<br>GE-536A T3-2B21 J1-6737 KP1-84FB                    | UTC-00520        | 𧯞                    |
| U+202A7    | <b>202A7</b><br>𧯟 9.9<br>𧯟 𧯟 𧯟 𧯟<br>GKX-0109.18 T4-2B60 JMJ-030663 KP1-35FD              | UTC-00395        | 𧯟                    |
| U+202AC    | <b>202AC</b><br>𧯠 9.9<br>𧯠 𧯠 𧯠 𧯠<br>GKX-0110.15 T4-3048 JMJ-030669 KP1-35F2              | UTC-00257        | 𧯠                    |
| U+206F1    | <b>206F1</b><br>𧯡 18.6<br>𧯡 𧯡 𧯡<br>GKX-0139.16 T6-296C JMJ-031294                        | UTC-00127        | 𧯡                    |
| U+20ABE    | <b>20ABE</b><br>𧯢 27.14<br>𧯢<br>TF-535A                                                  | UTC-00582        | 𧯢                    |
| U+21148    | <b>21148</b><br>𧯣 30.18<br>𧯣<br>H-8B72                                                   | UTC-00452        | 𧯣                    |
| U+22466    | <b>22466</b><br>𧯤 58.10<br>𧯤 𧯤 𧯤<br>GKX-0362.20 T5-3F2A JMJ-035729                       | UTC-00266        | 𧯤                    |
| U+2258D    | <b>2258D</b><br>𧯥 60.14<br>𧯥 𧯥 𧯥 𧯥 𧯥<br>GHZ-20850.02 TF-5C5F JMJ-023887 KP1-7352 H-9CA2  | UTC-00663        | 𧯥                    |
| U+2263F    | <b>2263F</b><br>𧯦 61.6<br>𧯦 𧯦 𧯦 𧯦<br>GKX-0384.19 T6-3757 JMJ-036054 KP1-42D9             | UTC-00283        | 𧯦                    |
| U+228D9    | <b>228D9</b><br>𧯧 61.14<br>𧯧 𧯧 𧯧<br>GKX-0406.42 T5-5B4D JMJ-036433                       | UTC-00269        | 𧯧                    |

| Code Point | Code Chart Excerpt—Unicode Version 18.0                                        | U-Source         |                      |
|------------|--------------------------------------------------------------------------------|------------------|----------------------|
|            |                                                                                | Source Reference | Representative Glyph |
| U+22D15    | <b>22D15</b><br>手 64.12<br>𢢛 𢢛<br>GWY-44163 V2-7753                            | UTC-00459        | 𢢛                    |
| U+22FAB    | <b>22FAB</b><br>支 66.10<br>𢢛 𢢛 𢢛<br>GKX-0474.20 T4-4368 JMJ-037348             | UTC-00195        | 𢢛                    |
| U+23037    | <b>23037</b><br>支 66.19<br>𢢛 𢢛 𢢛<br>GKX-0476.35 T4-6A4A JMJ-037441             | UTC-00216        | 𢢛                    |
| U+2354D    | <b>2354D</b><br>木 75.9<br>𢢛 𢢛 𢢛<br>GKX-0542.12 T6-535C JMJ-038126              | UTC-00164        | 𢢛                    |
| U+23742    | <b>23742</b><br>木 75.14<br>𢢛 𢢛 𢢛<br>GKX-0558.14 T5-6178 JMJ-038335             | UTC-00228        | 𢢛                    |
| U+250A9    | <b>250A9</b><br>皿 108.12<br>𢢛 𢢛 𢢛 𢢛<br>GKX-0798.02 T7-4075 JMJ-042127 KP1-5D72 | UTC-00221        | 𢢛                    |
| U+2518A    | <b>2518A</b><br>目 109.7<br>𢢛<br>GHZ-42485.11                                   | UTC-00275        | 𢢛                    |
| U+25BF5    | <b>25BF5</b><br>竹 118.9<br>𢢛 𢢛 𢢛<br>GKX-0893.12 T7-2653 JMJ-043822             | UTC-00155        | 𢢛                    |
| U+26087    | <b>26087</b><br>糸 120.9<br>𢢛 𢢛 𢢛<br>GKX-0931.20 T4-5248 JMJ-044545             | UTC-00184        | 𢢛                    |
| U+26B83    | <b>26B83</b><br>艸 140.6<br>𢢛 𢢛 𢢛<br>GKX-1031.17 T6-3B59 JMJ-046376             | UTC-00212        | 𢢛                    |
| U+26C2B    | <b>26C2B</b><br>艸 140.8<br>𢢛 𢢛 𢢛 𢢛<br>GKX-1036.48 T4-3A55 JMJ-046466 KP1-6E24  | UTC-00171        | 𢢛                    |
| U+26E6C    | <b>26E6C</b><br>艸 140.11<br>𢢛<br>GHZ-80036.09                                  | UTC-00244        | 𢢛                    |

| Code Point | Code Chart Excerpt—Unicode Version 18.0                                        | U-Source         |                      |
|------------|--------------------------------------------------------------------------------|------------------|----------------------|
|            |                                                                                | Source Reference | Representative Glyph |
| U+27355    | <b>27355</b><br>虫 142.9<br>𧈧 𧈧 𧈧<br>GKX-1089.06 T4-4D2E JMJ-047664             | UTC-00194        | 𧈧                    |
| U+27B93    | <b>27B93</b><br>言 149.18<br>譙 譙 譙 譙<br>GKX-1188.01 T5-794E JMJ-049250 KP1-77EE | UTC-00202        | 譙                    |
| U+27D6A    | <b>27D6A</b><br>貝 154.6<br>賊 賊 賊<br>GKX-1208.13 T6-5855 JMJ-049632             | UTC-00247        | 賊                    |
| U+27E29    | <b>27E29</b><br>貝 154.14<br>賸 賸<br>GKX-1213.04 JMJ-049749                      | UTC-00204        | 賸                    |
| U+2837F    | <b>2837F</b><br>車 159.10<br>輶 輶<br>T5-5F24 JMJ-050624                          | UTC-00205        | 輶                    |
| U+28AD1    | <b>28AD1</b><br>金 167.11<br>鍤 鍤 鍤 鍤<br>GKX-1319.24 T7-4B37 JMJ-051866 VN-28AD1 | UTC-00432        | 鍤                    |
| U+2A4E8    | <b>2A4E8</b><br>鼯 205.7<br>鼯 鼯 鼯<br>GKX-1524.13 T7-525F JMJ-056407             | UTC-00157        | 鼯                    |
| U+2B26D    | <b>2B26D</b><br>艸 140.13<br>蕪<br>TD-6F6F                                       | UTC-00454        | 蕪                    |
| U+2C2E9    | <b>2C2E9</b><br>爪 87.7<br>𠂔 𠂔<br>GCA-J0184 TC-5B4D                             | UTC-00334        | 𠂔                    |
| U+2D000    | <b>2D000</b><br>人 9.14<br>儐 儐 儐 儐<br>GCA-J0173 JMJ-056955 KC-06025 SAT-60021   | UTC-00392        | 儐                    |
| U+2D0C5    | <b>2D0C5</b><br>刀 18.3<br>刌 刌<br>JMJ-057041 SAT-04598                          | UTC-00260        | 刌                    |
| U+2D443    | <b>2D443</b><br>大 37.3<br>𡗗<br>JMJ-057272                                      | UTC-00144        | 𡗗                    |

| Code Point | Code Chart Excerpt—Unicode Version 18.0         | U-Source         |                      |
|------------|-------------------------------------------------|------------------|----------------------|
|            |                                                 | Source Reference | Representative Glyph |
| U+2D8EF    | <b>2D8EF</b><br>𣎵 66.6<br>JMJ-057588            | UTC-00162        | 𣎵                    |
| U+2E0A0    | <b>2E0A0</b><br>𣎶 113.15<br>KC-06584            | UTC-00238        | 𣎶                    |
| U+2E155    | <b>2E155</b><br>𣎷 118.8<br>GWY-44030 JMJ-058270 | UTC-00343        | 𣎷                    |
| U+2E1AB    | <b>2E1AB</b><br>𣎸 118.15<br>SAT-60254           | UTC-00239        | 𣎸                    |
| U+2E669    | <b>2E669</b><br>𣎹 153.5<br>SAT-03231            | UTC-00092        | 𣎹                    |
| U+2EAA0    | <b>2EAA0</b><br>𣎺 187.18<br>JMJ-059057          | UTC-00616        | 𣎺                    |
| U+2ED7D    | <b>2ED7D</b><br>𣎻 119.11<br>GIDC23-398 TE-2677  | UTC-00347        | 𣎻                    |
| U+3011A    | <b>3011A</b><br>𣎼 18.2<br>GZ-1212201            | UTC-00259        | 𣎼                    |
| U+30189    | <b>30189</b><br>𣎽 25.13<br>GHZR-10436.18        | UTC-00251        | 𣎽                    |
| U+3191C    | <b>3191C</b><br>𣎾 75.13<br>UK-10418             | UTC-00672        | 𣎾                    |
| U+31DB5    | <b>31DB5</b><br>𣎿 116.5<br>GDM-00943 UK-10752   | UTC-00719        | 𣎿                    |
| U+31F0D    | <b>31F0D</b><br>𣏁 130.9<br>UK-10851             | UTC-00731        | 𣏁                    |

| Code Point | Code Chart Excerpt—Unicode Version 18.0   | U-Source         |                      |
|------------|-------------------------------------------|------------------|----------------------|
|            |                                           | Source Reference | Representative Glyph |
| U+31F90    | <b>31F90</b><br>艸 140.11<br>𪗗<br>UK-10947 | UTC-00453        | 𪗗                    |
| U+31FA4    | <b>31FA4</b><br>艸 140.13<br>𪗘<br>UK-10014 | UTC-00321        | 𪗘                    |
| U+32562    | <b>32562</b><br>口 30.9<br>𪗚<br>UK-20694   | UTC-00882        | 𪗚                    |
| U+327F2    | <b>327F2</b><br>心 61.4<br>𪗜<br>TC-3222    | UTC-00891        | 𪗜                    |
| U+3297D    | <b>3297D</b><br>木 75.7<br>𪗞<br>UK-20901   | UTC-03239        | 𪗞                    |
| U+32999    | <b>32999</b><br>木 75.9<br>𪗟<br>TD-3D3B    | UTC-00131        | 𪗟                    |
| U+32C1B    | <b>32C1B</b><br>瓦 98.6<br>𪗡<br>UK-20900   | UTC-03240        | 𪗡                    |

The following are source-specific notes in code point order that explain the unifications, if necessary:

- UTC-00156 (U+4AFB) — UCV #118
- UTC-00215 (U+4D1F) — UCV #346
- UTC-00445 (U+50ED) — **unifiable** per [IRG Working Set 2021 #00214](#) (UTC-00445)
- UTC-00206 (U+6550) — **ad hoc unification**
- UTC-00133 (U+6B1A) & UTC-00155 (U+25BF5) — **add new UCV (Level 2) based on U+8821 (see below)**
- UTC-00438 (U+6EFA) — UCV #305
- UTC-00178 (U+748F) — UCV #373 — **ad hoc unification of 上 and 土**
- UTC-00182 (U+7C38) — **analogous to UCV #307f**
- UTC-00469 (U+8330) — UCV #173
- UTC-00386 (U+8334) — UCV #317
- UTC-00789 (U+8503) — UCV #288
- UTC-00161 (U+8FA5) & UTC-00283 (U+2263F) — UCV #96
- UTC-00257 (U+202AC) & UTC-00194 (U+27355) — UCVs #343 & #343a
- UTC-00127 (U+206F1) — **comparable to unification of U+62F6 撈**
- UTC-00452 (U+21148) — UCV #461
- UTC-00266 (U+22466) — UCV #372

- UTC-00269 (U+228D9) — UCV #252
- UTC-00459 (U+22D15) — **unifiable** per [IRG Working Set 2021 #01514](#) (UTC-00459)
- UTC-00195 (U+22FAB), UTC-00216 (U+23037), UTC-00205 (U+2837F) & UTC-00162 (U+2D8EF) — UCV #141e
- UTC-00164 (U+2354D) — **analogous to UCV #305**
- UTC-00228 (U+23742) & UTC-00202 (U+27B93) — UCV #441
- UTC-00221 (U+250A9) — UCV #390
- UTC-00184 (U+26087) — UCV #194
- UTC-00212 (U+26B83) — **analogous to UCV #440**
- UTC-00171 (U+26C2B) — UCV #307c
- UTC-00244 (U+26E6C) & UTC-00454 (U+2B26D) — UCV #152
- UTC-00247 (U+27D6A) — UCV #141b
- UTC-00204 (U+27E29) — UCV #306
- UTC-00157 (U+2A4E8) — UCV #355
- UTC-00334 (U+2C2E9) — **unifiable** per [IRG Working Set 2017 #02448](#) (V-F0903)
- UTC-00260 (U+2D0C5) — UCV #106
- UTC-00144 (U+2D443) — UCV #354c
- UTC-00616 (U+2EAA0) — UCV #58
- UTC-00321 (U+31FA4) — UCV #179

The *kIRG\_USource* property value additions are in the *data.txt* data file that is provided as a PDF attachment.

For the proposal to add a new UCV (Level 2) to accommodate U+6B1A 𧈧/𧈨 and U+25BF5 𧈧/𧈨, the precedent is U+8821 𧈧/𧈨 whose code chart excerpt is shown below:

8821  
虫 142.15

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |
| G0-733B                                                                             | HB1-C4F9                                                                            | T1-7B26                                                                             | J0-6A42                                                                             | K1-5E43                                                                             | KP1-72EC                                                                              | V1-663D                                                                               |

  
UTC-00154

**Special Recommendation for Hong Kong SAR:** UTC experts, who are also IRG experts, recommend that Hong Kong SAR consider changing the H-source representative glyph of U+21148 𧈮 (H-8B72) to match the proposed U-source representative glyph, 𧈮 (UTC-00452), specifically to change the lower-right component from 手 to 乎. If Hong Kong SAR experts agree, its *kRSUnicode* and *kTotalStrokes* property values should also be changed from 30.18 and 21 to 30.19 and 22, respectively. The evidence shown below is page 109 of *A Pocket Dictionary of Cantonese*, Fourth Impression by Roy T. Cowles (Hong Kong University Press, 1999, ISBN 962-209-122-9), specifically entry 2149:

| KW'AN                | 2134                                          | LA                                              | 2144                           |
|----------------------|-----------------------------------------------|-------------------------------------------------|--------------------------------|
| <u>KW'AN</u>         |                                               | (a) ch'eung-kw'ong 506.<br>Madly rushing about. |                                |
| 2134. 困 31           | Weary. Exhaust-<br>ed. To confine.            | <u>LA</u>                                       |                                |
| (a) kw'an-chu8 339.  | To restrain.                                  | 2144. 喇 30                                      | F— emphatic or<br>euphonic.    |
| 2135. 窘 116          | Distressed. Per-<br>secuted. strait-<br>ened. | (a) la-ma 2554.                                 | Lama (Tibetan).                |
| (a) kw'an-pik 3281.  | To harass.                                    | 2145. 拉 64 (la)                                 | " 5 See laai.                  |
| 2136. 困 30           | To confine.                                   | (a) la-luën 2474.                               | Uproar.                        |
| <u>KW'AN</u>         |                                               | (b) la-saat. 3582.                              | Lhasa.                         |
| 2137. 羣 123          | Flock. Herd.                                  | 2146. 拉 30                                      | " 8                            |
| 2138. 羣 123          | Multitude.                                    | <u>LA</u>                                       |                                |
| (a) kw'an-chung 395. | The multitudes.                               | 2147. 賴 64                                      | To pull,                       |
| (b) maa1-kw'an 2568. | To consummate mar-<br>riage.                  | " 16                                            | clutch.                        |
| 2139. 裙 145          | Skirt.                                        | <u>LA</u>                                       |                                |
| (a) wai-kw'an 5001.  | Apron.                                        | 2148. 裂 121                                     | A crevice. Rift.               |
| <u>KW'ONG</u>        |                                               | " 11                                            | Crack. Fissure.<br>(la)        |
| 2140. 墳 32           | Tomb. To exco-                                | (a) la-kwik 2089.                               | A crevice. Fissure.            |
| " 15                 | vate. (fong)                                  | (b) laü-lä 2262.                                | A loophole. A leak.            |
| <u>KW'ONG</u>        |                                               | (c) ka-lä-së 1424-3616.                         | To write between<br>the lines. |
| 2141. 曠 72           | Waste. Wild.                                  | (d) lä-chä 60.                                  | Dirty.                         |
| (a) kw'ong-yë 5173.  | Wilderness.                                   | 2149. 罅 30                                      | F—implying ur-                 |
| 2142. 縐 120          | Floss. Silk.                                  | " 19                                            | gency or oom-                  |
| " 15 (kw'aang)       |                                               | 2150. 罅 30                                      | pletion; cer-                  |
| <u>KW'ONG</u>        |                                               | " 17                                            | tainty.                        |
| 2143. 狂 94           | Furious. Mad.                                 | <u>LAAI</u>                                     |                                |
| " 4                  | Wild. Rash.                                   | 2151. 拉 64                                      | To draw, pull,                 |
|                      |                                               | " 5                                             | drag, move, ar-                |
|                      |                                               | (a) laai-kul 1854.                              | rest. (la)<br>To saw.          |

-109-

**Revision Notes:** The following five ideographs were added in the first revision of this proposal: U+7C38, U+202A7, U+22466, U+2D0C5, and U+32999. The following 29 ideographs were added in the second revision of this proposal: U+3E14, U+43FB, U+44C1, U+4A76, U+4D1F, U+50ED, U+8330, U+8334, U+8503, U+8FA5, U+9763, U+20ABE, U+21148, U+2258D, U+22D15, U+2518A, U+26E6C, U+27D6A, U+2B26D, U+2C2E9, U+2D000, U+2E155, U+2E1AB, U+2E669, U+2EAA0, U+30189, U+31F90, U+3297D, and U+32C1B. The code chart excerpt for U+8821 was added in in the third revision.

That is all.