MWG/3-N5

## Improvement of Mongolian Unicode Block



CITA–WG, Ulaanbaatar 2019

#### Contents

- Format Controls Improvement
- Reason that why is decided to use special format control MVS
- New code points are required for Todo and Manchu-Sibe

MVSc of

#### Format Controls - Improvement


- MVS, NNBSP, FVS1, FVS2 and FVS3
- MVS, FVS1, FVS2 and FVS3

(reduced the quantity of format controls)


 MVS – used not as a Vowel Separator, but as a Suffix Separator

(solved problems caused by NNBSP)

#### MVS – never used as a Vowel Separator!



KKK J



# <u>Reason</u>: Why it is decided to use special format control MVS

 Mongolian, Todo and Manchu-Sibe scripts has one common character or code point for a letter "a - √" i.e. U+1820.

ر المحمد محمد المحمد المحمد المحمد المحمد المحمد المحمد المحمد ا	
ع °	


# <u>Reason</u>: Why it is decided to use special format control MVS

Mongolian		Todo	Manchu-Sibe
U+1820	U+1821	U+1820	U+1820
て	J	モ	え
لى فى لى	لى فى		

1 **J** f 1000 B فراق MVS 

#### Solution:

There is required adding one more code point in Unicode Mongolian Block for the letter "a - √" of Todo and Manchu-Sibe Script, which is different from Mongolian "a - √" i.e. U+1820.



#### Pros and Cons

• Pros.

➢Quantity of Format Controls is reduced

➢ Problems caused by NNBSP is solved

Searching of words is becoming easy


#### • Cons

> If decided the editing of existing data according to the new rule of

font then needs some volume of works should be done.

### How to migrate existing data to new rule

- It is very easy.
  - 1. Replace all occurrences of MVS within whole text with empty string, i.e. delete all MVS.
  - 2. Replace all NNBSP with MVS.
  - 3. May be some small editing is required





### **Thanks for your attention!**